

CHECKLIST OF THE PLANTS OF THE GUIANAS


(Guyana, Surinam, French Guiana)

2nd Edition

J. Boggan, V. Funk, C. Kelloff
Smithsonian Institution

and

M. Hoff, G. Cremers, C. Feuillet
ORSTOM



Prepared under the auspices of the Centre for the Study of Biological Diversity
University of Guyana, Georgetown, Guyana

CHECKLIST OF THE PLANTS OF THE GUIANAS

(Guyana, Surinam, French Guiana)

2nd Edition

J. Boggan, V. Funk, C. Kellogg
Biological Diversity of the Guianas
Department of Botany
National Museum of Natural History
Smithsonian Institution
Washington, D.C. 20560 U.S.A.

and

M. Hoff, G. Cremers, C. Feuillet
Herbarium, ORSTOM
97323 Cayenne Cedex
French Guiana, FRANCE

1997

Prepared under the auspices of the Centre for the Study of Biological Diversity
University of Guyana, Georgetown, Guyana

CHECKLIST OF THE PLANTS OF GUIANA

(Guyana, Surinam, French Guiana)

2nd Edition

1st Edition: December 1992

2nd Edition: February 1997

Published by the Biological Diversity of the Guianas Program, Department of Botany, National Museum of Natural History, Smithsonian Institution, Washington, D.C. 20560 U.S.A. This is publication number 30 in the Smithsonian's Biological Diversity of the Guianas Program publication series.

Copies available at no charge while supplies last.

Printed in the U.S.A.

This publication has been printed on acid free paper

Cover illustration: *Phenakospermum guyannense* (L.C. Rich.) Endl. ex Miq. (Strelitziaceae),
drawn by Alice Tangerini, Smithsonian Institution.

CONTENTS

INTRODUCTION	1
Geology	2
Vegetation types	2
Some current programs and projects in the Guianas	5
Explanation of checklist and editorial notes	5
Acknowledgements	7
References	8
CHECKLIST	9
Chlorophyta-Characeae (stoneworts)	9
Hepatophyta (liverworts)	9
Anthocerophyta (hornworts)	15
Bryophyta (mosses)	15
Psilotophyta (psilopsids)	22
Lycophyta (lycophytes)	22
Pterophyta (ferns)	24
Spermatophyta (seed plants)	40
INDEX	211
APPENDIX A. Contributors and Reviewers	229
APPENDIX B. Contributors and reviewers for the revised edition	237

PREFACE TO THE REVISED EDITION

by John Boggan

Since its publication in 1992, numerous additions and corrections have been made to the *Checklist of the Plants of the Guianas*. We have incorporated these changes in a revised edition, along with some changes in the format that we hope will make the checklist easier to use. Additions have included newly-described species, new records for the Guianas, and names overlooked or otherwise omitted from the first edition. Synonymy and reference lists have been expanded. In several cases (e.g., Nyctaginaceae, Turneraceae), the species list for a family has been completely revised. All the spermatophytes (seed plants) are arranged together alphabetically by family. The country distribution codes have been changed to GU, SU, and FG for Guyana, Surinam, and French Guiana, respectively, in anticipation of a checklist including the "Guayanen" portions of Venezuela and Brasil.

The treatment of the various families remains uneven, with some families well-known (either with recent monographic or floristic treatments, or with a specialist actively identifying specimens) and others (e.g., Dioscoreaceae, Smilacaceae) very poorly known. All available publications dealing with Guianan plants since publication of the first edition have been consulted, in some cases resulting in substantial changes; in other cases, older publications not seen for the original checklist were consulted with the result that certain families are in much more complete (e.g., Liliaceae s.l. but excluding Smilacaceae).

We have tried not to include any unpublished names or combinations without indicating them as such (i.e., "sp. nov. ined." or "comb. nov. ined."). However, it has not been possible to verify every name found on herbarium specimens or in the literature as validly published. The editors regret and take full responsibility for the use of any invalid names.

The first edition of the "Checklist of the Plants of the Guianas" was a collaborative project, with contributions by many researchers worldwide. Authors of the family lists were identified as "contributed by...." Otherwise, family lists were compiled by the editors, and in some cases these were reviewed by additional specialists (identified as "reviewed by...."). Additions and corrections suggested by the reviewers were incorporated. Authorship of the revised edition is complicated by the fact that additions and corrections were made by the editors, by most (but not all) of the original contributors and reviewers (listed in Appendix A), and by new contributors and reviewers (listed in Appendix B). The editors have tried to clearly indicate the authorship of each family list, and hope we have given sufficient credit to the contributors.

It is the nature of publications such as this to be obsolete as soon as they are published. During the time between the completion of editing and final publication, several new species have been published, and new country records have been discovered. In addition, numerous additions and corrections were received from Jan C. Lindeman (U) shortly before going to press. Unfortunately, there was not enough time to incorporate most of these in the revised checklist. The majority of those not already received from other sources were synonyms whose current status could not be verified. New country records indicated by Lindeman (primarily for Surinam) are indicated with a question mark.

This is publication number 30 in the Smithsonian's Biological Diversity of the Guianas Program publication series. This publication was supported by the BDG program and copies are available from the program at no charge while supplies last.

INTRODUCTION

by V.A. Funk

This checklist is a preliminary listing of the known vascular plants (flowering plants, gnetophytes, cycads, conifers, ferns and "fern allies") and "bryophytes" (mosses, hornworts, liverworts) from the Guianas. Although our knowledge of the algae is insufficient to enable us to produce a species list at this time, we have included the Characeae (stoneworts) of the macroalgae because the information was easily available. This checklist excludes lichens and fungi, which are usually classified together under fungi and are not plants in the strict sense. A checklist of the lichens reported from the Guianas before 1987 has been published (Hekking & Sipman 1988) and hopefully, a list of all the fungal groups will be forthcoming.

This checklist is an attempt to list all of the vascular plants and bryophytes of the Guianas in an effort to encourage further research. Checklists have many uses. They can aid in identifications, although new species and new records are always a possibility. In addition, checklists tell us how many organisms of a certain kind are in a particular area, thus giving us an idea of the species richness. Checklists can act as an indicator of endemism within an area and provide information on the number of introduced species. They can be used in a comparative manner between and among areas. If they cover a natural area (one that has biotic or geologic significance) they can be used to formulate questions about centers of origin and evolutionary history. In addition, a checklist is a way to help standardize spelling and authors and to promote accurate labeling of specimens. Checklists, however, reflect our knowledge at a particular time and our current taxonomic opinions and so their usefulness is tempered by the knowledge that they are never entirely correct and that the list will be constantly changing. For instance, we are sure that this list contains incorrect synonymies, records based on misidentifications, that additional species remain

to be added, and that many species have not yet been described or even discovered. However, this type of "snapshot" is valuable because it provides a way of focusing and stimulating work in the area. In order to help us keep this checklist as current and accurate as possible, please contact the Director, Biological Diversity of the Guianas Program, with any additions or corrections.

The part of the northeastern shoulder of South America along the Atlantic coast commonly known as the "Guianas" consists of three political areas (Map 1) with a total area of about 500,000 sq. km. The westernmost political entity is Guyana, formerly known as British Guiana, which has 800,000 inhabitants and an area of 231,800 sq. km. To the east of Guyana is Surinam, formerly known as Dutch Guiana, with 400,000 inhabitants and 173,840 sq. km. The easternmost is French Guiana, an overseas department of France, with 120,000 inhabitants and 88,240 sq. km. (areas from McConnell and Choubert 1975). In all three of these areas, the population is concentrated along the coast and near the respective capital cities.

The Guianas constitute only part of a phytogeographic or natural area called the Guiana Shield (see Geology section). To make them a natural area would require including Venezuela south and east of the Orinoco River and small parts of Colombia and Brazil. During the next year the "Flora of the Venezuelan Guayana" project of the Missouri Botanical Garden will produce a checklist for the Venezuelan Guayana. Proposed collaboration between the Smithsonian and Missouri will produce a combined checklist covering the bulk of the Guiana Shield a natural area to study and determine if the flora of the Guiana shield is a unique evolutionary unit.

For this checklist, we have recorded over 9200 species from the three Guianas: approximately 6500 from Guyana, 5100 from Surinam, and 5400 from French Guiana. Of these, only about 3% are introduced and naturalized. The families with the largest number of species in the Guianas are the Leguminosae (Cronquist, 1981, divides the legumes into three segregate families but they are often treated as one) with more than 800 species and the Orchidaceae with about 700. Other large families are the Rubiaceae and the Poaceae (grasses), both with more than 400 species.

GEOLOGY

Underlying all of northeastern South America is the Guiana Shield (Map 2), which occupies a broad area between the Atlantic Ocean and the Orinoco and Amazon rivers. In addition to the three Guianas, the Guiana Shield covers a small part of eastern Colombia and the Venezuelan departments of Amazonas and Bolívar to the west and parts of the Brazilian departments of Roraima, Pará and Amapá to the south and east. Geologically, the Guiana Shield is an ancient Precambrian land mass (4 billion - 590 million years old) made up of varied formations of sedimentary and igneous origin that were metamorphosed and folded (McConnell and Choubert 1975). Overlying the central portion of the Shield are the Roraima sediments that, although lacking in fossils, are believed to have been laid down on the Guiana Shield during the Cretaceous Period (140 - 68 million years ago) probably as shallow marine or brackish water deposits (Gansser 1954, Maguire 1970). The Roraima formation consists of pink, yellow and white sandstones, red quartzites, green, black and red shales, conglomerates and boulder beds (Fanshawe 1952). At an earlier time, the Roraima formation must have been considerably larger, perhaps extending south to the Matto Grosso highlands in Brazil (Fanshawe 1952, Gansser 1954). Erosion decreased the size of the formation and the remaining sediments extend west from the Kaieteur escarpment in central Guyana, forming the Pakaraima

Mountains, and on through parts of Venezuela and Colombia and south into northern Brazil (Leechman 1913). Within this area, erosion has created vertical-walled, more or less flat-topped peaks called "tepui". These table-like formations are often virtually inaccessible and are so unusual that in a fictional account of a scientific expedition, one of them was referred to as "The Lost World" (Doyle 1912). Their unique flora and fauna has resulted in the descriptor "lost world" being applied to all of these table mountains. The highest peaks of the Guianas are found in the Roraima Formation in western Guyana with Mt. Roraima reaching 2772 m., Mt. Ayanganna to 2134 m., and Mt. Wokumung to 2042 m.


The Guiana Shield can be divided into four natural geologic regions: 1) coastal plain; 2) central pediplains and rugged mountains of Precambrian metamorphic and granitic rocks; 3) high plateaus of the Pakaraima Mountains, formed by the tabular Roraima Formation; and 4) southern pediplains descending to the Rio Negro and the Amazon basin.

VEGETATION TYPES


The vegetation of the Guianas is determined by the underlying geology, altitude, and annual amount of rainfall. All of the Guianas experience at least one dry season a year and during most years, two. As with most tropical countries, the rains sometimes come early or sometimes late, and occasionally a dry or rainy season does not occur at all. In general, there is sufficient rainfall for most of the Guiana area to be forested. The estimated percentage of forest cover varies from 86% for Guyana (Haman and Wood 1928) to 97.7% for French Guiana (Granville 1974). The Guianas have a remarkable diversity of organisms and their rich flora and fauna remain largely unexplored and unexploited. They constitute one of the few tropical areas worldwide that still has the majority of its forests intact. Estimates vary, but clearly only a small percentage of the Guianas has been deforested.

There are nine vegetation types in the Guianas according to Lindeman and Mori

INTRODUCTION



Map 1: The Guianas



Map 2: The Guiana Shield (McConnell & Choubert 1975)

(1989): 1. seasonal evergreen forest (or seasonal wet forest); 2. mangrove; 3. strand vegetation (beach vegetation); 4. marsh forests; 5. swamp forests; 6. herbaceous swamps; 7. savannas; 8. montane vegetation; and 9. inselbergs (granitic outcrops). However, Lindeman and Mori's list focuses mainly on Surinam and French Guiana. Fanshawe (1952) lists 28 vegetation types in six categories for Guyana: 1. rain forest; 2. seasonal forest; 3. dry evergreen forest; 4. montane forest; 5. marsh forest (includes savannas); and 6. swamp forest (includes mangrove and herbaceous swamps types). Neither list covers all of the vegetation types with the Lindeman and Mori list lacking several forest types and the Fanshawe list missing the strand and inselberg vegetation. Combining the two lists gives a broader, more complete range of vegetation types found in this region. One possible way to combine the two lists is to use the 28 types of Fanshawe's and add the two missing categories from Lindeman and Mori.

SOME CURRENT PROGRAMS AND PROJECTS IN THE GUIANAS

Several programs and projects are now underway in the Guianas. A few that deal with floras are listed below. The first two collaborated to produce this checklist.

Biological Diversity of the Guianas (BDG) - Smithsonian Institution. The BDG started in 1983 and now operates from the "Centre for the Study of Biological Diversity" on the campus of the University of Guyana. The BDG program seeks to document and study the flora and fauna of the Guianas. Activities include collecting specimens to be housed at the Centre and training students and staff of the University as well as producing checklists, flora treatments, inventories, vegetation maps, and other publications such as a listing of the plants and animals of Kaieteur Falls National Park in Guyana.

Herbarium of Cayenne - ORSTOM. The general herbarium was founded in 1965 by R. A. A. Oldeman to succeed the savanna (grass)

collection established by J. Hoock between 1955 and 1965. From the beginning, the activity of the laboratory focused on the floristic and ecological studies of the forests of French Guiana. Activities in Cayenne include collecting specimens in remote areas of the country, especially inselbergs, and producing treatments for flora projects. In 1988, a checklist of the Flowering Plants and Pteridophytes of French Guiana was published (Cremers et al. 1988). The herbarium of some 60,000 specimens is stored electronically (completed in 1988) in the data bank AUBLET.

Flora of the Guianas. An international consortium of nine botanical institutions formed in 1983 to produce a written account of the plants of the Guianas. The Flora project has its editorial center at the University of Utrecht, The Netherlands. Some of the contributors to this checklist are also participating in the Flora of the Guianas project; however, this checklist is not part of the Flora nor is it associated with it in any way.

Flora of Central French Guiana. A joint project by the New York Botanical Garden and ORSTOM to produce a flora of 50,000 hectares of rainforest near Saül, French Guiana.

Iwokrama International Rainforest Programme. Located in the center of Guyana, the principal aim of the Iwokrama Programme is to demonstrate, through scientific research, methods of sustainable utilization of the forest for timber and other extractive resources while conserving biological diversity.

Conservation International. Operates a "Guianas Regional Program" (consisting of Surinam and Guyana) to assist these countries in conservation matters and to conduct ethnobotanical studies.

EXPLANATION OF CHECKLIST AND EDITORIAL NOTES

The checklist includes the vascular plants and bryophytes of Guyana, Surinam and French Guiana. Although the checklist does not cover most algae, the Characeae are included. The lichens and fungi are not included. As this checklist is preliminary, the quality and coverage

of the families varies widely depending on the availability of recent floristic and/or monographic literature and the participation of specialists. However, contributing specialists sometimes have supplied data that could not be verified from the literature. At this point it isn't always clear what is new and/or unpublished information and what is based on literature the editors have not seen.

Family circumscriptions of the flowering plants follow Cronquist (1981), except our recognition of the family Bonnetiaceae on the recommendation of A. Weitzman (personal communication). Pteridophytes follow the classification in the United States National Herbarium (US), as arranged by D. Lellinger. Other groups are as arranged by their respective contributors.

Author abbreviations, when used, follow Stafleu and Cowan (1976-1988). "H.B.K." is cited throughout the checklist as "Kunth".

A few taxon names are included in the list that we have been unable to verify. Some may be new records, most are probably misidentifications or synonyms and still others are names from the literature that the editors cannot verify. The "unverified names" were not contributed by the specialists.

Sources of Information: Several sources were used for the data presented in the checklist: 1) the literature: see references at the end of each family and in the General Reference section; 2) contributions by specialists, either as provided by an individual and therefore listed as "contributed by..." or a list compiled by the editors was reviewed or proofread by a specialist in that group, in which case it is listed as "reviewed by..."; 3) databases: Centre Technique Forestier Tropical - France, Herbarium of Cayenne - ORSTOM, Biological Diversity of the Guianas Program - Smithsonian Institution; and 4) herbarium records, i.e., specimens at: BRG, CAY, US, MO. All abbreviations for herbaria follow Holmgren et al. (1990). Families listed without contributors or reviewers were compiled by the editors.

The bibliographies are not exhaustive. Only recent monographic and floristic literature (generally after 1900) relevant to the covered

geographic area was surveyed (see references following the introduction and with each family). Family references have been added by the editors as an aid to the user of the checklist. Families without corresponding specialists have more extensive literature citations. If a family had a recent treatment (e.g., in the Flora of the Guianas (Görts-van Rijn 1985 -), Flora of Suriname (Pulle et al. 1932-1984), Botany of the Guayana Highland (Maguire and Collaborators 1953-1989), Flora Neotropica, or family monographs) then little additional work was done for the present list.

In a few cases (Cyperaceae, Myrtaceae, some parts of Orchidaceae), separate lists were provided by more than one specialist. In all such cases, the lists were not 100% in agreement and the list presented is an amalgamation of the two. In the species lists in general, and the synonymies in particular (see below), it should be noted that different systematists will have different opinions on the status of particular names.

Taxa collected on Mt. Roraima have caused a problem because this table-mountain is located on the borders of Guyana, Venezuela and Brazil. Specimens from this area may lack a country designation or it may be incorrect or unknown, especially in historical collections. To prevent confusion, taxa known in the Guianas only from Mt. Roraima have been listed as "Mt. Roraima" rather than Guyana. However, as we continue to explore the Pakaraima Mountains, some taxa previously known only from Mt. Roraima may also be found in Guyana.

Included and excluded names: This checklist includes indigenous taxa and naturalized taxa (so noted when possible) as well as taxa from neighboring areas that may be expected in the Guianas. Infraspecific taxa at the level of subspecies and variety are included at the discretion of the contributors. Infraspecific taxa at the level of "forma" are excluded as well as names of varietal status not currently considered to be distinct from the "typical" variety.

We have excluded taxa known only in cultivation in the Guianas. Although some of these may be found as escapees, they are

INTRODUCTION

generally not well-established. DeFilipps (1992) has listed many of the cultivated plants in his recent publication.

Synonymies and taxa not known in the Guianas: The synonymy is not meant to be exhaustive. We have included synonyms only if the synonymized name is found in recent literature. Because some of the synonymies are taken from the literature they may not all conform to the taxonomic concepts of the contributing specialist for that family.

In many cases, a species has been reported from the Guianas either because of a broad species circumscription that has since been restricted (or as an infraspecific taxon that has since been raised to species status), or due to misidentifications or other errors. In either case, the name is listed at the end of the family with the notation "not in Guianas".

ACKNOWLEDGMENTS

Once again, we thank the many specialists who have contributed to this checklist. It would not have been possible without their assistance. Their names are listed at the beginning of the family list with which they assisted as well as in Appendix A. Sally Adkins, Keitha Dattilo, Susan Grose, Marilyn Hansel, Tom Hollowell, Mark Strong, and Fernanda Zermoglio assisted with the proofreading and final preparation of the manuscript. We also thank Robert A. DeFilipps and Jan C. Lindeman for their numerous comments on the entire checklist. We have received comments, corrections, and encouragement from many sources, and regret that we can not name them all. In addition we thank D. B. Lellinger and L. E. Skog for being especially helpful with the overall project

REFERENCES

- Cremers, G., C. Feuillet, J.J. de Granville, & M. Hoff. 1988. *Liste des espèces de Phanérogames et de Ptéridophytes de Guyane française d'après l'Herbier du Centre ORSTOM de Cayenne.* ORSTOM, Cayenne.
- Cronquist, A. 1981. *An Integrated System of Classification of Flowering Plants.* Columbia University Press, New York.
- DeFilips, R.A. 1992. *Ornamental Garden Plants of the Guianas: An historical perspective of selected garden plants from Guyana, Surinam and French Guiana.* Department of Botany, Smithsonian Institution, Washington, DC.
- Doyle, A.C. 1912. *The Lost World.* Puffin Books, London.
- Fanshawe, D.B. 1952. *The vegetation of British Guiana: A preliminary review.* Imperial Forestry Institute paper no. 29: 1-96.
- Gansser, A. 1954. The Guiana Shield (South America). *Eclog. Gelo. Helv.* 47: 77-117.
- Görts-van Rijn, A.R.A. [ed.]. 1985-. *Flora of the Guianas.* Koeltz Scientific Books, Germany.
- Granville, J.J. de. 1974. Paysages végétaux de la Guyane. Pages 77-78 in *Regards sur la France.* Editions S.P.E.I., Paris.
- Haman, M. & B.R. Wood. 1928. The forests of British Guiana. *Trop. Woods* 15: 2-13.
- Hekking, W.H.A. & H.J.M. Sipman. 1988. The lichens reported from the Guianas before 1987. *Willdenowia* 17: 193-228.
- Holmgren, P.K., N.H. Holmgren, & L.C. Barnett. 1990. *Index Herbariorum Part I: The Herbaria of the World.* International Association for Plant Taxonomy.
- Leechman, A. 1913. *The British Guiana Handbook.* "The Argosy" Co., Ltd., Georgetown, British Guiana and Dulau & Co., London.
- Lindeman, J.C. & S.A. Mori. 1989. The Guianas. In D.G. Campbell and H.D. Hammond [ed.], *Floristic Inventory of Tropical Countries.* New York Botanical Garden, New York.
- Maguire, B. 1970. On the flora of the Guayana Highland. *Biotropica* 2: 85-100.
- Maguire, B. & collaborators. 1953-1989. Botany of the Guayana Highland. Parts I-XIII. *Mem. New York Bot. Gard.*
- McConnell, R.B. & B. Choubert. 1975. Guiana Shield-Regional Survey. In R.W. Fairbridge [ed.], *Encyclopedia of World Regional Geology, Part I: Western Hemisphere.* Dowden, Hutchinson, & Ross, Inc., Stroudsburg, PA.
- Pulle, A., J. Lanjouw, A.L. Stoffers, & J.C. Lindeman. 1932-1984. *Flora of Suriname.* J.H. deBussy, Amsterdam; E.J. Brill, Leiden.
- Stafleu, F.A. & R.S. Cowan. 1976-1988. *Taxonomic Literature* (second edition). Bohn, Scheltema, & Holkema, Utrecht.

INTRODUCTION

CHECKLIST

CHLOROPHYTA - CHARACEAE

contributed by M. Guerlesquin (1992); reviewed by M. Guerlesquin (1996)

CHARACEAE REFERENCES:

- Guerlesquin, M. 1981. Contribution à la connaissance des Characées d'Amérique du Sud (Bolivie, Equateur, Guyane française). *Rev. Hydrobiol. trop.* 14(4): 381-406.
- Guerlesquin, M. 1983. Contribution à l'étude des Petites Antilles. *Rev. Hydrobiol. trop.* 16(3): 213-233.
- Guerlesquin, M. 1985. Bilan et répartition de la flore des Charophycées dans les Antilles. *Verh. Internat. Verein. Limnol.* 22(5): 2879-2884.
- Guerlesquin, M., A. Couté, & A. Vaquer. 1991. Studies about the family of the Characeae from the Guyanas. *Verh. Internat. Verein. Limnol.* 24: 2673-2677.

CHARACEAE

- Chara flaccida* (A. Braun) Zaneveld [SU FG]
Chara hydropitys Reich. [SU FG]
Chara oerstediana A. Braun [FG]
Chara robbinsii Halst. [FG]
Nitella acuminata A. Braun ex Wallm. [GU]
Nitella dictyosperma H. & J. Groves [FG]
Nitella divaricata J. Groves & Steph. [FG]
Nitella flagellifera J. Groves & G.O. Allen [FG]
Nitella furcata Roxb. ex Bruz. [FG]
Nitella glaziovii Zell. [FG]
Nitella leptodactyla J. Groves [FG]
Nitella megacarpa T.F. Allen [FG]
Nitella microcarpa A. Braun [SU FG]
Nitella mucronata A. Braun [FG]

HEPATOPHYTA

contributed by S.R. Gradstein (1992); additions and corrections by S.R. Gradstein (1996)

HEPATOPHYTA REFERENCES:

- Cornelissen, J.H.C. & S.R. Gradstein. 1990. On the occurrence of bryophytes and macrolichens in different lowland rain forest types at Mabura Hill, Guyana. *Tropical Bryology* 3: 29-35.

- Gradstein, S.R. 1975. A taxonomic monograph of the genus *Acrolejeunea*. *Bryoph. Biblioth.* 4: 1-162.
- Gradstein, S.R. 1985. A revision of the genus *Stictolejeunea* (Spruce) Schiffner. *Beih. Nova Hedwigia* 80: 195-219.
- Gradstein, S.R. 1994. *Lejeuneaceae: Ptychantheae, Brachiolejeuneae*. *Flora Neotropica Monogr.* 62: 1-216.
- Gradstein, S.R. 1995. A Guide to the Bryophytes of Tropical America. 1. Liverworts and Hornworts. Draft version, Brussels, 255 pp.
- Gradstein, S.R. & G.M.C. Buskes. 1985. A revision of Neotropical *Archilejeunea* (Spruce) Schiffn. *Beih. Nova Hedwigia* 80: 89-112.
- Gradstein, S.R. & J. Florschütz-de Waard. 1989. Results of a botanical expedition to Mount Roraima, Guyana. I. Bryophytes. *Tropical Bryology* 1: 25-54.
- Gradstein, S.R. & J. van Beek. 1985. A revision of the genus *Symbiezidium* Trevis. *Beih. Nova Hedwigia* 80: 2212-248.
- Gradstein, S.R. & W.H.A. Hekking. 1989. A catalogue of the bryophytes of the Guianas. I. Hepaticae and Anthocerotae. *Journ. Hattori Bot. Lab.* 66: 197-230.
- Grolle, R. 1989. Adelanthus am Mt. Roraima. *J. Hattori Bot. Lab.* 67: 243-247.
- Grolle, R. 1989. *Marsupidium* in Guayana. *J. Hattori Bot. Lab.* 66: 337-342.
- Grolle, R. & S.R. Gradstein. 1988. *Haesselia*, a new genus of Cephaloziaceae (Hepaticae) from Mt. Roraima, Guyana. *Journ. Hattori Bot. Lab.* 64: 327-334.
- Kuwahara, Y. 1986. The Metzgeriaceae of the Neotropics. *Bryophytorum Bibliotheca* 28: 1-254.
- Tixier, P. 1991. *Bryophyta exotica* - 9. Quelques Lejeuneaceae (Hépatiques) nouvelles pour l'Amerique du Sud. *Candollea* 46(2): 267-302.

ACROBOLBACEAE

- Marsupidium gradsteinii* Grolle [GU FG]
Tylimanthus laxus (Lindenb.) Spruce [GU]
Tylimanthus striolatus Steph. [GU]
Tylimanthus subtilis Steph. [GU]

ADELANTHACEAE

- Adelanthus squarrosus* Grolle [GU]

CHLOROPHYTA, HEPATOPHYTA

ANEURACEAE

- Aneura pinguis* (L.) Dumb. [FG]
Aneura sp. [GU]
Riccardia amazonica (Spruce) Schiffn. ex Gradst. & Hekking
 [GU SU FG]
Riccardia andina (Spruce) Herz. [GU]
Riccardia cervicornis (Spruce) Herz. ex Gradst. & Hekking
 [GU]
Riccardia digitiloba (Spruce) Pagan [SU]
Riccardia fendleri (Steph.) Pagan [FG]
Riccardia fucoidea (Swartz) Mass. [GU]
Riccardia plumaeformis (Spruce) Meenks [GU]
Riccardia schwaneckeii (Steph.) Pagan [GU]
Riccardia sprucei (Steph.) Meenks & de Jong [FG]

AYTONIACEAE

- Asterella venosa* (Lehm. & Lindenb.) Evans [SU]

BALANTIOPSACEAE

- Isotachis multiceps* Gott. [GU]
Neesioscyphus argillaceus (Nees) Grolle [GU]

CALYPOGEIACEAE

- Calypogeia caespitosa* (Spruce) Steph. [GU]
Calypogeia cellulosa (Spreng.) Steph. [GU]
Calypogeia crenulata Bischler [GU]
Calypogeia laxa Gott. & Lindenb. [GU SU]
Calypogeia lechleri (Steph.) Steph. [GU SU FG]
Calypogeia lechleri (Steph.) Steph. var. *densifolia* (Steph.)
 Bischler [SU]
Calypogeia miquelii Mont. [GU SU FG]
Calypogeia peruviana Nees & Mont. [GU]
Calypogeia venezuelana Fulford [GU]

CEPHALOZIACEAE

- Alobiella husnotii* (Gott.) Schiffn. [GU]
Anomoclada portoricensis (Hampe & Gott.) Vána [GU SU]
Cephalozia crassifolia (Lindenb. & Gott.) Fulford [GU FG]
Haesselia acuminata Gradst. [GU]
Haesselia roraimensis Grolle & Gradst. [GU]
Nowellia evansii Grolle [GU]
Odontoschisma atropurpureum Steph. [GU]
Odontoschisma brasiliense Steph. [SU]
Odontoschisma denudatum (Nees) Dum. [GU FG]
Odontoschisma falcifolium Steph. [GU SU FG]
Trabacellula tumidula Fulford [GU]

HEPATOPHYTA**CEPHALOZIACEAE - SYNONYMS AND MISIDENTIFICATIONS:**

Anomoclada mucosa Spruce = *Anomoclada portoricensis*

CEPHALOZIELLACEAE

- Cylindrocolea planifolia* (Steph.) Schust. [GU FG]

FOSSOMBRONIACEAE

- Fossombronia* sp. [GU]

FRULLANIACEAE

- Frullania apiculata* (Reinw. et al.) Dum. var. *guianensis*
 Lindenb. & Gott. [GU SU]
Frullania apiculata (Reinw. et al.) Dum. [GU SU FG]
Frullania arecae (Spreng.) Gott. [FG]
Frullania bicornistipula Spruce [GU]
Frullania brasiliensis Raddi [GU FG]
Frullania breutelianae Gott. [FG]
Frullania caulinsequa (Nees) Nees [GU SU FG]
Frullania degelii S. Arn. [FG]
Frullania ericoides (Nees) Mont. [SU FG]
Frullania exilis Tayl. [GU FG]
Frullania gaudichaudii (Nees & Mont.) Nees & Mont. [GU]
Frullania gibbosa Nees [GU SU FG]
Frullania kunzei (Lehm. & Lindenb.) Lehm. & Lindenb. [GU
 FG]
Frullania montagnei Gott. [FG]
Frullania mucronata (Lehm. & Lindenb.) Lehm. & Lindenb.
 [GU SU]
Frullania neesii Lindenb. [GU SU FG]
Frullania nodulosa (Reinw. et al.) Nees [GU SU FG]
Frullania parasitica Hampe ex Lehm. & Lindenb. [FG]
Frullania pendulostyla Steph. [GU]
Frullania riojaneirensis (Raddi) Ångstr. [GU SU FG]
Frullania serrata Gott. [FG?]
Frullania subtilissima Lindenb. [FG]

FRULLANIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Frullania obcordata* (Lehm. & Lindenb.) Lehm. & Lindenb.
 [specimens identified as *F. caulinsequa*]
Frullania obcordata (Lehm. & Lindenb.) Lehm. & Lindenb.
 var. *armata* Lindenb. & Gott. [specimens identified as *F.
 caulinsequa*]

GEOCALYCACEAE

- Heteroscyphus contortuplicatus* (Mont. & Nees) Grolle [SU]
Leptoscyphus cuneifolius (Hook.) Mitt. [GU]

Leptoscyphus gibbosus (Tayl.) Mitt. [GU]
Leptoscyphus ovatus (Spruce) Grolle [GU]
Leptoscyphus porphyrius (Nees) Grolle [GU SU FG]
Lophocolea bidentata (L.) Dum. [SU FG]
Lophocolea bidentula (Nees) Fulford [FG]
Lophocolea connata (Swartz) Nees [FG]
Lophocolea liebmanniiana Gott. [GU SU FG]
Lophocolea martiana Nees [GU SU FG]
Lophocolea perissodonta (Spruce) Steph. [GU SU]
Lophocolea trapezoidea Mont. [GU FG]

GEOCALYCACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Lophocolea coadunata (Swartz) Nees = *Lophocolea bidentata*

HERBERTACEAE

Herbertus divergens (Steph.) Herz. [GU SU FG]
Herbertus juniperoides (Swartz) Grolle [GU FG]
Herbertus pensilis (Tayl.) Spruce [GU]

JUNGERMANNIACEAE

Jamesoniella rubricaulis (Nees) Grolle [GU]
Stenorhipis grollei Gradst. [GU]
Syzygiella perfoliata (Swartz) Bruce [GU]
Vanaea plagiochiloidea (Inoue & Gradst.) Inoue & Gradst. [GU] [Mt. Roraima]

JUNGERMANNIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Anastrophyllum plagiochiloidea Inoue & Gradst. = *Vanaea plagiochiloidea*

LEJEUNEACEAE

Acanthocoleus aberrans (Lindenb. & Gott.) Kruijt var. *aberrans* [FG]
Acrolejeunea emergens (Mitt.) Steph. [GU SU FG]
Acrolejeunea torulosa (Lehm. & Lindenb.) Schiffn. [GU SU FG]
Anoplolejeunea conferta (Meissn.) Evans [GU FG]
Aphanolejeunea diaphana (Evans) Schust. [GU FG]
Aphanolejeunea exigua Evans [FG]
Aphanolejeunea gracilis Jovet-Ast [FG]
Aphanolejeunea sicaefolia (Gott. ex Steph.) Evans [SU]
Archilejeunea auberiana (Mont.) Evans [SU FG]
Archilejeunea badia (Spruce) Steph. [GU]
Archilejeunea crispistipula (Spruce) Steph. [GU]
Archilejeunea fuscescens (Hampe ex Lehm.) Fulford [GU SU FG]
Archilejeunea parviflora (Nees) Schiffn. [GU SU FG]
Bracholejeunea conduplicata (Steph.) Gradst. [SU FG]
Bryopteris diffusa (Swartz) Nees [GU SU? FG]

Bryopteris filicina (Swartz) Nees s.l. [GU SU FG]
Caudalejeunea lehmanniana (Gott.) Evans [GU SU]
Ceratolejeunea amazonica (Steph.) Steph. [SU]
Ceratolejeunea anomala (Lindenb. & Gott.) Steph. [SU]
Ceratolejeunea brasiliensis (Gott.) Schiffn. [FG]
Ceratolejeunea caducifolia (Spruce) Steph. [FG]
Ceratolejeunea confusa Schust. [GU]
Ceratolejeunea cornuta (Lindenb.) Schiffn. [GU SU FG]
Ceratolejeunea cubensis (Mont.) Schiffn. [SU FG]
Ceratolejeunea dentatocornuta Steph. [FG]
Ceratolejeunea desciscens (Sande Lac.) Schiffn. [GU SU FG]
Ceratolejeunea flagelliformis (Steph.) Fulford [FG]
Ceratolejeunea grandibracteata Fulford [FG]
Ceratolejeunea guianensis (Nees & Mont.) Steph. [SU FG]
Ceratolejeunea involvens (Nees & Mont.) Steph. [GU SU FG]
Ceratolejeunea kegelii (Lindenb. & Gott.) Steph. [SU]
Ceratolejeunea laetefusca (Aust.) Schust. [GU FG]
Ceratolejeunea longicornis (Gott.) Steph. [FG]
Ceratolejeunea maritima (Spruce) Steph. [GU SU FG]
Ceratolejeunea megalophysa (Spruce) Steph. [GU SU FG]
Ceratolejeunea parisii Steph. [FG]
Ceratolejeunea patentissima (Hampe & Gott.) Evans [GU SU FG]
Ceratolejeunea patulistipa Steph. [SU FG]
Ceratolejeunea plumula (Spruce) Steph. [GU SU FG]
Ceratolejeunea poeppigiana (Nees) Steph. [FG]
Ceratolejeunea remotistipula Steph. [SU]
Ceratolejeunea rubiginosa Steph. [GU]
Ceratolejeunea rufo-pellucida (Spruce) Steph. [FG]
Ceratolejeunea spinosa (Gott.) Steph. [GU SU FG]
Ceratolejeunea splitterberiana (Mont.) Steph. [SU FG]
Ceratolejeunea valida Evans [FG]
Ceratolejeunea variabilis (Lindenb.) Schiffn. [FG]
Cheilolejeunea acutangula (Nees) Grolle [FG]
Cheilolejeunea adnata (Kunze) Grolle [GU SU FG]
Cheilolejeunea clausa (Nees & Mont.) Schust. [SU FG]
Cheilolejeunea discoidea (Lehm. & Lindenb.) Kachroo & Schust. [FG]
Cheilolejeunea fragrantissima (Spruce) Schust. [GU] [Mt. Roraima]
Cheilolejeunea inflexa (Hampe ex Lehm. & Lindenb.) Grolle [SU FG]
Cheilolejeunea longiflora (Tayl.) Schust. [FG]
Cheilolejeunea rigidula (Nees & Mont.) Schust. [GU SU FG]
Cheilolejeunea trifaria (Reinw. et al.) Mizut. [GU SU FG]
Cololejeunea bekkerae Tixier [SU]
Cololejeunea cardiocarpa (Mont.) Evans [FG]
Cololejeunea cremersii Tixier [FG]
Cololejeunea ensifolia (Spruce) Bonner [FG]
Cololejeunea kegelii Steph. [SU]
Cololejeunea obliqua (Nees & Mont.) Schiffn. [SU FG]
Cololejeunea platyneura (Spruce) Evans [SU FG]
Cololejeunea sigmaoidea Jovet-Ast & Tixier [FG]
Cololejeunea subcardiocarpa Tixier [FG]
Cololejeunea surinamensis Tixier [SU FG]
Colura clavigera Gott. ex Jovet-Ast. [GU SU FG]
Colura cylindrica Herz. [GU SU FG]
Colura greig-smithii Jovet-Ast. [SU FG]
Colura lyrata Steph. [GU]

Colura rhynchophora Jovet-Ast. [GU SU]
Colura tenuicornis (Evans) Steph. [FG]
Colura tortifolia (Nees & Mont.) Trevis. [GU SU FG]
Colura valida Evans [FG]

HEPATOPHYTA

- Crossotolejeunea boryana* (Mont.) Schiffn. [GU SU FG]
Crossotolejeunea crenata (Nees & Mont.) Lacouture [GU SU FG]
Crossotolejeunea paucispina (Spruce) Steph. [GU SU]
Cyclolejeunea accedens (Gott.) Evans [FG]
Cyclolejeunea chitonia (Tayl.) Evans [GU SU FG]
Cyclolejeunea convexistipa (Lehm. & Lindenb.) Evans [GU SU FG]
Cyclolejeunea dentistripula Steph. [FG]
Cyclolejeunea foliorum (Nees) Grolle [FG]
Cyclolejeunea luteola (Nees) Grolle [GU SU FG]
Cyclolejeunea peruviana (Lehm. & Lindenb.) Evans [GU SU FG]
Cyrtolejeunea holostipa (Spruce) Evans [GU SU FG]
Cystolejeunea lineata (Lehm. & Lindenb.) Evans [GU FG]
Dicranolejeunea axillaris (Nees & Mont.) Schiffn. [GU]
Diplasiolejeunea brunnea Steph. [FG]
Diplasiolejeunea cavifolia Steph. [GU SU FG]
Diplasiolejeunea cobrensis Gott. ex Steph. [GU]
Diplasiolejeunea galloana Jovet-Ast. [SU]
Diplasiolejeunea lacosteai Tixier [GU]
Diplasiolejeunea latipuenensis Tixier [GU]
Diplasiolejeunea pellucida (Meissn. ex Spreng.) Schiffn. [GU SU FG]
Diplasiolejeunea reyesiana Tixier [GU]
Diplasiolejeunea rudolphiana Steph. [GU SU FG]
Diplasiolejeunea unidentata (Lehm. & Lindenb.) Schiffn. [FG]
Diplasiolejeunea unidentata (Lehm. & Lindenb.) Schiffn. var. minor Lindenb. & Gott. [SU]
Diplasiolejeunea unidentata (Lehm. & Lindenb.) Schiffn. var. bidentula Lindenb. & Gott. [SU]
Drepanolejeunea araucariae Steph. [FG]
Drepanolejeunea bidens Steph. [FG]
Drepanolejeunea bispinulosa Evans [SU]
Drepanolejeunea crucianella (Tayl.) Evans [GU SU FG]
Drepanolejeunea fragilis Bischler [GU SU FG]
Drepanolejeunea inchoata (Meissn.) Steph. [SU FG]
Drepanolejeunea integribracteata Bischler [FG]
Drepanolejeunea lichenicola (Spruce) Steph. [GU FG]
Drepanolejeunea mosenii (Steph.) Bischler [SU FG]
Drepanolejeunea orthophylla (Nees & Mont.) Bischler [SU FG]
Drepanolejeunea palmifolia (Nees) Steph. [GU]
Drepanolejeunea pinnatiloba Schiffn. [GU FG]
Echinoclea asperrima (Spruce) Schust. [SU FG]
Echinoclea sp. [GU] [Mt. Roraima]
Frullanoides corticalis (Lehm. & Lindenb.) van Slag. [GU SU FG]
Frullanoides liebmanniana (Lindenb. & Gott.) van Slag. [GU SU? FG?]
Frullanoides tristis (Steph.) van Slag. [GU? SU FG]
Haplolejeunea cucullata (Steph.) Grolle [GU SU]
Harpalejeunea heterodonta Evans [GU FG]
Harpalejeunea oxyphylla (Nees & Mont.) Steph. [SU FG]
Harpalejeunea stricta (Lindenb. & Gott.) Steph. [GU SU FG]
Harpalejeunea uncinata Steph. [GU FG]
Lejeunea angusta (Lehm. & Lindenb.) Mont. [FG]
Lejeunea caespitosa Lindenb. [GU FG]
Lejeunea cancellata Nees & Mont. [SU]
Lejeunea cerina (Lehm. & Lindenb.) Gott. et al. [GU]
Lejeunea cladogyna Evans [FG]
Lejeunea dimorphophylla Schust. [GU SU]
Lejeunea elegans Gott. [GU]
Lejeunea exilis (Reinw. et al.) Grolle [FG]
Lejeunea flava (Swartz) Nees [GU SU FG]
- Lejeunea flava* (Swartz) Nees var. *pellucida* Lindenb. & Gott. [SU]
Lejeunea glaucescens Gott. [GU SU FG]
Lejeunea laeta (Lehm. & Lindenb.) Gott. et al. [SU]
Lejeunea laetevirens Nees & Mont. [GU SU FG]
Lejeunea reflexistipula (Lehm. & Lindenb.) Gott. et al. [GU FG]
Lejeunea remotifolia Lindenb. & Steph. [FG]
Lejeunea trachygona Spruce [GU] [Mt. Roraima]
Lejeunea trinitensis Lindenb. [SU FG]
Lejeunea weigeltii Lindenb. [SU]
Lepidolejeunea involuta (Gott.) Grolle [GU SU FG]
Lepidolejeunea ornata (Robins.) Schust. [GU SU]
Leptolejeunea elliptica (Lehm. & Lindenb.) Schiffn. [GU SU FG]
Leptolejeunea exocellata (Spruce) Evans [SU FG]
Leptolejeunea foraminulosa Steph. [SU]
Leptolejeunea mexicana Bischler [SU FG]
Leptolejeunea moniliata Steph. [SU FG]
Leptolejeunea obfuscata (Spruce) Steph. [SU FG]
Leptolejeunea radicosa (Nees & Mont.) Grolle [FG]
Leucolejeunea unciloba (Lindenb.) Evans [FG]
Leucolejeunea xanthocarpa (Lehm. & Lindenb.) Evans [GU SU FG]
Lopholejeunea euplopha (Tayl.) Schiffn. [GU SU?]
Lopholejeunea nigricans (Lindenb.) Schiffn. [GU SU FG]
Lopholejeunea quelchii Steph. [GU SU FG?]
Lopholejeunea subfusca (Nees) Schiffn. [GU SU FG]
Marchesinia brachiata (Swartz) Schiffn. [SU FG]
Marchesinia robusta (Mitt.) Schiffn. [FG?]
Mastigolejeunea auriculata (Wils.) Schiffn. [GU SU FG]
Mastigolejeunea innovans (Spruce) Steph. [FG]
Mastigolejeunea plicatiflora (Spruce) Schiffn. [SU FG]
Microlejeunea acutifolia Steph. [GU SU FG]
Microlejeunea aphanella (Spruce) Steph. [FG]
Microlejeunea aspera Steph. [FG]
Microlejeunea bullata (Tayl.) Evans [SU FG]
Microlejeunea crenulifolia (Gott.) Steph. [SU FG]
Microlejeunea cystifera Herz. [FG]
Microlejeunea epiphylla Bischler [FG]
Microlejeunea monoica Bischler [FG]
Microlejeunea valenciana Steph. [FG]
Neurolejeunea breutelii (Gott.) Evans [FG]
Neurolejeunea seminervis (Spruce) Schiffn. [GU SU FG]
Odontolejeunea decendentata (Spruce) Steph. [FG]
Odontolejeunea lunulata (Weber) Schiffn. [GU SU FG]
Odontolejeunea rhomalea (Spruce) Steph. [GU SU FG]
Omphalanthus filiformis (Swartz) Nees [GU]
Omphalanthus paramicola (Herz.) Gradst. [GU]
Pictolejeunea picta (Gott. ex Steph.) Grolle [GU SU FG]
Prionolejeunea aemula (Gott.) Evans [FG]
Prionolejeunea denticulata (F. Web.) Grolle [FG]
Prionolejeunea elegans Spruce [GU]
Prionolejeunea eroso-dentata Steph. [SU]
Prionolejeunea galliotii Steph. [FG]
Prionolejeunea gaudalupensis (Lindenb.) Steph. [FG]
Prionolejeunea innovata Evans [GU]
Prionolejeunea macrocardia (Spruce) Steph. [FG]
Prionolejeunea microdonta (Gott.) Steph. [FG]
Prionolejeunea obscura Spruce ex Steph. [FG]
Prionolejeunea subobscura Spruce ex Steph. [FG]
Prionolejeunea trachyodes (Spruce) Steph. [GU FG]
Pycnolejeunea calllosa (Lindenb.) Steph. [GU]
Pycnolejeunea contigua (Nees) Grolle [GU SU FG]
Pycnolejeunea decurviliba Steph. [GU SU]

Pycnolejeunea macroloba (Nees & Mont.) Schiffn. [GU SU FG]
 Pycnolejeunea surinamensis Steph. [SU]
 Rectolejeunea berteroana (Gott.) Evans [GU SU FG]
 Rectolejeunea brittoniae Evans [GU SU FG]
 Rectolejeunea emarginuliflora (Gott. ex Schiffn.) Evans [FG]
 Rectolejeunea flagelliformis Evans [GU SU FG]
 Rectolejeunea kegelii (Steph.) Steph. [SU]
 Rectolejeunea mandiocanna (Steph.) Steph. [SU]
 Rectolejeunea phyllobola (Nees & Mont.) Evans [SU FG]
 Rhaphidolejeunea polyrhiza (Nees) Bischler [FG]
 Schiffnerolejeunea amazonica Gradst. [SU FG]
 Schiffnerolejeunea polycarpa (Nees) Gradst. [GU SU FG?]
 Schusterolejeunea inundata (Spruce) Grolle [SU FG]
 Stictolejeunea balfourii (Mitt.) E.W. Jones var. bekkeri Gradst. [SU FG]
 Stictolejeunea squamata (Willd. ex Weber) Schiffn. [GU SU FG]
 Symbiezidium barbiflorum (Lindenb. & Gott.) Evans [GU SU FG]
 Symbiezidium transversale (Swartz) Trevis. var. transversale [GU? SU FG]
 Symbiezidium transversale (Swartz) Trevis. var. hookerianum (Gott. et al.) Gradst. & van Beek [GU SU FG]
 Taxilejeunea asthenica (Spruce) Steph. [FG]
 Taxilejeunea debilis (Lehm. & Lindenb.) Steph. [FG]
 Taxilejeunea fissistipula Steph. [FG]
 Taxilejeunea sulphurea (Lehm. & Lindenb.) Schiffn. [FG]
 Taxilejeunea surinamensis (Lindenb. & Gott.) Steph. [SU FG]
 Taxilejeunea uleana Steph. [SU]
 Thysananthus amazonicus (Spruce) Schiffn. [GU SU FG]
 Trachylejeunea pandurantha (Spruce) Steph. [GU SU FG]
 Verdoornianthus griffinii Gradst. [FG]

LEJEUNEACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Acrolejeunea torulosa (Lehm. & Lindenb.) Schiffn. var. obtusa Gradst. =Acrolejeunea torulosa
 Archilejeunea fuscescens (Hampe) Fulf. var. paroica Gradstein =Archilejeunea badia
 Aureolejeunea paramicola (Herz.) Schust. =Omphalanthus paramicola
 Bracholejeunea phyllorhiza (Nees) Kruyt & Gradst. [specimens identified as B. conduplicata]
 Bryopteris fruticulosa Tayl. =Bryopteris filicina s.l.
 Bryopteris trinitensis (Lehm. & Lindenb.) Lehm. & Lindenb. =Bryopteris filicina s.l.
 Cyclolejeunea angulistipa (Steph.) Evans =Prionolejeunea denticulata
 Frullanoides densifolia Raddi [not in Guianas]
 Lopholejeunea muelleriana (Gott.) Schiffn. =Lopholejeunea nigricans
 Lopholejeunea subfuscata (Nees) Schiffn. var. minor Gott. et al. =Lopholejeunea subfuscata?
 Thysananthus comosus Lindenb. [not in Guianas]

LEPIDOZIACEAE

Arachniopsis diacantha (Mont.) Howe [GU SU FG]
 Arachniopsis pecten Spruce [GU FG]
 Bazzania acuminata (Lindenb. & Gott.) Trevis. [SU]
 Bazzania bidens (Nees) Trevis. [GU FG]

Bazzania brevetiana (Lindenb. & Gott.) Trevis. [GU SU FG]
 Bazzania cubensis (Gott.) Pagán [GU]
 Bazzania cuneistipula (Gott. & Lindenb.) Trevis. [GU]
 Bazzania glaziovii (Gott.) Fulford [GU]
 Bazzania gracilis (Hampe & Gott.) Steph. [GU]
 Bazzania hookeri (Lindenb.) Trevis. [GU FG]
 Bazzania longa Trevis. [SU]
 Bazzania longistipula (Lindenb.) Trevis. [GU]
 Bazzania robusta Spruce [GU]
 Bazzania roraimensis (Steph.) Fulford [GU SU]
 Bazzania stolonifera (Swartz) Trevis. [GU FG]
 Bazzania teretiuscula (Lindenb. & Gott.) Trevis. [SU]
 Kurzia capillaris (Swartz) Grolle [GU]
 Lepidozia coilophylla Tayl. [GU SU]
 Lepidozia macrocolea Spruce [GU]
 Micropterygium campanense Spruce ex Reim. [GU]
 Micropterygium carinatum (Greve) Reim. [GU] [Mt. Roraima]
 Micropterygium grandistipulum Steph. [GU]
 Micropterygium pterygophyllum (Nees) Trevis [GU]
 Micropterygium tenax (Steph.) Grolle [GU]
 Micropterygium trachyphyllum Reim. [GU SU FG]
 Micropterygium tumidulum Fulford [GU]
 Mytilopsis albifrons Spruce [GU]
 Paracromastigum bifidum (Steph.) Grolle [GU]
 Pteropsiella serrulata Spruce ex Steph. [GU SU]
 Telaranea nematodes (Gott. ex Aust.) Howe [GU SU FG]
 Zoopsisella monodactyla (Spruce) Schust. [GU]
 Zoopsisella serra (Spruce) Schust. [SU]
 Zoopsis antillana Steph. [GU]
 Zoopsis cynosuranda Spruce ex Steph. [GU SU]
 Zoopsis integrifolia (Spruce) Steph. [GU]
 Zoopsis macella (Spruce) Fulford [GU SU]

MARCHANTIACEAE

Dumontiera hirsuta (Swartz) Nees [FG]
 Marchantia chenopoda L. [SU FG]

METZGERIACEAE

Metzgeria adscendens Steph. ex Goebel [GU]
 Metzgeria australis Steph. [FG]
 Metzgeria convoluta Steph. [FG]
 Metzgeria decipiens (Mass.) Schiffn. [GU]
 Metzgeria effusa Steph. [GU]
 Metzgeria goebelianae Steph. [GU]
 Metzgeria innovans Steph. [GU]
 Metzgeria leptoneura Spruce [SU FG]
 Metzgeria procera Mitt. [GU]

METZGERIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Metzgeria hamata Lindenb. =Metzgeria leptoneura
 Metzgeria radicans Steph. =Metzgeria innovans
 Metzgeria thomeensis Steph. [specimens identified as M. australis]

HEPATOPHYTA

MONOCLEACEAE

Monoclea gottschei Lindb. subsp. *elongata* Gradst. & Mues
[GU FG]

MONOCLEACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Monoclea forsteri Hook. [specimens identified as *M. gottschei* subsp. *elongata*]

PALLAVICINIACEAE

Pallavicinia lyellii (Hook.) Carruth. [GU]
Symphyogyna aspera Steph. [GU]
Symphyogyna brasiliensis Nees [GU]
Symphyogyna brongniartii Mont. [FG]
Symphyogyna marginata Steph. [GU]

PALLAVICINIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Symphyogyna sinuata (Swartz) Nees & Mont. [not in Guianas]

PLAGIOCHILACEAE

Plagiochila abrupta Lehm. & Lindenb. [GU FG]
Plagiochila aerea Tayl. [GU]
Plagiochila amazonica Spruce [GU SU FG]
Plagiochila arcuata Lindenb. [GU]
Plagiochila bidens Gott. [GU]
Plagiochila bursata (Desv.) Lindenb. [GU FG]
Plagiochila contigua Gott. [GU FG]
Plagiochila cristata Lindenb. [GU]
Plagiochila depressa Spruce [GU SU]
Plagiochila dichotoma (Nees) Grolle [SU]
Plagiochila disticha Lehm. & Lindenb. [GU SU FG]
Plagiochila divericata Lindenb. [GU SU FG]
Plagiochila dussiana Steph. [GU]
Plagiochila echinella Gott. [GU]
Plagiochila esmeraldana Steph. [GU]
Plagiochila falcata Steph. [FG]
Plagiochila guatemalensis Steph. [FG]
Plagiochila guilleminiana Mont. [GU]
Plagiochila gymnocalyx Inoue [GU]
Plagiochila hansmeyeri Steph. [GU]
Plagiochila irmscheri Steph. [GU]
Plagiochila jamaicensis Lindenb. & Hampe [SU FG]
Plagiochila kegeliana Steph. [GU SU FG]
Plagiochila laetevirens Lindenb. [GU SU FG]
Plagiochila lansbergeri Gott. [GU]
Plagiochila macrifolia Tayl. [GU SU]
Plagiochila micropterys Gott. [GU FG]
Plagiochila montagnei Nees [FG]
Plagiochila orbigniana Nees & Mont. [GU SU]
Plagiochila patentissima Lindenb. [GU SU]
Plagiochila patula (Swartz) Nees & Mont. [FG]

HEPATOPHYTA

Plagiochila pearceana Steph. [GU]
Plagiochila perrottetiana Mont. [FG]
Plagiochila pittieri Steph. [GU FG]
Plagiochila quelchii Steph. [GU]
Plagiochila rubescens (Lehm. & Lindenb.) Lindenb. [GU]
Plagiochila rutilans Lindenb. [GU SU FG]
Plagiochila semi-amplexicaulis Steph. [SU]
Plagiochila serrata (Roth) Lindenb. [GU SU FG]
Plagiochila subplana Lindenb. [GU]
Plagiochila subsimplex (Swartz) Dum. [GU]
Plagiochila surinamensis Molk. [SU]
Plagiochila tarapotensis Steph. [FG]
Plagiochila tenuis Lindenb. [GU FG]
Plagiochila vincentina Lindenb. [GU]

PLAGIOCHILACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Plagiochila hyalocoetis Spruce [specimens identified as *P. vincentina*]
Plagiochila hypnoides Lindenb. =*Plagiochila disticha*

PLEUROZIACEAE

Pleurozia heterophylla Steph. ex Fulford [GU]

RADULACEAE

Radula decora Gott. [FG]
Radula fendleri Gott. ex Steph. [SU]
Radula flaccida Lindenb. & Gott. [GU SU FG]
Radula gottscheana Tayl. [SU FG]
Radula gradsteinii Yamada [GU]
Radula guyanensis Yamada [GU]
Radula husnotii Castle [GU FG]
Radula involvens Spruce [GU]
Radula kegelii Gott. ex Steph. [SU FG]
Radula laxiramae Steph. [FG]
Radula macrostachya Lindenb. & Gott. [GU SU FG]
Radula mazarunensis Yamada [GU]
Radula portoricensis Steph. [FG]
Radula recubans Tayl. [GU]
Radula stenocalyx Mont. [FG]
Radula taylori Steph. [GU]
Radula tenera Mitt. ex Steph. [GU]

RADULACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Radula boryana (Weber) Nees [specimens identified as *R. gottscheana*]
Radula caldana Ångstrom =*Radula macrostachya*

Radula surinamensis Steph. = *Radula macrostachya*

RICCIACEAE

Riccia subplana Steph. [GU FG]

SCAPANIACEAE

Scapania portoricensis Hampe & Gott. [GU]

TRICHOCOLEACEAE

Trichocolea filicaulis Steph. [FG]
Trichocolea flaccida (Spruce) Jack & Steph. [FG]
Trichocolea sprucei Steph. [FG]
Trichocolea tomentosa (Swartz) Gott. [GU FG]

ANTHOCEROPHYTA

contributed by S.R. Gradstein (1992); additions and corrections by S.R. Gradstein (1996)

ANTOCEROPHYTA REFERENCES:

- Gradstein, S.R. 1995. A Guide to the Bryophytes of Tropical America. I. Liverworts and Hornworts. Draft version, Brussels, 255 pp.
 Gradstein, S.R. & W.H.A. Hekking. 1989. A catalogue of the bryophytes of the Guianas. I. Hepaticae and Anthocerotae. Journ. Hattori Bot. Lab. 66: 197-230.
 Gradstein, S.R. & J. Florschütz-de Waard. 1989. Results of a botanical expedition to Mount Roraima, Guyana. I. Bryophytes. Tropical Bryology 1: 25-54.

DENDROCEROTACEAE

Dendroceros breutelii Nees var. *surinamensis* Lindenb. & Gott. [SU]
Dendroceros crispus (Swartz) Nees [GU SU FG]

NOTOTHYLADACEAE

Notothylas breutelii Gott. [FG]

BRYOPHYTA

contributed by J. Florschütz-de Waard (1992); additions and corrections by A.E. Newton, W.R. Buck, & J. Florschütz-de Waard (1996)

BRYOPHYTA REFERENCES:

- Allen, B.H. 1987. A revision of the genus *Leucomium*. Mem. New York Bot. Gard. 45: 661-677.
 Allen, B.H. 1990. A revision of the genus *Crossomitrium* (Muscini: Hookeriaceae). Tropical Bryologist 2: 3-34.
 Buck, W.R. 1987. Taxonomic and nomenclatural rearrangement in the Hookeriales with notes on West Indian taxa. Brittonia 39(2): 210-224.
 Buck, W.R. 1990. Contributions to the moss flora of Guyana. Mem. New York Bot. Gard. 64: 184-196.
 Buck, W.R. 1991. Notes on neotropical Pterobryaceae. Brittonia 43(2): 96-101.
 Buck, W.R. & H. Crum. 1990. An evaluation of familial limits among the genera traditionally aligned with the Thuidiaceae and Leskeaceae. Contr. Univ. Mich. Herb. 17: 55-69.
 Buck, W.R. & H. Crum. 1993. Notes on Guayana mosses with new information on *Sphagnum ornatum*. Brittonia 45(1): 17-20.
 Cornelissen, J.H.C. & S.R. Gradstein. 1990. On the occurrence of bryophytes and macrolichens in different lowland rain forest types at Mabura Hill, Guyana. Tropical Bryology 3: 29-35.
 Delgadillo M., C., B. Bello, & A. Cárdenas S. 1995. LATMOSS, a catalogue of Neotropical mosses. Monogr. Syst. Bot. Missouri Bot. Gard. 56: 1-191.
 Florschütz, P.A. 1964. Musci. In J. Lanjouw, Flora of Suriname 6(1): 1-271.
 Florschütz-de Waard, J. 1986. Musci (part II). In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 6(1): 273-361.
 Florschütz-de Waard, J. 1990. A catalogue of the bryophytes of the Guianas. II. Musci. Tropical Bryology 3: 89-104.
 Florschütz-de Waard, J. 1992. A revision of the genus *Potassium* (Muscini: Sematophyllaceae). Tropical Bryology 5: 109-121.
 Florschütz-des Waard, J. (in press). Musci (part III). In A.R.A. Görts-van Rijn, Flora of the Guianas.
 Frahm, J.-P. 1991. Dicranaceae p.p. Flora Neotropicica Monogr. 54.
 Frahm, J.-P. & S.R. Gradstein. 1987. The genera *Bryohumbertia* and *Campylopus* in the Guianas. Crypt. Bryol. Lichén. 8: 311-319.
 Gradstein, S.R. & J. Florschütz-de Waard. 1989. Results of a botanical expedition to Mount Roraima, Guyana. I. Bryophytes. Tropical Bryology 1: 25-54.

- Ireland, R.R. 1991. A preliminary study of the moss genus Isopterygium (Hypnaceae) in Latin America. *Caldasia* 16: 265-276.
- Ireland, R.R. 1992. The moss genus Isopterygium (Hypnaceae) in Latin America. *Tropical Bryologist* 6: 111-132.
- Ireland, R.R. & W.R. Buck. 1994. Stereophyllaceae. *Flora Neotropica Monogr.* 65: 1-49.
- Pursell, R.A. 1994. Taxonomic notes on Neotropical Fissidens. *Bryologist* 97(3): 253-271.
- Reese, W.D. 1993. Calympерaceae. *Flora Neotropica Monogr.* 58.
- Salazar Allen, N. 1993. Leucophanaceae. *Flora Neotropica Monogr.* 59: 1-11.

ANDREAЕACEAE

Andreaea nitida J.D. Hook. & Wilson [FG?]

ARCHIDIACEAE

Archidium ohioense C. Müll. [SU FG]

BARTRAMIACEAE

- Breutelia tomentosa* (Brid.) Jaeg. & Sauerb. [GU]
Leiomela bartramoides (Hook.) Par. [GU]
Philonotis uncinata (Schwaegr.) Brid. var. *glaucescens* (Hornschr.) Florsch. [GU SU FG] [= *Philonotis glaucescens*]
Philonotis uncinata (Schwaegr.) Brid. var. *gracillima* (Ångstr.) Florsch. [GU SU] [= *Philonotis gracillima*]
Philonotis uncinata (Schwaegr.) Brid. var. *uncinata* [GU SU FG?]

BARTRAMIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Philonotis glaucescens* (Hornschr.) Broth. = *Philonotis uncinata* var. *glaucescens*
Philonotis gracillima Ångstr. = *Philonotis uncinata* var. *gracillima*

BRACHYTHECIACEAE

Lepyrodontopsis trichophylla (Hedw.) Broth. [GU FG]

BRYACEAE

- Brachymenium sipapoense* E.B. Bartr. [SU FG]
Brachymenium speciosum (Hook.f. & Wils.) Steere [GU]
Brachymenium wrightii (Sull.) Broth. [SU FG]
Bryum apiculatum Schwaegr. [SU FG]
Bryum argenteum Hedw. [GU SU]
Bryum beyrichianum (Hornschr.) C. Müll. [GU SU FG]
[= *Rhodobryum beyrichianum*]
Bryum billardieri Schwaegr. [GU SU FG]
Bryum capillare Hedw. [SU FG]
Bryum coronatum Schwaegr. [GU SU FG]

BRYACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Bryum ellipsifolium* C. Müll. [not in Guianas]
Rhodobryum beyrichianum (Hornschr.) Par. = *Bryum beyrichianum*

CALYMPERACEAE

- Calympères afzelii* Swartz [GU SU FG]
Calympères erosum C. Müll. [GU SU FG]
Calympères guildingii Hook. & Grev. [GU SU FG]
Calympères levyanum Besch. [SU]
Calympères lonchophyllum Schwaegr. [GU SU FG]
Calympères mitrafugax Florsch. [SU FG]
Calympères nicaraguense Ren. & Card. [GU SU? FG]
Calympères othmeri Herz. [GU SU FG]
Calympères palistotii Schwaegr. [GU SU FG]
Calympères pallidum Mitt. [SU FG] [to be expected in GU]
Calympères platyloma Mitt. [GU SU FG]
Calympères rubiginosum (Mitt.) Reese [GU SU FG]
Calympères smithii E.B. Bartram [GU SU FG]
Calympères venezuelanum (Mitt.) Broth. ex Pitt. [GU SU FG]
Syrhopodon circinatus (Brid.) Mitt. [FG?]
Syrhopodon cryptocarpus Dozy & Molk. [GU SU FG]
Syrhopodon cymbifolius C. Müll. [GU FG]
Syrhopodon elatus Mont. [SU FG]
Syrhopodon elongatus Sull. var. *glaziovii* (Hampe) Reese [GU]
Syrhopodon flexifolius Mitt. [GU SU FG]
Syrhopodon gaudichaudii Mont. [GU SU FG]
Syrhopodon graminicola Williams [GU SU FG]
Syrhopodon helicophyllum Mitt. [GU]
Syrhopodon hornschuchii Mart. [GU SU FG]
Syrhopodon incompletus Schwaegr. var. *incompletus* [GU SU FG]
Syrhopodon incompletus Schwaegr. var. *lanceolatus* (Hampe) Reese [GU SU FG]
Syrhopodon incompletus Schwaegr. var. *luridus* (Par. & Broth.) Florsch. [GU SU FG]
Syrhopodon incompletus Schwaegr. var. *berteroanus* (Brid.) Reese [FG]
Syrhopodon leprieurii Mont. [GU SU FG]
Syrhopodon ligulatus Mont. [GU SU FG]
Syrhopodon lycopodioides (Brid.) C. Müll. [GU]
Syrhopodon parasiticus (Brid.) Besch. [GU SU FG]

BRYOPHYTA

Syrrhopodon prolifer Schwaegr. var. acanthoneuros (C. Müll.) C. Müll. [GU SU FG]
 Syrrhopodon prolifer Schwaegr. var. cincinnatus (Hampe) Reese [GU SU FG]
 Syrrhopodon prolifer Schwaegr. var. prolifer [SU FG]
 Syrrhopodon prolifer Schwaegr. var. scaber (Mitt.) Reese [GU? SU FG]
 Syrrhopodon rigidus Hook. & Grev. [GU SU FG]
 Syrrhopodon simmondsii Steere [GU SU FG]
 Syrrhopodon tortilis Hampe [SU?]

CALYMPERACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Calympères donnellii Aust. =Calympères afzelii
 Calympères maguirei E.B. Bartram =Calympères venezuelanum
 Calympères reyi Broth. =Calympères afzelii
 Calympères richardii C. Müll. =Calympères palisotii
 Calympères uleanum Broth. =Calympères pallidum
 Calympéropsis disciformis (C. Müll.) Broth. =Syrrhopodon graminicola
 Calympéropsis parasitica (Brid.) Broth. =Syrrhopodon parasiticus
 Syrrhopodon parasiticus (Brid.) Besch. var. disciformis (C. Müll.) Florsch. =Syrrhopodon graminicola
 Syrrhopodon parasiticus (Brid.) Besch. var. flexifolius (Mitt.) Reese =Syrrhopodon flexifolius
 Syrrhopodon prolifer Schwaegr. var. papillosum (C. Müll.) Reese =Syrrhopodon prolifer var. scaber
 Syrrhopodon surinamensis Dozy & Molk. =Syrrhopodon hornschuchii

DICRANACEAE

Atractylocarpus longisetus (Hook.) Bartr. [GU?] [Mt. Roraima]
 Bryohumbertia filifolia (Hornsch.) Frahm var. filifolia [GU SU? FG?]
 Campylopus arctocarpus (Hornsch.) Mitt. var. arctocarpus [GU SU FG]
 Campylopus cubensis Sull. [GU SU FG]
 Campylopus cuspidatus (Hornsch.) Mitt. var. cuspidatus [Mt. Roraima]
 Campylopus lamellinervis (C. Müll.) Mitt. var. lamellinervis [GU]
 Campylopus lamellinervis (C. Müll.) Mitt. var. exaltatus (C. Müll.) Frahm [FG]
 Campylopus luteus (C. Müll.) Par. [GU SU FG]
 Campylopus pilifer Brid. subsp. pilifer [GU SU FG]
 Campylopus richardii Brid. [GU]
 Campylopus savannarum (C. Müll.) Mitt. [GU SU FG]
 Campylopus subcuspidatus (Hampe) Jaeg. [GU SU FG]
 Campylopus surinamensis C. Müll. [GU SU FG]
 Campylopus trachyblepharon (C. Müll.) Mitt. [GU FG]
 Dicranella hilariana (Mont.) Mitt. [GU SU FG]
 Dicranodontium denudatum (Brid.) Britt. [Mt. Roraima]
 Dicranodontium pulchroalare Broth. [Mt. Roraima]
 Eucamptodontopsis brittonae (E.B. Bartram) Allen [GU]
 Eucamptodontopsis pilifera (Mitt.) Broth. [GU SU]
 Eucamptodontopsis tortuosa H. Robinson [GU]
 Holomitrium arboreum Mitt. [GU SU FG]

Leucoloma cruegerianum (C. Müll.) Jaeg. & Sauerb. [GU SU FG]
 Leucoloma marieei Besch. [FG]
 Leucoloma serrulatum Brid. [GU SU FG]
 Leucoloma tortellum (Mitt.) Jaeg. [GU SU FG]
 Microdus muralis (Hampe) Par. [FG]

DICRANACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Campylopus filifolius (Hornsch.) Mitt. =Bryohumbertia filifolia
 Dicranoloma brittonae E.B. Bartram =Eucamptodontopsis brittonae

DIPHYSCIACEAE

Diphyscium ulei C. Müll. [GU]

EPHEMERACEAE

Micromitrium telephorothecum (Florsch.) Crosby [SU]

FISSIDENTACEAE

Fissidens allionii Broth. [GU? FG]
 Fissidens angustifolius Sull. [FG]
 Fissidens diplodus Mitt. var. richardsii (Williams) Pursell [GU SU FG]
 Fissidens diplodus Mitt. var. diplodus [FG]
 Fissidens diplodus Mitt. var. wainionis [GU]
 Fissidens donnellii Aust. [GU]
 Fissidens elegans Brid. [SU FG]
 Fissidens flexinervis Mitt. [SU]
 Fissidens geijskesii Florsch. [SU]
 Fissidens guianensis Mont. [GU SU FG]
 Fissidens hornschuchii Mont. [FG]
 Fissidens inaequalis Mitt. [GU SU FG]
 Fissidens intramarginatus (Hampe) Jaeg. [SU]
 Fissidens leptophyllum Mont. [GU SU FG]
 Fissidens minutus Thwaites & Mitt. var. minutus [SU FG]
 Fissidens mollis Mitt. [SU FG]
 Fissidens neglectus Crum [SU]
 Fissidens oblongifolius Hook.f. & Wils. [GU SU FG]
 Fissidens obtusissimus (Florsch.) Pursell [SU FG]
 Fissidens ornatus Herz. [FG]
 Fissidens papillous Lac. [GU?]
 Fissidens pellucidus Hornsch. [FG]
 Fissidens pennula Broth. [SU]
 Fissidens prionodes Mont. [GU SU FG]
 Fissidens radicans Mont. [GU SU FG]
 Fissidens ramicola Broth. [SU]
 Fissidens reticulosus (C. Müll.) Mitt. [SU FG]
 Fissidens scariosus Mitt. [GU SU FG]
 Fissidens splitgerberianus Dozy & Molk. [SU?]
 Fissidens submarginatus Bruch. [GU SU FG]

BRYOPHYTA

Fissidens subramicola Broth. [SU FG]
Fissidens subulatus Mitt. [GU?]
Fissidens weiri Mitt. var. *weiri* [SU FG]
Fissidens zollingeri Mont. [SU FG]

FISSIDENTACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Fissidens asplenoides Hedw. [not in Guianas]
Fissidens austro-americanus Pursell & Reese =*Fissidens subramicola*
Fissidens flavinervis Mitt. =*Fissidens elegans*
Fissidens intermedius C. Müll. =*Fissidens submarginatus*
Fissidens kegelianus C. Müll. =*Fissidens zollingeri*
Fissidens microcladus Thwaites & Mitt. =*Fissidens minutus* var. *minutus*
Fissidens pauperculus Howe [not in Guianas]
Fissidens pauperulus Howe var. *surinamensis* Florsch. =*Fissidens inaequalis*
Fissidens ravenellii Sull. =*Fissidens elegans*
Fissidens similiretis Sull. =*Fissidens oblongifolius*

FUNARIACEAE

Funaria bonplandii (Hook.) Broth. [GU] [=*Entosthodon bonplandii*]
Funaria hygrometrica Hedw. var. *calvescens* (Schwaegr.) Mont. [GU SU]

FUNARIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Entosthodon bonplandii (Hook.) Mitt. =*Funaria bonplandii*

HEDWIGIACEAE

Rhacocarpus purpurascens (Brid.) Par. [GU SU?]

HELICOPHYLLACEAE

Helicophyllum torquatum (Hook.) Brid. [GU]

HOOKERIACEAE

Brymela parkeriana (Hook. & Grev.) Buck [GU SU FG?] [=*Hookeriopsis parkeriana*]
Callicosta bipinnata (Schwaegr.) C. Müll. [GU SU FG] [=*Pilotrichum bipinnatum*]
Callicosta evanescens C. Müll. [GU SU FG] [=*Pilotrichum evanescens*]
Callicosta fendleri (C. Müll.) Crosby [GU SU FG] [=*Pilotrichum fendleri*]

Callicostella grossiretis E.B. Bartram [FG] [=*Callicostella colombica* Williams?]
Callicostella guatemalensis (E.B. Bartram) J. Florsch. [SU]
Callicostella merkelii (Hornschr.) Jaeg. [SU FG]
Callicostella microcarpa Ångstr. [GU?]
Callicostella mosenii (Broth.) Broth. [GU?]
Callicostella pallida (Hornschr.) Ångstr. [GU SU FG]
Callicostella rufescens (Mitt.) Jaeg. [GU SU FG]
Callicostella sp. aff. *rivularis* (Mitt.) Jaeg. [GU FG]
Callicostella subdepressa (Besch.) Buck [GU?]
Crossomitrium epiphyllum (Mitt.) C. Müll. [GU? FG]
Crossomitrium patrisiae (Brid.) C. Müll. [GU SU FG]
Crossomitrium sintenisi C. Müll. [GU SU FG]
Cyclodictyon cuspidatum Kuntze [GU?]
Cyclodictyon limbatum (Hampe) Kuntze [GU?]
Cyclodictyon varians (Sull.) O. Kuntze [GU SU FG?]
Daltonia longifolia Tayl. [GU]
Hemiragis aurea (Brid.) Kindb. [GU]
Hypnella diversifolia (Mitt.) Jaeg. [GU]
Hypnella guayanensis Allen & Buck [GU]
Hypnella pallescens (Hook.) Jaeg. [GU SU FG]
Lepidopilidium divaricatum (Dozy & Molk.) Broth. [SU?]
Lepidopilidium portoricense (C. Müll.) Crum & Steere [GU SU FG]
Lepidopilum affine C. Müll. [SU FG]
Lepidopilum biductulosum (P. Beauv.) Wijk & Marg. [GU?]
Lepidopilum brevipes Mitt. [FG]
Lepidopilum cubense (Sull.) Mitt. [SU FG]
Lepidopilum integrifolium Broth. [FG]
Lepidopilum intermedium (C. Müll.) Mitt. [GU?]
Lepidopilum polytrichoides (Hedw.) Brid. [SU FG]
Lepidopilum purpurascens Schimp. ex Besch. [GU]
Lepidopilum radicale Mitt. [GU? SU FG]
Lepidopilum scabrisetum (Schwaegr.) Steere [GU SU FG]
Lepidopilum stolonaceum C. Müll. [GU SU FG]
Lepidopilum surinamense C. Müll. [GU SU FG]
Lepidopilum tortifolium Mitt. [FG]
Leskeodon andicola (Mitt.) Broth. [GU]
Leskeodon cubensis (Mitt.) Thér. [GU]
Thamniopsis diffusa (Wils.) Buck [GU] [=*Hookeriopsis diffusa*]
Thamniopsis killipii (Williams) E.B. Bartram [GU SU]
Thamniopsis undata (Hedw.) Buck [GU] [=*Hookeriopsis undata*]
Trachyxiphium aduncum (Mitt.) Buck [GU] [=*Hookeriopsis adunca*]
Trachyxiphium guadalupense (Brid.) Buck [GU SU FG] [=*Hookeriopsis guadalupensis*]
Trachyxiphium variabile (Mitt.) Buck [GU?] [=*Hookeriopsis variabilis*]

HOOKERIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Callicostella aspera (Mitt.) Jaeg. =*Callicostella pallida*
Callicostella depressa (Hedw.) Jaeg. =*Callicostella pallida*
Hookeriopsis adunca (Mitt.) Jaeg. =*Trachyxiphium aduncum*
Hookeriopsis crispa (C. Müll.) Jaeg. =*Thamniopsis undata*
Hookeriopsis diffusa (Wils.) Jaeg. =*Thamniopsis diffusa*
Hookeriopsis falcata (Hook.) Jaeg. =*Trachyxiphium guadalupense*
Hookeriopsis guadalupensis (Brid.) Jaeg. =*Trachyxiphium guadalupense*

BRYOPHYTA

Hookeriopsis guatemalensis E.B. Bartram =*Callicostella guatemalensis*
Hookeriopsis parkeriana (Hook. & Grev.) Jaeg. =*Brymela parkeriana*
Hookeriopsis undata (Hedw.) Jaeg. =*Thamniopsis undata*
Hookeriopsis variabilis (Mitt.) Jaeg. =*Trachyhipium variable*
Pilotrichum bipinnatum (Schwaegr.) Brid. =*Callicosta bipinnatum*
Pilotrichum evanescens (C. Müll.) Crosby =*Callicosta evanescens*
Pilotrichum fendleri C. Müll. =*Callicosta fendleri*
Schizomitrium grossiretis (E.B. Bartram) Florsch. =*Callicostella grossiretis*
Schizomitrium guatemalensis (E.B. Bartram) J. Florsch. =*Callicostella guatemalensis*
Schizomitrium merkelii (Hornschr.) Florsch. =*Callicostella merkelii*
Schizomitrium microcarpum (Ångstr.) Yano =*Callicostella microcarpa*
Schizomitrium pallidum (Hornschr.) Crum & Anderson =*Callicostella pallida*
Schizomitrium rufescens (Mitt.) Florsch. =*Callicostella rufescens*

HYDROPOGONACEAE

Hydropogon fontinaloides (Hook.) Brid. [SU FG]
Hydropogonella gymnostoma (Schimp.) Card. [GU SU]

HYPNACEAE

Chrysophyllum diminutivum (Hampe) Buck [GU SU FG]
Ectropothecium leptochaeton (Schwaegr.) Buck [GU SU FG]
Isopterygium acutifolium Ireland [GU]
Isopterygium fruticola (C. Müll.) Par. [SU]
Isopterygium subbrevisetum (Hampe) Broth. [SU FG]
Isopterygium tenerifolium Mitt. [GU SU]
Isopterygium tenerum (Swartz) Mitt. [GU SU FG]
Mittenothamnium reptans (Hedw.) Card. [GU SU FG]
Rhacopilopsis trinitensis (C. Müll.) Britt. & Dix. [GU SU FG]
Vesicularia vesicularis (Schwaegr.) Broth. [GU SU FG]

HYPNACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Ectropothecium globithea (C. Müll.) Mitt. =*Ectropothecium leptochaeton*
Ectropothecium isoptygioides Card. & Thér. =*Isopterygium tenerum*
Hypnum lonchophyllum Mont. =*Sematophyllum lonchophyllum*
Hypnum richardii Schwaegr. =*Sematophyllum lonchophyllum* [Sematophyllaceae]
Isopterygium radicisetum (C. Müll.) Broth. =*Isopterygium tenerum*
Mittenothamnium diminutivum (Hampe) Britt.
 =*Chrysophyllum diminutivum*
Rhaphidorrhynchium leptochaeton (Schwaegr.) Broth.
 =*Ectropothecium leptochaeton*

Vesicularia surinamense (Dozy & Molk.) Broth. =*Vesicularia vesicularis*

LEUCOBRYACEAE

Holomitriopsis laevifolium (Broth.) Robins. [GU]
Leucobryum albicans (Schwaegr.) Lindb. [GU]
 [=Paraleucobryum albicans]
Leucobryum albidum (Brid. ex P. Beauv.) Lindb. [GU FG]
Leucobryum antillarum Schimp. ex Besch. [GU FG]
Leucobryum crispum C. Müll. [GU SU FG]
Leucobryum giganteum C. Müll. [GU FG?] [see also
 Leucobryum albicans]
Leucobryum martianum (Hornschr.) C. Müll. [GU SU FG]
Leucophanes molleri C. Müll. [GU SU FG] [Leucophanaceae]
Octoblepharum albidum Hedw. [GU SU FG]
Octoblepharum cocuense Mitt. [GU SU FG]
Octoblepharum cylindricum Mont. [GU SU FG]
Octoblepharum erectifolium Mitt. ex Williams [GU SU FG]
Octoblepharum pellucidum C. Müll. [GU SU FG]
Octoblepharum pulvinatum (Dozy & Molk.) Mitt. [GU SU
 FG]
Octoblepharum stramineum Mitt. [GU SU FG]

LEUCOBRYACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Leucobryum laevifolium Broth. =*Holomitriopsis laevifolium*
Leucophanes mittenii Card. ex Par. =*Leucophanes molleri*
Paraleucobryum albicans (Schwaegr.) Loeske =*Leucobryum
 albicans*

LEUCODONTACEAE

Henicodium geniculatum (Mitt.) Buck [GU SU FG] [placed in
 Pterobryaceae by Buck]
Pseudocryphaea flagellifera (Brid.) Britt. [GU SU FG]
 [=Pseudocryphaea domingensis?]

LEUCODONTACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Leucodontopsis geniculata (Mitt.) Crum & Steere
 =*Henicodium geniculatum*
Pseudocryphaea domingensis (Spreng.) Buck [see
Pseudocryphaea flagellifera]

LEUCOMIACEAE

Leucomium steerei Allen & Veling [GU]
Leucomium strulosum (Hornschr.) Mitt. [GU SU FG]

LEUCOMIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Leucomium cuspidatum (C. Müll.) Jaeg. =*Leucomium strumosum*
Leucomium guianense C. Müll. =*Leucomium strumosum*

METEORIACEAE

Floribundaria cardotii (Broth.) Broth. [SU]
Floribundaria floribunda (Dozy & Molk.) Fleisch. [SU FG]
Meteoriandum remotifolium (C. Müll.) Manuel [GU SU FG]
Meteoriopsis piligera (Müll.) Broth. [FG?]
Papillaria deppei (Hornschr. ex C. Müll.) Jaeg. & Sauerb. [SU]
Papillaria nigrescens (Hedw.) Jaeg. & Sauerb. [GU SU FG]
Pilotrichella flexilis (Hedw.) Jaeg. [FG?]
Pilotrichella pentasticha (Brid.) Wijk & Marg. [GU SU FG]
Squamidium leucotrichum (Tayl.) Broth. [GU SU FG]
Zelometeorium patulum (Hedw.) Manuel [GU SU FG]

MNIACEAE

Plagiomnium rhynchophorum (Hook.) T. Kop. [GU?]

NECKERACEAE

Isodrepanium lentulum (Wils.) Britt. [GU SU FG]
Neckeropsis disticha (Hedw.) Kindb. [GU SU FG]
Neckeropsis undulata (Hedw.) Reichdt. [GU SU FG]
Porotrichum korthalsianum (Dozy & Molk.) Mitt. [SU FG]
Porotrichum lindigii (Hampe) Mitt. [SU]
Porotrichum molliculum Broth. [FG]
Porotrichum piniforme (Brid.) Mitt. [SU FG]
Porotrichum substriatum (Hampe) Mitt. [SU FG]

NECKERACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Porotrichum cavifolium (Card. & Herz.) Magill & Allen
 =*Porotrichum lindigii*

ORTHOTRICHACEAE

Groutiella apiculata (Hook.) Crum & Steere [GU SU FG]
Groutiella obtusa (Mitt.) Florsch. [GU SU FG]
Groutiella tomentosa (Hornschr.) Wijk & Marg. [GU SU FG]
Leiomitrium scaberrimum (Broth.) Wijk & Marg. [GU]
Macromitrium cirrosum (Hedw.) Brid. [GU SU FG]
Macromitrium dubium Schimp. ex C. Müll. [GU]
Macromitrium fusco-aureum Bartr. [GU]
Macromitrium harrisii Par. [GU]
Macromitrium leprieurii Mont. [GU SU FG]
Macromitrium pellucidum Mitt. [GU SU FG]
Macromitrium perichaetiale (Hook. & Grev.) C. Müll. [GU
 SU]
Macromitrium podocarpi C. Müll. [SU FG]

BRYOPHYTA

Macromitrium portoricense Williams [GU SU FG]
 [=*Macromitrium podocarpi*?]
Macromitrium punctatum (Hook. & Grev.) Brid. [GU SU FG]
Macromitrium schwaneckeanum Hampe [GU]
 [=*Macromitrium cirrosum*?]
Macromitrium scoparium Mitt. [FG]
Macromitrium standleyi E.B. Bartram [GU]
Macromitrium stellulatum (Hornschr.) Brid. [GU SU FG]
Macromitrium trachypodium Mitt. [GU]
Macromitrium trinitense Williams [GU SU]
Macromitrium ulophyllum Mitt. [GU]
Schlotheimia jamesonii (Arnott) Brid. [SU FG]
Schlotheimia kegeliana (C. Müll.) C. Müll. [SU?]
Schlotheimia rugifolia (Hook.) Schwaegr. [GU SU FG]
Schlotheimia torquata (Hedw.) Brid. [GU SU FG]

ORTHOTRICHACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Macromitrium apiculatum (Hook.) Brid. =*Groutiella apiculata*

PHYLLODREPANIACEAE

Mniomalia viridis (Mitt.) C. Müll. [GU SU FG]
Phyllocladus falcifolium (Schwaegr.) Crosby [GU SU FG]

PHYLLOGONIACEAE

Phyllogonium fulgens (Hedw.) Brid. [GU SU FG]
Phyllogonium viride Brid. [GU SU FG]

POLYTRICHACEAE

Polytrichum commune Hedw. [GU]
Polytrichum juniperinum Hedw. [GU]

POTTIACEAE

Barbula agraria Hedw. [GU SU FG]
Barbula arcuata Griff. [GU]
Barbula indica (Hook.) Spreng. [GU SU FG]
Hyphila involuta (Hook.) Jaeg. & Sauerb. [GU SU FG]
Trichostomum brachydontium Bruch [GU]
Trichostomum duidense Bartr. [GU?] [=*Trichostomum brachydontium*?]
Trichostomum tenuirostre (Hook. & Tayl.) Lindb. [GU]

PTEROBRYACEAE

- Hildebrandtiella guyanensis (Mont.) Buck [GU FG]
[=Orthostichidium guyanense]
Jaegerina scariosa (Lor.) Artz. [GU SU FG]
Orthostichopsis praetermissa Buck [GU SU? FG]
Orthostichopsis tortipilis (C. Müll.) Broth. [GU? SU? FG?] [Guianas specimens probably =Orthostichopsis praetermissa]
Orthostichopsis tetragona (Hedw.) Broth. [GU SU FG]
Pirella cymbifolia (Sull.) Card. [GU? SU FG]
Pirella pohlii (Schwaegr.) Card. [GU SU FG]
Renauldia paradoxica Allen [GU FG]
Spiridentopsis longissima (Raddi) Broth. [GU]

PTEROBRYACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Orthostichidium guyanense (Mont.) Broth. =Hildebrandtiella guyanensis
Orthostichopsis crinita (Sull.) Broth. =Orthostichopsis tortipilis [Guianas specimens referred to Orthostichopsis praetermissa by Buck]
Pirella cavifolia (Card. & Herz.) Card. =Porotrichum lindigii (Neckeraceae)

RACOPILACEAE

- Racopilum tomentosum (Hedw.) Brid. [GU SU FG]

RHIZOGONIACEAE

- Pyrrhobryum spiniforme (Hedw.) Mitt. [GU SU FG]
Rhizogonium lindigii (Hampe) Mitt. [GU?]

SEMATOPHYLLACEAE

- Acporium pungens (Hedw.) Broth. [GU SU FG]
Donnellia commutata (C. Müll.) Buck [FG]
Maguireella vulpina (Mont.) Buck [GU SU FG?] [synonymized under Potamium deceptivum by Florschütz-de Waard]
Meiothecium boryanum (C. Müll.) Mitt. [GU SU FG]
Meiothecium commutatum (C. Müll.) Broth. [FG]
Phyllodon truncatulus (C. Müll.) Buck [FG] [placed in Hypnaceae by Florschütz-de Waard]
Pterogonidium pulchellum (Hook.) C. Müll. ex Broth. [GU SU FG]
Sematophyllum cochleatum (Broth.) Broth. [SU FG]
Sematophyllum galipense (C. Müll.) Mitt. [GU SU]
Sematophyllum lonchophyllum (Mont.) Florsch. [SU FG]
Sematophyllum maguireorum Buck [GU] [synonymized under Potamium vulpinum by Florschütz-de Waard]
Sematophyllum pacimoniense (Mitt.) J. Florsch. [GU SU]
Sematophyllum subpinnatum (Brid.) Britt. [GU SU FG]

- Sematophyllum subsimplex (Hedw.) Mitt. [GU SU FG]
Taxithelium concavum (Hook.) Spruce [GU SU FG]
[=Taxithelium planum?] Taxithelium planum (Brid.) Mitt. [GU SU FG]
Taxithelium pluripunctatum (Ren. & Card.) Buck [GU SU FG]
Trichosteleum bolivarensse Robins. [GU SU] [=Trichosteleum cyperisoides?] Trichosteleum hornschuchii (Hampe) Jaeg. [GU SU FG]
Trichosteleum intricatum (Thér.) J. Florsch. [GU SU FG]
Trichosteleum martii (C. Müll.) Kindb. [FG] [=Trichosteleum hornschuchii?] Trichosteleum papillosum (Hornschr.) Jaeg. [GU SU FG]
Wijkia costaricensis (E.B. Bartram & Dix.) Crum [SU FG]

SEMATOPHYLLACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Acporium guianense (Mitt.) Broth. =Acporium pungens
Acporium intricatum Thér. =Trichosteleum intricatum
Glossadelphus truncatulus (C. Müll.) Fleisch. =Phyllodon truncatulus
Meiothecium urceolatum (Schwaeg.) Mitt. [not in Guianas]
Potamium deceptivum Mitt. =Maguireella vulpina
Potamium lonchophyllum (Mont.) Mitt. =Sematophyllum lonchophyllum
Potamium recurvifolium Thér. =Sematophyllum cochleatum
Potamium uleanum Broth. =Sematophyllum lonchophyllum
Potamium vulpinum (Mont.) Mitt. =Maguireella vulpina [see also Sematophyllum maguireorum]
Raphidorrhynchium subsimplex (Hedw.) Broth.
=Sematophyllum subsimplex
Raphidostichum guianense E.B. Bartram =Sematophyllum galipense
Sematophyllum guianense Mitt. =Acporium pungens
Sematophyllum kegelianum (C. Müll.) Mitt. =Sematophyllum subpinnatum
Sematophyllum octodiceroides (C. Müll.) Broth.
=Sematophyllum lonchophyllum
Taxithelium impellucidum (C. Müll.) Par. =Taxithelium concavum?
Taxithelium patulifolium Thér. =Taxithelium pluripunctatum
Taxithelium quelchii (C. Müll.) Par. =Taxithelium concavum
Taxithelium subocticeras Broth. & Par. [not in Guianas]
Trichosteleum cyperisoides (Hornschr.) Robins. [see Trichosteleum bolivarensse]
Trichosteleum fluviale (Mitt.) Jaeg. =Trichosteleum hornschuchii
Trichosteleum guianae (C. Müll.) Broth. =Trichosteleum papillosum
Trichosteleum micropyxis (C. Müll.) Broth. =Trichosteleum hornschuchii
Trichosteleum subsimplex (Hedw.) Mitt. =Sematophyllum subsimplex

SPHAGNACEAE

- Sphagnum boomii* Crum [GU]
Sphagnum chi-chiense Crum [GU]
Sphagnum cuspidatum Ehrh. ex Hoffm. var. *serrulatum*
 (Schlieph.) Schlieph. [GU SU]
Sphagnum denticulatum Brid. [GU]
Sphagnum magellanicum Brid. [GU]
Sphagnum negrense Mitt. [GU]
Sphagnum ornatum Crum [GU] [Mt. Roraima]
Sphagnum oxyphyllum Warnst. [GU?]
Sphagnum palustre L. [GU?]
Sphagnum perichaetiale Hampe [GU SU]
Sphagnum portoricense Hampe [GU]
Sphagnum sanguinale Warnst. [GU]
Sphagnum tenerum Sull. & Lesq. [GU]

SPLACHNACEAE

- Splachnobryum obtusum* (Brid.) C. Müll. [SU]

STEREOPHYLLACEAE

- Entodontopsis leucostega* (Brid.) Buck & Ireland [GU]
Entodontopsis nitens (Mitt.) Buck & Ireland [GU SU]
Eulacophyllum cultelliforme (Sulliv.) Buck & Ireland [FG]
Pilosium chlorophyllum (Hornschr.) C. Müll. [GU SU FG]
Stereophyllum radiculosum (Hook.) Mitt. [GU]

STEREOPHYLLACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Entodontopsis rhabdodonta* Card. =*Entodontopsis contortae-operculata* (C. Müll.) Broth. [not in Guianas]
Pilosium flaccisetum C. Müll. =*Pilosium chlorophyllum*
Pilosium pseudoradiculosum Müll. [nomen nudum, =*Pilosium chlorophyllum*]
Plagiothecium unilateralale C. Müll. =*Pilosium chlorophyllum*
Stereophyllum leucostegum (Brid.) Mitt. =*Entodontopsis leucostega*
Stereophyllum nitens Mitt. =*Entodontopsis nitens*

THUIDIACEAE

- Cyrtohypnum involvens* (Hedw.) Buck & Crum [GU? SU FG?]
Cyrtohypnum scabrosulum (Mitt.) Buck & Crum [GU SU FG]
Cyrtohypnum schistocalyx (C. Müll.) Buck [SU FG]
Thuidium peruvianum Mitt. [GU]
Thuidium tomentosum Schimp. [GU SU FG]

THUIDIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Thuidium acuminatum* Mitt. =*Thuidium urceolatum* Lor. [not in Guianas]
Thuidium antillarum Besch. =*Thuidium tomentosum*
Thuidium campanulatum Mitt. [not in Guianas]
Thuidium involvens (Hedw.) Mitt. =*Cyrtohypnum involvens*
Thuidium pseudodelicatulum Jaeg. [not in Guianas]
Thuidium sebrosulum Mitt. =*Cyrtohypnum sebrosulum*
Thuidium schistocalyx C. Müll. =*Cyrtohypnum schistocalyx*

PSILOTOPHYTA**PSILOTACEAE****REFERENCES:**

- Kramer, K.U. 1990. Psilotaceae. In K.U. Kramer & P.S. Green, Families and Genera of Vascular Plants. I. Pteridophytes and Gymnosperms. New York: Springer-Verlag.
 Smith, A.R. 1995. Psilotaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 250-251.

Psilotum nudum (L.) P. Beauv. [GU SU FG]

LYCOPHYTA**LYCOPHYTA REFERENCES:**

- Berry, P.E., B.K. Holst, & K. Yatskiewych. 1995. Flora of the Venezuelan Guayana, vol. 2. Pteridophytes, Spermatophytes Acanthaceae - Araceae. Missouri Botanical Garden, St. Louis, & Timber Press, Portland, Oregon.
 Cremers, G., C. Feuillet, J.J. de Granville, & M. Hoff. 1988. Liste des espèces de Phanérogames et de Ptéridophytes de la Guyane française d'après l'Herbier du Centre ORSTOM de Cayenne. ORSTOM, Cayenne.
 Cremers, G. & M. Hoff. 1990. Inventaire taxonomique des plantes de la Guyane française. I. Les Ptéridophytes. Mus. Natl. Hist. Nat., Inventaires de Faune et de Flore 54: 1-133.
 Kramer, K.U. 1978. The Pteridophytes of Suriname. An enumeration with keys of the ferns and fern-allies. Uitgaven "Natuurwetenschappelijke Studiekring voor Suriname en de Nederlandse Antillen" Utrecht no. 93.
 Kramer, K.U. & P.S. Green [ed.]. 1990. The Families and Genera of Vascular Plants. I.

- Pteridophytes and Gymnosperms. New York: Springer-Verlag.
 Posthumous, O. 1928. The Ferns of Surinam and of French and British Guiana. In A. Pulle, Flora of Suriname supplement: 1-196.
 Tryon, R.M. & A.F. 1981. Ferns and Allied Plants. New York: Springer-Verlag.

ISOETACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

- Fuchs-Eckert, H.P. von. 1982. Zur heutigen Kenntnis von Vorkommen und Verbreitung der Südamerikanischen Isoëtes-Arten. Proc. Kon. Ned. Akad. Wetensch. (ser. C) 85: 205-260.
 Hickey, R.J. & A.R. Smith. 1995. Isoëtaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 189-190.

- Isoetes killipii C. Morton [GU] [Mt. Roraima]
 Isoetes ovata Pfeiffer [GU FG]
 Isoetes schinii H.P. Fuchs [GU FG]
 Isoetes triangula U. Weber [GU]

LYCOPODIACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

- Oellgaard, B. 1987. A revised classification of the Lycopodiaceae s.l. Opera Bot. 92: 153-178.
 Oellgaard, B. 1995. Lycopodiaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 190-206.
 Oellgaard, B. & P.G. Windisch. 1987. Sinopse das Licopodiáceas do Brasil. Bradea 5(1): 1-43.

- Huperzia beitelii B. Oellg. [Mt. Roraima]
 Huperzia dichotoma (Jacq.) Trevis. [GU SU FG]
 Huperzia funiformis (Spring) Trevis. [GU]
 Huperzia intermedia Trevis. [Mt. Roraima]
 Huperzia killipii (Herter) Oellg. [FG]
 Huperzia linifolia (L.) Trevis. var. jenmanii (Underw. & Lloyd) B. Oellg. & Windisch [GU SU FG]
 Huperzia linifolia (L.) Trevis. var. linifolia [FG]
 Huperzia myrsinoides (Lam.) Trevis. [GU]
 Huperzia recurvifolia Rolleri [GU]
 Huperzia reflexa (Lam.) Trevis. [Mt. Roraima]
 Huperzia taxifolia (Swartz) Trevis. [GU SU FG]

- Huperzia tenuicaulis (Underw. & Lloyd) B. Oellg. [GU]
 Huperzia wilsonii (Underw. & Lloyd) B. Oellg. [SU]
 Lycopodiella alopecuroides (L.) Cranfill var. integrerrima (Spring) B. Oellg. & Windisch [GU SU]
 Lycopodiella camporum B. Oellg. & Windisch [GU SU FG]
 Lycopodiella caroliniana (L.) Pic.-Ser. var. meridionalis (Underw. & Lloyd) B. Oellg. & Windisch [GU SU FG]
 Lycopodiella cernua (L.) Pic.-Ser. var. cernua [GU SU FG]
 Lycopodiella cernua (L.) Pic.-Ser. var. curvata (Sw.) Kartesz & Gandhi [GU?]
 Lycopodiella iuliformis (Underw. & Lloyd) B. Oellg. [GU SU]
 Lycopodium clavatum L. subsp. contiguum (Klotzsch) B. Oellg. [GU]

LYCOPODIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Huperzia jenmanii (Underw. & Lloyd) Holub =Huperzia linifolia var. jenmanii
 Lycopodium alopecuroides L. =Lycopodiella alopecuroides
 Lycopodium anomalum Hook. & Grev. =Selaginella poreloides (Selaginellaceae)
 Lycopodium carolinianum L. =Lycopodiella caroliniana
 Lycopodium cernuum L. =Lycopodiella cernua
 Lycopodium contiguum Klotzsch =Lycopodium clavatum subsp. contiguum
 Lycopodium dichotomum Jacq. =Huperzia dichotoma
 Lycopodium duidae A.C. Smith =Lycopodiella iuliformis
 Lycopodium funiforme Cham. ex Spring =Huperzia funiformis
 Lycopodium intermedium Spring =Huperzia intermedia
 Lycopodium iuliforme Underw. & Lloyd =Lycopodiella iuliformis
 Lycopodium jenmanii Underw. & Lloyd =Huperzia linifolia var. jenmanii
 Lycopodium linifolium L. =Huperzia linifolia
 Lycopodium meridionale Underw. & Lloyd =Lycopodiella caroliniana var. meridionalis
 Lycopodium myrsinoides Lam. =Huperzia myrsinoides
 Lycopodium parkeri Hook. & Grev. =Selaginella parkeri (Selaginellaceae)
 Lycopodium penniforme Lam. =Selaginella radiata (Selaginellaceae)
 Lycopodium plumosum sensu Aublet, non L. =Selaginella epirrhizos (Selaginellaceae)
 Lycopodium radiatum Aubl. =Selaginella radiata (Selaginellaceae)
 Lycopodium reflexum Lam. =Huperzia reflexa
 Lycopodium roraimense Underw. & Lloyd =Huperzia myrsinoides
 Lycopodium taxifolium Swartz =Huperzia taxifolia
 Lycopodium wilsonii Underw. & Lloyd =Huperzia wilsonii

SELAGINELLACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

- Alston, A.H.G., A.C. Jermy, & J.M. Rankin.
1981. The genus *Selaginella* in tropical South America. Bull. Brit. Mus. (Nat. Hist.) Bot. 9: 233-330.
- Smith, A.R. 1995. Selaginellaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 296-314.

Selaginella amazonica Spring [GU]
Selaginella breynii Spring [GU FG]
Selaginella cladorrhizans A. Braun [FG]
Selaginella coarcata Spring [GU]
Selaginella conduplicata Spring [GU SU FG]
Selaginella convoluta (Arnott) Spring [GU FG?]
Selaginella dendricola Jenm. [GU SU FG]
Selaginella densifolia Spruce ex Hook. [SU? FG?]
Selaginella diffusa (K. Presl) Spring [SU FG]
Selaginella epirrhizos Spring [GU SU FG]
Selaginella falcata (P. Beauv.) Spring [GU? FG]
Selaginella flagellata Spring [GU SU FG]
Selaginella hirsuta Alston ex Crabbe & Jermy [GU]
Selaginella kochii Hieron. [SU FG]
Selaginella mazaruniensis Jenm. [GU]
Selaginella minima Spring [FG]
Selaginella muscosa Spring [GU]
Selaginella pallescens (K. Presl) Spring [SU]
Selaginella parkeri (Hook. & Grev.) Spring [GU SU FG]
Selaginella plana (Desv. ex Poir.) Hieron. [GU] [introduced]
Selaginella poreloides (Lam.) Spring [GU FG]
Selaginella potaroensis Jenm. [GU SU FG]
Selaginella producta Baker [GU SU FG]
Selaginella pruskiana Valdespino [GU]
Selaginella radiata (Aubl.) Spring [GU SU FG]
Selaginella revoluta Baker [GU SU FG]
Selaginella rhodostachya Baker [GU]
Selaginella roraimensis Baker [GU]
Selaginella sandwithii Alston [GU SU FG]
Selaginella scalariformis A.C. Smith [GU]
Selaginella seemannii Baker [GU SU FG]
Selaginella sulcata (Desv. ex Poir.) Spring ex Mart. [GU SU FG]
Selaginella terezoana Bautista [GU]
Selaginella tuberculata Spruce ex Baker [GU SU FG]
Selaginella valdepilosa Baker [GU]
Selaginella vernicosa Baker [GU]

SELAGINELLACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Selaginella affinis A. Braun =*Selaginella epirrhizos*
Selaginella brachyclada Baker =*Selaginella rhodostachya*
Selaginella caudorrhiza Baker =*Selaginella sulcata*
Selaginella cayennensis Baker =*Selaginella producta*
Selaginella diminutifolia Jenm. =*Selaginella rhodostachya*
Selaginella guianensis Spring =*Selaginella falcata*
Selaginella jenmani Baker =*Selaginella poreloides*
Selaginella lucidinervia Spring =*Selaginella parkeri*
Selaginella macroclada Baker =*Selaginella parkeri*

Selaginella parkeri (Hook. & Grev.) Spring var. *pedata* (Klotzsch) Baker =*Selaginella parkeri*
Selaginella pedata Klotzsch =*Selaginella parkeri*
Selaginella penniformis (Lam.) Hieron. =*Selaginella radiata*
Selaginella platyphylla Baker =*Selaginella poreloides*
Selaginella platyphylla Baker var. *laxa* Jenm. =*Selaginella poreloides*
Selaginella poeppigiana (Spring) Spring ex Splitg. var. *guyanensis* Spring =*Selaginella epirrhizos*
Selaginella stellata Spring =*Selaginella conduplicata*
Selaginella valdepilosa Baker var. *tricholoma* Jermy & Rankin =*Selaginella rhodostachya*

PTEROHYTA

PTEROHYTA REFERENCES:

- Berry, P.E., B.K. Holst, & K. Yatskievych. 1995. Flora of the Venezuelan Guayana, vol. 2. Pteridophytes, Spermatophytes Acanthaceae - Araceae. Missouri Botanical Garden, St. Louis, & Timber Press, Portland, Oregon.
- Cremers, G., C. Feuillet, J.J. de Granville, & M. Hoff. 1988. Liste des espèces de Phanérogames et de Ptéridophytes de la Guyane française d'après l'Herbier du Centre ORSTOM de Cayenne. ORSTOM, Cayenne.
- Cremers, G. & M. Hoff. 1990. Inventaire taxonomique des plantes de la Guyane française. I. Les Ptéridophytes. Mus. Nat. Hist. Nat., Inventaires de Faune et de Flore 54: 1-133.
- Jenman, G.S. 1909. The ferns and fern allies of the British West Indies and Guiana. Trinidad: Bull. Misc. Int. Bot. Dept.
- Kramer, K.U. 1978. The Pteridophytes of Suriname. An enumeration with keys of the ferns and fern-allies. Uitgaven "Natuurwetenschappelijke Studiekring voor Suriname en de Nederlandse Antillen" Utrecht no. 93.
- Kramer, K.U. & P.S. Green [ed.]. 1990. The Families and Genera of Vascular Plants. I. Pteridophytes and Gymnosperms. New York: Springer-Verlag.
- Posthumous, O. 1928. The Ferns of Surinam and of French and British Guiana. In A. Pulle, Flora of Suriname supplement: 1-196.
- Tryon, R.M. & A.F. 1981. Ferns and Allied Plants. New York: Springer-Verlag.
- Vareschi, V. 1968. Helechos. In T. Lasser, Flora de Venezuela 1: 1-1033.

ADIANTACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

LYCOPHYTA, PTEROPHYTA

REFERENCES:

- Lellinger, D.B. 1967. Pterozonium. In B. Maguire & collaborators, Botany of the Guayana Highland part 7. Mem. New York Bot. Gard. 17(1): 1-439.
- Lellinger, D.B. 1972. Polypodiaceae subfam. Adiantoideae. In B. Maguire & collaborators, Botany of the Guayana Highland part 9. Mem. New York Bot. Gard. 23: 1-832.
- Smith, A.R. & D.B. Lellinger. 1995. Pteridaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 250-286.
- Tryon, A.F. 1970. A monograph of the fern genus Eriosorus. Contrib. Gray Herb. 200: 54-174.
- Tryon, R.M. 1942. A revision of the genus Doryopteris. Contrib. Gray Herb. 143: 1-80.
- Adiantopsis monticola (Gardner) T. Moore [GU]
 Adiantopsis radiata (L.) Fée [GU SU FG]
 Adiantum adiantoides (J.E. Smith) C. Chr. [GU SU FG]
 Adiantum cajennense Willd. ex Klotzsch [GU SU FG]
 Adiantum cordatum Maxon [FG?] [specimens identified as sp. nov. by Cremers]
 Adiantum deflectens Mart. [FG]
 Adiantum dolosum Kunze [GU SU FG]
 Adiantum fructuosum Poepp. ex Spreng. [GU SU FG]
 Adiantum fuliginosum Fée [GU SU FG]
 Adiantum glaucescens Klotzsch [GU SU FG]
 Adiantum glaziovii Baker [GU FG]
 Adiantum humile Kunze [GU SU FG] [records probably due to misidentifications]
 Adiantum latifolium Lam. [GU SU FG]
 Adiantum leprieurii Hook. [GU SU FG]
 Adiantum lucidum (Cav.) Swartz [GU SU FG]
 Adiantum macrophyllum Swartz [GU SU FG]
 Adiantum obliquum Willd. [GU SU FG]
 Adiantum olivaceum Baker [GU]
 Adiantum oyapokense Jenm. [FG]
 Adiantum petiolatum Desv. [GU SU FG]
 Adiantum phyllitidis J. Smith [GU SU FG]
 Adiantum pulverulentum L. [GU SU FG]
 Adiantum serratodentatum Willd. [GU SU FG]
 Adiantum terminatum Kunze ex Miq. [GU SU FG]
 Adiantum tetraphyllum Humb. & Bonpl. ex Willd. [GU SU FG]
 Adiantum tomentosum Klotzsch [GU SU FG]
 Adiantum tripteris K.U. Kramer [SU]
 Adiantum villosum L. [FG?]
 Doryopteris collina (Raddi) J. Smith [GU SU]
 Doryopteris conformis K.U. Kramer & R. Tryon [GU SU]
 Doryopteris lomariacea Kunze ex Klotzsch [GU]
 Doryopteris pedata (L.) Fée var. multipartita (Fée) Tryon [GU SU]
 Doryopteris sagittifolia (Raddi) J. Smith [GU SU FG]
 Doryopteris varians (Raddi) J. Smith [GU]
 Eriosorus flexuosus (Kunth) Copeland var. flexuosus [GU]
 Eriosorus hispidulus (Kunze) Vareschi var. hispidulus [GU]
 Eriosorus paucifolius (A.C. Smith) Vareschi var. neblinae A. Tryon [GU]

- Eriosorus paucifolius (A.C. Smith) Vareschi var. paucifolius [GU?] [Mt. Roraima]
 Hemionitis palmata L. [GU SU FG]
 Hemionitis rufa (L.) Swartz [GU SU FG]
 Notholaena solitaria Tryon [SU]
 Pityrogramma calomelanos (L.) Link var. aureoflava (Hook.) Weatherby ex Bailey [GU]
 Pityrogramma calomelanos (L.) Link var. calomelanos [GU SU FG]
 Pityrogramma ebenea (L.) Proctor var. ebenea [Mt. Roraima]
 Pterozonium cyclophyllum (Baker) Diels [GU]
 Pterozonium elaphoglossoides (Baker) Lellinger [GU]
 Pterozonium paraphysatum (A.C. Smith) Lellinger [GU SU]
 Pterozonium reniforme (Mart.) Fée [GU]
 Pterozonium scopulinum Lellinger [GU]

ADIANTACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Adiantum guianense Aubl. =Lindsaea guianensis (Dennstaedtiaceae)
 Adiantum hirtum Klotzsch =Adiantum terminatum
 Adiantum propinquum Fée =Adiantum pulverulentum
 Adiantum sagittatum Aubl. =Lindsaea sagittata (Dennstaedtiaceae)
 Adiantum strictum Swartz =Lindsaea stricta (Dennstaedtiaceae)
 Gymnopteris rufa (L.) Bernhouillii ex Underw. =Hemionitis rufa
 Hemionitis cajenensis Desv. =Antrophyum cajenense (Vittariaceae)

ASPLENIACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

- Morton, C.V. & D.B. Lellinger. 1966. The Polypodiaceae subfam. Asplenioideae in Venezuela. Mem. New York Bot. Gard. 15: 1-49.
- Smith, A.R. 1995. Aspleniaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 12-22.

- Asplenium abscissum Willd. [FG]
 Asplenium angustum Swartz [GU SU FG]
 Asplenium auritum Swartz var. auritum [GU SU FG]
 Asplenium auritum Swartz var. bipinnatifidum Kunze [GU]
 Asplenium clausenii Hieron. [GU?]
 Asplenium cristatum Lam. [GU SU FG]
 Asplenium cuneatum Lam. [GU SU FG]
 Asplenium delitescens (Maxon) L.D. Gómez [FG]
 Asplenium feei Kunze ex Fée [SU FG]
 Asplenium formosum Willd. [GU FG]
 Asplenium harpeodes Kunze [GU]
 Asplenium hostmannii Hieron. [SU FG]
 Asplenium juglandifolium Lam. [GU SU FG]
 Asplenium laetum Swartz [GU SU FG]

PTEROHYTA

Asplenium macilentum Kunze ex Klotzsch [SU]
Asplenium pearcei Baker [GU SU FG]
Asplenium pedicularifolium St. Hil. [SU FG]
Asplenium praemorsum Swartz [GU]
Asplenium pteropus Kaulf. [GU SU]
Asplenium radicans L. var. *cirratum* (L.C. Rich. ex Willd.)
 Rosenstock [GU FG]
Asplenium radicans L. var. *radicans* [GU]
Asplenium repandulum Kunze [FG]
Asplenium riparium Liebm. [FG]
Asplenium rutaceum (Willd.) Mett. [GU SU FG]
Asplenium salicifolium L. [GU SU FG]
Asplenium serra Langsd. & Fischer [GU SU]
Asplenium serratum L. [GU SU FG]
Asplenium sessilifolium Desv. [FG?]
Asplenium zamiifolium Willd. [GU SU FG]

ASPLENIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Asplenium anisophyllum Auct. non Kunze =*Asplenium feei*
Asplenium auritum Swartz var. *obtusum* Kunze ex Mett.
 =*Asplenium macilentum*
Asplenium cirratum Rich. ex Willd. =*Asplenium radicans*
 var. *cirratum*
Asplenium dejunctum (Baker) Pittier =*Hymenophyllospis*
dejecta (*Hymenophyllopsidaceae*)
Asplenium dimidiatum Auct. non Swartz =*Asplenium*
zamiifolium
Asplenium haplophyllum Domin =*Asplenium pearcei*
Asplenium integrerrimum Spreng. =*Asplenium juglandifolium*
Asplenium kapplerianum Kunze =*Asplenium juglandifolium*
Asplenium perkinsii Jenm. =*Asplenium rutaceum*
Asplenium semicordatum Raddi =*Asplenium salicifolium*
Asplenium sulcatum Auct. non Lam. =*Asplenium auritum*

BLECHNACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

Smith, A.R. 1995. Blechnaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 23-29.

Blechnum asplenoides Swartz [GU SU FG]
Blechnum brasiliense Desv. [GU]
Blechnum gracile Kaulf. [GU SU FG]
Blechnum lanceola Swartz [SU]
Blechnum lehmannii Hieron. [GU]
Blechnum lineatum (Swartz) C. Chr. [GU]
Blechnum occidentale L. [GU SU FG]
Blechnum polypodioides Raddi [GU SU FG]
Blechnum proliferum Rosenst. [GU]
Blechnum schomburgkii (Klotzsch) C. Chr. [GU]
Blechnum serrulatum L.C. Rich. [GU SU FG]
Blechnum stipitellatum (Sodiro) C. Chr. [GU]
Blechnum violaceum (Fée) C. Chr. [GU]
Salpichlaena hookeriana (Kuntze) Alston [GU SU FG]

Salpichlaena volubilis (Kaulf.) J. Smith [GU SU FG]

BLECHNACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Blechnum indicum Auct. non Burm. f. =*Blechnum serrulatum*
Blechnum volabile Kaulf. =*Salpichlaena volubilis*
Stenochlaena marginata Auct. non (Schrad.) C. Chr.
 =*Lomariopsis japurensis* (Lomariopsidaceae)

CYATHEACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

Conant, D.C. 1983. A revision of the genus *Alsophila* in the Americas. *Journ. Arn. Arb.* 64: 333-382.
 Smith, A.R. 1995. Cyatheaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 30-43.
 Stolze, R.G. 1974. A taxonomic revision of the genus *Cnemidaria*. *Fieldiana Bot.* 37: 1-98.
 Tryon, R.M. 1970. The classification of the Cyatheaceae. *Contrib. Gray Herb.* 200: 3-53.
 Tryon, R.M. 1976. A revision of the genus *Cyathea*. *Contrib. Gray Herb.* 206: 19-101.
 Windisch, P.G. 1977. Synopsis of the genus *Sphaeropteris*, with a revision of the neotropical exindusiate species. *Bot. Jahrb. Syst.* 98(2): 176-198.

Alsophila cuspidata (Kunze) Conant [FG]
Alsophila imrayana (Hook.) Conant var. *basilaris* (Christ)
 Lellinger [SU FG]
Cnemidaria cruciata (Desv.) Stolze [GU FG]
Cnemidaria roraimensis (Domin) R. Tryon [GU]
Cnemidaria spectabilis (Kunze) R. Tryon var. *spectabilis* [GU FG]
Cyathea akawaiorum P.J. Edwards [GU]
Cyathea andina (H. Karst.) Domin [GU SU FG]
Cyathea bipinnatifida (Baker) Domin [GU]
Cyathea caracasana (Klotzsch) Domin [GU?] [Mt. Roraima]
Cyathea cyatheoides (Desv.) K.U. Kramer [GU SU FG]
Cyathea delgadii Sternb. [GU]
Cyathea dissimilis (C. Morton) Stolze [GU]
Cyathea divergens Kunze var. *divergens* [GU SU]
Cyathea gibbosa (Klotzsch) Domin [GU]
Cyathea infesta (Kunze) Domin [FG]
Cyathea lasiosora (Kuhn) Domin [FG]
Cyathea macrocarpa (K. Presl) Domin [GU SU FG]
Cyathea macrosora (Baker) Domin var. *reginae* (Windisch)
 A.R. Smith [GU] [=Cyathea traillii?]
Cyathea marginalis (Klotzsch) Domin [GU SU FG]
Cyathea microdonta (Desv.) Domin [GU SU FG]
Cyathea multiflora J.E. Smith [GU]
Cyathea nanna (Barr.) Lellinger [GU]
Cyathea platylepis (Hook.) Domin [GU]
Cyathea procera (Willd.) Domin [GU] [=Cyathea pungens?]

PTEROHYTA

- Cyathea pubens* Domin [GU]
Cyathea pungens (Willd.) Domin [GU SU FG]
Cyathea surinamensis (Miq.) Domin [GU SU FG]
Cyathea traillii (Baker) Domin [GU]
Cyathea villosa Willd. [GU]

CYATHEACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Alsophila blechnoides* (Klotzsch) Hook. =*Metaxya rostrata* (Metaxyaceae)
Alsophila marginalis Klotzsch =*Cyathea marginalis*
Alsophila microdonta (Desv.) Desv. =*Cyathea microdonta*
Alsophila oblonga Klotzsch =*Cyathea procera*
Alsophila phalerata Mart. var. *infesta* Kunze =*Cyathea infesta*
Alsophila pungens (Willd.) Kaulf. =*Cyathea pungens*
Alsophila vestita K. Presl =*Cyathea* sp.
Cyathea arborea Auct non (L.) J.E. Smith =*Alsophila imrayana*
Cyathea cuspidata Kunze =*Alsophila cuspidata*
Cyathea imrayana Hook. =*Alsophila imrayana*
Cyathea oblonga (Klotzsch) Domin =*Cyathea procera*
Cyathea oyapoka Jenm. =*Cyathea cuspidata*
Cyathea roraimensis (Domin) Domin =*Cnemidaria roraimensis*
Cyathea spectabilis (Kunze) Domin =*Cnemidaria spectabilis*
Hemitelia boryana Mett. ex Kuhn =*Cyathea andina*
Hemitelia hirsuta (Desv.) Weath. =*Cyathea surinamensis*
Hemitelia hostmannii Hook. =*Cyathea cyatheoides*
Hemitelia macrocarpa K. Presl =*Cyathea macrocarpa*
Hemitelia multiflora (J.E. Smith) Spreng. =*Cyathea cyatheoides*
Hemitelia parkeri Hook. =*Cyathea surinamensis*
Hemitelia spectabilis Kunze =*Cnemidaria spectabilis*
Sphaeropteris cyatheoides (Desv.) Windisch =*Cyathea cyatheoides*
Sphaeropteris dissimilis (C. Morton) Windisch =*Cyathea dissimilis*
Sphaeropteris hirsuta (Desv.) R. Tryon =*Cyathea surinamensis*
Sphaeropteris macrocarpa (K. Presl) R. Tryon =*Cyathea macrocarpa*
Sphaeropteris macrosora (Baker) Windisch =*Cyathea macrosora*

DAVALLIACEAE

- reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

- Cremers, G., K.U. Kramer, R.C. Moran, & A.R. Smith. 1994. Dryopteridaceae. In A.R.A. Görts-van Rijn, Flora of the Guianas (series B) 6: 3-65.

Rumohra adiantiformis (G. Forster) Ching [GU]

DAVALLIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Davallia parkeri Hook. =*Lindsaea parkeri* (Dennstaedtiaceae)

DENNSTAEDIACEAE

- reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

- Cremers, G. & K.U. Kramer. 1991. Dennstaedtiaceae. In A.R.A. Görts-van Rijn, Flora of the Guianas (series B) 4: 20-81.
 Kramer, K.U. 1957. A revision of the genus *Lindsaea* in the New World. Acta Bot. Neerl. 6: 97-290.
 Smith, A.R. & K.U. Kramer. 1995. Dennstaedtiaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 46-71.

- Dennstaedtia obtusifolia* (Willd.) T. Moore [GU SU FG]
 [=Dennstaedtia dissecta (Sw.) T. Moore?]
Histiopteris incisa (Thunb.) J. Smith [GU]
Hypolepis "sp. 1" [GU] [Mt. Roraima]
Hypolepis "sp. 2" [GU] [Mt. Roraima]
Hypolepis "sp. 3" [GU?] [Mt. Roraima]
Hypolepis guianensis Klotzsch [GU] [Mt. Roraima]
Hypolepis hostilis (Kunze) K. Presl [GU SU FG]
Hypolepis nigrescens Hook. [GU] [Mt. Roraima]
Hypolepis parallelogramma (Kunze) K. Presl [GU FG]
Hypolepis repens (L.) K. Presl [GU SU FG]
Lindsaea coarctata K.U. Kramer [GU]
Lindsaea cultriformis K.U. Kramer [GU]
Lindsaea cyclophylla K.U. Kramer [GU]
Lindsaea divaricata Klotzsch [GU SU FG]
Lindsaea dubia Spreng. [GU SU FG]
Lindsaea falciformis Hook. [GU] [Mt. Roraima] [taxon of uncertain status]
Lindsaea guianensis (Aubl.) Dryander subsp. *guianensis* [GU SU FG]
Lindsaea javitensis Humb. & Bonpl. ex Willd. [GU]
Lindsaea lancea (L.) Bedd. var. *elatior* (Kunze) K.U. Kramer [GU SU FG]
Lindsaea lancea (L.) Bedd. var. *falcata* (Dryander) Rosenstock [GU SU FG]
Lindsaea lancea (L.) Bedd. var. *lancea* [GU SU FG]
Lindsaea lancea (L.) Bedd. var. *lepturii* (Hook.) K.U. Kramer [GU SU FG]
Lindsaea lancea (L.) Bedd. var. *longifolia* K.U. Kramer [GU]
Lindsaea lancea (L.) Bedd. var. *remota* (Kunze) K.U. Kramer [GU SU FG]
Lindsaea macrophylla Kaulf. [FG]
Lindsaea mazarunensis Jenm. [GU] [species of uncertain status, probably a hybrid]
Lindsaea pallida Klotzsch [GU SU FG]
Lindsaea parkeri (Hook.) Kuhn subsp. *parkeri* [GU SU FG]
Lindsaea pendula Klotzsch [GU SU]
Lindsaea pleioptera K.U. Kramer [GU]
Lindsaea portoricensis Desv. [GU SU FG]
Lindsaea pumila Klotzsch [GU] [dubious species]
Lindsaea quadrangularis Raddi subsp. *antillensis* K.U. Kramer [GU SU FG]

Lindsaea reniformis Dryander [GU SU FG]
Lindsaea sagittata (Aubl.) Dryander [GU SU FG]
Lindsaea schomburgkii Klotzsch [GU]
Lindsaea semilunata (C. Chr.) C. Chr. [GU]
Lindsaea sphenomeridopsis K.U. Kramer [GU]
Lindsaea stricta (Swartz) Dryander var. *jamesoniiformis* K.U.
 Kramer [GU SU FG]
Lindsaea stricta (Swartz) Dryander var. *parvula* (Fée) K.U.
 Kramer [GU SU FG]
Lindsaea stricta (Swartz) Dryander var. *stricta* [GU SU FG]
Lindsaea surinamensis Posth. [GU SU FG]
Lindsaea tenuis Klotzsch [GU]
Lindsaea tetraptera K.U. Kramer [GU]
Lindsaea uelei Hieron. [GU]
Lonchitis hirsuta L. [SU FG]
Microlepia speluncae (L.) T. Moore [FG] [introduced]
Odontosoria fumariooides (Swartz) J. Smith [FG?]
Ormoloma imrayanum (Hook.) Maxon [GU] [cited from FG in
 error]
Pteridium aquilinum (L.) Kuhn subsp. *caudatum* (L.)
 Bonaparte [GU SU FG]
Saccoloma elegans Kaulf. subsp. *chartaceum* Nair ex Cremers
 & K.U. Kramer [GU FG]
Saccoloma inaequale (Kunze) Mett. [GU SU FG]

DENNSTAEDTIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Dennstaedtia adiantoides (Willd.) T. Moore =*Dennstaedtia obtusifolia*
Ithycaulon inaequale (Kunze) Copeland =*Saccoloma inaequale*
Lindsaea aquatica Jenm. =*Lindsaea stricta* var. *parvula*
Lindsaea coriifolia Lindm. =*Lindsaea schomburgkii*
Lindsaea crenata Klotzsch =*Lindsaea portoricensis*
Lindsaea falcata Dryander =*Lindsaea lancea* var. *falcata*
Lindsaea falcata Dryander var. *elatior* Kunze =*Lindsea lancea*
 var. *elatior*
Lindsaea falcata Dryander var. *lancea* (L.) Jenm. =*Lindsaea lancea*
 var. *lancea*
Lindsaea falcata Dryander var. *leptoleprium* (Hook.) Jenm.
 =*Lindsaea lancea* var. *leptoleprium*
Lindsaea falcata Dryander var. *subrotundifolia* Jenm. [name
 of uncertain application]
Lindsaea filiformis Hook. =*Lindsaea tenuis*
Lindsaea gracilis Klotzsch =*Lindsaea stricta* var. *parvula*
Lindsaea guianensis (Aubl.) Dryander var. *venosa* Jenm.
 [name of uncertain application]
Lindsaea lancea (L.) Beddome var. *semilunata* C. Chr.
 =*Lindsaea semilunata*
Lindsaea leptoleprium Hook. =*Lindsaea lancea* var. *leptoleprium*
Lindsaea nitidissima Rich. ex Willd. =*Lindsaea lancea*
Lindsaea parvula Fée =*Lindsaea stricta* var. *parvula*
Lindsaea pumila Klotzsch var. *remota* Kunze =*Lindsaea lancea*
 var. *remota*
Lindsaea pusilla Splitg. =*Lindsaea lancea* var. *remota*
Lindsaea raddiana Klotzsch =*Lindsaea stricta*
Lindsaea rufescens Kunze =*Lindsaea portoricensis*
Lindsaea trapeziformis Dryander var. *erythromera* Kunze
 =*Lindsaea divaricata*
Odontoloma parkeri (Hook.) K. Presl =*Lindsaea parkeri*
Pteridium aquilinum (L.) Kuhn var. *arachnoideum* (Kaulf.)
 Brade =*Pteridium aquilinum* subsp. *caudatum* [treated as
 P. *arachnoideum* by Lellinger]

Pteridium arachnoideum (Kaulf.) Maxon =*Pteridium aquilinum* subsp. *caudatum*
Pteridium caudatum (L.) Maxon =*Pteridium aquilinum* subsp.
caudatum
Saccoloma imrayanum Hook. =*Ormoloma imrayanum*
Schizoloma macrophyllum (Kaulf.) K. Presl =*Lindsaea macrophylla*
Schizoloma reniforme (Dryander) Diels =*Lindsaea reniformis*
Schizoloma sagittatum (Aubl.) Diels =*Lindsaea sagittata*

DICKSONIACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

- Maxon, W.R. 1922. The genus *Culcita*. J. Wash. Acad. Sci. 12: 454-460.
 Smith, A.R. 1995. Dicksoniaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora
 of the Venezuelan Guayana 2: 72-73.

Culcita coniifolia (Hook.) Maxon [GU]

DRYOPTERIDACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

- Cremers, G., K.U. Kramer, R.C. Moran, & A.R. Smith. 1994. Dryopteridaceae. In A.R.A. Görtz-van Rijn, Flora of the Guianas (series B) 6: 3-65.
 Moran, R.C. 1986. The Neotropical fern genus *Olfersia*. Amer. Fern J. 76: 161-178.
 Moran, R.C. 1987. Monograph of the Neotropical fern genus *Polybotrya* (Dryopteridaceae). Ill. Nat. Hist. Surv. Bull. 34(1): 1-138.
 Moran, R.C. 1991. Monograph of the Neotropical fern genus *Stigmatopteris* (Dryopteridaceae). Ann. Missouri Bot. Gard. 78(4): 857-914.
 Smith, A.R. 1986. Revision of the Neotropical fern genus *Cyclodium*. Am. Fern J. 76(2): 56-98.
 Smith, A.R., J.T. Mickel, & R.C. Moran. 1995. Dryopteridaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 73-128.

Arachniodes denticulata (Swartz) Ching [GU] [Mt. Roraima]
Arachniodes leucostegioides (C. Chr.) Ching [GU] [Mt.
 Roraima]

Arachniodes macrostegia (Hook.) R. Tryon & Conant [GU?] [Mt. Roraima]
Arachniodes ochropterooides (Baker) Lellinger [GU SU]
Cyclodium akawaiorum A.R. Smith [GU] [Mt. Roraima]
Cyclodium guianense (Klotzsch) van der Werff ex L.D. Gómez [GU SU FG]
Cyclodium inerme (Fée) A.R. Smith [GU SU FG]
Cyclodium meniscooides (Willd.) K. Presl var. *meniscooides* [GU SU FG]
Cyclodium meniscooides (Willd.) K. Presl var. *rigidissimum* (C. Chr.) A.R. Smith [GU]
Cyclodium rheophilum A.R. Smith [FG]
Cyclodium varians (Fée) A.R. Smith [GU]
Didymochlaena truncatula (Swartz) J. Smith [GU SU FG]
Olfersia cervina (L.) Kunze [GU SU FG]
Polybotrya caudata Kunze [GU SU FG]
Polybotrya cyathifolia Fée [FG]
Polybotrya fractiserialis (Baker) J.E. Smith [GU SU FG]
Polybotrya lechleriana Mett. [GU] [Mt. Roraima]
Polybotrya osmundacea Humb. & Bonpl. ex Willd. [GU SU FG]
Polybotrya sessilisora R.C. Moran [GU?] [Brazil/Guyana border area]
Polybotrya sorbifolia Kuhn [to be expected in the Guianas]
Stigmatopteris longicaudata (Liebm.) C. Chr. [FG]
Stigmatopteris rotundata (Humb. & Bonpl. ex Willd.) C. Chr. [GU SU FG]

DRYOPTERIDACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Aspidium confertum Kaulf. =*Cyclodium meniscooides* var. *meniscooides*
Aspidium guianense Klotzsch =*Cyclodium guianense*
Cyclodium confertum (Kaulf.) K. Presl =*Cyclodium meniscooides* var. *meniscooides*
Cyclodium rigidissimum C. Chr. =*Cyclodium meniscooides* var. *rigidissimum*
Dryopteris amplissima (K. Presl) Kunze var. *subeffusa* C. Chr. =*Lastreopsis amplissima* (Tectariaceae)
Dryopteris arborea Brause =*Thelypteris arborea* (Thelypteridaceae)
Dryopteris brachypoda (Baker) C. Chr. =*Thelypteris brachypoda* (Thelypteridaceae)
Dryopteris carrii Auct. non (Baker) C. Chr. =*Stigmatopteris rotundata*
Dryopteris decussata (L.) Urb. =*Thelypteris decussata* (Thelypteridaceae)
Dryopteris dejектa (Jenm.) C. Chr. =*Thelypteris glandulosa* (Thelypteridaceae)
Dryopteris demerarana (Baker) C. Chr. =*Thelypteris demerara* (Thelypteridaceae)
Dryopteris dentata Auct. non (Forsskål) C. Chr. =*Thelypteris hispidula* (Thelypteridaceae)
Dryopteris effusa (Swartz) Urb. =*Lastreopsis effusa* (Tectariaceae)
Dryopteris extensa (Blume) Kuntze =*Thelypteris opulenta* (Thelypteridaceae)
Dryopteris funesta (Kunze) C. Chr. =*Triplophyllum funestum* (Tectariaceae)
Dryopteris gongyloides (Schkuhr) Kuntze =*Thelypteris interrupta* (Thelypteridaceae)
Dryopteris gonophora Weath. =*Thelypteris gonophora* (Thelypteridaceae)

Dryopteris guianensis (Klotzsch) Posth. =*Cyclodium guianense*
Dryopteris hostmannii (Klotzsch) Maxon & C. Morton =*Thelypteris arborescens* (Thelypteridaceae)
Dryopteris kanukuana Weath. =*Thelypteris pennata* (Thelypteridaceae)
Dryopteris leprieurii (Hook.) Kuntze =*Thelypteris leprieurii* (Thelypteridaceae)
Dryopteris macrophylla (Kunze) C. Chr. =*Thelypteris macrophylla* (Thelypteridaceae)
Dryopteris martinii C. Chr. =*Thelypteris connexa* (Thelypteridaceae)[type erroneously cited from French Guiana]
Dryopteris megalodus (Schkuhr) Urb. =*Thelypteris pennata* (Thelypteridaceae)
Dryopteris meniscooides (Willd.) Kuntze =*Cyclodium meniscooides*
Dryopteris meniscooides (Willd.) Kuntze var. *conferta* (Kaulf.) C. Morton =*Cyclodium meniscooides* var. *meniscooides*
Dryopteris nesiotica Maxon & C. Morton =*Thelypteris nesiotica* (Thelypteridaceae)
Dryopteris ochropterooides (Baker) C. Chr. =*Arachniodes ochropterooides*
Dryopteris poiteana (Bory) Urb. =*Thelypteris poiteana* (Thelypteridaceae)
Dryopteris protensa (Afzel. ex Swartz) C. Chr. var. *funesta* (Kunze) C. Chr. =*Triphlophyllum funestum* (Tectariaceae)
Dryopteris pyramidata (Fée) Maxon =*Thelypteris abrupta* (Thelypteridaceae)
Dryopteris quadrangularis (Fée) Alston =*Thelypteris hispidula* (Thelypteridaceae)
Dryopteris refulgens (Klotzsch) C. Chr. =*Ctenitis refulgens* (Tectariaceae)
Dryopteris refulgens (Klotzsch) C. Chr. =*Ctenitis refulgens* (Tectariaceae)
Dryopteris roraimensis Brause =*Thelypteris arborea* (Thelypteridaceae)
Dryopteris sancti-gabrieli (Hook.) Kuntze =*Cyclodium guianense*
Dryopteris serrata (Cav.) C. Chr. =*Thelypteris serrata* (Thelypteridaceae)
Dryopteris sorbifolia Auct. non (Jacq.) Hieron. =*Thelypteris hostmannii* (Thelypteridaceae)
Dryopteris subcuneata (Baker) Kuntze =*Thelypteris abrupta* (Thelypteridaceae)
Dryopteris subobliquata (Hook.) Kuntze =*Cyclodium inerme*
Dryopteris tetragona (Swartz) Urb. =*Thelypteris tetragona* (Thelypteridaceae)
Polybotrya cervina (L.) Kaulf. =*Olfersia cervina*
Polybotrya pubens Auct. non Mart. =*Polybotrya caudata*
Polystichopsis ochropterooides (Baker) C. Morton =*Arachniodes ochropterooides*
Polystichum inerme Fée =*Cyclodium inerme*
Stigmatopteris guianensis (Klotzsch) C. Chr. =*Cyclodium guianense*
Stigmatopteris meniscooides (Willd.) K.U. Kramer =*Cyclodium meniscooides*
Stigmatopteris sancti-gabrieli (Hook.) C. Chr. =*Cyclodium guianense*
Stigmatopteris varians (Fée) Alston =*Cyclodium varians*

GLEICHENIACEAE

reviewed by D. Lellinger & G. Cremers (1992);
reviewed by D. Lellinger (1996)

REFERENCES:

Smith, A.R. 1995. Gleicheniaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 128-135.

Dicranopteris flexuosa (Schrad.) Underw. [GU SU FG]
Dicranopteris nervosa (Kaulf.) Maxon [GU]
Dicranopteris pectinata (Willd.) Underw. [GU SU FG]
Dicranopteris schomburgkiana (J.W. Sturm) C. Morton [Mt. Roraima]
Gleichenia bifida (Willd.) Spreng. [GU SU FG]
Gleichenia longipinnata Hook. [GU SU]
Gleichenia nitidula Rosenst. [GU]
Gleichenia pennigera (Mart.) T. Moore [GU]
Gleichenia remota (Kaulf.) Spreng. [GU SU FG]
Gleichenia revoluta Kunth [GU] [Mt. Roraima]

GLEICHENIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Dicranopteris nitidula (Rosenst.) Suesseng ex Losch
 =*Gleichenia nitidula*
Dicranopteris remota (Kaulf.) Maxon =*Gleichenia remota*
Gleichenia linearis Auct. non (Burm.) Clarke =*Dicranopteris flexuosa*
Gleichenia pectinata (Willd.) K. Presl =*Dicranopteris pectinata*
Sticherus bifidus (Willd.) Ching =*Gleichenia bifida*
Sticherus pennigera (Mart.) Copel. =*Gleichenia pennigera*
Sticherus remotus (Kaulf.) Chrysler =*Gleichenia remota*
Sticherus revolutus (Kunth) Ching =*Gleichenia revoluta*

GRAMMITIDACEAE

reviewed by D. Lellinger & G. Cremers (1992);
reviewed by D. Lellinger (1996)

REFERENCES:

Bishop, L.E. 1977. The American species of Grammitis sect. Grammitis. Amer. Fern J. 67: 101-106.
 Bishop, L.E. 1978. Revision of the genus *Cochlidium*. Amer. Fern J. 68: 76-94.
 Bishop, L.E. 1988. Ceradenia, a new genus of Grammitidaceae. Amer. Fern J. 78: 1-5.
 Bishop, L.E. & A.R. Smith. 1992. Revision of the fern genus *Enterosora* (Grammitidaceae) in the New World. Syst. Bot. 17: 345-362.
 Bishop, L.E. & A.R. Smith. 1995. Grammitidaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 135-158.
 Copeland, E.B. 1952. The American species of *Xiphopteris*. Amer. Fern J. 42: 41-52, 93-110.

Smith, A.R. 1992. A review of the fern genus *Micropolyodium* (Grammitidaceae). Novon 2(4): 419-425.
 Smith, A.R. 1993. Terpsichore, a new genus of Grammitidaceae (Pteridophyta). Novon 3(4): 478-489.
 Smith, A.R. & R.C. Moran. 1992. Melpomene, a new genus of Grammitidaceae (Pteridophyta). Novon 2(4): 426-432.
 Smith, A.R., R.C. Moran, & L.E. Bishop. 1991. Lellingeria, a new genus of Grammitidaceae. Amer. Fern J. 81: 76-88.

Ceradenia kookenamae (Jenm.) L.E. Bishop [GU] [Mt. Roraima]
Cochlidium attenuatum A.C. Smith [GU]
Cochlidium connellii (Baker ex C.H. Wright) A.C. Smith [GU]
Cochlidium furcatum (Hook. & Grev.) C. Chr. [GU SU FG]
Cochlidium linearifolium (Desv.) Maxon ex C. Chr. [GU SU FG]
Cochlidium seminudum (Willd.) Maxon [GU? FG?] [=*Melpomene anfractuosa*]
Cochlidium serrulatum (Swartz) L.E. Bishop [GU SU FG]
Cochlidium tepuense (A.C. Smith) L.E. Bishop [GU]
Enterosora campbellii Baker subsp. *campbellii* [GU? FG?] [=*Terpsichore asplenifolia*]
Enterosora trifurcata (L.) L.E. Bishop [GU SU]
Grammitis anfractuosa (Kunze ex Klotsch) Proctor [GU] [=*Melpomene anfractuosa*]
Grammitis asplenifolia (L.) Proctor [GU] [=Terpsichore asplenifolia]
Grammitis blanchetii (C. Chr.) A.R. Smith [GU SU FG] [=*Micropolyodium nanum*]
Grammitis bryophila (Maxon) Seymour [GU]
Grammitis capillaris (Desv.) Proctor [Mt. Roraima] [=*Ceradenia capillaris*]
Grammitis cultrata (Bory ex Willd.) Proctor [GU] [=Terpsichore cultrata]
Grammitis discolor (Hook.) C. Morton [GU] [=*Ceradenia discolor*]
Grammitis firma (J. Smith) C. Morton [GU] [=*Melpomene firma*]
Grammitis flabelliformis (Poir.) C. Morton [GU?] [Mt. Roraima] [=*Melpomene flabelliformis*]
Grammitis fragillima (Copel.) C. Morton [Mt. Roraima] [=*Ceradenia fragillima*]
Grammitis kaieteura (Jenm.) C. Morton [GU] [=*Grammitis tenuicula* (Fée) Proctor?]
Grammitis kalbreyeri (Baker) C. Morton [GU SU FG] [=*Ceradenia kalbreyeri*]
Grammitis kegeliana (Kunze) Lellinger [SU FG] [=Terpsichore kegeliana]
Grammitis leptopoda (C.H. Wright) Copeland [GU?] [Mt. Roraima]
Grammitis melanosticta (Kunze) F. Seym. [GU SU] [=*Melpomene melanosticta*]
Grammitis melanotrichia (Baker) Lellinger [Mt. Roraima] [=*Lellingeria melanotrichia*]
Grammitis mollissima (Fée) Proctor [GU SU FG] [=Terpsichore mollissima]
Grammitis moniliformis (Lag. ex Swartz) Proctor [GU] [=*Melpomene moniliformis*]
Grammitis myosuroides (Swartz) Swartz [Mt. Roraima] [=*Lellingeria myosuroides*]

PTEROphyta

Grammitis paramicola L.E. Bishop [Mt. Roraima]
Grammitis peritimundi L.E. Bishop & A.R. Smith [Mt.
 Roraima]
Grammitis pilosissima (Martens & Galeotti) C. Morton [SU]
 [=Melpomene pilosissima]
Grammitis randallii (Maxon) Proctor [GU]
Grammitis shaferi (Maxon) Lellinger [SU] [=Lellingeria
 shaferi]
Grammitis sinuosa A.R. Smith [GU SU] [=Lellingeria
 sinuosa]
Grammitis staheliana (Posth.) Lellinger [SU FG]
 [=Terpsichore staheliana]
Grammitis subsessilis (Baker) C. Morton [GU] [=Lellingeria
 subsessilis]
Grammitis suspensa (L.) Proctor [GU SU FG] [=Lellingeria
 suspensa]
Grammitis taenifolia (Jenm.) Proctor [GU SU FG]
 [=Micropolyplodium taenifolium]
Grammitis tatei Copeland [GU]
Grammitis taxifolia (L.) Proctor [GU SU FG] [=Terpsichore
 taxifolia]
Grammitis trichomanoides (Swartz) Ching [GU FG]
 [=Micropolyplodium trichomanoides]
Grammitis xanthotrichia (Klotzsch) Duek & Lellinger [Mt.
 Roraima] [=Terpsichore xanthotrichia]

GRAMMITIDACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Ceradenia capillaris (Desv.) L.E. Bishop =*Grammitis capillaris*
Ceradenia discolor (Hook.) L.E. Bishop =*Grammitis discolor*
Ceradenia fragillima (Copel.) L.E. Bishop =*Grammitis*
 fragillima
Ceradenia kalbreyeri (Baker) L.E. Bishop =*Grammitis*
 kalbreyeri
Ctenopteris jubiformis (Kaulf.) J.E. Smith =*Grammitis*
 suspensa
Ctenopteris kaieteura (Jenm.) Copeland =*Grammitis kaieteura*
Ctenopteris kalbreyeri (Baker) Copeland =*Grammitis*
 kalbreyeri
Ctenopteris kegeliana (Kunze) K.U. Kramer =*Grammitis*
 kegeliana
Ctenopteris melanosticta (Kunze) Copeland =*Grammitis*
 melanosticta
Ctenopteris mollissima (Fée) Copeland =*Grammitis*
 mollissima
Ctenopteris pilosissima (Martens & Galeotti) Copeland
 =*Grammitis pilosissima*
Ctenopteris staheliana (Posth.) K.U. Kramer =*Grammitis*
 staheliana
Ctenopteris subsessilis (Baker) Copeland =*Grammitis*
 subsessilis
Ctenopteris suspensa (L.) Copeland =*Grammitis suspensa*
Ctenopteris taxifolia (L.) Copeland =*Grammitis taxifolia*
Ctenopteris trifurcata (L.) Pic.-Ser. =*Enterosora trifurcata*
Grammitis furcata Hook. & Grev. =*Cochlidium furcatum*
Grammitis nana Fée =*Grammitis blanchetii*
Grammitis serrulata (Swartz) Swartz =*Cochlidium serrulatum*
Grammitis tenuicula (Fée) Proctor [see *Grammitis kaieteura*]
Grammitis trifurcata (L.) Copeland =*Enterosora trifurcata*
Lellingeria melanotrichia (Baker) A.R. Smith & R.C. Moran
 =*Grammitis melanotrichia*
Lellingeria myosuroides (Swartz) A.R. Smith & R.C. Moran
 =*Grammitis myosuroides*

Lellingeria shaferi (Maxon) A.R. Smith & R.C. Moran
 =*Grammitis shaferi*
Lellingeria sinuosa (A.R. Smith) A.R. Smith & R.C. Moran
 =*Grammitis sinuosa*
Lellingeria subsessilis (Baker) A.R. Smith & R.C. Moran
 =*Grammitis subsessilis*
Lellingeria suspensa (L.) A.R. Smith & R.C. Moran
 =*Grammitis suspensa*
Melpomene anfractuosa (Kunze ex Klotzsch) A.R. Smith &
 R.C. Moran =*Grammitis anfractuosa*
Melpomene firma (J. Smith) A.R. Smith & R.C. Moran
 =*Grammitis firma*
Melpomene flabelliformis (Poir.) A.R. Smith & R.C. Moran
 =*Grammitis flabelliformis*
Melpomene melanosticta (Kunze) A.R. Smith & R.C. Moran
 =*Grammitis melanosticta*
Melpomene moniliformis (Lagasca ex Sw.) A.R. Smith & R.C.
 Moran =*Grammitis moniliformis*
Melpomene pilosissima (M. Martens & Galeotti) A.R. Smith
 & R.C. Moran =*Grammitis pilosissima*
Micropolyplodium nanum (Fée) A.R. Smith =*Grammitis*
 blanchetii
Micropolyplodium taenifolium (Jenm.) A.R. Smith =*Grammitis*
 taenifolia
Micropolyplodium trichomanoides (Sw.) A.R. Smith
 =*Grammitis trichomanoides*
Monogramma linearifolia Desv. =*Cochlidium linearifolium*
Terpsichore asplenifolia (L.) A.R. Smith =*Grammitis*
 asplenifolia
Terpsichore cultrata (Bory ex Willd.) A.R. Smith =*Grammitis*
 cultrata
Terpsichore kegeliana (Kunze) A.R. Smith =*Grammitis*
 kegeliana
Terpsichore mollissima (Fée) A.R. Smith =*Grammitis*
 mollissima
Terpsichore staheliana (Posth.) A.R. Smith =*Grammitis*
 staheliana
Terpsichore taxifolia (L.) A.R. Smith =*Grammitis taxifolia*
Terpsichore xanthotrichia (Klotzsch) A.R. Smith =*Grammitis*
 xanthotrichia
Xiphopteris nana (Fée) Copeland =*Grammitis blanchetii*
Xiphopteris serrulata (Swartz) Kaulf. =*Cochlidium serrulatum*
Xiphopteris shaferi (Maxon) K.U. Kramer =*Grammitis shaferi*
Xiphopteris taenifolia (Jenm.) Copeland =*Grammitis taenifolia*
Xiphopteris trichomanoides (Swartz) Copeland =*Grammitis*
 trichomanoides

HYMENOPHYLLACEAE

contributed by D. Lellinger (1992); reviewed by
 D. Lellinger (1996)

REFERENCES:

- Lellinger, D.B. 1984. Hymenophyllaceae. In B.
 Maguire & collaborators, Botany of the
 Guayana Highland part 12. Mem. New York
 Bot. Gard. 38: 1-84.
 Lellinger, D.B. 1991. Notes on neotropical
 Hymenophyllaceae. Amer. Fern J. 81: 42-46.
 Lellinger, D.B. 1994. Trichomanes
 polypodioides and its allies. Amer. Fern J.
 84(1): 1-4.

- Lellinger, D.B. 1994. Hymenophyllaceae. In A.R.A. Görts-van Rijn, Flora of the Guianas (series B) 3: 1-66.
- Smith, A.R. 1995. Hymenophyllaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 159-185.

Hymenophyllum antillense (Jenm.) Jenm. [Mt. Roraima]
 Hymenophyllum apiculatum Mett. ex Kuhn [GU SU]
 Hymenophyllum asplenoides (Swartz) Swartz [GU]
 Hymenophyllum brevifrons Kunze [FG]
 Hymenophyllum decurrens (Jacq.) Swartz [GU SU FG]
 Hymenophyllum dependens C. Morton [GU]
 Hymenophyllum elegans Spreng. [GU]
 Hymenophyllum fendlerianum J.W. Sturm [GU SU]
 Hymenophyllum fucoides (Swartz) Swartz [GU SU]
 Hymenophyllum funcckii Bosch [FG?]
 Hymenophyllum hirsutum (L.) Swartz [GU SU FG]
 Hymenophyllum kaieteurum Jenm. [GU]
 Hymenophyllum lanatum Fée [SU]
 Hymenophyllum lehmannii Hieron. [GU]
 Hymenophyllum microcarpum Desv. [GU] [Mt. Roraima]
 Hymenophyllum polyanthos (Swartz) Swartz [GU SU FG]
 Hymenophyllum roraimense C. Morton [Mt. Roraima]
 Hymenophyllum trichomanoides Bosch [GU]
 Hymenophyllum trichophyllum Kunth [GU]
 Hymenophyllum valvatum Hook. & Grev. [GU] [Mt. Roraima]
 Trichomanes accedens K. Presl [GU SU FG]
 Trichomanes angustifrons (Fée) W. Boer [GU SU FG]
 Trichomanes ankersii Parker ex Hook. & Grev. [GU SU FG]
 Trichomanes anomalum Maxon & C. Morton [GU SU?]
 Trichomanes arbuscula Desv. [GU SU FG]
 Trichomanes bancroftii Hook. & Grev. [GU]
 Trichomanes bicorne Hook. [GU]
 Trichomanes botryoides Kaulf. [GU SU FG]
 Trichomanes caliginum Lellinger [GU SU]
 Trichomanes cellulosum Klotzsch [GU SU?]
 Trichomanes crinitum Swartz [GU]
 Trichomanes crispum L. [GU SU FG]
 Trichomanes cristatum Kaulf. [GU SU? FG]
 Trichomanes curranii Weath. [GU SU FG?]
 Trichomanes dactylites Sodiro [Mt. Roraima]
 Trichomanes diaphanum Kunth [GU SU FG]
 Trichomanes diversifrons (Bory) Mett. ex Sadebeck [GU SU FG]
 Trichomanes egleri Windisch [GU SU]
 Trichomanes elegans L.C. Rich. [GU SU FG]
 Trichomanes hostmannianum (Klotzsch) Kunze [GU SU FG]
 Trichomanes humboldtii (Bosch) Lellinger [GU]
 Trichomanes hymenophylloides van den Bosch [GU?] [Mt. Roraima]
 Trichomanes jenmanii Lellinger [GU]
 Trichomanes kapplerianum J.W. Sturm [GU SU FG]
 Trichomanes krausii Hook. & Grev. [GU SU FG]
 Trichomanes lucens Swartz [GU?] [Mt. Roraima]
 Trichomanes macilentum Bosch [GU]
 Trichomanes martiusii K. Presl [GU SU]
 Trichomanes membranaceum L. [GU SU FG]
 Trichomanes mougeotii Bosch [SU FG]
 Trichomanes osmundoides DC. ex Poir. [GU FG]
 Trichomanes ovale (Fourn.) W. Boer [SU]
 Trichomanes pedicellatum Desv. [GU SU FG]

Trichomanes pellucens Kunze [GU SU FG]
 Trichomanes pinnatinervium Jenm. [GU SU FG]
 Trichomanes pinnatum Hedw. [GU SU FG]
 Trichomanes plumosum Kunze [GU]
 Trichomanes polypodioides L. [GU SU FG]
 Trichomanes punctatum Poir. subsp. labiatum (Jenm.) W. Boer [GU SU FG]
 Trichomanes pyxidiferum L. [FG]
 Trichomanes radicans Swartz var. radicans [GU SU FG]
 Trichomanes rigidum Swartz [GU SU FG]
 Trichomanes roraimense Jenm. [GU SU?]
 Trichomanes rupestre (Raddi) Bosch [FG]
 Trichomanes spruceanum Hook. [GU]
 Trichomanes sprucei Baker [GU?] [Mt. Roraima]
 Trichomanes steyermarkii Windisch & A.R. Smith [GU] [Mt. Roraima]
 Trichomanes tanaicum Hook. ex J.W. Sturm [GU]
 Trichomanes trollii Bergd. [GU SU FG]
 Trichomanes tuerckheimii Christ [GU SU FG]
 Trichomanes vandenboschii Windisch [GU SU]
 Trichomanes vittaria DC. ex Poir. [GU SU FG]
 Trichomanes windischianum Lellinger [GU SU]

HYMENOPHYLLACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Davalliosis elegans (Rich.) Copel. =Trichomanes elegans
 Feea boryi Bosch, nom. superfl. =Trichomanes diversifrons
 Feea botryoides (Kaulf.) Bosch =Trichomanes botryoides
 Feea humboldtii Bosch =Trichomanes humboldtii
 Feea nana Bory =Trichomanes botryoides
 Hymenophyllum amoenum (Klotzsch) J.W. Sturm
 =Hymenophyllum fendlerianum
 Hymenophyllum ciliatum (Swartz) Swartz =Hymenophyllum hirsutum
 Hymenophyllum ciliatum (Swartz) Swartz var. ornifolium
 Kunze =Hymenophyllum hirsutum
 Hymenophyllum dejectum Baker =Hymenophyllopsis dejecta
 (Hymenophyllopsidaceae)
 Hymenophyllum myriocarpum Hook. [records due to misidentifications]
 Hymenophyllum protrusum Hook. [records due to misidentifications]
 Hymenophyllum schomburgkii K. Presl ex J.W. Sturm
 =Hymenophyllum decurrens
 Hymenophyllum surinamense Bosch, nom. superfl.
 =Hymenophyllum hirsutum
 Hymenophyllum trapezoidale Liebm. [records due to misidentifications]
 Hymenophyllum undulatum (Swartz) Swartz var.
 fendlerianum (J.W. Sturm) Stolze =Hymenophyllum fendlerianum
 Hymenostachys diversifrons Bory =Trichomanes diversifrons
 Hymenostachys elegans (Rudge) K. Presl =Trichomanes diversifrons
 Hymenostachys osmundoides (DC. ex Poir.) K. Presl
 =Trichomanes osmundoides
 Lacosteia ankersii (Parker ex Hook. & Grev.) Prantl
 =Trichomanes ankersii
 Lacosteia tanaica (Hook. ex J.W. Sturm) Prantl =Trichomanes tanaicum
 Microgonium kapplerianum (J.W. Sturm) Pic.-Ser.
 =Trichomanes kapplerianum

Neuromanes abruptum Bosch, nom. superfl. =*Trichomanes hostmannianum*
Neuromanes kaulfussii Bosch, nom. superfl. =*Trichomanes pinnatum*
Neuromanes schomburgkianum (J.W. Sturm) Bosch
 =*Trichomanes pinnatum*
Neuromanes vittaria (DC. ex Poir.) Bosch =*Trichomanes vittaria*
Neurophyllum hostmannianum Klotzsch =*Trichomanes hostmannianum*
Neurophyllum pennatum (Kaulf.) K. Presl =*Trichomanes pinnatum*
Neurophyllum rhizophyllum (Cav.) Fée =*Trichomanes pinnatum*
Neurophyllum vittaria (DC. ex Poir.) K. Presl =*Trichomanes vittaria*
Odontomanes hostmannianum (Klotzsch) K. Presl
 =*Trichomanes hostmannianum*
Ptilophyllum accedens (K. Presl) Prantl =*Trichomanes accedens*
Ptilophyllum bancroftii (Hook. & Grev.) Prantl =*Trichomanes bancroftii*
Ptilophyllum bicorne (Hook.) Prantl =*Trichomanes bicorne*
Ptilophyllum botryoides (Kaulf.) Prantl =*Trichomanes botryoides*
Ptilophyllum elegans (Rudge) Prantl =*Trichomanes diversifrons*
Ptilophyllum hostmannianum (Klotzsch) Prantl =*Trichomanes hostmannianum*
Ptilophyllum pinnatum (Kaulf.) Prantl =*Trichomanes pinnatum*
Ptilophyllum schomburgkianum (J.W. Sturm) Prantl
 =*Trichomanes pinnatum*
Ptilophyllum vittaria (DC. ex Poir.) Prantl =*Trichomanes vittaria*
Ragatelus eriophorus K. Presl =*Trichomanes crispum*
Sphaerocionium crispum (Kunth) Klotzsch var. *amoenum*
 Klotzsch =*Hymenophyllum fendlerianum*
Trichomanes abruptum (Bosch) Christ =*Trichomanes hostmannianum*
Trichomanes ankersii Parker ex Hook. & Grev. var. *tanaicum*
 (Hook. ex J.W. Sturm) Sadeb. =*Trichomanes tanaicum*
Trichomanes commutatum J.W. Sturm =*Trichomanes pedicellatum*
Trichomanes ekmanii W. Boer [records due to misidentifications]
Trichomanes elegans Rudge, non Rich. =*Trichomanes diversifrons*
Trichomanes fimbriatum Backhouse ex T. Moore [records due to misidentification]
Trichomanes floribundum Humb. & Bonpl. ex Willd. var. *vittaria* (DC. ex Poir.) Splitg. =*Trichomanes vittaria*
Trichomanes fruticulosum Jenm. =*Trichomanes punctatum* subsp. *labiatum*
Trichomanes furcatum Bosch, non Kaulf. ex Spreng.
 =*Trichomanes pedicellatum*
Trichomanes gemmatum J. Smith ex Hook. & Baker, nom. superfl. =*Trichomanes cellulosum*
Trichomanes guianense J.W. Sturm =*Trichomanes ankersii*
Trichomanes hookeri Auct. non K. Presl =*Trichomanes kapplerianum*
Trichomanes huberi H. Christ =*Trichomanes hostmannianum*
Trichomanes labiatum Jenm. =*Trichomanes punctatum* subsp. *labiatum*

Trichomanes leprieurii Hook., nom. superfl. =*Trichomanes elegans*
Trichomanes myrioneuron Lindm. =*Trichomanes punctatum* subsp. *labiatum*
Trichomanes nanum (Bory) Hook. =*Trichomanes botryoides*
Trichomanes pennatum Kaulf. =*Trichomanes pinnatum*
Trichomanes pennatum Kaulf. =*Trichomanes pinnatum*
Trichomanes pilosum Raddi =*Trichomanes martiusii*
Trichomanes pinnatum Hedw. var. *kaulfussii* Domin
 =*Trichomanes pinnatum*
Trichomanes pinnatum Hedw. var. *vittaria* (DC. ex Poir.) Baker =*Trichomanes vittaria*
Trichomanes prieurii Kunze =*Trichomanes elegans*
Trichomanes rhizophyllum Cav. =*Trichomanes pinnatum*
Trichomanes schomburgkianum J.W. Sturm =*Trichomanes pinnatum*
Trichomanes schomburgkii Bosch =*Trichomanes crispum*
Trichomanes sphenoides Auct. non Kunze =*Trichomanes punctatum*
Trichomanes spicisorum Desv. =*Trichomanes osmundoides*
Trichomanes subsessile Splitg. =*Trichomanes pedicellatum*
Trichomanes trigonum Auct. non Desv. =*Trichomanes fimbriatum*

HYMENOPHYLLOPSIDACEAE

contributed by D. Lellinger (1992); reviewed by D. Lellinger (1996)

REFERENCES:

- Lellinger, D.B. 1984. Hymenophyllopsidaceae. In B. Maguire & collaborators, Botany of the Guayana Highland part 12. Mem. New York Bot. Gard. 38: 1-84.
- Lellinger, D.B. 1991. Hymenophyllopsidaceae. In A.R.A. Görts-van Rijn, Flora of the Guianas (series B) 4: 82-86.
- Lellinger, D.B. 1995. Hymenophyllopsidaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 186-188.

Hymenophyllopsis asplenoides A.C. Smith [GU] [Mt. Roraima]
Hymenophyllopsis ctenitoides Lellinger [GU?] [Mt. Roraima]
Hymenophyllopsis dejecta (Baker) Goebel [GU] [Mt. Roraima]

LOMARIOPSIDACEAE

reviewed by D. Lellinger & G. Cremers (1992); reviewed by D. Lellinger (1996)

REFERENCES:

- Hennipman, E. 1977. A monograph of the fern genus *Bolbitis*. Leiden Bot. Ser. 2: 1-331.
- Smith, A.R., J.T. Mickel, & R.C. Moran. 1995. Dryopteridaceae. In J.A. Steyermark, P.E.

Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 73-128.

Bolbitis nicotianifolia (Swartz) Alston [GU SU FG]
 Bolbitis semipinnatifida (Fée) Alston [GU SU FG]
 Bolbitis serratifolia (Mertens ex Kaulf.) Schott [GU SU FG]
Elaphoglossum antioquianum Hieron. [GU]
Elaphoglossum apodum (Kaulf.) Schott ex J. Smith [GU SU FG]
Elaphoglossum brachyneuron (Fée) J. Smith [GU]
Elaphoglossum crinitum (L.) Christ [GU]
Elaphoglossum cuspidatum (Willd.) T. Moore [GU]
Elaphoglossum decoratum (Kunze) T. Moore [GU]
Elaphoglossum engelii (H. Karst.) Christ [GU]
Elaphoglossum eximium (Mett.) Christ [GU]
Elaphoglossum flaccidum (Fée) T. Moore [GU SU FG]
Elaphoglossum glabellum J. Smith [GU SU FG]
Elaphoglossum herminieri (Bory & Fée ex Fée) T. Moore [GU SU FG]
Elaphoglossum laminarioides (Bory ex Fée) T. Moore [GU SU FG]
Elaphoglossum latifolium (Swartz) J. Smith [GU FG] [see also *Elaphoglossum sporadolepis*]
Elaphoglossum lingua (Raddi) Brackenridge [GU FG]
Elaphoglossum lloense (Hook.) T. Moore [SU FG?]
Elaphoglossum longicaudatum Mickel [FG]
Elaphoglossum longifolium (K. Presl) J. Smith [SU FG]
Elaphoglossum luridum (Fée) Christ [GU SU FG]
Elaphoglossum macrophyllum (Mett. ex Kuhn) Christ [GU FG]
Elaphoglossum minutum (Pohl ex Fée) T. Moore [Mt. Roraima]
Elaphoglossum moritzianum (Klotzsch) T. Moore [GU]
Elaphoglossum nigrescens (Hook.) T. Moore [GU]
Elaphoglossum peltatum (Swartz) Urb. [GU]
Elaphoglossum piloselloides (K. Presl) T. Moore [SU FG]
Elaphoglossum plumosum (Fée) T. Moore [GU SU FG]
Elaphoglossum praetermissum Mickel [GU]
Elaphoglossum pteropus C. Chr. [GU SU FG]
Elaphoglossum raywaense (Jenm.) Alston [GU SU FG]
Elaphoglossum revolutum (Liebm.) T. Moore [FG]
Elaphoglossum scandens (Bory ex Fée) T. Moore [SU? FG?]
Elaphoglossum sporadolepis (Kunze ex Kuhn) T. Moore ex C. Chr. [GU SU FG] [= *Elaphoglossum latifolium*?]
Elaphoglossum strictum (Raddi) T. Moore [GU SU FG]
Elaphoglossum styriacum Mickel [FG?]
Elaphoglossum tenuifolium (Liebm.) T. Moore [FG]
Elaphoglossum tovarensis (Mett. ex Kuhn) T. Moore ex C. Chr. [Mt. Roraima]
Elaphoglossum wurdackii Vareschi [Mt. Roraima]
Lomagramma guianensis (Aubl.) Ching [GU SU FG]
Lomariopsis erythrodes (Kunze) Fée [FG?]
Lomariopsis japurensis (Mart.) J. Smith [GU SU FG]

LOMARIOPSIDACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Bolbitis aliena (Swartz) Auct. non Alston = *Bolbitis semipinnatifida*
Bolbitis maguirei Maxon & C. Morton = *Bolbitis serratifolia*
Bolbitis scopolina Maxon & C. Morton = *Bolbitis semipinnatifida*

Elaphoglossum rigidum (Aubl.) Urb. = *Elaphoglossum flaccidum*
Elaphoglossum schomburgkii (Fée) T. Moore
 = *Elaphoglossum luridum*
Elaphoglossum spathulatum Auct. non (Bory) T. Moore
 = *Elaphoglossum piloselloides*
Leptochilus alienus Auct. non (Swartz) C. Chr. = *Bolbitis semipinnatifida*
Leptochilus guianensis (Aubl.) C. Chr. = *Lomagramma guianensis*
Leptochilus nicotianifolius (Swartz) C. Chr. = *Bolbitis nicotianifolia*
Leptochilus serratifolius (Mertens ex Kaulf.) C. Chr. = *Bolbitis serratifolia*

LYGODIACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

- Duek, J.J. 1978. A taxonomic revision of *Lygodium* in America. Feddes Repert. 89: 411-423.
 Lellinger, D.B. 1969. Schizaeaceae. In B. Maguire & collaborators, Botany of the Guayana Highland - Part VIII. Mem. New York Bot. Gard. 18(2): 2-11.
 Smith, A.R. 1995. Schizaeaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 288-296.

Lygodium flexuosum (L.) Swartz [GU]
Lygodium micans J.W. Sturm [GU FG] [= *Lygodium volabile*?]
Lygodium venustum Swartz [GU SU FG]
Lygodium volabile Swartz [GU SU FG]

LYGODIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Lygodium polymorphum Auct. non (Cav.) Kunth = *Lygodium venustum*

MARATTIACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

- Smith, A.R. 1995. Marattiaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 206-209.

Danaea elliptica J.E. Smith [GU? FG]
Danaea leprieurii Kunze [GU SU FG]
Danaea moritziana K. Presl [FG]

PTEROHYTA

Danaea nodosa (L.) J.E. Smith [SU FG]
Danaea simplicifolia Rudge [GU SU FG]
Danaea trifoliata Rchb. ex Kunze [GU SU FG]

Smith, A.R., J.T. Mickel, & R.C. Moran. 1995.
 Dryopteridaceae. In J.A. Steyermark, P.E.
 Berry, & B.K. Holst, Flora of the Venezuelan
 Guayana 2: 73-128.

MARSILEACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

- Johnson, D.M. 1986. Systematics of the New World species of Marsilea. Syst. Bot. Monogr. 11: 1-87.
 Reed, C.F. 1965. Index Marsileata et Salviniata. Suppl. Bol. Soc. Brot. II, 39: 259-302.
 Smith, A.R. 1995. Marsileaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 209-211.

Marsilea deflexa A. Braun [GU]
Marsilea polycarpa Hook. & Grev. [GU SU FG]

METAXYACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

- Smith, A.R. 1995. Metaxyaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 211-212.

Metaxya rostrata (Kunth) K. Presl [GU SU FG]

METAXYACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Amphidesmium rostratum (Kunth) J. Smith =*Metaxya rostrata*

OLEANDRACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

- Cremers, G. & K.U. Kramer. 1994.
 Nephrolepidaceae. In A.R.A. Görts-van Rijn,
 Flora of the Guianas (series B) 6: 66-72.
 Cremers, G. & K.U. Kramer. 1994.
 Oleandraceae. In A.R.A. Görts-van Rijn,
 Flora of the Guianas (series B) 6: 73-76.
 Smith, A.R. 1995. Davalliaceae. In J.A.
 Steyermark, P.E. Berry, & B.K. Holst, Flora
 of the Venezuelan Guayana 2: 43-46.

Nephrolepis biserrata (Swartz) Schott [GU SU FG]
Nephrolepis cordifolia (L.) K. Presl [GU SU FG]
Nephrolepis pectinata (Willd.) Schott [GU]
Nephrolepis rivularis (Vahl) Mett. ex Krug [GU SU FG]
Oleandra articulata (Swartz) K. Presl [GU SU FG]
Oleandra pilosa Hook. [GU SU FG]

OLEANDRACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Aspidium pendulum Splitg. =*Oleandra pilosa*
Nephrolepis pendula (Raddi) J. Smith =*Nephrolepis cordifolia*
Oleandra nodosa (Willd.) K. Presl =*Oleandra articulata*

OPHIOGLOSSACEAE

contributed by W. H. Wagner (1992); reviewed
 by D. Lellinger (1996)

REFERENCES:

- Clausen, R.T. 1938. A monograph of the Ophioglossaceae. Mem. Torrey Bot. Club 19(2): 1-177.
 Smith, A.R. 1995. Ophioglossaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 212-214.

Cheiroglossa palmata (L.) K. Presl [GU SU]
Ophioglossum nudicaule L.f. [GU SU FG]
Ophioglossum reticulatum L. [GU SU FG?]

OPHIOGLOSSACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Ophioglossum ellipticum Hook. & Grev. =*Ophioglossum nudicaule*
Ophioglossum macrorhizum Kunze =*Ophioglossum nudicaule*
Ophioglossum palmatum L. =*Cheiroglossa palmata*

PARKERIACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

- Lloyd, R.M. 1974. Systematics of the genus *Ceratopteris* Brongn. II. Taxonomy. Brittonia 26: 139-160.
 Smith, A.R. 1995. Parkeriaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 215-217.

PTEROHYTA

- Ceratopteris deltoidea R.C. Benedict [GU SU] [=Ceratopteris pteridoides?]
 Ceratopteris pteridoides (Hook.) Hieron. [GU SU FG]
 Ceratopteris richardii Brongn. [GU SU FG]
 Ceratopteris thalictroides (L.) Brongn. [GU SU FG]

PARKERIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Ceratopteris calomelanos (L.) Link =Pityrogramma calomelanos (Pteridaceae)
 Ceratopteris lockhartii (Hook. & Grev.) Kunze =C. pteridoides or C. thalictroides

POLYPODIACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

- Lellinger, D.B. 1972. A revision of the fern genus Niphidium. Amer. Fern J. 62: 101-120.
 Lellinger, D.B. 1988. Some new species of Campyloneurum and a provisional key to the genus. Amer. Fern J. 78(1): 14-35.
 Price, M.G. 1983. Pecluma, a new tropical American fern genus. Amer. Fern J. 73(3): 109-116.
 Smith, A.R. 1995. Polypodiaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 219-249.

- Campyloneurum amphostenon (Kunze ex Klotzsch) Fée [Mt. Roraima]
 Campyloneurum angustifolium (Swartz) Fée [GU SU FG]
 Campyloneurum costatum (Kunze) K. Presl [FG]
 Campyloneurum fuscosquamatum Lellinger [GU SU FG]
 Campyloneurum occultum (Christ) L.D. Gómez [FG]
 Campyloneurum phyllitidis (L.) K. Presl [GU SU FG]
 Campyloneurum repens (Aubl.) K. Presl [GU SU FG]
 Dicranoglossum desvauxii (Klotzsch) Proctor [GU SU FG]
 Dicranoglossum furcatum (L.) J. Smith [SU FG]
 Microgramma fuscopunctata (Hook.) Vareschi [GU SU FG]
 Microgramma geminata (Schrad.) R. & A. Tryon [GU]
 Microgramma lycopodioides (L.) Copeland [GU SU FG]
 Microgramma megalophylla (Desv.) de la Sota [GU SU?]
 Microgramma persicariifolia (Schrad.) K. Presl [GU SU FG]
 Microgramma piloselloides (L.) Copel. [GU FG]
 Microgramma reptans (Cav.) A.R. Smith [GU SU FG]
 Microgramma tecta (Kaulf.) Alston [GU SU FG]
 Microgramma thurnii (Baker) R. Tryon & Stolze [SU FG]
 Neurodium lanceolatum (L.) Fée [FG?]
 Niphidium crassifolium (L.) Lellinger [GU SU FG]
 Pecluma consimilis (Mett.) Price var. consimilis [GU]
 Pecluma eurybasis (C. Chr.) Price [Mt. Roraima]
 Pecluma hygrometrica (Splitg.) Price [GU SU]
 Pecluma pectinata (L.) Price [GU SU FG]

- Pecluma plumula (Humb. & Bonpl. ex Willd.) Price [GU SU FG]
 Pecluma ptilodon (Kunze) Price var. caespitosa (Jenm.) Mickel & Beitel [SU FG]
 Pecluma ptilodon (Kunze) Price var. pilosa (Evans) Stolze [GU SU FG]
 Pecluma ptilodon (Kunze) Price var. ptilodon [GU]
 Phlebodium aureum (L.) J. Smith [GU SU FG]
 Phlebodium decumanum (Willd.) J. Smith [GU SU FG]
 Phlebodium pseudoaureum (Cav.) Lellinger [GU SU FG]
 Pleopeltis astrolepis (Liebm.) Fourn. [GU SU FG]
 Pleopeltis percussa (Cav.) Hook. & Grev. [GU SU FG]
 [=Microgramma percussa]
 Polypodium adnatum Kunze ex Klotzsch [GU SU FG]
 Polypodium attenuatum Humb. & Bonpl. ex Willd. [GU SU FG]
 Polypodium bombycinum Maxon [GU]
 Polypodium caceresii Sodiro [GU SU FG]
 Polypodium dissimile L. [GU SU FG]
 Polypodium dulce Poir. [GU SU FG]
 Polypodium flagellare Christ [SU FG]
 Polypodium fraxinifolium Jacq. [GU]
 Polypodium laevigatum Cav. [GU SU FG]
 Polypodium lasiopus Klotzsch [SU FG]
 Polypodium loricatum L. [GU]
 Polypodium panorense C. Chr. [GU]
 Polypodium polypodioides (L.) Watt var. burchellii (Baker) Weath. [GU SU FG]
 Polypodium polypodioides (L.) Watt var. polypodioides [GU FG?]
 Polypodium pseudofraternum A.C. Smith [GU]
 Polypodium sessilifolium Desv. [GU]
 Polypodium triseriale Swartz [GU SU FG]

POLYPODIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Campyloneurum costatum (Kunze) K. Presl =Campyloneurum phyllitidis
 Campyloneurum sphenodes (Kunze) Fée [records due to misidentifications]
 Eschatogramme desvauxii (Klotzsch) C. Chr. =Dicranoglossum desvauxii
 Eschatogramme furcata (L.) C. Chr. =Dicranoglossum furcatum
 Eschatogramme furcata Auct. non (L.) C. Chr. =Dicranoglossum desvauxii
 Microgramma acuminata (Fée) Lellinger =Microgramma thurnii
 Microgramma ciliata (Willd.) Alston =Microgramma reptans
 Microgramma percussa (Cav.) de la Sota =Pleopeltis percussa
 Paltonium lanceolatum (L.) K. Presl =Neurodium lanceolatum
 Pleopeltis fuscopunctata (Hook.) R. & A. Tryon =Microgramma fuscopunctata
 Polypodium adiantoides Aubl., non Burm. =Polybotrya caudata (Dryopteridaceae)
 Polypodium angustifolium Swartz =Campyloneurum angustifolium
 Polypodium astrolepis Liebm. =Pleopeltis astrolepis
 Polypodium aureum L. =Phlebodium aureum
 Polypodium brasiliense Poir. =Polypodium triseriale
 Polypodium ciliatum Willd. =Microgramma reptans
 Polypodium consimile Mett. =Pecluma consimilis
 Polypodium crassifolium L. =Niphidium crassifolium

Polypodium crispatum (J. Smith) C. Morton =*Enterosora ecostata* (Grammitidaceae)[not in Guianas]
Polypodium cultratum Auct. non Willd. =*Grammitis mollissima* (Grammitidaceae)
Polypodium decumanum Willd. =*Phlebodium decumanum*
Polypodium demeraranum Baker =*Thelypteris demerarana* (Thelypteridaceae)
Polypodium dicranophyllum C. Chr. =*Grammitis furcata* (Grammitidaceae)
Polypodium duale Maxon =*Cochlidium serrulatum* (Grammitidaceae)
Polypodium fuscopunctatum Hook. =*Microgramma fuscopunctata*
Polypodium glaucophyllum Kunze =*Polypodium laevigatum*
Polypodium hostmannii (Klotzsch) C. Morton =*Thelypteris arborescens* (Thelypteridaceae)
Polypodium hygrometricum Splitg. =*Pecluma hygrometrica*
Polypodium jubaeforme Kaulf. =*Grammitis suspensa* (Grammitidaceae)
Polypodium kegelianum Kunze =*Grammitis kegeliana* (Grammitidaceae)
Polypodium l'herminieri Fée =*Grammitis taxifolia* (Grammitidaceae)
Polypodium lanceolatum Auct. non L. =*Polypodium astrolepis*
Polypodium lycopodioides L. =*Microgramma lycopodioides*
Polypodium megalophyllum Desv. =*Microgramma megalophylla*
Polypodium mollissimum Fée =*Grammitis mollissima* (Grammitidaceae)
Polypodium nanum Fée =*Grammitis blanchetii* (Grammitidaceae)
Polypodium nervosum Klotzsch =*Thelypteris rufis* (Thelypteridaceae)
Polypodium pectinatum L. =*Pecluma pectinata*
Polypodium percussum Cav. =*Pleopeltis percussa*
Polypodium persicariifolium Schrad. =*Microgramma persicariifolia*
Polypodium phyllitidis L. =*Campyloneurum phyllitidis*
Polypodium plumula Humb. & Bonpl. ex Willd. =*Pecluma plumula*
Polypodium plumulum Humb. & Bonpl. ex Willd. =*Pecluma plumula*
Polypodium pseudoaureum Cav. =*Phlebodium pseudoaureum*
Polypodium ptilodon Kunze =*Pecluma ptilodon*
Polypodium repens Aubl. =*Campyloneurum repens*
Polypodium roraimense Baker =*Thelypteris roraimensis* (Thelypteridaceae)
Polypodium roraimense Brause =*Grammitis kalbreyeri* (Grammitidaceae)
Polypodium serrulatum (Swartz) Mett. =*Cochlidium serrulatum* (Grammitidaceae)
Polypodium sororium Humb. & Bonpl. ex Willd. =*Polypodium dulce*
Polypodium sphenodes Kunze =*Campyloneurum sphenodes* (Kunze) Fée [not in Guianas]
Polypodium subobliquatum Hook. =*Cyclodium inerme* (Dryopteridaceae)
Polypodium surinamensis Jacq. =*Microgramma lycopodioides*
Polypodium taenifolium Jenm. =*Grammitis taenifolia* (Grammitidaceae)
Polypodium taxifolium L. =*Grammitis taxifolia* (Grammitidaceae)
Polypodium tectum Kaulf. =*Microgramma tecta*
Polypodium thurnii Baker =*Microgramma thurnii*

Polypodium trichomanoides Swartz =*Grammitis trichomanoides* (Grammitidaceae)

PTERIDACEAE

reviewed by D. Lellinger & G. Cremers (1992);
reviewed by D. Lellinger (1996)

REFERENCES:

Smith, A.R. & D.B. Lellinger. 1995. Pteridaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 250-286.

Acrostichum aureum L. [GU SU FG]
Acrostichum danaeifolium Langsd. & Fischer [GU SU FG]
Pteris altissima Poir. [GU SU FG]
Pteris biaurita L. [GU SU FG]
Pteris deflexa Link [GU SU FG]
Pteris denticulata Swartz [GU]
Pteris plumula Desv. [FG]
Pteris polita Link [SU FG] [see also *Pteris propinqua*]
Pteris propinqua Agardh [SU FG] [=*Pteris polita*?]
Pteris pungens Willd. [GU SU FG]
Pteris quadriaurita Retz. [FG] [neotropical material =*P. plumula*]
Pteris splendens Kaulf. [GU]
Pteris tripartita Swartz [SU FG] [naturalized]
Pteris vittata L. [SU] [naturalized]

PTERIDACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Pteris kunzeana Agardh =*Pteris altissima*

SALVINIACEAE

reviewed by D. Lellinger & G. Cremers (1992);
reviewed by D. Lellinger (1996)

REFERENCES:

Reed, C.F. 1965a. Distribution of *Salvinia* and *Azolla* in South America and Africa in connection with studies for control by insects. *Phytologia* 12(3): 121-130.
 Reed, C.F. 1965b. Index Marsileata et Salvinia. *Suppl. Bol. Soc. Brot.* II, 39: 259-302.
 Smith, A.R. 1995. Azollaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 22-23.
 Smith, A.R. 1995. Salviniaeae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 287-288.
 Svenson, H.K. 1944. The New World species of *Azolla*. *Amer. Fern J.* 34: 69-84.

PTEROHYTA

- Azolla caroliniana* Willd. [GU SU FG]
Azolla mexicana K. Presl [GU]
Azolla microphylla Kaulf. [GU]
Salvinia auriculata Aubl. [GU SU FG]

SCHIZAEACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger & C.L. Kellogg
 (1996)

REFERENCES:

- Lellinger, D.B. 1969. Schizaeaceae. In B. Maguire & collaborators, Botany of the Guayana Highland part 8. Mem. New York Bot. Gard. 18(2): 1-290.
 Smith, A.R. 1995. Schizaeaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 288-296.

- Actinostachys pennula* (Swartz) Hook. [GU SU FG]
Actinostachys subtrijuga (Mart.) K. Presl [GU SU FG]
Anemia buniifolia (Gardner) T. Moore [SU]
Anemia collina Raddi [GU]
Anemia ferruginea Kunth var. *ahenobarba* (Christ) Mickel [SU]
Anemia ferruginea Kunth var. *ferruginea* [GU SU?]
Anemia hirta (L.) Swartz [GU SU]
Anemia oblongifolia (Cav.) Swartz [GU SU]
Anemia pastinacaria Moritz ex Prantl [SU FG]
Anemia phyllitidis (L.) Swartz [GU SU]
Anemia villosa Humb. & Bonpl. ex Willd. [GU SU FG]
Schizaea elegans (Vahl) Swartz [GU SU FG]
Schizaea fluminensis Miers ex J.W. Sturm [GU SU FG]
Schizaea incurvata Schkuhr [GU SU FG]
Schizaea poeppigiana J.W. Sturm [GU]
Schizaea stricta Lellinger [GU]

SCHIZAEACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Actinostachys penicillata* (Humb. & Bonpl. ex Willd.) Maxon =*Actinostachys pennula*
Schizaea flabellum Mart. =*Schizaea elegans*
Schizaea pennula Swartz =*Actinostachys pennula*
Schizaea subtrijuga Mart. =*Actinostachys subtrijuga*

TECTARIACEAE

reviewed by D. Lellinger & G. Cremers (1992);
 reviewed by D. Lellinger (1996)

REFERENCES:

- Cremers, G., K.U. Kramer, R.C. Moran, & A.R. Smith. 1994. Dryopteridaceae. In A.R.A.

- Görts-van Rijn, Flora of the Guianas (series B) 6: 3-65.
 Holtum, R.E. 1986. Studies in the fern genera allied to *Tectaria* Cav. V. *Triplophyllum*, a new genus of Africa and America. Kew Bull. 41: 237-260.
 Smith, A.R., J.T. Mickel, & R.C. Moran. 1995. Dryopteridaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 73-128.
 Tindale, M.D. 1965. A monograph of the genus *Lastreopsis* Ching. Contr. New South Wales Nat. Herb. 3: 249-339.

- Ctenitis falciculata* (Raddi) Ching [GU]
Ctenitis paranaensis (C. Chr.) Lellinger [GU]
Ctenitis refulgens (Klotzsch ex Mett.) C. Chr. ex Vareschi [GU SU FG]
Cycloplectis semicordata (Swartz) J.E. Smith [GU SU FG]
Lastreopsis amplissima (K. Presl) Tindale [GU]
Lastreopsis effusa (Swartz) Tindale subsp. *divergens* (Willd.) Tindale [GU SU FG]
Lastreopsis killipii (C. Chr. & Maxon) Tindale [GU?]
Tectaria heracleifolia (Willd.) Underw. [GU SU]
Tectaria incisa Cav. [GU SU FG]
Tectaria plantaginea (Jacq.) Maxon var. *macrocarpa* (Fée) C. Morton [GU SU FG]
Tectaria trifoliata (L.) Cav. [GU SU FG]
Tectaria trinitensis Maxon [GU SU]
Triplophyllum acutilobum Holtum [GU?]
Triplophyllum angustifolium Holtum [GU SU FG]
Triplophyllum dicksonioides (Fée) Holtum [GU SU FG]
Triplophyllum funestum (Kunze) Holtum [GU SU FG]

TECTARIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Aspidium martinicense* Spreng. =*Tectaria incisa*
Aspidium plantagineum (Jacq.) Griseb. =*Tectaria plantaginea*
Aspidium plumieri K. Presl =*Tectaria trifoliata*
Aspidium schomburgkii Klotzsch =*Ctenitis falciculata*
Bathmum macrocarpum Fée =*Tectaria plantaginea* var. *macrocarpa*
Bathmum sinuatum Fée =*Tectaria plantaginea* var. *macrocarpa*
Ctenitis effusa (Swartz) Copeland =*Lastreopsis effusa*
Ctenitis protensa (Afzel. ex Swartz) Ching var. *funesta* (Kunze) Proctor =*Triplophyllum funestum*
Lastreopsis effusa (Swartz) Tindale subsp. *effusa* [not in Guianas]
Phegopteris refulgens Klotzsch ex Mett. =*Ctenitis refulgens*
Tectaria plantaginea (Jacq.) Maxon var. *plantaginea* [not in Guianas]
Triplophyllum crassifolium Holtum =*Triplophyllum funestum*
Triplophyllum crassifolium Holtum var. *caudatum* Holtum =*Triplophyllum funestum*
Triplophyllum funestum (Kunze) Holtum var. *hirstatum* Holtum =*Triplophyllum funestum*

THELYPTERIDACEAE

PTEROHYTA

reviewed by D. Lellinger & G. Cremers (1992);
reviewed by D. Lellinger (1996)

REFERENCES:

- Smith, A.R. 1994. Thelypteridaceae. In A.R.A. Görts-van Rijn, Flora of the Guianas (series B) 6: 77-115.
Smith, A.R. 1995. Thelypteridaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 315-326.

Thelypteris abrupta (Desv.) Proctor [GU SU FG]
Thelypteris arborea (Brause) A.R. Smith [GU] [Mt. Roraima]
Thelypteris arborescens (Humb. & Bonpl. ex Willd.) C. Morton [GU SU FG]
Thelypteris balbisii (Spreng.) Ching [GU]
Thelypteris brachypoda (Baker) C. Morton [GU] [Mt. Roraima]
Thelypteris chrysodiooides (Fée) C. Morton [GU]
Thelypteris decussata (L.) Proctor var. decussata [GU SU? FG]
Thelypteris demerarana (Baker) C. Reed [GU?] [Mt. Roraima]
Thelypteris funckii (Mett.) Alston [GU] [Mt. Roraima]
Thelypteris gemmulifera (Hieron.) A.R. Smith [FG]
Thelypteris germaniana (Fée) Proctor [FG]
Thelypteris glandulosa (Desv.) Proctor var. glandulosa [GU SU FG]
Thelypteris gonophora (Weath.) A.R. Smith [GU]
Thelypteris hispidula (Decne.) C. Reed var. hispidula [GU SU FG]
Thelypteris holodictya K.U. Kramer [SU FG]
Thelypteris interrupta (Willd.) Iwatsuki [GU SU FG]
Thelypteris juruensis (C. Chr.) R. Tryon & Conant [FG]
Thelypteris leprieurii (Hook.) R. Tryon var. leprieurii [GU SU FG]
Thelypteris linkiana (K. Presl) R. Tryon [GU] [Mt. Roraima]
Thelypteris macrophylla (Kunze) C. Morton [GU SU FG]
Thelypteris nephrodioides (Klotzsch) Proctor [GU FG]
Thelypteris nesiotaica (Maxon & C. Morton) C. Morton [GU]
Thelypteris opulenta (Kaulf.) Fosberg [GU SU FG?]
[naturalized]
Thelypteris pennata (Poir.) C. Morton [GU SU FG]
Thelypteris peradenia A.R. Smith [Mt. Roraima]
Thelypteris pilossissima C. Morton [Mt. Roraima]
Thelypteris poiteana (Bory) Proctor [GU SU FG]
Thelypteris pteroidea (Klotzsch) R. Tryon [Mt. Roraima]
Thelypteris roraimensis (Baker) C. Reed [GU] [Mt. Roraima]
Thelypteris rufa (Kunze) Proctor [GU]
Thelypteris schomburgkii A.R. Smith [GU]
Thelypteris serrata (Cav.) Alston [GU SU FG]
Thelypteris tetragona (Swartz) Small [GU SU FG]
Thelypteris tristis (Kunze) R. Tryon [GU SU FG]

THELYPTERIDACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Aspidium gongyloides Schkuhr =Thelypteris interrupta
Cyclosorus gongyloides (Schkuhr) Link =Thelypteris interrupta
Goniopteris juruensis (C. Chr.) Brade =Thelypteris juruensis
Goniopteris poiteana (Bory) Ching =Thelypteris poiteana
Lastrea brachypoda (Baker) Vareschi =Thelypteris brachypoda

Lastrea demerarana (Baker) Vareschi =Thelypteris demerarana
Lastrea poiteana Bory =Thelypteris poiteana
Lastrea roraimensis (Baker) Brade =Thelypteris roraimensis
Meniscium guyanense Fée =Thelypteris macrophylla
Nephrodium aureoviridum Jenm. [dubious species;
=Thelypteris tetragona?]
Nephrodium brachypodium Baker =Thelypteris brachypoda
Nephrodium connexum Kuhn ex Baker =Thelypteris connexa
[type erroneously cited from French Guiana]
Nephrodium dejectum Jenm. =Thelypteris glandulosa
Nephrodium leprieurii Hook. =Thelypteris leprieurii
Nephrodium quadrangulare Fée =Thelypteris hispidula
Nephrodium subcuneatum Baker =Thelypteris abrupta
Nephrodium subfuscum Baker =Thelypteris germaniana
Steiropteris glandulosa (Desv.) Pic.-Ser. =Thelypteris glandulosa
Steiropteris leprieurii (Hook.) Pic.-Ser. =Thelypteris leprieurii
Thelypteris connexa (Kuhn ex Baker) C. Reed [type
erroneously cited from French Guiana]
Thelypteris gongyloides (Schkuhr) Small =Thelypteris interrupta
Thelypteris guyanensis (Fée) C. Morton =Thelypteris macrophylla
Thelypteris hostmannii (Klotzsch) C. Morton =Thelypteris arborescens
Thelypteris nervosa (Klotzsch) R. Tryon =Thelypteris rufa
Thelypteris quadrangularis (Fée) Schelpe =Thelypteris hispidula

VITTARIACEAE

reviewed by D. Lellinger & G. Cremers (1992);
reviewed by D. Lellinger (1996)

REFERENCES:

- Lellinger, D.B. 1972. Polypodiaceae subfam. Vittarioideae. In B. Maguire & colaborators, Botany of the Guayana Highland part 9. Mem. New York Bot. Gard. 23: 1-832.
- Smith, A.R. 1995. Vittariaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 327-334.

Anetium citrifolium (L.) Splitg. [GU SU FG]
Antrophyum cajenense (Desv.) Spreng. [GU SU FG]
Antrophyum guayanense Hieron. [GU SU FG]
Antrophyum jenmanii Benedict [GU SU FG]
Antrophyum lanceolatum (L.) Kaulf. [GU SU FG]
Hecistopteris pumila (Spreng.) J.E. Smith [GU SU FG]
Vittaria costata Kunze [GU SU FG]
Vittaria gardneriana Fée [GU SU]
Vittaria graminifolia Kaulf. [GU SU]
Vittaria lineata (L.) J.E. Smith [GU SU FG]
Vittaria moritziana Mett. [GU]
Vittaria remota Fée [GU SU FG]
Vittaria stipitata Kunze [FG]

VITTARIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Ananthacorus angustifolius* (Swartz) Underw. & Maxon =*Vittaria costata*
Polytaenium brasiliandum (Desv.) Benedict [records due to misidentifications]
Polytaenium cajenense (Desv.) Benedict =*Antrophyum cajenense*
Polytaenium guayanense (Hieron.) Alston =*Antrophyum guayanense*
Vittaria angustifolia (Swartz) Baker =*Vittaria costata*
Vittaria filifolia Fée =*Vittaria graminifolia*

WOODSIACEAE

reviewed by D. Lellinger & G. Cremers (1992); reviewed by D. Lellinger (1996)

REFERENCES:

- Cremers, G., K.U. Kramer, R.C. Moran, & A.R. Smith. 1994. Dryopteridaceae. In A.R.A. Gorts-van Rijn, Flora of the Guianas (series B) 6: 3-65.
- Smith, A.R., J.T. Mickel, & R.C. Moran. 1995. Dryopteridaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 73-128.

Diplazium celtidifolium Kunze [GU SU FG]
Diplazium centripetale (Baker) Maxon [GU] [Mt. Roraima]
Diplazium cristatum (Desr.) Alston [GU SU FG]
Diplazium expansum Willd. [GU FG]

- Diplazium gracilescens* (Mett.) C. Chr. [SU FG]
Diplazium grandifolium (Swartz) Swartz [GU FG]
Diplazium lechleri (Mett.) T. Moore [GU SU]
Diplazium radicans Desv. [SU FG]
Diplazium roraimense Cremers & K.U. Kramer [GU] [Mt. Roraima]
Diplazium striatum (L.) K. Presl [GU FG]
Hemidictyum marginatum (L.) K. Presl [SU FG]

WOODSIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Diplazium arboreum* (Willd.) K. Presl =*Diplazium cristatum*
Diplazium shepherdii (Spreng.) Link =*Diplazium cristatum*

SPERMATOPHYTA

SPERMATOPHYTA REFERENCES:

- Cremers, G. 1985. Espèces nouvelles de Guyane française: richesse de l'herbier de Cayenne (CAY). Proc. Kon. Ned. Akad. Wet. ser. C, 88(1): 15-37.
- Cremers, G., C. Feuillet, J.J. de Granville, & M. Hoff. 1988. Liste des espèces de Phanérogames et de Ptéridophytes de Guyane française d'après l'Herbier du Centre ORSTOM de Cayenne. ORSTOM, Cayenne.
- Cremers, G., J.J. de Granville, & M. Hoff. 1994. Les plantes "endémiques" de Guyane française. Mus. Nat. Hist. Nat., Coll. Patr. Nat. (Sér. Patr. Génétique) 18: 1-50.
- Cremers, G. & M. Hoff. 1994. Inventaire taxonomique des plantes de la Guyane française. IV - Les Monocotylédones. Mus. Nat. Hist. Nat., Coll. Patr. Nat. (Sér. Patr. Génétique) 17: 1-252.
- Fanshawe, D.B. 1952. The vegetation of British Guiana: A preliminary review. Imperial Forestry Institute paper no. 29: 1-96.
- Funk, V.A. & C.L. Kellogg. 1991. A Preliminary Checklist of the Flowering Plants and Ferns of Kaieteur Falls National Park Guyana. Unpublished manuscript. Biological Diversity of the Guianas program, Smithsonian Institution, Washington, DC.
- Gleason, H.A. 1929. Studies on the flora of northern South America - XIII. The Tate collection from Mount Roraima and vicinity. Bull. Torr. Bot. Club 56(8): 391-408.
- Graham, E.H. 1934. Flora of the Kartabo Region, British Guiana. Reprinted from Ann. Carn. Mus. 22(1) (1933).
- Howard, R.A. 1983. The plates of Aublet's Histoire des Plantes de la Guiane Françoise. J. Arn. Arb. 64: 255-292.
- Jansen-Jacobs, M.J. & B.J.H. ter Welle. 1989. Botanical explorations in Guyana, 1985. Annex: identifications. Institute of Systematic Botany, Utrecht.

PTEROphyTA, SPERMATOPHYTA

- Jansen-Jacobs, M.J. & B.J.H. ter Welle. 1990. Botanical explorations in the northern part of the western Kanuku Mountains (Guyana). Annex: identifications. Institute of Systematic Botany, Utrecht.
- Jansen-Jacobs, M.J. & B.J.H. ter Welle. 1992. Botanical exploration in the Wai-Wai area of southern Guyana. Annex: identifications. Herbarium Division, Department of Plant Ecology and Evolutionary Biology, University of Utrecht.
- Lemée, A. 1953-1956. Flore de la Guyane Française. Lechevalier, Paris.
- Lindeman, J.C. 1953. The Vegetation of the Coastal Region of Suriname. Drukkerij en Uitg.-Mij. v/h Kemink, Utrecht.
- Maas, P.J.M. & L.Y.Th. Westra. 1990. Botanical exploration in the northern part of the Rupununi Savanna and in the Mabura Hill area (Guyana). Appendix: identifications. Institute of Systematic Botany, Utrecht.
- Maguire, B. & collaborators. 1948. Plant explorations in Guiana in 1944, chiefly to the Tafelberg and the Kaieteur Plateau. Bull. Torrey Bot. Club 75: 56-115, 189-230, 286-323, 374-438, 523-580, 633-671.
- Mennega, E.A., W.C.M. Tammens-de Rooij, & M.J. Jansen-Jacobs. 1988. Check-List of Woody Plants of Guyana. The Tropenbos Foundation, Ede, The Netherlands.
- Mori, S.A. & collaborators. 1987. The Lecythidaceae of a lowland neotropical forest: La Fumée Mountain, French Guiana. Mem. New York Bot. Gard. 44: 1-190.
- Omwale. 1973. Guyana's Edible Plants. University of Guyana.
- Plotkin, M.J., B.M. Boom, & M. Allison. 1991. The ethnobotany of Aublet's Histoire des Plantes de la Guiane Française (1775). Monogr. Syst. Bot. 35: 1-108.
- Polak, A.M. 1992. Major Timber Trees of Guyana, a Field Guide. The Tropenbos Foundation, Wageningen.
- Pulle, A. 1906. An Enumeration of the Vascular Plants Known from Surinam, Together with their Distribution and Synonymy. E.J. Brill, Ltd., London.
- Roosmalen, M.G.M. van. 1985. Fruits of the Guianan Flora. Institute of Systematic Botany, Utrecht University, Utrecht, and Silvicultural Department of Wageningen Agricultural University, Wageningen.
- Steege, H. ter, M.J. Jansen-Jacobs, & M. Polak. 1993. Checklist of plants collected around Mabura Hill, Guyana. The Tropenbos Foundation, Wageningen and Department of Plant Ecology and Evolutionary Biology, Utrecht University.
- Steyermark, J.A., P.E. Berry, & B.K. Holst. 1995. Flora of the Venezuelan Guayana. Missouri Botanical Garden, St. Louis, & Timber Press, Portland, Oregon.

ACANTHACEAE

reviewed by D. Wasshausen (1992); reviewed by D. Wasshausen (1996)

REFERENCES:

- Baum, V.M. & J.L. Reveal. 1983. Pulchranthus, a new genus from northern South America. Syst. Bot. 8(2): 221-220.
- Bremekamp, C.E.B. 1938. Acanthaceae. In A. Pulle, Flora of Suriname 4(2): 166-252.
- Bremekamp, C.E.B. 1938. Notes on the Acanthaceae of Surinam. Rec. Trav. Bot. Neerl. 35: 130-171.
- Graham, V.A.W. 1988. Delimitation and infra-generic classification of Justicia. Kew Bull. 43(4): 551-624.
- Leonard, E.C. 1961. Acanthaceae. In B. Maguire, J.J. Wurdack, & collaborators, Botany of the Guayana Highland part IV. Mem. New York Bot. Gard. 10(4): 47-58.
- Wasshausen, D.C. 1975. The genus Aphelandra. Smiths. Contrib. Bot. 18: 1-157.
- Wasshausen, D.C. 1990. Justicia maguirei, a new species of Acanthaceae from Guyana. Mem. New York Bot. Gard. 64: 235-238.
- Wasshausen, D.C. 1991. New species of Dicliptera from the Guianas. Brittonia 43(1): 1-6.
- Wasshausen, D.C. 1992a. New species and new combinations of Justicia (Acanthaceae) from the Venezuelan Guayana. Novon 2: 62-80.
- Wasshausen, D.C. 1992b. Nomenclatural changes in the Acanthaceae and two new species of Odontonema from Venezuela and Guyana. Novon 2: 149-152.
- Wasshausen, D.C. 1995. Acanthaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 335-374.
- Wasshausen, D.C. 1995. A new species, new combinations, and a new name in Acanthaceae from northern South America. Brittonia 47(4): 422-425.

- Anisacanthus secundus Leonard [GU SU FG]
Aphelandra aurantiaca (Schweidw.) Lindl. var. aurantiaca
[GU SU FG]
Aphelandra pulcherrima (Jacq.) Kunth [GU SU]
Aphelandra scabra (Vahl) Sm. [GU SU]
Asystasia gangetica (L.) T. Anderson [GU] [cultivated,
persists as an escape]
Barleria lupulina Lindl. [FG] [introduced, possibly
naturalized]
Blechum pyramidatum (Lam.) Urb. [GU SU FG]
Dicliptera ciliaris Juss. [GU? SU FG]
Dicliptera granvillei Wasshausen [FG]
Dicliptera knappii Wasshausen [GU]
Dicliptera sexangularis (L.) Juss. [SU FG] [to be expected in
GU]
Eranthemum pulchellum Andr. [SU] [cultivated, naturalized]
Fittonia sp. [GU]

- Gynocraterium guianense Bremek. [GU SU]
Hemigraphis alternata (Burm.f.) T. Anderson [cultivated,
 persists as an escape]
Herpetacanthus rotundatus (Lindau) Bremek. [SU FG]
Hygrophila costata Nees [GU SU FG]
Hygrophila erecta (Burm.f.) Hochr. [SU] [introduced?]
Hygrophila sandwithii Bremek. [GU]
Hygrophila surinamensis Bremek. [SU] [to be expected in
 GU]
Justicia betonica L. [GU] [introduced?]
Justicia calycina (Nees) V.A.W. Graham [GU SU FG]
Justicia carthaginensis Jacq. [GU SU FG]
Justicia cayennensis (Nees) Lindau var. *cayennensis* [GU SU
 FG]
Justicia cayennensis (Nees) Lindau var. *parvifolia* Bremek.
 [SU]
Justicia comata (L.) Lam. [GU SU FG]
Justicia coppenamensis Wasshausen [SU] [nom. nov. for
Beloperone modesta Bremek.]
Justicia guianensis (N.E. Brown) Wasshausen [GU]
Justicia laevilinguis (Nees) Lindau [SU FG] [to be expected in
 GU]
Justicia maguirei Wasshausen [GU]
Justicia martiana (Nees) Lindau [GU SU]
Justicia monachinoi Wasshausen [GU]
Justicia pectoralis Jacq. [GU SU FG]
Justicia polystachya Lam. [SU FG] [to be expected in GU]
Justicia potarensis (Bremek.) Wasshausen [GU SU]
Justicia schomburgkiana (Nees) V.A.W. Graham [GU]
Justicia secunda Vahl [GU SU FG]
Justicia sprucei V.A.W. Graham [FG]
Lepidagathis alopecuroidae (Vahl) R. Brown ex Griseb. [GU
 SU FG]
Lepidagathis gracilis (Bremek.) Wasshausen [SU] [to be
 expected in GU]
Lepidagathis medicaginea (Bremek.) Wasshausen [SU] [to be
 expected in GU]
Lepidagathis nickeriensis Wasshausen [SU] [to be expected in
 GU]
Lepidagathis surinamensis (Bremek.) Wasshausen [GU SU
 FG]
Megaskepasma erythrochlamys Lindau [SU]
Nelsonia campestris R. Brown [FG?]
Odontonema mazarunensis Wasshausen [GU]
Odontonema schomburgkianum (Nees) Kuntze [GU]
Pachystachys coccinea (Aubl.) Nees [FG]
Pachystachys spicata (Ruiz & Pav.) Wasshausen [GU FG]
Polylychnis fulgens Bremek. [SU FG]
Polylychnis radicans (Nees) Wasshausen, comb. nov. ined.
 [GU FG]
Pulchranthus surinamensis (Bremek.) Baum, Reveal &
 Nowicke [SU]
Pulchranthus variegatus (Aubl.) Baum, Reveal & Nowicke
 [SU FG]
Ruellia geminiflora Kunth var. *geminiflora* (Nees) Griseb.
 [GU SU FG]
Ruellia geminiflora Kunth var. *geminiflora* [GU SU FG]
Ruellia inflata L.C. Rich. [SU FG]
Ruellia longifolia L.C. Rich. [SU FG]
Ruellia microcalyx (Nees) Lindau [GU SU]
Ruellia prostrata Poir. [GU]
Ruellia rubra Aubl. [GU SU FG] [includes several varieties
 without combinations in Ruellia]
Ruellia saülensis Wasshausen [FG]
- Ruellia tuberosa* L. [GU SU FG] [naturalized]
Ruellia violacea Aubl. [FG]
Staurogyne fockeana Bremek. [SU]
Staurogyne miqueliana Kuntze [SU]
Staurogyne repens (Nees) Kuntze [GU]
Staurogyne spraguei Wasshausen [GU]
Staurogyne staheli Bremek. [SU]
Staurogyne stolonifera (Nees) Kuntze [SU]
Staurogyne trinitensis Leonard [GU SU FG]
Staurogyne wullschlaegelianae Bremek. [SU]
Teliostachya cataractae Nees [GU FG] [=Lepidagathis sp.]
Teliostachya coppenamensis Bremek. [SU] [=Lepidagathis
 sp.]
Teliostachya lanceolata Nees [SU] [=Lepidagathis sp.]
Teliostachya mazarunensis Bremek. [GU] [=Lepidagathis sp.]
Thunbergia alata Bojer ex Sims [GU SU] [cultivated,
 naturalized]
Thunbergia erecta (Benth.) T. Anderson [SU] [cultivated,
 naturalized]
Thunbergia fragrans Roxb. [SU] [cultivated, naturalized]
Thunbergia grandiflora (Roxb. ex Rottl.) Roxb. [SU]
 [cultivated, naturalized]
Trichanthera gigantea (Humb. & Bonpl.) Nees var. *guianensis*
 Gleason [GU SU]

ACANTHACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Anisacanthus boliviensis* (Nees) Wasshausen [not in Guianas;
 records referable to *A. secundus*]
Aphelandra deppeana Schlechtend. & Cham. =*Aphelandra*
scabra
Aphelandra paraensis Lindau =*Aphelandra aurantiaca*
Aphelandra pectinata Willd. ex Nees =*Aphelandra scabra*
Aphelandra tetragona (Vahl) Nees [not in Guianas]
Arrhostoxylum coccineum Nees [not in Guianas]
Arrhostoxylum rubrum (Aubl.) Nees =*Ruellia rubra*
Asystasia nemorum Nees =*Asystasia gangetica*
Beloperone modesta Bremek. =*Justicia coppenamensis*
Beloperone schomburgkiana Nees =*Justicia schomburgkiana*
Blechum brownii Juss. =*Blechum pyramidatum*
Chaetochlamys ciliata Lindau =*Justicia sprucei*
Dactylostegium assurgens (L.) Bremek. =*Dicliptera*
sexangularis
Dianthera spp. =*Justicia* spp.
Dicliptera assurgens (L.) Juss. =*Dicliptera sexangularis*
Dicliptera vahliana Nees =*Dicliptera sexangularis*
Dipteracanthus angustifolius Bremek. =*Ruellia geminiflora*
 var. *angustifolia*
Dipteracanthus paniculatus Nees =*Ruellia* sp.? [not in Guianas]
Dipteracanthus surinamensis Miq. =*Ruellia microcalyx*
Dipteracanthus violaceus (Nees) Lemée =*Ruellia violacea*
Drejera boliviensis Nees =*Anisacanthus boliviensis* [not in
 Guianas]
Duvernoia potarensis Bremek. =*Justicia potarensis*
Duvernoia potarensis Bremek. var. *tetrapora* Bremek.
 =*Justicia potarensis*
Dyspempsitemorion cayennense (Nees) Bremek. =*Justicia*
cayennensis
Ebermaiera repens Nees =*Staurogyne repens*
Ebermaiera spp. =*Staurogyne* spp.
Eranthemum nervosum (Vahl) R. Brown =*Eranthemum*
pulchellum

Hygrophila guianensis Nees ex Benth. =*Hygrophila costata*
Juruasia rotundata Lindau =*Herpetacanthus rotundatus*
Justicia "divergens" (Nees) Lindau [invalid name, records
 based on misidentifications]
Justicia acuminatissima (Miq.) Bremek. =*Justicia calycina*
Justicia coccinea Aubl. =*Pachystachys coccinea*
Justicia glabibracteata (Lindau) V.A.W. Graham [records
 apparently in error]
Justicia moricandiana (Nees) Lemée =*Justicia secunda*
Justicia obtusifolia (Nees) Lindau =*Justicia laevilinguis*
Justicia pectoralis Jacq. var. *latifolia* Bremek. =*Justicia*
 pectoralis
Justicia variegata Aubl. =*Pulchranthus variegatus*
Nelsonia canescens (Lam.) Spreng. =*Nelsonia campestris*
Odontonema surinamense Bremek. =*Pulchranthus*
 surinamensis
Odontonema variegatum (Aubl.) Kuntze =*Pulchranthus*
 variegatus
Pachystachys riedeliana Nees =*Pachystachys spicata*
Polylychnis essequibensis Bremek. =*Polylychnis radicans*
Psadacocalymma spp. =*Justicia* spp.
Rhacodiscus calycinus (Nees) Bremek. =*Justicia calycina*
Rhacodiscus secundus (Vahl) Bremek. =*Justicia secunda*
Ruellia cordifolia Lindau =*Ruellia inflata*
Ruellia piperacaulis Rizzini =*Ruellia inflata*
Ruellia radicans (Nees) Lindau =*Polylychnis radicans*
Ruellia tubiflora Kunth [not in Guianas, based on
 misidentifications]
Staurogyne linearifolia Bremek. =*Staurogyne stolonifera*
Staurogyne versteegii Bremek. =*Staurogyne trinitensis*
Teliostachya alopecuroidae (Vahl) Nees =*Lepidagathis*
 alopecuroidae
Teliostachya glandulosa Bremek. =*Lepidagathis nickeriensis*
Teliostachya gracilis Bremek. =*Lepidagathis gracilis*
Teliostachya medicaginea Bremek. =*Lepidagathis*
 medicaginea
Teliostachya surinamensis Bremek. =*Lepidagathis*
 surinamensis

AGAVACEAE

Furcraea foetida (L.) Haw. [GU SU FG]

AGAVACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Furcraea gigantea Vent. =*Furcraea foetida*

AIZOACEAE

reviewed by R.A. DeFilipps (1996)

REFERENCES:

- Burger, W. 1983. Aizoaceae. In W. Burger,
 Flora Costaricensis. *Fieldiana Bot.* (n.s.) 13:
 199-212.
 Eyma, P.J. 1934. Aizoaceae. In A. Pulle, Flora
 of Suriname 1(1): 158-161.

Nevling, L Jr. 1961. Aizoaceae. In R.E.
 Woodson Jr., R.W. Schery, & collaborators,
 Flora of Panama. *Ann. Missouri Bot. Gard.*
 48(1): 80-85.

Sesuvium portulacastrum (L.) L. [GU SU FG]

AIZOACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Sesuvium acutifolium Miq. =*Sesuvium portulacastrum*

ALISMATACEAE

contributed by R. Haynes & L.B. Holm-Nielsen
 (1992)

REFERENCES:

- Bogin, C. 1955. Revision of the genus
Sagittaria. *Mem. New York Bot. Gard.* 9:
 179-233.
 Fassett, N.C. 1955. Echinodorus in the
 American tropics. *Rhodora* 57: 133-212.
 Haynes, R.R. & L.B. Holm-Nielsen. 1986.
 Notes on Echinodorus. *Brittonia* 38: 325-332.
 Haynes, R.R. & L.B. Holm-Nielsen. 1994.
 Alismataceae. *Flora Neotropica Monograph*
 64: 1-112.
 Jonker, F.P. 1943. Alismataceae. In A. Pulle,
 Flora of Suriname 1(1): 472-482.
 Jonker, F.P. 1968. Alismataceae (additions and
 corrections). In A. Pulle & J. Lanjouw, Flora
 of Suriname 1(2): 378-379.
 Rataj, K. 1972. Revision of the genus *Sagittaria*.
 Part II. *Annot. Zool. Bot. Bratislava* 78: 1-61.
 Rataj, K. 1975. Revision [sic] of the genus
Echinodorus Rich. *Studie CSAV (Praha)* 2:
 1-156.

Echinodorus bertero (Spreng.) Fassett [GU]
Echinodorus boliviensis (Rusby) Holm-Nielsen [GU]
Echinodorus grisebachii Small [SU FG]
Echinodorus macrophyllus (Kunth) Mich. subsp. *macrophyllus*
 [GU]
Echinodorus macrophyllus (Kunth) Mich. subsp. *scaber*
 (Rataj) Haynes & Holms-Nielsen [GU SU FG?]
Echinodorus paniculatus Mich. [GU SU?]
Echinodorus reticulatus Haynes & Holm-Nielsen [SU]
Echinodorus subalatus (Mart.) Griseb. subsp. *andrieuxii*
 (Hook. & Arnott) Haynes & Holm-Nielsen [GU]
Echinodorus subalatus (Mart.) Griseb. subsp. *subalatus* [GU
 SU?]
Echinodorus tenellus (Mart.) Buch. [GU SU?]
Sagittaria guayanensis Kunth subsp. *guayanensis* [GU SU
 FG]
Sagittaria lancifolia L. subsp. *lancifolia* [GU SU FG]
Sagittaria rhombifolia Cham. [GU SU FG?]

ALISMATACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Alisma tenellum* Mart. =*Echinodorus tenellus*
Alisma tenellum Mart. f. *latifolia* Seub. =*Echinodorus boliviensis*
Echinodorus andrieuxii (Hook. & Arnott) Small =*Echinodorus subalatus* subsp. *andrieuxii*
Echinodorus gracilis Rataj =*Echinodorus grisebachii*
Echinodorus grandiflorus (Cham. & Schlechtend.) Mich. [not in Guianas]
Echinodorus guianensis (Kunth) Griseb. =*Sagittaria guayanensis*
Echinodorus intermedius Griseb. [not in Guianas]
Echinodorus latifolius (Seub.) Rataj =*Echinodorus boliviensis*
Echinodorus scaber Rataj =*Echinodorus macrophyllus* subsp. *scaber*
Lophotocarpus guayanensis (Kunth) J.G. Smith =*Sagittaria guayanensis*
Sagittaria pugioniformis L. =*Sagittaria lancifolia*

AMARANTHACEAE

reviewed by R.A. DeFilipps (1996)

REFERENCES:

- Burger, W. 1983. Amaranthaceae. In W. Burger, Flora Costaricensis. *Fieldiana Bot.* (n.s.) 13: 142-180.
Duke, J.A. 1961. Amaranthaceae. In R.E. Woodson, R.W. Schery, & collaborators, *Flora of Panama* 4(4): 348-392.
Kellogg, E.A. 1988. Amaranthaceae. In R.A. Howard, *Flora of the Lesser Antilles*.
Mears, J.A. 1977. The nomenclature and type collections of the widespread taxa of *Alternanthera*. *Proc. Acad. Nat. Sci. Phila.* 129: 1-21.
Morros, M.E., B. Trujillo, & M. Ponce. 1990. Descripción del género *Amaranthus* L. con 3 nuevos registros para Venezuela y consiguiente clave para las especies. *Ernestia* 58-59-60: 45-51.
Nee, M.H. 1995. Amaranthaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, *Flora of the Venezuelan Guayana* 2: 384-399.
Pedersen, T.M. 1967. Studies in South American Amaranthaceae. *Darwiniana* 14(2-3): 430-462.
Pedersen, T.M. 1976. Estudios sobre Amaranthaceae Sudamericanas, II. *Darwiniana* 20(1-2): 269-303.
Scheygrond, A. 1932. Amarantaceae. In A. Pulle, *Flora of Suriname* 1(1): 25-44.
Sohmer, S.H. 1977. Revision of *Chamissoa*. *Bull. Torr. Bot. Club* 104: 111-126.

Achyranthes aspera L. [GU SU FG] [naturalized]
Alternanthera brasiliiana (L.) Kuntze [GU SU FG]

- Alternanthera halimifolia* (Lam.) Standl. [GU SU FG]
[= *Alternanthera tenella*?]
Alternanthera littoralis P. Beauv. var. *maritima* (Mart.) Pedersen [FG?]
Alternanthera paronychoides A. St. Hil. [GU SU FG]
Alternanthera philoxerooides (Mart.) Griseb. [GU SU FG]
Alternanthera sessilis (L.) R. Br. ex DC. [GU SU FG]
Alternanthera tenella Colla [GU SU FG]
Amaranthus australis (A. Gray) J.D. Sauer [SU] [introduced?]
Amaranthus blitum L. [GU SU FG] [introduced?]
Amaranthus caudatus L. [SU FG] [cultivated or escaped from cultivation]
Amaranthus dubius Mart. ex Thellung [GU SU FG]
Amaranthus hybridus L. [cultivated only?]
Amaranthus spinosus L. [GU SU FG] [introduced?]
Amaranthus tricolor L. [SU FG] [cultivated only?]
Amaranthus viridis L. [GU SU FG] [introduced?]
Blutaparon vermiculare (L.) Mears [GU SU FG]
Celosia argentea L. [SU FG] [cultivated, naturalized]
Chamissoa altissima (Jacq.) Kunth var. *altissima* [GU SU]
Cyathula achyrantoides (Kunth) Moq. [GU SU FG]
[introduced?]
Cyathula prostrata (L.) Blume [GU SU FG] [introduced?]
Gomphrena globosa L. [GU SU FG] [widely cultivated and escaping]
Iresine diffusa Humb. & Bonpl. ex Willd. [GU SU]
Pfaffia glauca (Mart.) Spreng. [GU SU FG]
Pfaffia grandiflora (Hook.) R.E. Fr. [GU]

AMARANTHACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Achyranthes indica* (L.) Mill. =*Achyranthes aspera*
Acnida cuspidata Bert. ex Spreng. =*Amaranthus australis*
Alternanthera dentata (Moench) Scheygrond =*Alternanthera brasiliiana*
Alternanthera ficoidea (L.) R. Brown ex Roem. & Schult. [= *Alternanthera paronychoides* [name often applied to *A. tenella*]]
Alternanthera ficoidea (L.) Smith =*Alternanthera paronychoides*
Alternanthera flavogrisea (Urb.) Urb. =*Alternanthera halimifolia*
Alternanthera flavogrisea (Urb.) Urb. subsp. *diffusa* (Mart.) Mears ex Fourn. =*Alternanthera tenella*
Alternanthera maritima (Mart.) St. Hil. =*Alternanthera littoralis* var. *maritima*
Alternanthera ramosissima R.E. Fries =*Alternanthera brasiliiana*
Amaranthus gracilis Desf. =*Amaranthus viridis*
Amaranthus lividus L. =*Amaranthus blitum*
Amaranthus paniculatus L. =*Amaranthus hybridus*
Gomphrena brasiliiana L. =*Alternanthera brasiliiana*
Iresine polymorpha Mart. =*Iresine diffusa*
Iresine vermicularis (L.) Moq. =*Blutaparon vermiculare*
Philoxerus vermicularis (L.) R. Brown =*Blutaparon vermiculare*
Telanthera maritima Moq. =*Alternanthera littoralis* var. *maritima*

ANACARDIACEAE

contributed by J.D. Mitchell (1992); additions and corrections by J.D. Mitchell (1996)

REFERENCES:

- Barkley, F.A. 1968. Anacardiaceae: Rhoideae: *Astronium*. *Phytologia* 16: 107-152.
- Jansen-Jacobs, M.J. 1976. Anacardiaceae (additions and corrections). In J. Lanjouw & A.L. Stoffers, *Flora of Suriname* 2(2): 441-444.
- Mitchell, J.D. 1992. Additions to *Anacardium*. *Anacardium amapaense*, a new species from French Guiana and eastern Amazonian Brazil. *Brittonia* 44(3): 331-338.
- Mitchell, J.D. 1993. *Tapirira obtusa* comb. nov. (Anacardiaceae). *Novon* 3(1): 66.
- Mitchell, J.D. 1995. Anacardiaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, *Flora of the Venezuelan Guayana* 2: 399-412.
- Mitchell, J.D. (in press). Anacardiaceae. In A.R.A. Gorts-van Rijn, *Flora of the Guianas*.
- Mitchell, J.D. & D.C. Daly. 1991. *Cyrtocarpa Kunth* (Anacardiaceae) in South America. *Ann. Missouri Bot. Gard.* 78: 184-189.
- Mitchell, J.D. & D.C. Daly. 1993. A revision of *Thyrsonodium*. *Brittonia* 45(2): 115-129.
- Mitchell, J.D. & S. Mori. 1987. The cashew and its relatives (*Anacardium*; Anacardiaceae). *Mem. New York Bot. Gard.* 42: 1-76.
- Nannenga, E.T. 1934. Anacardiaceae. In A. Pulle, *Flora of Suriname* 2(1): 132-145.

- Anacardium amapaense* J.D. Mitchell [FG]
Anacardium fruticosum J.D. Mitchell & Mori [GU]
Anacardium giganteum Hancock ex Engl. [GU SU]
Anacardium occidentale L. [GU SU FG]
Anacardium spruceanum Benth. ex Engl. [GU SU FG]
Astronium fraxinifolium Schott [SU]
Astronium lecointei Ducke [SU]
Astronium ulei Mattick [GU SU FG]
Cyrtocarpa velutinifolia (Cowan) J.D. Mitchell & Daly [GU]
Loxopterygium sagotii J.D. Hook. [GU SU FG]
Spondias mombin L. [GU SU FG]
Tapirira bethanniana J.D. Mitchell [FG]
Tapirira guianensis Aubl. [GU SU FG]
Tapirira obtusa (Benth.) J.D. Mitchell [GU SU FG]
Thyrsonodium guianense Sagot ex March. [GU? SU FG]
Thyrsonodium puberulum J.D. Mitchell & Daly [SU FG]
Thyrsonodium spruceanum Benth. [GU SU FG]

ANACARDIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Garuga guianensis* (Sagot) Engl. =*Thyrsonodium guianense*
Garuga schomburgkiana (Benth.) Engl. =*Thyrsonodium spruceanum*
Garuga spruceana (Benth.) Engl. =*Thyrsonodium spruceanum*
Mauria obtusa Benth. =*Tapirira obtusa*
Tapirira marchandii Engl., nom. illeg. =*Tapirira obtusa*

- Tapirira peckoltiana* Engl. =*Tapirira obtusa*
Tapirira velutinifolia (Cowan) Marcano-Berti =*Cyrtocarpa velutinifolia*
Thyrsonodium dasytrichum Sandw. =*Thyrsonodium spruceanum*
Thyrsonodium paraense Huber =*Thyrsonodium spruceanum*
Thyrsonodium schomburgkianum Benth. =*Thyrsonodium spruceanum*

ANISOPHYLLEACEAE

REFERENCES:

- Juncosa, A.M. & P.B. Tomlinson. 1988. A historical and taxonomic synopsis of Rhizophoraceae and Anisophylleaceae. *Ann. Missouri Bot. Gard.* 75: 1278-1295.
- Sandwith, N.Y. 1952. Contributions to the flora of tropical America LV. Discovery of *Anisophyllea* in America. *Kew Bull.* 1952: 303-306.

Anisophyllea guianensis Sandw. [GU]

ANNONACEAE

contributed by P.J.M. Maas (1992); additions and corrections by P.J. Maas & H. Rainer (1996)

REFERENCES:

- Fries, R.E. 1930-1939. Revision der Arten einiger Annonaceen-Gattungen. *Acta Horti Berg.* 10(1): 1-128 (1930), 10(2): 129-341 (1931), 12(1): 1-220 (1934), 12(2): 221-288 (1937), 12(3): 289-577 (1939).
- Fries, R.E. 1940. Annonaceae. In A. Pulle, *Flora of Suriname* 2(2): 341-383.
- Jansen-Jacobs, M.J. 1976. Annonaceae (additions and corrections). In J. Lanjouw & A.L. Stoffers, *Flora of Suriname* 2(2): 658-687.
- Johnson, D.M. & N.A. Murray. 1995. Synopsis of the tribe Bocageeeae (Annonaceae), with revisions of *Cardiopetalum*, *Froesiodendron*, *Trigynaea*, *Bocagea*, and *Hornschlorchia*. *Brittonia* 47(3): 248-319.
- Maas, P.J.M. 1992. *Rollinia*. *Flora Neotropicica Monogr.* 57: 1-192.
- Maas, P.J.M., J. Koek-Noorman, & L.Y.Th. Westra. 1993. Studies in Annonaceae XVIII. New species from the Neotropics and miscellaneous notes. *Bot. Jahrb.* 115(1): 77-95.
- Maas, P.J.M., E.A. Mennega, & L.Y.Th. Westra. 1994. Studies in Annonaceae XXI. Index to species and infraspecific taxa of neotropical Annonaceae. *Candollea* 49(2): 389-481.

- Maas, P.J.M. & L.Y.Th. Westra. 1984-1985. Studies in Annonaceae II. A monograph of the genus *Anaxagorea* A. St. Hil. Part 1. Bot. Jahrb. Syst. 105: 73-134. Part 2. Bot. Jahrb. Syst. 105: 145-204.
- Steyermark, J.A., P.J.M. Maas, P.E. Berry, D.M. Johnson, N.A. Murray, & H. Rainer. 1995. Annonaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 413-469.
- Zuilen, C.M. van & P.J.M. Maas. 1994. Studies in Annonaceae XXII. A taxonomic revision of *Duguetia* A. St.-Hil., sections *Alceme* and *Xylopipetalum*. Bot. Jahrb. 116(2): 221-242.
- Anaxagorea acuminata* (Dunal) A. DC. [GU SU FG]
Anaxagorea brevipedicellata Timmerman [FG]
Anaxagorea brevipes Benth. [GU SU]
Anaxagorea dolichocarpa Sprague & Sandw. [GU SU FG]
Anaxagorea petiolata R.E. Fries [GU]
Anaxagorea phaeocarpa Mart. [FG]
Anaxagorea prinoides (Dunal) A. DC. [SU FG]
Annona ambotay Aubl. [GU SU FG]
Annona densicoma Mart. [GU SU FG]
Annona echinata Dunal [SU FG]
Annona foetida Mart. [SU FG]
Annona glabra L. [GU SU FG]
Annona haematantha Miq. [GU SU FG]
Annona hypoglauca Mart. [GU SU FG]
Annona montana Macfad. [GU SU FG]
Annona muricata L. [GU SU FG]
Annona paludosa Aubl. [GU SU FG]
Annona sericea Dunal [GU SU FG]
Annona symphyocarpa Sandw. [GU FG]
Annona tenuiflora Mart. [FG]
Annona tenuipes R.E. Fries [GU]
Annona trunciflora R.E. Fries [FG]
Annona ulei R.E. Fries [GU]
Bocageopsis multiflora (Mart.) R.E. Fries [GU SU FG]
Cardiopetalum surinamense R.E. Fries [SU FG]
Cremastosperma brevipes (DC. ex Dunal) R.E. Fries [FG]
Cymbopetalum brasiliense (Vell.) Benth. ex Baill. [GU SU FG]
Duguetia amplexifolia R.E. Fries [SU FG]
Duguetia cadaverica Huber [GU SU FG]
Duguetia calycina Benoist [GU SU FG]
Duguetia caulinflora R.E. Fries [GU SU FG]
Duguetia currrens R.E. Fries [GU]
Duguetia eximia Diels [SU FG]
Duguetia guianensis R.E. Fries [GU SU]
Duguetia inconspicua Sagot [GU SU FG]
Duguetia lepidota (Miq.) Pulle [SU]
Duguetia lucida Urb. [GU]
Duguetia macrocalyx R.E. Fries [GU]
Duguetia megalophylla R.E. Fries [GU]
Duguetia neglecta Sandw. [GU SU]
Duguetia obovata R.E. Fries [GU SU FG]
Duguetia paraensis R.E. Fries [GU FG]
Duguetia pauciflora Rusby [GU FG]
Duguetia pycnastera Sandw. [GU SU FG]
Duguetia quitarensis Benth. [GU]
Duguetia rigida R.E. Fries [GU]
Duguetia riparia Huber [GU SU FG]
- Duguetia schulzii* Jansen-Jacobs [SU]
Duguetia surinamensis R.E. Fries [GU SU FG]
Duguetia tenuis R.E. Fries [GU]
Ephedranthus guianensis R.E. Fries [GU SU FG]
Fusaea longifolia (Aubl.) Safford [GU SU FG]
Guatteria atra Sandw. [GU]
Guatteria brachypoda R.E. Fries [GU]
Guatteria citriodora Ducke [GU SU FG]
Guatteria clusiifolia D.M. Johnson & N.A. Murray [GU]
Guatteria conspicua R.E. Fries [GU SU FG?]
Guatteria discolor R.E. Fries [FG]
Guatteria elongata Benth. [GU]
Guatteria ferruginea A. St. Hil. [SU]
Guatteria flexilis R.E. Fries [GU]
Guatteria foliosa Benth. [GU SU? FG?]
Guatteria gracilipes R.E. Fries [SU]
Guatteria guianensis (Aubl.) R.E. Fries [FG]
Guatteria insignis R.E. Fries [SU]
Guatteria maguirei R.E. Fries [GU?]
Guatteria maypurensis Kunth [GU]
Guatteria megalophylla Diels [GU]
Guatteria microsperma R.E. Fries [SU FG]
Guatteria monticola R.E. Fries [GU]
Guatteria oblonga R.E. Fries [FG]
Guatteria obovata R.E. Fries [GU]
Guatteria ouregou (Aubl.) Dunal [FG]
Guatteria ovalifolia R.E. Fries [GU]
Guatteria paludosa R.E. Fries [GU]
Guatteria procera R.E. Fries [GU SU]
Guatteria pteropus Benth. [SU]
Guatteria punctata (Aubl.) R.A. Howard [GU SU FG]
Guatteria recurvisepala R.E. Fries [GU]
Guatteria richardii R.E. Fries [FG]
Guatteria rubrinervis R.E. Fries [GU]
Guatteria sagotiana R.E. Fries [FG]
Guatteria scandens Ducke [GU SU FG]
Guatteria schomburgkiana Mart. [GU SU FG]
Guatteria stenopetala R.E. Fries [GU]
Guatteria trichostemon R.E. Fries [SU FG]
Guatteria umbonata R.E. Fries [GU]
Guatteria wachenheimii Benoist [SU FG]
Guatteria wessels-boerii Jansen-Jacobs [SU]
Guatteriopsis blepharophylla (Mart.) R.E. Fries [SU FG]
Malmea discolor R.E. Fries [GU SU]
Malmea guianensis R.E. Fries [GU]
Malmea sp. nov. 1 [SU]
Malmea sp. nov. 2 [SU]
Oxandra asbeckii (Pulle) R.E. Fries [GU SU FG]
Oxandra guianensis R.E. Fries [GU]
Oxandra krukoffii R.E. Fries [SU]
Oxandra surinamensis Jansen-Jacobs [SU]
Oxandra xylopioides Diels [GU SU FG]
Pseudoxandra cuspidata Maas [FG]
Pseudoxandra polyphleba (Diels) R.E. Fries [GU FG]
Rollinia cuspidata Mart. [FG]
Rollinia elliptica R.E. Fries [SU FG]
Rollinia exsucca (DC. ex Dunal) A. DC. [GU SU FG]
Rollinia mucosa (Jacq.) Baill. [GU SU FG]
Trigyna caudata (R.E. Fries) R.E. Fries [GU SU]
Trigyna duckei (R.E. Fries) R.E. Fries [GU]
Unonopsis glaucopetala R.E. Fries [GU SU FG]
Unonopsis guatterioides (A. DC.) R.E. Fries [GU SU FG]
Unonopsis perrottetii (A. DC.) R.E. Fries [GU FG]
Unonopsis rufescens (Baill.) R.E. Fries [GU SU FG]
Unonopsis stipitata Diels [GU SU FG]

- Xylopia amazonica* R.E. Fries [SU]
Xylopia aromatic (Lam.) Mart. [GU SU FG]
Xylopia benthamii R.E. Fries [GU SU FG]
Xylopia cayennensis Maas [GU SU FG] [replacement name for *Xylopia longifolia*]
Xylopia crinita R.E. Fries [FG]
Xylopia discreta (L.f.) Sprague & Hutchinson [GU SU FG]
Xylopia excellens R.E. Fries [FG]
Xylopia frutescens Aubl. [GU SU FG]
Xylopia nervosa (R.E. Fries) Maas [FG]
Xylopia nitida Dunal [GU SU FG]
Xylopia parviflora Spruce [FG]
Xylopia pulcherrima Sandw. [GU SU FG]
Xylopia sericea A. St. Hil. [GU SU FG]
Xylopia surinamensis R.E. Fries [GU SU FG]

ANNONACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Aberemoa guianensis* Aubl. =*Guatteria guianensis*
Anaxagorea mutica R.E. Fries =*Anaxagorea dolichocarpa*
Annona jenmanii Safford =*Annona sericea*
Annona longifolia Aubl. =*Fusaea longifolia*
Annona punctata Aubl. =*Guatteria punctata*
Bocagea asbeckii Pulle =*Oxandra asbeckii*
Cananga oureogou Aubl. =*Guatteria oureogou*
Cremastosperma guianense R.E. Fries =*Pseudoxandra polypheba*?
Cremastosperma poiteaui (Diels) R.E. Fries =*Cremastosperma brevipes*
Duguettia adiscandra Jansen-Jacobs =*Duguettia cadaverica*
Duguettia cuspidata R.E. Fries =*Duguettia calycina*
Duguettia elegans R.E. Fries =*Duguettia calycina*
Duguettia frisiae Jansen-Jacobs =*Duguettia cadaverica*
Duguettia insculpta R.E. Fries =*Duguettia riparia*
Duguettia latifolia R.E. Fries [not in Guianas]
Duguettia sandwithii R.E. Fries =*Duguettia calycina*
Duguettia tessmannii R.E. Fries [not in Guianas]
Duguettia yeshidan Sandw. =*Duguettia calycina*
Froesiodendron surinamense (R.E. Fries) R.E. Fries
 = *Cardiopetalum surinamense*
Guatteria blepharophylla Mart. =*Guatteriopsis blepharophylla*
Guatteria chrysopetala (Steud.) Miq. =*Guatteria punctata*
Guatteria crassipetala (Dunal) DC ex Lemée =*Guatteria oureogou*
Guatteria oureogou Griseb., non Dunal =*Guatteria inuncta* [not in Guianas]
Guatteria oureogou Mart., non Dunal =*Guatteria pteropus*
Guatteria podocarpa DC. ex Dunal =*Guatteria oureogou*
Guatteria sandwithii R.E. Fries =*Guatteria schomburgkiana*
Hornschuchia caudata R.E. Fries =*Trigynaea caudata*
Hornschuchia duckei R.E. Fries =*Trigynaea duckei*
Hornschuchia guianensis R.E. Fries =*Trigynaea duckei*
Malmea obovata R.E. Fries [not in Guianas]
Oxandra nervosa R.E. Fries =*Xylopia nervosa*
Pseudoxandra guianensis (R.E. Fries) R.E. Fries
 = *Pseudoxandra polypheba*?
Raimondia tenuiflora (Mart.) R.E. Fries =*Annona tenuiflora*
Rollinia cardiantha Diels =*Rollinia cuspidata*
Rollinia puberula A. DC. =*Rollinia exsucca*
Rollinia pulchrinervia A. DC. =*Rollinia mucosa*
Rollinia sieberi A. DC. =*Rollinia mucosa*
Rollinia surinamensis R.E. Fries =*Rollinia exsucca*

- Trigynaea guianensis* (R.E. Fries) R.E. Fries =*Trigynaea duckei*
Unona crassipetala Dunal =*Guatteria oureogou*
Warlia zeylanica Aubl. =*Xylopia nitida*?[non *Uvaria zeylanica* L.]
Xylopia longifolia (Sagot) R.E. Fries =*Xylopia cayennensis*
Xylopia longifolia A. DC. =*Xylopia aromatica*
Xylopia nitida Dunal var. *longifolia* Sagot =*Xylopia cayennensis*

APIACEAE

reviewed by J.C. Lindeman (1992); reviewed by J.C. Lindeman (1996)

REFERENCES:

- Berry, P.E. 1995. Apiaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 470-471.
 Mathias, M.E. 1936. The genus *Hydrocotyle* in northern South America. Brittonia 2: 201-237.
 Stafleu, F.A. 1951. Umbelliferae. In A. Pulle, Flora of Suriname 3(2): 252-256.

- Eryngium foetidum* L. [GU SU FG]
Hydrocotyle rotundifolia Roxb. [GU?] [introduced, no recent records]
Hydrocotyle umbellata L. [GU SU FG]

APOCYNACEAE

reviewed by L. Allorge (1992); reviewed by A.J.M. Leeuwenberg & B.F. Hansen (1996)

REFERENCES:

- Allorge, L. 1985. Monographie des Apocynacées - Tabernaemontanoïdées Américaines. Mem. Mus. Nat. Hist. Naturelle (n.s.) Serie B, tome 30.
 Allorge, L. 1985. Distribution, relations et entéret biogéographique des Tabernaemontanoïdeae (Apocynaceae) dans la région néotropicale. C.R. Soc. Biogéogr. 61(4): 137-155.
 Allorge, L. & C. Poupat. 1991. Position systématique et révision du genre *Aspidosperma* (Apocynaceae) pour les trois Guyanes. Le point sur leur étude chimique. Bull. Soc. bot. Fr., Lettres bot. (4/5): 267-301.
 Allorge, L. & C. Sastre. 1990. Distribution géographique dans les Guyanes, d'Apocynaceae et d'Ochnaceae. Essai de mise en évidence de centres de speciation. C.R. Soc. Biogéogr. 67(2): 77-94.
 Leeuwenberg, A.J.M. 1988. Series of revisions of Apocynaceae. XXI. Notes on

- Tabernaemontaneae. Agric. Univ. Wageningen Papers 87-5: 1-32.
- Leeuwenberg, A.J.M. 1994. A Revision of Tabernaemontana. Two. The New World Species and Stemmadenia. Royal Botanic Gardens, Kew, Richmond, Surrey, England.
- Markgraf, F. 1932. Apocynaceae. In A. Pulle, Flora of Suriname 4(1): 1-65.
- Markgraf, F. 1937. Apocynaceae (additions and corrections). In A. Pulle, Flora of Suriname 4(1): 443-467.
- Monachino, J.V. 1943 [1944]. A revision of Couma and Parahancornia. *Lloydia* 6(4): 229-247.
- Monachino, J. 1961. Apocynaceae. In B. Maguire, J.J. Wurdack, & collaborators, Botany of the Guayana Highland part IV. Mem. New York Bot. Gard. 10(4): 59-65.
- Plumel, M.-M. 1991. Le genre *Himatanthus*, révision taxonomique. *Bradea* 5 suppl.: 1-118.
- Woodson, R.E., Jr. 1933-1936. Studies in the Apocynaceae. IV. The American genera of Echitoideae. *Ann. Missouri Bot. Gard.* 20: 605-790, 22: 153-306, 23: 169-439.
- Zarucchi, J.L., G.N. Morillo, M.E. Endress, B.F. Hansen & A.J.M. Leeuwenberg. 1995. Apocynaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 471-571.
- Allamanda cathartica* L. [GU SU FG]
Allamanda schottii Pohl [FG]
Allamanda setulosa Miq. [SU]
Ambelania acida Aubl. [GU SU FG]
Aspidosperma album (Vahl) Benoit ex Pichon [GU SU FG]
Aspidosperma carapanauba Pichon [FG]
Aspidosperma cruentum Woodson [GU SU FG]
Aspidosperma excelsum Benth. [GU SU FG]
Aspidosperma helstonei van Donselaar [SU FG]
Aspidosperma macrophyllum Muell. Arg. subsp. *macrophyllum* [GU]
Aspidosperma macrophyllum Muell. Arg. subsp. *mori* Allorge [FG]
Aspidosperma marcgravianum Woodson [GU SU FG]
Aspidosperma oblongum A. DC. [GU SU FG]
Aspidosperma sandwithianum Markgr. [GU SU FG]
Aspidosperma spruceanum Benth. ex Muell. Arg. [GU SU FG]
Aspidosperma ulei Markgr. [GU SU]
Aspidosperma vargasii A. DC. [GU SU]
Catharanthus roseus (L.) G. Don [GU SU FG] [widely cultivated, escaping]
Condylocarpon amazonicum (Markgr.) Ducke [SU FG?]
Condylocarpon guyanense Desf. [GU FG]
Condylocarpon intermedium Muell. Arg. var. *intermedium* [GU SU FG]
Condylocarpon myrtifolium (Miq.) Muell. Arg. [GU SU FG]
Couma catingae Ducke [GU]
Couma guianensis Aubl. [GU SU FG]
Couma macrocarpa Barb. Rodr. [GU]
Couma rigida Muell. Arg. [GU]
Forsteronia acouci (Aubl.) A. DC. [GU SU FG]
- Forsteronia adenobasis* Muell. Arg. [GU FG]
Forsteronia diospyrifolia Muell. Arg. [GU]
Forsteronia duckei Markgr. [GU]
Forsteronia gracilis (Benth.) Muell. Arg. [GU SU]
Forsteronia guyanensis Muell. Arg. [GU SU FG]
Forsteronia obtusiloba Muell. Arg. [SU] [to be expected in GU]
Forsteronia schomburgkii A. DC. [GU]
Forsteronia umbellata (Aubl.) Woodson [FG]
Galactophora schomburgkiana Woodson var. *schomburgkiana* [GU]
Geissospermum argenteum Woodson [GU SU FG]
Geissospermum laevis (Vell.) Miers [GU SU FG]
Geissospermum sericeum (Sagot ex Prog.) Benth. & J.D. Hook. [GU SU FG]
Himatanthus articulatus (Vahl) Woodson [GU SU FG]
Himatanthus bracteatus (A. DC.) Woodson var. *bracteatus* [GU SU FG]
Himatanthus bracteatus (A. DC.) Woodson var. *revolutus* (Huber) Plumel [GU]
Himatanthus drasticus (Mart.) Plumel [GU SU FG]
Himatanthus fallax (Muell. Arg.) Plumel [GU SU FG]
Himatanthus obovatus (Muell. Arg.) Woodson [GU]
Himatanthus speciosus (Muell. Arg.) Plumel [FG]
Himatanthus stenophyllus Plumel [SU]
Himatanthus sucuuba (Spruce ex Muell. Arg.) Woodson [GU SU FG]
Kopsia arborea Blume [FG]
Lacistema aculeata (Ducke) Monachino [GU SU FG]
Lacistema arboreascens (Muell. Arg.) Markgr. [GU?]
Lacistema floribunda (Poepp.) Benth. & J.D. Hook. [SU FG]
Lacistema guyanensis (Muell. Arg.) Monachino [FG]
Lacistema utilis (Arnott) Markgr. [GU FG?]
Laxoplumeria baehniana Monachino [FG]
Macoubea guianensis Aubl. [GU SU FG]
Macropharynx spectabilis (Stadelm.) Woodson [GU SU]
Macropharynx strigillosa Woodson [GU]
Malouetia flavesceens (Willd. ex Roem. & Schult.) Muell. Arg. [GU SU FG]
Malouetia gracilis (Benth.) A. DC. [GU FG?]
Malouetia pubescens Markgr. var. *glabra* M.E. Endress [GU]
Malouetia tamaquarina (Aubl.) A. DC. [GU SU FG]
Mandevilla benthamii (A. DC.) K. Schum. [GU]
Mandevilla hirsuta (A. Rich.) K. Schum. [GU SU FG]
Mandevilla leptophylla (A. DC.) K. Schum. [GU]
Mandevilla rugellosa (L.C. Rich.) L. Allorge [GU SU FG]
Mandevilla rugosa (Benth.) Woodson [GU]
Mandevilla scaberula N.E. Brown [GU FG]
Mandevilla scabra (Hoffmanns. ex Roem. & Schult.) K. Schum. [GU SU FG]
Mandevilla spruceana (Muell. Arg.) K. Schum. [GU]
Mandevilla subcarnosa (Benth.) Woodson var. *subcarnosa* [GU]
Mandevilla subspicata (Vahl) Markgr. [GU SU FG]
Mandevilla surinamensis (Pulle) Woodson [GU SU FG]
Mandevilla symphitocarpa (G. Mey.) Woodson [GU SU FG]
Mandevilla tenuifolia (Miq.) Woodson [SU]
Mandevilla vanheurckii (Muell. Arg.) Markgr. [GU?]
Mesechites trifida (Jacq.) Muell. Arg. [GU SU FG]
Nerium oleander L. [GU SU FG] [cultivated, perhaps escaping]
Odontadenia geminata (Roem. & Schult.) Muell. Arg. [GU SU FG]

Odontadenia glauca Woodson [GU?]
Odontadenia macrantha (Roem. & Schult.) Markgr. [GU SU FG]
Odontadenia nitida (Vahl) Muell. Arg. [GU SU FG]
Odontadenia perrottetii (A. DC.) Woodson [GU FG]
Odontadenia puncticulosa (A. Rich.) Pulle [GU SU FG]
Odontadenia sandwithiana Woodson [GU]
Odontadenia verrucosa (Roem. & Schult.) K. Schum. ex Markgr. [GU SU]
Pacouria guianensis Aubl. [GU SU FG]
Parahancornia fasciculata (Poir.) Benoit ex Pichon [GU SU FG]
Plumeria inodora Jacq. [GU]
Plumeria rubra L. [GU SU FG] [cultivated & escaped]
Prestonia acutifolia (Benth. ex Muell. Arg.) K. Schum. [GU SU]
Prestonia annularis (L.f.) G. Don [GU SU FG]
Prestonia cayennensis (A. DC.) Pichon [GU FG]
Prestonia coalita (Vell.) Woodson [GU FG]
Prestonia guianensis Gleason [GU]
Prestonia ipomaeifolia A. DC. [FG]
Prestonia lindleyana Woodson [GU?]
Prestonia megagros (Vell.) Woodson [GU?]
Prestonia perplexa Woodson [GU?]
Prestonia quinquangularis Spreng. [GU?]
Prestonia surinamensis Muell. Arg. [GU SU FG]
Prestonia tomentosa R. Brown [GU SU?]
Rauvolfia ligustrina Willd. ex Roem. & Schult. [GU SU]
Rauvolfia pachyphylla Markgr. [GU]
Rauvolfia paraensis Ducke [SU FG]
Rauvolfia tetraphylla L. [FG]
Rhabdadenia biflora (Jacq.) Muell. Arg. [GU SU FG]
Rhabdadenia macrostoma (Benth.) Muell. Arg. [GU SU FG]
Rhabdadenia pohlii Muell. Arg. [GU SU FG]
Secondatia densiflora A. DC. [GU SU FG]
Stemmadenia grandiflora (Jacq.) Miers [GU SU FG]
Tabernaemontana albiflora (Miq.) Pulle [GU SU FG]
[=Bonafousia albiflora]
Tabernaemontana angulata Mart. ex Muell. Arg. [GU FG]
[=Bonafousia angulata]
Tabernaemontana attenuata (Miers) Urb. [GU SU FG]
[=Anartia meyeri]
Tabernaemontana cerea (Woodson) Leeuwenberg [GU SU]
[=Anartia cerea]
Tabernaemontana cymosa Jacq. [GU] [=Peschiera cymosa]
Tabernaemontana disticha A. DC. [GU SU FG] [=Bonafousia disticha]
Tabernaemontana divaricata (L.) R. Br. ex Roem. & Schult. [GU] [cultivated or escaped from cultivation]
Tabernaemontana flavicans Willd. ex Roem. & Schult. [GU? SU? FG?] [=Anartia flavicans]
Tabernaemontana heterophylla Vahl [GU SU FG]
[=Stenosolen heterophyllum]
Tabernaemontana lagenaria Leeuwenberg [SU? FG?]
Tabernaemontana lorifera (Miers) Leeuwenberg [GU SU]
[=Bonafousia lorifera]
Tabernaemontana macrocalyx Muell. Arg. [GU SU FG]
[=Bonafousia macrocalyx]
Tabernaemontana pandacaqui Lam. [FG] [Asian species, cultivated only?]
Tabernaemontana rupicola Benth. [GU SU FG] [=Bonafousia rupicola]
Tabernaemontana sananho Ruiz & Pav. [GU SU FG]
[=Bonafousia sananho]

Tabernaemontana siphilitica (L.f.) Leeuwenberg [GU SU FG]
[=Bonafousia siphilitica]
Tabernaemontana undulata Vahl [GU SU FG] [=Bonafousia undulata]
Thevetia peruviana (Pers.) K. Schum. [GU SU FG]
APOCYNACEAE - SYNONYMS AND MISIDENTIFICATIONS:
Ambelania sagotii Muell. Arg. [=Ambelania acida]
Anacampta albescens (Rusby) Markgr. [=Tabernaemontana undulata]
Anacampta disticha (A. DC.) Markgr. [=Tabernaemontana disticha]
Anacampta echinata (Aubl.) Markgr. [see Tabernaemontana echinata, Peschiera echinata]
Anacampta macrocalyx (Muell. Arg.) Miers
[=Tabernaemontana macrocalyx]
Anacampta rigida (Miers) Markgr. [=Tabernaemontana muricata Link ex Roem. & Schult. [not in Guianas]
Anacampta rupicola (Benth.) Markgr. [=Tabernaemontana rupicola]
Anartia attenuata (Miers) Markgr. [=Tabernaemontana attenuata]
Anartia cerea (Woodson) Allorge [=Tabernaemontana cerea]
Anartia meyeri (G. Mey. ex G. Don) Miers [=Tabernaemontana attenuata]
Anartia oblongifolia (A. DC.) Markgr. [=Tabernaemontana flavicans]
Anartia olivacea (Muell. Arg.) Markgr. [=Tabernaemontana flavicans]
Anechites nerium Urb. [not in Guianas]
Anisolobus puncticulus (A. Rich.) Miq. [=Odontadenia puncticulus]
Apocynum acouci Aubl. [=Forsteronia acouci]
Apocynum umbellatum Aubl. [=Forsteronia umbellata]
Aspidosperma desmanthum Benth. ex Muell. Arg.
[=Aspidosperma album]
Aspidosperma megalocarpum Muell. Arg. [not in Guianas]
Aspidosperma nitidum Benth. ex Muell. Arg. [not in Guianas]
Aspidosperma woodsonianum Markgr. [=Aspidosperma spruceanum]
Bonafousia albiflora (Miq.) Boit. & Allorge
[=Tabernaemontana albiflora]
Bonafousia angulata (Mart. ex Muell. Arg.) Boit. & Allorge
[=Tabernaemontana angulata]
Bonafousia attenuata Miers [=Tabernaemontana attenuata]
Bonafousia disticha (A. DC.) Boit. & Allorge
[=Tabernaemontana disticha]
Bonafousia lorifera (Miers) Boit. & Allorge
[=Tabernaemontana lorifera]
Bonafousia macrocalyx (Muell. Arg.) Boit. & Allorge
[=Tabernaemontana macrocalyx]
Bonafousia moretti Allorge [=Tabernaemontana macrocalyx]
Bonafousia obliqua Miers [=Tabernaemontana undulata]
Bonafousia rupicola (Benth.) Miers [=Tabernaemontana rupicola]
Bonafousia rupicola (Benth.) Miers var. *versicolor* (Woods.)
Allorge [=Tabernaemontana rupicola]
Bonafousia sananho (Ruiz & Pav.) Markgr.
[=Tabernaemontana sananho]
Bonafousia siphilitica (L.f.) Allorge [=Tabernaemontana siphilitica]

- Bonaousia tetrastachya (Kunth) Markgr. =*Tabernaemontana siphilitica*
Bonaousia undulata (Vahl) A. DC. =*Tabernaemontana undulata*
Cameraria tamaquarina Aubl. =*Malouetia tamaquarina*
Condylcarpon rauwolfiae Muell. Arg. =*Condylcarpon isthmicum* (Vell.) A. DC. [not in Guianas]
Dipladenia surinamensis Pulle =*Mandevilla surinamensis*
Echites grandiflora G. Mey. =*Odontadenia macrantha*
Echites puncticulosa A. Rich. =*Odontadenia puncticulosa*
Echites spectabilis Stadelm. =*Macropharynx spectabilis*
Echites trifida Jacq. =*Mesechites trifida*
Echites tubulosa Benth. =*Mesechites trifida*
Ervatamia coronaria (Jacq.) Stapf =*Tabernaemontana divaricata*
Ervatamia cumingiana (A. DC.) Markgr. =*Tabernaemontana pandacaqui*
Forsteronia corymbifera (Miers) Sandw. =*Forsteronia schomburgkii*
Forsteronia laurifolia (Benth.) A. DC. [not in Guianas]
Forsteronia schomburgkii (Benth.) Muell. Arg. =*Forsteronia acouci*
Haemadictyon cayennense A. DC. =*Prestonia cayennensis*
Hortsmania myrtifolia Miq. =*Condylcarpon myrtifolium*
Landolphia guyanensis (Aubl.) Pulle =*Pacouria guianensis*
Lochnera rosea (L.) Rchb. =*Catharanthus roseus*
Macoubea fasciculata (Poir.) Lemée =*Parahancornia fasciculata*
Macoubea guianensis Aubl. var. *reticulata* (A. DC.) Allorge =*Macoubea guianensis*
Macoubea reticulata (A. DC.) Markgr. =*Macoubea guianensis*
Malouetia furfuracea Spruce ex Muell. Arg. =*Malouetia tamaquarina*
Malouetia guianensis (Aubl.) Miers =*Malouetia tamaquarina*
Malouetia obtusiloba A. DC. =*Malouetia tamaquarina*
Malouetia odorata DC. =*Malouetia tamaquarina*
Malouetia retroflexa Muell. Arg. =*Malouetia cubana* A. DC. [not in Guianas]
Malouetia schomburgkii Muell. Arg. =*Malouetia flavescens*
Mandevilla glabra N.E. Br. =*Mandevilla vanheurckii*
Mandevilla lutea (Vell.) Markgr. =*Mandevilla scaberula*
Mesechites syphilitica (L.f.) Lemée =*Tabernaemontana siphilitica*
Odontadenia "schomburgkiana" (Nees) Kr. [invalid name, error for *Odontonema schomburgkiana* (Acanthaceae)?]
Odontadenia amazonica (Stadelm.) Malme =*Odontadenia verrucosa*
Odontadenia cognata (Stadelm.) Woodson =*Odontadenia verrucosa*
Odontadenia cururu (Mart.) K. Schum. =*Odontadenia puncticulosa*
Odontadenia grandiflora (G. Mey.) Kuntze =*Odontadenia macrantha*
Odontadenia hoffmannseggiana (Steud.) Woodson =*Odontadenia macrantha*
Odontadenia silvestris (A. DC.) Muell. Arg. =*Odontadenia macrantha*
Odontadenia surinamensis (Pulle) Woodson =*Odontadenia verrucosa*
Orelia grandiflora Aubl. =*Allamanda cathartica*
Parahancornia amapa (Huber) Ducke =*Parahancornia fasciculata*
Parahancornia tabernaemontana Woodson =*Macoubea guianensis*
- Peschiera cymosa* (Jacq.) Dugand =*Tabernaemontana cymosa*
Peschiera echinata (Aubl.) A. DC. [SU FG] [name misapplied to *Tabernaemontana lagenaria*]
Plumeria articulata Vahl =*Himatanthus articulatus*
Plumeria bracteata A. DC. =*Himatanthus bracteatus*
Plumeria sucuuba R. Spruce ex Muell. Arg. =*Himatanthus sucuuba*
Prestonia marginata (Benth.) Woodson =*Prestonia cayennensis*
Rauvolfia hirsuta Jacq. =*Rauvolfia tetraphylla*
Rauvolfia lamarckii DC. =*Rauvolfia tetraphylla*
Rauvolfia ternifolia Kunth =*Rauvolfia ligustrina*
Stemmadenia cerea Woodson =*Tabernaemontana cerea*
Stenosolen heterophyllum (Vahl) Markgr. =*Tabernaemontana heterophylla*
Tabernaemontana albiflora (Miq.) Markgr. =*Tabernaemontana albiflora*
Tabernaemontana albescens Rusby =*Tabernaemontana undulata*
Tabernaemontana aubletii Pulle, nom. illeg. =*Macoubea guianensis*
Tabernaemontana citrifolia Muell. Arg. [not in Guianas]
Tabernaemontana coronaria (Jacq.) Willd. =*Tabernaemontana divaricata*
Tabernaemontana echinata Vell., non Aubl.
= *Tabernaemontana hystrix* Steud. [not in Guianas]
Tabernaemontana fasciculata Poir. =*Parahancornia fasciculata*
Tabernaemontana grandiflora Jacq. =*Stemmadenia grandiflora*
Tabernaemontana laurifolia L. [not in Guianas]
Tabernaemontana longifolia Benth. =*Tabernaemontana siphilitica*
Tabernaemontana macrophylla Muell. Arg.
= *Tabernaemontana muricata* Link ex Roem. & Schult. [not in Guianas]
Tabernaemontana meyeri G. Don =*Tabernaemontana attenuata*
Tabernaemontana oblongifolia A. DC. =*Tabernaemontana flavicans*
Tabernaemontana repanda E. Meyer =*Tabernaemontana siphilitica*
Tabernaemontana speciosa Poir. =*Tabernaemontana siphilitica*
Tabernaemontana submollis Mart. ex Muell. Arg.
= *Tabernaemontana coriacea* Link ex Roem. & Schult. [not in Guianas]
Tabernaemontana tetrastachya Kunth =*Tabernaemontana siphilitica*
Tabernaemontana utilis Arnott =*Lacistema utilis*
Tabernaemontana versicolor Woodson =*Tabernaemontana rupicola*
Thevetia ahouai A. DC. [not in Guianas]
Willughbeja guianensis (Aubl.) J.F. Gmel. =*Pacouria guianensis*
Zschokkea aculeata Ducke =*Lacistema aculeata*

AQUIFOLIACEAE

reviewed by P.-A. Loizeau (1992)

REFERENCES:

- Amshoff, G.J.H. 1951. Aquifoliaceae. In A. Pulle, Flora of Suriname 3(2): 159-165.
- Edwin, G. 1965. Aquifoliaceae. In B. Maguire & collaborators, Botany of the Guayana Highland Part VI. Mem. New York Bot. Gard. 12(3): 1-285.
- Steyermark, J.A. & P.E. Berry. 1995. Aquifoliaceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 571-599.
- Wurdack, J.J. 1961. Aquifoliaceae. In B. Maguire, J.J. Wurdack, & collaborators, Botany of the Guayana Highland part IV. Mem. New York Bot. Gard. 10(4): 1-6.

- Ilex apicidens* N.E. Brown [GU]
Ilex casiquiarensis Loes. [FG]
Ilex costata Edwin [GU]
Ilex daphnogenea Reissek [GU FG]
Ilex fangshawei Edwin [GU]
Ilex guianensis (Aubl.) Kuntze [GU SU FG]
Ilex inundata Poepp. ex Reissek [SU FG?]
Ilex jenmanii Loes. [GU SU]
Ilex laureola Triana [GU]
Ilex martiniana D. Don [GU SU FG]
Ilex oliveriana Loes. [GU]
Ilex ovalifolia G. Mey. [GU SU FG]
Ilex retusa Klotzsch ex Reissek [GU]
Ilex soderstromii Edwin var. *ovata* Edwin [GU]
Ilex soderstromii Edwin var. *soderstromii* [GU]
Ilex tepuiana Steyermark ex Edwin [GU]
Ilex thyrsiflora Klotzsch ex Reissek var. *schomburgkii* (Klotzsch ex Reissek) Loes. [GU]
Ilex umbellata Klotzsch ex Reissek [GU]
Ilex vaccinifolia Klotzsch ex Reissek [GU]
Ilex vismifolia Reissek [GU]

AQUIFOLIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Ilex acuminata* Willd. =*Ilex guianensis*
Ilex celastroides Klotzsch [nomen nudum] =*Ilex vismifolia*
Ilex congesta Reissek =*Cybianthus lineatus* (Myrsinaceae)
Ilex humirioides Reissek =*Ilex umbellata*
Ilex humirioides Reissek =*Ilex umbellata*
Ilex lanceolata Klotzsch [nomen nudum] =*Ilex martiniana*
Ilex laurina Klotzsch [nomen nudum] =*Ilex daphnogenea*
Ilex macoucoua Pers. =*Ilex guianensis*
Ilex riparia Reissek =*Ilex inundata*
Ilex schomburgkii Klotzsch ex Reissek =*Ilex thyrsiflora* var. *schomburgkii*
Macoucoua guianensis Aubl. =*Ilex guianensis*

ARACEAE

contributed by T. Croat, reviewed by D. Nicolson (1992); additions and corrections by T. Croat, reviewed by D. Nicolson (1996)

REFERENCES:

- Bunting, G.S. 1960. A revision of *Spathiphyllum*. Mem. New York Bot. Gard. 10(3): 1-54.
- Bunting, G.S. 1995. Araceae. In J.A. Steyermark, P.E. Berry, & B.K. Holst, Flora of the Venezuelan Guayana 2: 600-679.
- Croat, T.B. 1981. A revision of *Syngonium*. Ann. Missouri Bot. Gard. 68: 565-651.
- Croat, T.B. 1991. A revision of *Anthurium* section *Pachyneurium*. Ann. Missouri Bot. Gard. 78(3): 539-855.
- Croat, T.B. 1995 ["1994"]. Taxonomic status of Neotropical Araceae. Aroideana 17: 33-60.
- Croat, T.B. 1995. Two new species of Araceae for the Guianas. Novon 5(1): 24-29.
- Croat, T.B. & M.H. Grayum. 1994. *Philodendron* subgenus *Pteromischum* from Saül, French Guiana. Novon 4(3): 211-219.
- Jonker-Verhoef, A.M.E. & F.P. Jonker. 1953. Araceae. In A. Pulle, Flora of Suriname 1(2): 1-80.
- Jonker-Verhoef, A.M.E. & F.P. Jonker. 1968. Araceae (additions and corrections). In A. Pulle & J. Lanjouw, Flora of Suriname 1(2): 380-412.
- Madison, M. 1977. A revision of *Monstera*. Contrib. Gray Herb. 207: 3-100.
- Madison, M. 1981. Notes on and its allies. Selbyana 5(3-4): 342-377.
- Alocasia macrorrhiza* (L.) G. Don [SU]
Anaphyllospis americanum (Engl.) Hay [SU FG]
Anthurium bakeri J.D. Hook. [GU]
Anthurium bonplandii Bunting subsp. *bonplandii* [FG]
Anthurium bonplandii Bunting subsp. *guayanum* (Bunting) Croat [GU SU FG?]
Anthurium clavigerum Poepp. & Endl. [GU SU FG]
Anthurium cowanii Croat [GU SU]
Anthurium cremersii Croat, sp. nov. ined. [FG]
Anthurium eminens Schott [GU SU FG]
Anthurium expansum Gleason [GU SU FG]
Anthurium gracile (Rudge) Lindl. [GU SU FG]
Anthurium hookeri Kunth [GU SU FG]
Anthurium jenmanii Engl. [GU SU FG]
Anthurium kunthii Poepp. [GU?]
Anthurium lanjouwii Jonker & Jonker [SU FG]
Anthurium maguirei A.D. Hawkes [GU SU]
Anthurium martianum C. Koch & Kolb [GU SU]
Anthurium pentaphyllum (Aubl.) G. Don [GU SU FG]
Anthurium ptalianum Steyermark [GU]
Anthurium roraimense N.E. Brown [GU]
Anthurium rubrinerium (Link) G. Don [GU SU FG]
Anthurium scandens (Aubl.) Engl. [GU SU FG]
Anthurium sinuatum Benth. ex Schott [GU SU FG]
Anthurium thrinax Madison [GU FG]
Anthurium trinerve Miq. [GU SU FG]
Caladium bicolor (Aiton) Ventenat [GU SU FG]
Caladium picturatum K. Koch & Bouché [GU FG]
[=Caladium bicolor?]
Caladium schomburgkii Schott [GU SU FG]

- Colocasia esculenta* (L.) Schott [GU SU FG] [cultivated, naturalized]
Cyrtosperma spruceanum (Schott) Engl. [SU] [=*Dracontium spruceanum*]
Dieffenbachia duidae (Steyermark.) Bunting [GU]
Dieffenbachia elegans Jonker & Jonker [GU SU FG]
Dieffenbachia humilis Poepp. [SU FG]
Dieffenbachia maculata (Lodd.) G. Don [FG] [specimens not seen; cultivated?]
Dieffenbachia paludicola N.E. Brown ex Gleason [GU SU FG]
Dieffenbachia seguine (Jacq.) Schott var. *lingulata* (Mart. ex Schott) Engl. [SU]
Dieffenbachia seguine (Jacq.) Schott var. *seguine* [GU SU FG]
Dieffenbachia seguine (Jacq.) Schott var. *venteniana* (Schott) Engl. [SU]
Dieffenbachia seguine (Jacq.) Schott var. *viridis* Engl. [FG]
Dieffenbachia sp. nov. #1 [SU FG]
Dieffenbachia sp. nov. #2 [GU]
Dracontium asperum K. Koch [SU FG] [to be expected in GU]
Dracontium foecundum J.D. Hook. [GU SU]
Dracontium polyphyllum L. [SU FG]
Heteropsis flexuosa (Kunth) Bunting [GU SU FG]
Heteropsis longispathacea Engl. [GU?]
Heteropsis melinonii (Engl.) Jonker & Jonker [GU SU FG]
Heteropsis oblongata (Kunth) Croat, comb. nov. ined. [GU]
Heteropsis spruceana Schott [GU FG]
Heteropsis tenuispadix Bunting [GU SU FG]
Homalomena picturata (Linden & André) Regel [GU SU FG] [cultivated only?]
Jasarum steyermarkii Bunting [GU]
Monstera adansonii Schott var. *klotzschiana* (Schott) Madison [GU SU FG]
Monstera adansonii Schott var. *laniata* (Schott) Madison [GU SU FG]
Monstera dubia (Kunth) Engl. & Krause [SU? FG?]
Monstera obliqua Miq. [GU SU FG]
Monstera spruceana (Schott) Engl. [GU SU FG]
Montrichardia arborescens (L.) Schott [GU SU FG]
Montrichardia linifera (Arruda) Schott [GU SU FG]
Philodendron acutatum Schott [GU SU FG]
Philodendron auyantepuiense Bunting [GU]
Philodendron billietiae Croat [FG]
Philodendron bipennifolium Schott [SU] [to be expected in GU]
Philodendron brevispathum Schott [FG]
Philodendron callosum Krause subsp. *callosum* [GU FG?]
Philodendron callosum Krause subsp. *ptorianum* (Steyermark.) Bunting [GU]
Philodendron camposportoanum Barroso [GU SU FG]
Philodendron cremersii Croat & Grayum [FG]
Philodendron deflexum Poepp. ex Schott [GU SU FG]
Philodendron dioscoreoides Gleason [GU SU]
Philodendron duckei Croat & Grayum [SU FG]
Philodendron ecordatum Schott [GU FG]
Philodendron englerianum Steyermark. [GU]
Philodendron exile Bunting [SU FG]
Philodendron fragrantissimum (Hook.) Kunth [GU SU FG]
Philodendron goeldii Barroso [SU FG]
Philodendron grandifolium (Jacq.) Schott [GU SU FG]
Philodendron guianense Croat & Grayum [GU SU FG]
Philodendron hederaceum (Jacq.) Schott [SU FG?] [to be expected in GU]
Philodendron houletteianum Engl. [FG]
- Philodendron hylaeae* Bunting [GU SU FG]
Philodendron insigne Schott [GU SU FG]
Philodendron krauseanum Steyermark. [GU SU FG] [possibly not distinct from *P. platypodium* Schott]
Philodendron linnaei Kunth [GU SU FG]
Philodendron martinii Schott [FG]
Philodendron mawarinumae Bunting [SU FG]
Philodendron melinonii Brongn. ex Regel [GU SU FG]
Philodendron muricatum Willd. ex Schott [GU SU]
Philodendron ornatum Schott [GU SU FG]
Philodendron pedatum (Hook.) Kunth [GU SU FG]
Philodendron placidum Schott [FG] [to be expected in SU]
Philodendron platypodium Schott [GU SU FG]
Philodendron polypodioides Jonker & Jonker [SU FG]
Philodendron riedelianum Schott [FG]
Philodendron roraimae Krause [GU FG?]
Philodendron rudgeanum Schott [GU SU FG]
Philodendron scandens K. Koch & Sello [GU SU FG]
Philodendron simsii Kunth [GU FG]
Philodendron solimoesense A.C. Smith [GU SU FG]
Philodendron sphalerum Schott [GU SU FG]
Philodendron splitgerberi Schott [SU FG]
Philodendron squamiferum Poepp. [SU FG]
Philodendron surinamense (Schott) Engler [GU SU FG]
Philodendron tatei Krause [GU]
Philodendron wittianum Engl. [FG]
Pistia stratiotes L. [GU SU FG]
Rhodospatha brachypoda Bunting [GU FG?]
Rhodospatha latifolia Poepp. [GU FG]
Rhodospatha oblongata Poepp. [GU SU FG]
Rhodospatha venosa Gleason [GU SU FG]
Schismatoglottis americana Jonker & Jonker [SU FG]
Spathiphyllum cannifolium (Dryand. ex Sims) Schott [GU]
Spathiphyllum cuspidatum Schott [GU SU FG?]
Spathiphyllum humboldtii Schott [GU SU FG]
Spathiphyllum maguirei Bunting [GU] [=Spathiphyllum cuspidatum?]
Spathiphyllum schomburgkii Schott [GU]
Stenospermation ammiticum Bunting subsp. *ammiticum* [GU]
Stenospermation maguirei Jonker & Jonker [GU SU]
Stenospermation multiovulatum (Engl.) N.E. Brown [GU SU FG]
Stenospermation spruceanum Schott [GU SU]
Syngonium hastifolium Engl. [SU FG]
Syngonium podophyllum Schott var. *vellozianum* (Schott) Croat [GU SU FG]
Typhonium blumei Nicolson & Sivadasan [SU] [naturalized]
Urospatha sagittifolia (Rudge) Schott var. *sagittifolia* [GU SU FG]
Urospatha sagittifolia (Rudge) Schott var. *spruceana* (Schott) Engl. [GU SU]
Xanthosoma belophyllum (Willd.) Schott [GU SU FG] [cultivated?]
Xanthosoma caracu K. Koch & Bouché [SU?] [cultivated?]
Xanthosoma conpurcatum Schott [SU FG]
Xanthosoma cordatum N.E. Brown [GU FG]
Xanthosoma granvillei Croat & Thompson [FG]
Xanthosoma helleborifolium (Jacq.) Schott [GU SU]
Xanthosoma striatipes (Kunth) Madison [GU FG]
Xanthosoma striolatum Mart. ex Schott [FG]
Xanthosoma undipes (K. Koch) K. Koch [GU SU FG]
Xanthosoma violaceum Schott [FG] [widely cultivated]

ARACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Anthurium amoenum Kunth [not in Guianas]
Anthurium andersonii Schott [not in Guianas]
Anthurium atropurpureum R.E. Schultes & Maguire [not in Guianas]
Anthurium cordatum G. Don [not in Guianas]
Anthurium crassinervium (Jacq.) Schott [not in Guianas]
Anthurium digitatum (Jacq.) G. Don [not in Guianas]
Anthurium galeottii (Hort.) C. Koch [not in Guianas]
Anthurium huegelii Schott =*Anthurium hookeri*
Anthurium martini Schott =*Anthurium sinuatum*
Anthurium nigrescens Engl. [not in Guianas]
Anthurium nymphaeifolium K. Koch & Bouché [not in Guianas]
Anthurium pentaphyllum (Aubl.) G. Don var. *digitatum* (Jacq.) Madison =*Anthurium digitatum* [not in Guianas]
Anthurium polyyrrhizum C. Koch & Augustin =*Anthurium rubrinervium*
Anthurium salviniae Hemsley [not in Guianas]
Anthurium scolopendrinum (Ham.) Kunth =*Anthurium gracile*
Anthurium solitarium Schott [not in Guianas]
Anthurium stahelii A.D. Hawkes =*Philodendron deflexum*
Caladium striatipes (Kunth) Schott =*Xanthosoma striatipes*
Cyrtosperma americanum Engl. =*Anaphyllopsis americanum*
Dieffenbachia bolivariana Bunting =*Dieffenbachia duidae*
Dieffenbachia picta Schott =*Dieffenbachia seguine*
Dieffenbachia spruceana Schott =*Dieffenbachia humilis*
Dracontium pentaphyllum Aubl. =*Anthurium pentaphyllum*
Heteropsis jenmanii Oliver =*Heteropsis flexuosa*
Heteropsis salicifolia Kunth [not in Guianas]
Maguirea spathicarpoides A.D. Hawkes =*Dieffenbachia paludicola*
Monstera epipremnoides Engl. [not in Guianas]
Monstera expilata Schott =*Monstera obliqua*
Monstera falcifolia Engl. =*Monstera obliqua*
Monstera lechleriana Schott [not in Guianas]
Monstera milleriana Schott =*Monstera adansonii*
Monstera pertusa (L.) de Vriese =*Monstera adansonii*
Monstera sagotiana Engl. =*Monstera obliqua*
Monstera xanthospatha Madison [not in Guianas]
Philodendron broadwayi N.E. Brown =*Philodendron venosum* (Willd.) Croat [not in Guianas]
Philodendron cyclops A.D. Hawkes =*Philodendron acutatum*
Philodendron demerarae Gleason =*Philodendron fragrantissimum*
Philodendron grandipes K. Krause [not in Guianas]
Philodendron guttiferum Kunth [not in Guianas]
Philodendron guttiferum Kunth var. *rudgeanum* (Schott)
 Jonker & Jonker =*Philodendron rudgeanum*
Philodendron jacquinii Schott =*Philodendron hederaceum*
Philodendron jenmanii Krause =*Philodendron muricatum*
Philodendron laciniatum (Vell.) Engl. =*Philodendron pedatum*
Philodendron longipetiolatum Engl. =*Philodendron sphalerum*
Philodendron megalophyllum Schott =*Philodendron deflexum*
Philodendron myrmecophilum Engl. =*Philodendron deflexum*
Philodendron nobile Bull. =*Philodendron linnaei*
Philodendron scabrum K. Krause =*Philodendron muricatum*
Philodendron tessmannii K. Krause =*Philodendron guttiferum* [not in Guianas]
Philodendron tripartitum (Jacq.) Schott [not in Guianas]
Philodendron wayombense Jonker & Jonker =*Philodendron bipennifolium*

Rhodospatha spruceana (Schott) Macbr. =*Stenospermation spruceanum*
Schismatoglottis spruceana (Schott) Bunting [not in Guianas]
Spathiphyllum candolleanum Schott =*Spathiphyllum humboldtii*
Spathiphyllum floribundum (Linden & André) N.E. Brown [not in Guianas]
Spathiphyllum huberi Engl. =*Spathiphyllum humboldtii*
Spathiphyllum lanceaefolium Schott [not in Guianas]
Syngonium ternatum Gleason =*Syngonium podophyllum*
Syngonium vellozianum Schott =*Syngonium podophyllum* var. *vellozianum*
Typhonium trilobatum (L.) Schott [misidentification of *T. blumei*]
Xanthosoma hoffmannii (Schott) Schott var. *wendlandii* (Schott) Engl. [not in Guianas]
Xanthosoma jacquinii Schott =*Xanthosoma undipes*

ARALIACEAE

reviewed by J.C. Lindeman (1992); reviewed by J.C. Lindeman (1996)

REFERENCES:

- Frodin, D.G. 1993. Studies in *Schefflera*, VI. New species and subordinate taxa in the Venezuelan Guayana and immediately adjacent areas. *Novon* 3: 367-403.
 Maguire, B., J.A. Steyermark, & D.G. Frodin. 1984. Araliaceae. In B. Maguire & collaborators, *Botany of the Guayana Highland Part XII. Mem. New York Bot. Gard.* 38: 1-84.
 Muller, F.M. 1934. Araliaceae. In A. Pulle, *Flora of Suriname* 3(1): 160-163.

Dendropanax arboreus (L.) Decne. & Planch. [GU]
Oreopanax capitatus (Jacq.) Decne. & Planch. var. *capitatus* [GU FG]
Schefflera ayangannensis Maguire, Steyermark, & Frodin [GU]
Schefflera chimantensis (Steyermark & Maguire) Maguire, Steyermark, & Frodin subsp. *rugosifolia* (Maguire, Steyermark & Frodin) [Mt. Roraima]
Schefflera coriacea (El. Marchal) Harms [GU]
Schefflera decaphylla (Seem.) Harms [GU SU FG]
Schefflera dissidens Frodin [GU] [Mt. Roraima]
Schefflera duidae Steyermark subsp. *duidae* [to be expected in GU]
Schefflera monosperma Maguire, Steyermark, & Frodin [GU] [Mt. Roraima]
Schefflera morototoni (Aubl.) Maguire, Steyermark, & Frodin [GU SU FG]
Schefflera psilophylla (Harms) Maguire, Steyermark, & Frodin [Mt. Roraima]
Schefflera quinquecarinata Steyermark. [GU]

Schefflera sessiliflora Splithof-Heerschop ex Frodin [GU]
Schefflera splendens (Kunth) Frodin ex Lindeman [SU FG]
Schefflera umbellata (N.E. Brown) Viguier [GU] [Mt.
 Roraima]

ARALIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Crepinella gracilis Él. Marchal =*Schefflera monosperma*
Didymopanax morototoni (Aubl.) Decne. & Planch.
 =*Schefflera morototoni*
Didymopanax rugosum N.E. Brown =*Schefflera chimantensis*
 subsp. *rugosifolia*
Oreopanax capitatus (Jacq.) Decne. & Planch. var. *multiflorus*
 (DC.) Él. Marchal =*Oreopanax capitatus* var. *capitatus*
Panax morototoni Aubl. =*Schefflera morototoni*
Schefflera paraensis Huber ex Ducke =*Schefflera decaphylla*
Schefflera reticulata (Gleason) Mag., Steyermark. & Frodin, non
 Philipson =*Schefflera sessiliflora*
Schefflera rugosifolia Maguire, Steyermark. & Frodin
 =*Schefflera chimantensis* subsp. *rugosifolia*
Sciadophyllum coriaceum Él. Marchal =*Schefflera coriacea*
Sciadophyllum umbellatum N.E. Brown =*Schefflera umbellata*

ARECACEAE

Jessenia & *Oenocarpus* by M. Balick; reviewed
 by S.F. Glassman & J.-J. de Granville (1992);
 reviewed by A. Henderson & J.-J. de
 Granville (1996)

REFERENCES:

- Balick, M.J. 1986. Systematics and economic botany of the *Oenocarpus*-*Jessenia* (Palmae) complex. Advances in Economic Botany 3: 1-140. The New York Botanical Garden, New York.
- Dahlgren, B.E. 1936. Index of American Palms. Field Museum of Natural History, Botanical Series, 14: 1-436.
- Dransfield, J., D. Johnson, & H. Syngue. 1988. The Palms of the New World, A Conservation Census. IUCN: Kew, Richmond, Surrey.
- Glassman, S.F. 1972. A revision of B.E. Dahlgren's Index of American Palms. Phanerogamarum Monographiae Tomus VI: 1-294.
- Glassman, S.F. 1977. Preliminary taxonomic studies in the palm genus *Attalea* H.B.K. Fieldiana Bot. 38: 31-61.
- Glassman, S.F. 1977. Preliminary studies in the palm genus *Orbignya* Mart. Phytologia 36: 89-115.
- Glassman, S.F. 1978. Preliminary taxonomic studies in the palm genus *Maximiliana* Mart. Phytologia 38: 161-172.
- Glassman, S.F. 1987. Revisions of the palm genus *Syagrus* Mart. and other selected genera in the Cocos alliance. Ill. Biol. Monogr. 56: 1-230.
- Granville, J.-J. de. 1975. Un nouveau palmier en Guyane Française: *Geonoma oldemanii*. Adansonia, sér. 2 14(4): 553-559.
- Granville, J.-J. de. 1986. The Palms of the Guianas. Flora of the Guianas Newsletter 3: 36-39.
- Granville, J.-J. de. 1989. La distribucion de las palmas en Guyana Francesa. Acta Amaz. 19: 115-138.
- Granville, J.-J. de. 1990. Les Palmiers de la Guyane Française. Bois et Forêts des Tropiques 220: 43-54.
- Granville, J.-J. de. 1992. The genus *Bactris*: taxonomy and distribution. Flora of the Guianas Newsletter 9: 6-11.
- Granville, J.-J. de. 1996 (in press). Arecaceae. In S.A. Mori et al., Vascular Plant Flora of Central French Guiana. The New York Botanical Garden, New York.
- Granville, J.-J. de & A. Henderson. 1988. A new species of *Asterogyne* (Palmae) from French Guiana. Studies on the Flora of the Guianas 28. Brittonia 40(1): 76-80.
- Granville, J.-J. de & A. Henderson. 1994. A new species of *Bactris* (Palmae) from the Amazon region. Studies on the Flora of the Guianas 78. Brittonia 46(2): 147-150.
- Henderson, A. 1990. Arecaceae part I. Introduction and Iriarteinae. Flora Neotropica Monogr. 53: 1-100.
- Henderson, A. 1994. The genus *Attalea*. Palm Journal 114: 49-53.
- Henderson, A. 1995. The Palms of the Amazon. Oxford University Press.
- Kahn, F. & J.-J. de Granville. 1992. Palms in Forest Ecosystems of Amazonia. Ecological Studies 95: 1-226. Springer-Verlag.
- Kahn, F. & B. Millan. 1992. *Astrocaryum* (Palmae) in Amazonia. A preliminary treatment. Bull. Inst. fr. études andines 21(2): 459-531.
- Lindeman, J.C. 1984. Palmae (additions and corrections). In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 5(1): 651-652.
- Wessels Boer, J.G. 1965. Palmae. In J. Lanjouw, Flora of Suriname 5(1): 1-172.
- Wessels Boer, J.G. 1968. The Geonomoid Palms. N.V. Noord-Hollandsche Uitgevers Maatschappij, Amsterdam.
- Wessels Boer, J.G. 1972. Palmae. In B. Maguire & collaborators, Botany of the Guayana Highland part 9. Mem. New York Bot. Gard. 23: 1-832.

[status of names according to Henderson (1995) in brackets]

Acrocomia lasiospatha Mart. [GU SU FG] [=*Acrocomia aculeata*]
Asterogyne guianensis Granville & Henderson [FG]
Astrocaryum acaule Mart. [GU]
Astrocaryum aculeatum G. Mey. [GU SU]

- Astrocaryum farinosum* Barb. Rodr. [GU] [=Astrocaryum sciophilum]
Astrocaryum gynacanthum Mart. [GU SU FG]
Astrocaryum jauari Mart. [GU SU FG]
Astrocaryum minus Trail [FG]
Astrocaryum murumuru Mart. [FG]
Astrocaryum paramaca Mart. [GU SU FG]
Astrocaryum rodriquesii Trail [SU FG] [=Astrocaryum paramaca]
Astrocaryum sciophilum (Miq.) Pulle [SU FG]
Astrocaryum vulgare Mart. [GU SU FG]
Bactris acanthocarpa Mart. var. *intermedia* A. Henderson [GU]
Bactris acanthocarpoides Barb. Rodr. [GU? SU FG]
Bactris aubletiana Trail [SU FG]
Bactris balanophora Spruce [GU?] [not in Guianas, specimens = *B. ptariana* according to Granville]
Bactris brongniartii Mart. [GU SU FG] [frequently confused with *Bactris maraja*]
Bactris campestris Poepp. ex Mart. [GU SU FG]
Bactris capimensis Huber [FG] [=*Bactris tomentosa* var. *tomentosa*]
Bactris constanciae Barb. Rodr. [GU SU FG]
Bactris cruegeriana Griseb. & H. Wendl. ex Griseb. [GU SU] [not in Guianas according to Henderson]
Bactris elegans Barb. Rodr. & Trail [GU SU FG]
Bactris floccosa Spruce [SU FG] [=*Bactris cuspidata* Mart.]
Bactris gastoniana Barb. Rodr. [SU FG]
Bactris gaviona (Trail) Trail ex Drude [SU] [=*Bactris major* var. *infesta* (Mart.) Henderson]
Bactris hirta Mart. var. *hirta* [GU SU FG]
Bactris humilis (Wallace) Burret [GU SU FG] [=*Bactris acanthocarpa* var. *acanthocarpa*]
Bactris major N.J. Jacq. [GU SU FG] [var. *major*]
Bactris maraja Mart. [GU SU FG] [var. *maraja*] [see also *Bactris brongniartii*]
Bactris oligocarpa Barb. Rodr. & Trail ex Barb. Rodr. [SU FG]
Bactris oligoclada Burret [GU]
Bactris pectinata Mart. [FG] [=*Bactris hirta* var. *hirta*]
Bactris penicillata Barb. Rodr. [FG] [=*Bactris maraja* var. *juruensis* (Trail) Henderson]
Bactris pliniana Granville & Henderson [GU SU FG]
Bactris ptariana Steyerm. [GU]
Bactris raphidacantha Wessels Boer [GU SU FG]
Bactris simplicifrons Mart. [GU SU FG]
Bactris sp. nov. [FG]
Bactris sp. nov. [FG]
Bactris sp. nov. [GU] [=*Bactris vesiculifera* Trail, nomen nudum]
Bactris trailliana Barb. Rodr. [SU FG]
Bactris turbinocarpa Barb. Rodr. [SU]
Cocos nucifera L. [GU SU FG] [cultivated, naturalized]
Desmoncus macroacanthos Mart. [GU SU FG] [=*Desmoncus polyacanthos* var. *polyacanthos*]
Desmoncus orthacanthos Mart. [GU SU FG]
Desmoncus polyacanthos Mart. [GU SU FG] [var. *polyacanthos*]
Desmoncus sp. cf. *mitis* Mart. [FG]
Desmoncus sp. cf. *pycnacanthos* Mart. [FG]
Desmoncus sp. cf. *riparius* Spruce [SU] [*Desmoncus riparius* = *Desmoncus polyacanthos* var. *polyacanthos*]
Dictyocaryum ptariense (Steyerm.) H.E. Moore & Steyerm. [GU]
Elaeis guineensis N.J. Jacq. [GU SU FG] [cultivated, naturalized]
Elaeis oleifera (Kunth) Cortés [GU SU FG] [naturalized?]
Euterpe aurantiaca H.E. Moore [GU] [not in Guianas according to Henderson]
Euterpe longebracteata Barb. Rodr. [GU]
Euterpe oleracea Mart. [GU SU FG]
Euterpe precatoria Mart. [GU SU FG] [var. *precatoria*]
Euterpe roraimae Dammer [GU?] [Mt. Roraima]
Geonoma appuniana Spruce [GU]
Geonoma arundinacea Mart. [FG] [not in Guianas according to Henderson]
Geonoma baculifera (Poit.) Kunth [GU SU FG]
Geonoma deversa (Poit.) Kunth [GU SU FG]
Geonoma eupatha Burret [GU SU FG] [=*Geonoma interrupta* var. *eupatha*]
Geonoma fusca Wessels Boer [GU FG] [=*Geonoma aspidifolia*]
Geonoma leptospadix Trail [GU SU FG]
Geonoma maxima (Poit.) Kunth [GU SU FG] [var. *maxima*]
Geonoma oldemanii Granville [FG]
Geonoma pinnatifrons Willd. [SU] [not in Guianas according to Henderson]
Geonoma piscicauda Dammer [SU FG] [=*Geonoma stricta* var. *piscicauda*] [not in Guianas (Henderson)]
Geonoma poiteauana Kunth [GU SU FG] [=*Geonoma macrostachys* var. *poiteauana*]
Geonoma pycnostachys Mart. [GU? FG] [=*Geonoma stricta* var. *stricta*]
Geonoma sp. nov. #1 [FG]
Geonoma sp. nov. #2 [FG]
Geonoma stricta (Poit.) Kunth [GU SU FG] [var. *stricta*]
Geonoma umbraculiformis Wessels Boer [GU SU FG]
Hyospathe elegans Mart. [GU SU FG]
Iriartella setigera (Mart.) H. Wendl. [GU]
Jessenia bataua (Mart.) Burret subsp. *bataua* [GU? SU? FG] [=*Oenocarpus bataua* var. *bataua*] [not in Guianas according to Henderson]
Jessenia bataua (Mart.) Burret subsp. *oligocarpa* (Griseb. & H. Wendl.) Balick [GU SU FG] [=*Oenocarpus bataua* var. *oligocarpa*]
Lepidocaryum guianense Becc. [GU] [=*Lepidocaryum tenue* var. *gracile*]
Manicaria saccifera Gaertn. [GU SU FG]
Mauritia flexuosa L.f. [GU SU FG]
Mauritiella martiana (Spruce) Burret [GU SU FG] [=*Mauritiella armata*]
xMaximbignya dahlgreniana (Bondar) Glassman, comb. & stat. nov. ined. [SU] [=*Attalea dahlgreniana*]
Maximiliana maripa (Corrêa) Drude [GU SU FG] [=*Attalea maripa*]
Oenocarpus bacaba Mart. [GU SU FG]
Orbignya phalerata Mart. [GU SU] [=*Attalea speciosa*]
Orbignya polysticha Burret [FG] [=*Attalea microcarpa*]
Orbignya sagotii Trail ex Im Thurn [GU SU FG] [=*Attalea microcarpa*]
Phoenix reclinata Jacq. [GU SU FG] [cultivated, naturalized]
Prestoea tenuiramosa (Dammer) H.E. Moore [GU]
Roystonea oleracea (N.J. Jacq.) O.F. Cook [GU SU FG] [cultivated, naturalized]
Scheelea camopiensis Glassman, sp. nov. ined. [FG] [=*Attalea attaleoides*]
Scheelea degranvillei Glassman, sp. nov. ined. [FG] [=*Attalea attaleoides*]
Scheelea guianensis Glassman, sp. nov. ined. [FG] [=*Attalea attaleoides*]

Scheelea maripensis Glassman, sp. nov. ined. [FG] [=Attalea attaleoides]
Scheelea sp. cf. *macrolepis* Burret [FG] [=Attalea attaleoides]
Socratea exorrhiza (Mart.) H. Wendl. [GU SU FG]
Syagrus cocoides Mart. [GU]
Syagrus inajai (Spruce) Beccari [SU FG]
Syagrus stratincola Wessels Boer [GU SU FG]

ARECACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Acrocomia aculeata (Jacq.) Lodd. ex Mart. [see *Acrocomia lasiospatha*]
Acrocomia sclerocarpa Mart. =*Acrocomia lasiospatha*
 [= *Acrocomia aculeata* s.l.]
Acrocomia wallaceana (Drude) Becc. =*Acrocomia lasiospatha*
 [= *Acrocomia aculeata* s.l.]
Asterogyne spicata (H.E. Moore) Wessels Boer [not in Guianas]
Astrocaryum caudescens Barb. Rodr. =*Astrocaryum aculeatum*
Astrocaryum guianense Splitg. ex Mart. =*Astrocaryum vulgare*
Astrocaryum munbaca Mart. =*Astrocaryum gynacanthum*
Astrocaryum plicatum Drude =*Astrocaryum sciophilum*
Astrocaryum segregatum Drude =*Astrocaryum vulgare*
Astrocaryum tucuma Mart. =*Astrocaryum aculeatum*
Astrocaryum tucumoides Drude =*Astrocaryum vulgare*
Attalea attaleoides (Barb. Rodr.) Wessels Boer =*Scheelea*
 sp. [non *Scheelea attaleoides* Karst.]
Attalea dahlgreniana (Bondar) Wessels Boer =*xMaximbignya dahlgreniana*
Attalea excelsa Mart. ex Spreng. =*Scheelea martiana* Burret
 [dubious species]
Attalea funifera Mart. [not in Guianas]
Attalea macropetala (Burret) Wessels Boer =*Maximiliana maripa*
Attalea maripa (Corrêa) Mart. =*Maximiliana maripa*
Attalea microcarpa Mart. [see *Orbignya polysticha*, *Orbignya sagotii*]
Attalea monosperma Barb. Rodr. =*Orbignya spectabilis*
 (Mart.) Burret [not in Guianas]
Attalea regia (Mart.) Wessels Boer =*Maximiliana maripa*
Attalea sagotii (Trail ex Im Thurn) Wessels Boer =*Orbignya sagotii*
Attalea speciosa Mart. [see *Orbignya phalerata*]
Attalea spectabilis Mart. =*Orbignya spectabilis* (Mart.) Burret
 [not in Guianas]
Bactris armata Barb. Rodr. [not in Guianas]
Bactris concinna Mart. [not in Guianas]
Bactris corossilla Karsten [not in Guianas]
Bactris cuspidata Mart. var. *tenuis* (Wallace) Drude =*Bactris simplicifrons*
Bactris exscapa Barb. Rodr. =*Bactris humilis*
Bactris geonomoides Drude =*Bactris hirta* var. *hirta*
Bactris integrifolia Wallace =*Bactris hirta* var. *hirta*
Bactris leptocarpa Trail ex Im Thurn =*Bactris campestris*
Bactris maraja Mart. var. *juruensis* (Trail) Henderson [see
 Bactris penicillata]
Bactris megalocarpa Trail ex Im Thurn =*Bactris cruegeriana*
Bactris mitis Mart. [not in Guianas]
Bactris monticola Barb. Rodr. =*Bactris maraja*
Bactris pallidispina Mart. =*Bactris brongniartii*
Bactris rivularis Barb. Rodr. =*Bactris brongniartii*
Bactris sphaerocarpa Trail [not in Guianas]

Bactris tenuis Wallace =*Bactris simplicifrons*
Bactris trichospatha Trail =*Bactris maraja*
Bactris ulei Burret =*Bactris simplicifrons*
Chamaedorea gracilis Willd. [name of uncertain application]
Copernicia cerifera (Arruda da Camara) Mart. =*Copernicia prunifera* (Miller) Moore [cultivated only]
Desmoncus guianensis Trail [apparently a nomen nudum]
Desmoncus horridus Splitg. ex Mart. =*Desmoncus orthacanthos*
Desmoncus kaieteurensis L.H. Bailey =*Desmoncus macroacanthos*
Desmoncus maguirei L.H. Bailey =*Desmoncus polyacanthos*
Desmoncus oxyacanthos Mart. =*Desmoncus polyacanthos*
Desmoncus palustris Trail =*Desmoncus orthacanthos*
Desmoncus parvulus L.H. Bailey =*Desmoncus macroacanthos*
Dictyocaryum fuscum (Kersten) H. Wendl. [not in Guianas]
Euterpe stenophylla Trail ex Burret =*Euterpe precatoria*
Euterpe tenuiramosa Dammer =*Prestoea tenuiramosa*
Geonoma acaulis (Poit.) Burret =*Geonoma poiteauana*
Geonoma acaulis Mart. [not in Guianas]
Geonoma ambigua Spruce =*Geonoma maxima*
Geonoma aspidiifolia Spruce [see *Geonoma fusca*]
Geonoma barthia Engel =*Geonoma densa*
Geonoma bartlettii Dammer ex Burret =*Geonoma deversa*
Geonoma densa Linden & H. Wendl. ex H. Wendl. [not in Guianas]
Geonoma elegans Mart. [not in Guianas]
Geonoma interrupta (Ruiz & Pav.) Mart. var. *euspatha*
 (Burret) Henderson =*Geonoma euspatha*
Geonoma macrostachys Mart. var. *poiteauana* (Kunth)
 Henderson =*Geonoma poiteauana*
Geonoma maguirei L.H. Bailey =*Geonoma stricta*
Geonoma multiflora Mart. [not in Guianas]
Geonoma paniculigera Mart. =*Geonoma deversa*
Geonoma platycaula Drude & Trail ex Drude =*Geonoma rubescens* H. Wendl. ex Drude [not in Guianas]
Geonoma robusta Burret =*Geonoma maxima*
Geonoma saramaccana L.H. Bailey =*Geonoma leptospadix*
Geonoma schomburgkiana Spruce =*Geonoma maxima*
Geonoma spruceana Trail =*Geonoma maxima*
Geonoma stricta (Poit.) Kunth var. *piscicauda* (Dammer)
 Henderson =*Geonoma piscicauda*
Geonoma tamandua Trail [not in Guianas] [=*Geonoma macrostachys* var. *macrostachys*]
Geonoma triglochin Burret [not in Guianas]
Guilielma speciosa Mart. =*Bactris gasipaes* Kunth [cultivated only]
Iriarte exorrhiza Mart. =*Socratea exorrhiza*
Iriarte fusca (Karst.) Drude =*Dictyocaryum fuscum* [not in Guianas]
Jessenia oligocarpa Griseb. & H. Wendl. =*Jessenia bataua*
 subsp. *oligocarpa*
Lepidocaryum tenue Mart. var. *gracile* (Mart.) Henderson [see *Lepidocaryum guianense*]
Markleya dahlgreniana Bondar =*xMaximbignya dahlgreniana*
Mauritia martiana Spruce =*Mauritiella martiana*
Mauritiella aculeata (Kunth) Burret [not in Guianas]
Mauritiella armata (Mart.) Burret [see *Mauritiella martiana*]
Maximiliana macropetala Burret =*Maximiliana maripa*
Maximiliana martiana Karsten =*Maximiliana maripa*
Maximiliana regia Mart. =*Maximiliana maripa*

- Oenocarpus bataua* Mart. =*Jessenia bataua* subsp. *bataua*
Oenocarpus bataua Mart. var. *oligocarpa* (Griseb. & H. Wendl.) Henderson =*Jessenia bataua* subsp. *oligocarpa*
Oenocarpus oligocarpa (Griseb. & H. Wendl.) Wessels Boer =*Jessenia bataua* subsp. *oligocarpa*
Orbignya barbosiana Burret =*Orbignya speciosa* (Mart.) Barb. Rodr. [not in Guianas]
Orbignya speciosa (Mart.) Barb. Rodr. [not in Guianas] [=*Attalea speciosa*]
Orbignya spectabilis (Mart.) Burret [not in Guianas] [=*Attalea spectabilis* Mart.]
Raphia taedigera (Mart.) Mart. [not in Guianas]
Roystonea jenmanii (Wright) Burret =*Roystonea regia* (Kunth) Cook [cultivated]
Syagrus sancona Karsten [not in Guianas]
Yuyba dakamana L.H. Bailey =*Bactris simplicifrons*
Yuyba essequiboensis L.H. Bailey =*Bactris simplicifrons*
Yuyba gleasonii L.H. Bailey =*Bactris simplicifrons*
Yuyba maguirei L.H. Bailey =*Bactris simplicifrons*
Yuyba stahelii L.H. Bailey =*Bactris simplicifrons*

ARISTOLOCHIACEAE

contributed by C. Feuillet & O. Poncy (1992); additions and corrections by C. Feuillet (1996)

REFERENCES:

- Hoehne, F.C. 1942. Aristolochiaceas. In F.C. Hoehne, Flora Brasílica 14(2): 1-141.
 Poncy, O. 1988. Quatre espèces nouvelles d'Aristolochia de Guyane française, et remarques nomenclaturales concernant une espèce d'Aublet. Bull. Mus. Hist. Nat. Paris, sér. 4, 10 (sect. B), Adansonia 4: 337-344.

- Aristolochia amara* (Aubl.) O. Poncy [FG] [based on sterile material, of uncertain application]
Aristolochia bukuti O. Poncy [SU FG]
Aristolochia consimilis Mast. [GU]
Aristolochia cremersii O. Poncy [FG]
Aristolochia daemonoxia Mast. [GU]
Aristolochia didyma S. Moore [FG]
Aristolochia flava O. Poncy [FG]
Aristolochia guianensis O. Poncy [SU FG]
Aristolochia hians Willd. [GU]
Aristolochia iquensis O.C. Schmidt [GU SU FG]
Aristolochia leprieurii Duch. [FG]
Aristolochia mossii S. Moore [FG]
Aristolochia paramaribensis Duch. [GU SU FG]
Aristolochia peltatodeltoidea Hoehne [GU]
Aristolochia rugosa Lam. [GU FG]
Aristolochia stahelii O.C. Schmidt [SU FG]
Aristolochia surinamensis Willd. [GU SU]
Aristolochia trilobata L. [GU SU FG]
Aristolochia weddellii Duch. var. *rondoniana* Hoehne [GU SU FG]

ARISTOLOCHIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Aristolochia barbata* Jacq. =*Aristolochia rugosa*
Aristolochia cornuta Masters [not in Guianas]
Aristolochia dictyantha Duch. var. *schomburgkii* (Kl.) Duch. =*Aristolochia rugosa*
Aristolochia dubia Hoehne =*Aristolochia mossii*
Aristolochia gabrielis Briq. =*Aristolochia leprieurii*
Aristolochia glaucescens Kunth [not in Guianas]
Aristolochia longeaudata Mast. =*Aristolochia weddellii* var. *rondoniana*
Aristolochia macrophylla Duch. =*Aristolochia iquitensis*
Aristolochia macrota Duch. =*Aristolochia surinamensis*
Aristolochia maxima L. [not in Guianas]
Aristolochia platyloba Gärcke =*Aristolochia surinamensis*

ASCLEPIADACEAE

contributed by G. Morillo (1992)

REFERENCES:

- Fontella Pereira, J. 1977. Revisão taxonômica do gênero *Tassadia* Decaisne. Arq. Jard. Bot. Rio de Janeiro 21: 235-392.
 Jonker, F.P. 1940. Asclepiadaceae. In A. Pulle, Flora of Suriname 4(2): 326-352.
 Morillo, G. 1986. Asclepiadaceae II. Especies nuevas o interesantes en Venezuela y Guyana. Ernsta 37: 1-13.
 Morillo, G. 1988. Asclepiadaceae III, one new species and four new records. Proc. Kon. Ned. Akad. Wet. ser. C, 91(2): 161-164.
 Morillo, G. 1989. Contribución al conocimiento de las Asclepiadaceae suramericanas, principalmente de las Guayanas. Ernsta 51: 2-15.
 Morillo, G. 1989. Veinte Asclepiadaceae sudamericanas nuevas para la ciencia y una nueva combinación. An. Jard. Bot. Madrid 47(2): 349-359.
 Morillo, G. 1991. Once Asclepiadaceae suramericanas nuevas para la ciencia. Ernsta 1(3): 109-120.
 Morillo, G. 1993. Asclepiadaceae nuevas o interesantes de Venezuela y Guyana. Ernsta 3(2): 61-70.
 Morillo, G. 1994. Seis Asclepiadaceae Sudamericanas nuevas para la ciencia. Ernsta 4(1-2): 3-10.

- Asclepias curassavica* L. [GU SU FG]
Asclepias fruticosa L. [SU]
Barjonia erecta (Vell.) K. Schum. [SU]
Blepharodon glaucescens (Decne.) Fontella [GU]
Blepharodon grandiflorum Benth. subsp. *crassifolius* (Schlechter) Morillo [GU]
Blepharodon julianii Morillo [to be expected in GU]
Blepharodon nitidus (Vell.) Macbr. [GU SU FG]
Blepharodon tillettii Morillo [GU]

Blepharodon ulei Schlechter [GU]
 Calotropis gigantea (L.) Aiton [GU SU] [cultivated, naturalized]
Cynanchum blandum (Decne.) Sundell [GU SU FG]
Cynanchum görtsianum Morillo [FG]
Cynanchum hirtellum (Oliver) Badillo [GU]
Cynanchum jenmanii Morillo [GU]
Cynanchum montevidense Spreng. [GU]
Cynanchum parviflorum Swartz [GU]
Cynanchum prevostiae Morillo [FG]
Ditassa angustifolia Decne. [GU]
Ditassa ayangannaensis Morillo [GU]
Ditassa bolivarensis (R. Holm) Morillo [to be expected in GU]
Ditassa consanguinea Decne. [GU SU FG]
Ditassa gillespieae Morillo [GU]
Ditassa lindemanii Morillo [SU]
Ditassa obovata (R. Holm) Morillo [to be expected in GU]
Ditassa pauciflora Decne. [GU]
Ditassa roraimensis Schlechter [GU]
Ditassa surinamensis Morillo [SU]
Ditassa tatei Gleason & Moldenke [GU]
Ditassa taxifolia Decne. [GU]
Ditassa venamensis Morillo [GU]
Fischeria stellata (Vell.) Fourn. [GU]
Gonolobus germanianus Morillo [to be expected in GU]
Gonolobus grandiflorus R. Brown [GU?] [specimens not seen, status uncertain]
Gonolobus tobagensis Urb. [GU]
Macroditassa carolina Morillo [GU] [Mt. Roraima]
Macroditassa laurifolia (Decne.) Fontella [GU]
Macroscelis hirsuta (Vahl) Schlecht. [GU]
Marsdenia altissima (Jacq.) Dugand [GU SU FG]
Marsdenia gillespieae Morillo [GU]
Marsdenia macrophylla (Kunth) Fourn. [GU SU]
Marsdenia rubrofusca Fourn. [GU SU FG]
Marsdenia weddellii (Fourn.) Malme [SU]
Matelea badilloi Morillo [GU FG]
Matelea boliviensis Morillo [GU]
Matelea cayennensis Morillo [FG]
Matelea coriacea Morillo [to be expected in GU]
Matelea cremersii Morillo [FG]
Matelea delascioi Morillo [GU]
Matelea denticulata (Vahl) Fontella & Schwarz [GU SU FG]
Matelea funkiana Morillo [GU]
Matelea glaziovii (Fourn.) Morillo [SU]
Matelea grenandi Morillo [FG]
Matelea hoffmannii Morillo [GU]
Matelea jansen-jacobsiae Morillo [SU]
Matelea loureigiae Morillo [GU SU FG]
Matelea maritima (Jacq.) Woodson [GU]
Matelea oldemanii Morillo [FG]
Matelea palustris Aubl. [GU SU FG]
Matelea planiflora (Jacq.) Dugand [GU]
Matelea riparia Morillo [GU]
Matelea sastrei Morillo [SU FG]
Matelea squiresii (Rusby) Morillo [GU SU]
Matelea stenopetala Sandw. [GU FG]
Matelea surinamensis Morillo [SU]
Metalepis albiflora Urb. [FG]
Metalepis prevostiae Morillo [FG]
Nephradenia linearis Benth. ex Fourn. [GU]
Oxypetalum capitatum Mart. & Zucc. [GU]
Sarcostemma clausum (Jacq.) Roem. & Schult. [GU SU FG]
Stenomeria decalepis Turcz. [GU]

Tassadia aristata (Benth. ex Fourn.) Fontella [to be expected in the Guianas]
Tassadia berteriana (Spreng.) Stevens [GU SU]
Tassadia decaisneana Miq. [GU SU]
Tassadia guianensis Decne. [GU SU FG]
Tassadia leptobotrys Decne. [SU]
Tassadia martiana Decne. [to be expected in the Guianas]
Tassadia obovata Decne. [GU SU FG]
Tassadia ovalifolia (Fourn.) Fontella [to be expected in the Guianas]
Tassadia propinquia Decne. [GU SU] [to be expected in FG]
Tassadia trailiana (Benth.) Fontella [GU]

ASCLEPIADACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Funastrum clausum (Jacq.) Schlechter =*Sarcostemma clausum*
Gonolobus ligustrinus Decne. [not in Guianas]
Gonolobus riparius Kunth [not in Guianas]
Gonolobus surinamensis Jonk. =*Matelea loureigiae*
Gonolobus viridiflorus Roem. & Schult. =*Matelea denticulata*
Marsdenia maculata Hook. =*Marsdenia macrophylla*
Marsdenia mollissima Fourn. =*Marsdenia altissima*
Matelea hirsuta (Vahl) Woodson =*Macroscelis hirsuta*
Matelea latifolia Aubl. =*Matelea palustris*
Metastelma brasiliense K. Schum. [not in Guianas]
Metastelma decaisneana Benth. & Hook. =*Tassadia decaisneana*
Metastelma stenolobum Decne. =*Tassadia berteriana*
Roulinia blanda Decne. =*Cynanchum blandum*
Rouliniella guianensis (Decne.) Jonker =*Cynanchum blandum*
Telminostelma corymbosum (Decne.) Fontella & Schwarz
 =*Cynanchum blandum*

ASTERACEAE

contributed by V.A. Funk, H. Robinson, & J. Pruski (1992); additions and corrections by V.A. Funk, H. Robinson, & J. Pruski (1996)

REFERENCES:

- Aristeguieta, L. 1964. Compositae. In T. Lasser, Flora de Venezuela 10: 1-947.
 Funk, V.A. 1991. The Compositae of the Guianas, I: Heliantheae (Heliantheae, Tageteae, Coreopsideae). Rhodora 93(875): 256-267.
 Koster, J.T. 1938. Compositae. In A. Pulle, Flora of Suriname 4(2): 87-165.
 Pruski, J.F. 1991. Compositae of the Guayana Highland - V. The Mutisieae of the lost world of Brazil, Colombia, and Guyana. Bol. Mus. Paraense Emílio Goeldi (Bot.) 7: 335-392.
 Robinson, H. 1992. The Asteraceae of the Guianas, III: Vernonieae and restoration of the genus Xiphochaeta. Rhodora 94(880): 348-361.

- Acanthospermum australe (Loefl.) Kuntze [GU SU FG]
 Acanthospermum hispidum DC. [GU SU FG]
 Achyrocline flaccida DC. [GU]
 Achyrocline satureioides (Lam.) DC. [GU]
 Achyrocline vargasiana DC. [GU]
Acemella brachyglossa Cass. [SU FG]
Acemella ciliata (Kunth) Cass. [GU FG?]
Acemella radicans (Jacq.) R.K. Jansen var. *debilis* (Kunth) R.K. Jansen [to be expected in the Guianas]
Acemella repens (Walt.) L.C. Rich. ex Pers. [FG]
Acemella uliginosa (Swartz) Cass. [GU SU FG]
Ageratina ibaguensis (Schultz Bip. ex Hieron.) R. King & H. Robinson [to be expected in the Guianas]
Ageratina roraimensis (N.E. Brown) R. King & H. Robinson [Mt. Roraima]
Ageratum conyzoides L. [GU SU FG] [introduced]
Ageratum houstonianum Mill. [SU] [widely cultivated, possibly naturalized]
Ageratum scorpioides Baker [GU]
Ambrosia crithmifolia DC. [GU]
Ambrosia microcephala DC. [SU FG]
Ambrosia peruviana Willd. [to be expected in the Guianas]
Austroeupatorium inulaefolium (Kunth) R. King & H. Robinson [GU]
Ayapana amygdalina (Lam.) R. King & H. Robinson [GU SU FG]
Ayapana trinitensis (Kuntze) R. King & H. Robinson [to be expected in the Guianas]
Ayapana triplinervis (Vahl) R. King & H. Robinson [FG]
Baccharis brachylaenoides DC. var. *brachylaenoides* [GU]
Baccharis brachylaenoides DC. var. *ligustrina* (DC.) Maguire & Wurdack [GU]
Baccharis densa (N.E. Brown) Badillo [GU]
Baccharis rufescens Spreng. [GU]
Baccharis schomburgkii Baker [GU]
Baccharis trinervis (Lam.) Pers. [to be expected in the Guianas]
Baccharis varians Gardner [GU SU]
Baccharis vitis-idaea Oliver [GU]
Baltimora geminata (Brandegee) Stuessy [GU]
Bidens alba (L.) DC. var. *radiata* (Schultz Bip.) Ballard [GU FG]
Bidens cynapiifolia Kunth [GU SU FG]
Bidens pilosa L. [GU SU FG]
Bidens riparia Kunth var. *refracta* (Brandegee) O.E. Schultz [GU]
Calea berteriana DC. [to be expected in the Guianas]
Calea caleoides (DC.) H. Robinson [GU SU]
Calea divaricata Benth. [GU]
Calea lucidivenia Gleason & S.F. Blake [GU]
Calea oliveri B.L. Robinson & Greenm. [GU]
Calea solidaginea Kunth subsp. *deltophylla* (Cowan) Pruski [GU SU FG]
Centratherum punctatum Cass. [GU FG]
Chaptalia integriflora (Vell.) Burkart [GU]
Chaptalia nutans (L.) Polakowsky [GU SU]
Chromolaena corymbosa (Aubl.) R. King & H. Robinson [FG]
Chromolaena dichotoma Schultz Bip. [SU]
Chromolaena ivaefolia (L.) R. King & H. Robinson [GU]
Chromolaena laevigata (Lam.) R. King & H. Robinson [GU SU FG]
Chromolaena maximilianii (Schrad. ex DC.) R. King & H. Robinson [FG]
Chromolaena odorata (L.) R. King & H. Robinson [GU SU FG]
- Chromolaena pharcidodes* (B. Robinson) R. King & H. Robinson [GU]
Chromolaena squalida (DC.) R. King & H. Robinson [GU SU]
Chromolaena thurnii (B. Robinson) R. King & H. Robinson [GU]
Clibadium armani (Balbis) Schultz Bip. ex O.E. Schulz [GU SU FG]
Clibadium asperum DC. [GU SU FG]
Clibadium surinamense L. [GU SU FG]
Clibadium sylvestre (Aubl.) Baill. [GU SU FG]
Condylidium iresinoides (Kunth) R. King & H. Robinson [GU]
Conzya bonariensis (L.) Cronquist [GU SU FG]
Conzya canadensis (L.) Cronquist [SU FG] [naturalized]
Conzya primulaefolia (Lam.) Cuatrec. & Lourteig [GU SU]
Cosmos caudatus Kunth [GU SU FG] [widely cultivated, probably escaping]
Cyanthillium cinereum (L.) H. Robinson [GU SU FG]
 [naturalized]
Cyrtocymura scorpioides (Lam.) H. Robinson [GU SU FG]
Delilia biflora (L.) Kuntze [GU]
Eclipta prostrata (L.) L. [GU SU FG]
Egletes commixta Shinners [GU]
Egletes florida Shinners [to be expected in the Guianas]
Egletes prostrata (Swartz) Kuntze [GU]
Elephantopus mollis Kunth [GU SU FG]
Eleutheranthera ruderalis (Swartz) Schultz Bip. [GU SU FG]
Emilia coccinea (Sims) G. Don [cultivated, perhaps escaping]
Emilia fosbergii Nicolson [GU SU FG]
Emilia sonchifolia (L.) DC. ex Wight [GU SU FG]
Erechtites hieracifolia (L.) Raf. ex DC. [GU SU FG]
Erechtites valerianaefolia (Wolf) Link ex Spreng. [GU FG]
Erigeron laevigatus Rich. [FG]
Fleischmannia microstemon (Cass.) R. King & H. Robinson [SU FG]
Gamochaeta simplicicaulis Willd. ex Spreng. [GU]
Gnaphalium elegans Kunth [to be expected in GU]
Gnaphalium polycaulon Pers. [GU]
Gongylolepis benthamiana Rob. Schomb. [GU]
Guayanaya roupalifolia (B. Robinson) R. King & H. Robinson [GU]
Hebeclinium macrophyllum (L.) DC. [GU SU FG]
Heterocondylus vitalbae (DC.) R. King & H. Robinson [SU]
Ichthyothere davidsei H. Robinson [FG]
Ichthyothere granvillei H. Robinson [SU? FG]
Ichthyothere terminalis (Spreng.) S.F. Blake [GU SU FG]
Koanophyllum fuscum (N.E. Brown) R. King & H. Robinson [GU]
Lagascea mollis Cav. [to be expected in the Guianas]
Lepidaploa boliviensis (Badillo) H. Robinson [GU SU]
Lepidaploa cardonae (Aristeguieta) Pruski, comb. nov. ined. [GU]
Lepidaploa chrysotricha (Alexander) H. Robinson [GU]
Lepidaploa cotoneaster (Less.) H. Robinson [GU]
Lepidaploa ehretiifolia (Benth.) H. Robinson [GU]
Lepidaploa gracilis (Kunth) H. Robinson [GU]
Lepidaploa pari (Badillo) H. Robinson [to be expected in the Guianas]
Lepidaploa remotiflora (L.C. Rich.) H. Robinson [GU SU FG]
Lepidaploa salzmanii (DC.) H. Robinson [Mt. Roraima]
Melanthera nivea (L.) Small [GU]
Mikania banisteriae DC. [GU SU FG]
Mikania boomii Pruski [GU]
Mikania chlorolepis Baker [to be expected in GU]
Mikania congesta DC. [GU SU FG]

- Mikania cordifolia* (L.f.) Willd. [GU SU FG]
Mikania diuidensis B.L. Robinson [GU]
Mikania gleasonii B.L. Robinson [GU SU FG]
Mikania guaco Humb. & Bonpl. [GU SU FG]
Mikania hookeriana DC. [GU SU FG]
Mikania lindleyana DC. [GU SU]
Mikania lucida S.F. Blake [Mt. Roraima]
Mikania micrantha Kunth [GU SU FG]
Mikania microptera DC. [GU SU FG]
Mikania nigropunctulata Hieron. [GU SU]
Mikania pannosa Baker [GU]
Mikania parviflora (Aubl.) Karsten [GU SU FG]
Mikania psilostachya DC. [GU SU FG]
Mikania rondonensis Badillo [Mt. Roraima]
Mikania sprucei Baker [GU]
Mikania trinitaria DC. [GU SU FG]
Mikania vitifolia DC. [GU SU]
Neurolema lobata (L.) Cass. [SU FG]
Orthopappus angustifolius (Swartz) Gleason [GU SU FG]
Oyedaea scaberrima (Benth.) S.F. Blake [GU]
Oyedaea tepuiana (Badillo) Pruski, comb. nov. ined. [to be expected in the Guianas]
Pacourina edulis Aubl. [GU SU FG]
Parthenium hysterophorus L. [GU SU FG]
Pectis elongata Kunth var. elongata [GU SU FG]
Pectis elongata Kunth var. floribunda (A. Rich.) Keil [FG]
Pectis humifusa Swartz [GU]
Pectis linifolia L. var. linifolia [to be expected in the Guianas]
Pectis venezuelensis Steyerl. [to be expected in the Guianas]
Pentacalia freemanii (Britt. & Greenm.) Cuatrec. [GU]
Pentacalia ptarihana (Cuatrec.) Cuatrec. [to be expected in the Guianas]
Piptocarpha leprosa (Less.) Baker [GU]
Piptocarpha opaca (Benth.) Baker [GU]
Piptocarpha poeppigiana (DC.) Baker [GU]
Piptocarpha polycephala Baker [GU]
Piptocarpha triflora (Aubl.) Bennett ex Baker [GU SU FG]
Piptocoma roraimensis (Steyerl.) Pruski, comb. nov. ined. [GU]
Piptocoma schomburgkii (Schultz Bip.) Pruski, comb. nov. ined. [GU SU FG]
Pluchea carolinensis (Jacq.) G. Don [GU] [probably cultivated only]
Pluchea odorata (L.) Cass. [GU SU]
Pluchea sagittalis (Lam.) Cabrera [to be expected in the Guianas]
Porophyllum ruderale (Jacq.) Cass. [GU SU FG]
Praxelis asperulacea (Baker) R. King & H. Robinson [GU]
Praxelis karuaiensis (V. Badillo) R. King & H. Robinson [GU]
Praxelis pauciflora (Kunth) R. King & H. Robinson [GU SU FG]
Pseudelephantopus spicatus (Juss.) Rohr [GU SU FG]
Pseudogynoxys chenopodioides (Kunth) Cabrera [to be expected in the Guianas]
Pterocaulon alopecuroides (Lam.) DC. [GU SU]
Quelchia conferta N.E. Brown [GU]
Riencourtia glomerata Cass. [SU FG]
Riencourtia latifolia Gardn. [GU]
Riencourtia oblongifolia Gardn. [SU]
Riencourtia pedunculosa (Rich.) Pruski, comb. nov. ined. [FG]
Rolandia fruticosa (L.) Kuntze [GU SU FG]
Salmea scandens DC. [to be expected in the Guianas]
Sciadocephala pakaraimae (Maguire & Wurdack) R. King & H. Robinson [GU]
Sigesbeckia orientalis L. [GU] [naturalized]
- Sonchus asper* (L.) Hill. [GU]
Sphagneticola brachycarpa (Baker) Pruski, comb. nov. ined. [GU]
Sphagneticola trilobata (L.) Pruski, comb. nov. ined. [GU SU FG]
Spilanthes urens Jacq. [to be expected in the Guianas]
Stenopadus connellii (N.E. Brown) S.F. Blake [GU]
Stenopadus megacephalus Pruski [GU]
Stenopadus sericeus Maguire & Arist. [GU]
Stenopadus talaumifolius S.F. Blake [GU]
Stiftia cayennensis H. Robinson & Kahn [FG]
Stomatochaeta condensata (Baker) Maguire & Wurdack [GU]
Struchium sparganophorum (L.) Kuntze [GU SU FG]
Symphyotrichum laeve (L.) Löve & Löve [GU FG]
[cultivated, naturalized]
Synedrella nodiflora (L.) Gaertn. [GU SU FG]
Tagetes erecta L. [GU SU] [cultivated, naturalized]
Trichogonia arguta (Kunth) Benth. & Hook.f. ex Klatt [Mt. Roraima]
Trichospira verticillata (L.) S.F. Blake [GU FG]
Tridax procumbens L. [GU FG]
Unxia camphorata L.f. [GU SU FG]
Verbesina columbiana B.L. Robinson [to be expected in the Guianas]
Verbesina ligulata (Maguire & Wurdack) Pruski, comb. nov. ined. [to be expected in the Guianas]
Verbesina schomburgkii Schultz Bip. ex Klatt [GU]
Vernonanthura brasiliiana (L.) H. Robinson [GU SU FG]
Wedelia ambigens S.F. Blake [GU]
Wedelia calycina L.C. Rich [GU]
Wedelia fruticosa Jacq. [GU FG]
Wulffia baccata (L.) Kuntze [GU SU FG]
Wulffia rubens Alexander [GU]
Xiphochaeta aquatica Poepp. [GU SU FG]
Youngia japonica (L.) DC. [GU]

ASTERACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Acanthospermum brasiliium* Shrank =*Acanthospermum australe*
Acemella oppositifolia (Lam.) R.K. Jansen var. *oppositifolia* =*Acemella repens*
Acemella radicans (Jacq.) R.K. Jansen var. *radicans* [not in Guianas]
Adenostemma pakaraimae Maguire & Wurdack
= *Sciadocephala pakaraimae*
Ambrosia cumanensis Kunth =*Ambrosia peruviana*
Aster laevis L. =*Symphyotrichum laeve*
Bailliera aspera Aubl. =*Clibadium surinamense*
Calea cardonae Maguire & Wurdack var. *orientalis* Maguire & Wurdack =*Calea lucidivenia*
Calea prunifolia Kunth [not in Guianas]
Calea ternifolia Oliver =*Calea oliveri*
Clibadium pedunculosum (Rich.) DC. =*Riencourtia pedunculosa*
Clibadium rotundifolium DC. =*Clibadium armani*
Conyza cayennensis Spreng. [name of uncertain application]
Conyza chilensis Spreng. =*Conyza primulaefolia*
Eclipta alba (L.) Hassk. =*Eclipta prostrata*
Elephantopus angustifolius Swartz =*Orthopappus angustifolius*
Elephantopus carolinianus Willd. [not in Guianas]
Elephantopus pilosus Philipson =*Elephantopus mollis*

- Elephantopus tomentosus* L. =*Elephantopus mollis*
Elephantopus virgatus Hamilton [name of uncertain application]
Emilia javanica (Burm.) C.B. Robinson [not in Guianas]
Emilia sagittata (Vahl) DC. [not in Guianas]
Erechites "surinamensis L." [invalid name, error for *Clibadium surinamense* L.]
Erigeron bonariensis L. =*Conyza bonariensis*
Erigeron canadensis L. =*Conyzia canadensis*
Eupatorium amygdalinum Lam. =*Ayapana amygdalina*
Eupatorium corymbosum Aubl. =*Chromolaena corymbosa*
Eupatorium denticulatum Vahl =*Mikania cordifolia* or *Mikania micrantha*
Eupatorium laevigatum Lam. =*Chromolaena laevigata*
Eupatorium macrophyllum L. =*Hebeclinium macrophyllum*
Eupatorium martiusii DC. =*Chromolaena squalida*
Eupatorium microstemon Cass. =*Fleischmannia microstemon*
Eupatorium odoratum L. =*Chromolaena odorata*
Eupatorium parviflorum Aubl. =*Mikania parviflora*
Eupatorium pauciflorum Kunth =*Praxelis pauciflora*
Eupatorium roupalifolium R. Robinson =*Guayania roupalifolia*
Eupatorium triflorum Aubl. =*Piptocarpha triflora*
Eupatorium triplinerve Vahl =*Ayapana triplinervis*
Eupatorium vitalbae DC. =*Heterocondylus vitalbae*
Gamochaeta americana (Mill.) Wedd. [not in Guianas]
Gamochaeta purpurea (L.) Cabrera =*Gamochaeta simplicicaulis*
Geissopappus caleoides (DC.) Benth. ex Baker =*Calea caleoides*
Gnaphalium purpureum L. =*Gamochaeta simplicicaulis*
Gnaphalium schomburgkii Schultz. Bip. [nomen nudum] =*Gnaphalium polycaulon*
Gnaphalium spicatum Lam. =*Gamochaeta americana* (Mill.) Wedd. [not in Guianas]
Gongylolepis erioclada S.F. Blake [not in Guianas]
Gongylolepis glaberrima S.F. Blake [not in Guianas]
Heterothalamus densus N.E. Brown =*Baccharis densa*
Melampodium camphoratum (L.f.) Baker =*Unxia camphorata*
Melanthera aspera (Jacq.) Small =*Melanthera nivea*
Mikania amara (Vahl) Willd. =*Mikania parviflora*
Mikania aschersonii sensu Pruski, non Hieron. =*Mikania chlorolepis*
Mikania gracilipes B.L. Robinson [not in Guianas]
Mikania hirsutissima DC. =*Mikania banisteriae*
Mikania lanata Schultz Bip. [not in Guianas]
Mikania mazarunensis Holmes & McDaniel =*Mikania banisteriae*
Mikania racemulosa Benth. =*Mikania psilostachya*
Mikania scabra DC. =*Mikania psilostachya*
Mikania tepuensis Badillo =*Mikania nigropunctulata*
Mikania tillettii R. King & H. Robinson =*Mikania gleasonii*
Oliganthes schomburgkii Schultz Bip. =*Piptocoma schomburgkii*
Oyedaea rusbyi S.F. Blake [not in Guianas]
Pectis ciliaris L. [not in Guianas]
Pluchea purpurascens (Swartz) DC. =*Pluchea odorata*
Pollalesta milleri (Johnston) Aristeguieta [not in Guianas]
Pollalesta roraimensis (Steyermark) Aristeguieta =*Piptocoma roraimensis*
Pollalesta schomburgkii (Schultz Bip.) Aristeguieta =*Piptocoma schomburgkii*
Porophyllum ellipticum (L.) Cass. =*Porophyllum ruderale*
Pseudelephantopus spiralis (Less.) Cronq. [not in Guianas]
Pterocaulon virgatum (L.) DC. [not in Guianas]
- Riencourtia pittieri* S.F. Blake [not in Guianas]
Rolandia argentea Rottb. =*Rolandia fruticosa*
Sonchus oleraceus L. [not in Guianas]
Sparganophorus sparganophora (L.) C. Jeffrey =*Struchium sparganophorum*
Spilanthes acmella (L.) Murr. =*Acmella sp.*
Spilanthes oppositifolia (Lam.) D'Arcy =*Acmella repens*
Spilanthes paniculata Wall =*Acmella sp.* [not in Guianas]
Spilanthes uliginosa Swartz =*Acmella uliginosa*
Spiracantha cornifolia Kunth [not in Guianas]
Stenopadus cardonae Maguire & Lasser =*Stenopadus taltaumifolius*
Stenopadus condensatus (Baker) S.F. Blake =*Stomatochaeta condensata*
Stenopadus crassifolius S.F. Blake [not in Guianas]
Stenopadus eurylepis S.F. Blake [not in Guianas]
Stenopadus variabilis S.F. Blake =*Stomatochaeta condensata*
Stiftia benthamiana (Rob. Schomb.) Baker =*Gongylolepis benthamiana*
Stiftia condensata Baker =*Stomatochaeta condensata*
Stiftia connellii N.E. Brown =*Stenopadus connellii*
Stilpnopappus aquaticus (Poepp.) Dillon =*Xiphochaeta aquatica*
Stilpnopappus viridis Benth. ex Baker =*Xiphochaeta aquatica*
Stomatochaeta schomburgkii (Schultz Bip.) Maguire & Wurdack [nomen nudum]
Trichospira menthoidea Kunth =*Trichospira verticillata*
Trixis pedunculosa Rich. =*Riencourtia pedunculosa*
Verbesina alata L. [not in Guianas]
Verbesina schomburgkii Schultz Bip. ex Klatt var. *ligulata* Maguire & Wurdack =*Verbesina ligulata*
Vernonia boliviensis Badillo =*Lepidaploa boliviensis*
Vernonia brasiliiana (L.) Druce =*Vernonanthura brasiliiana*
Vernonia cardonae Aristeguieta =*Lepidaploa cardonae*
Vernonia chrysotricha Alexander =*Lepidaploa chrysotricha*
Vernonia cinerea (L.) Lessing =*Cyanthillium cinereum*
Vernonia cotoneaster Less. =*Lepidaploa cotoneaster*
Vernonia glandulosa Badillo =*Lepidaploa boliviensis*
Vernonia gracilis Kunth =*Lepidaploa gracilis*
Vernonia moritziana Schultz Bip. =*Lepidaploa gracilis*
Vernonia remotiflora L.C. Rich. =*Lepidaploa remotiflora*
Vernonia schomburgkiana Schultz Bip. =*Lepidaploa ehretiifolia*
Vernonia scorpioides (Lam.) Pers. =*Cyrtocymura scorpioides*
Vernonia sericea L.C. Rich. =*Lepidaploa sericea* (L.C. Rich.) H. Robinson [not in Guianas]
Vernonia sessiliflora Willd. =*Lepidaploa gracilis*
Vernonia tricholepis DC. =*Lepidaploa remotiflora*
Wedelia brachycarpa Baker =*Sphagneticola brachycarpa*
Wedelia trilobata (L.) Hitchc. =*Sphagneticola trilobata*
Zexmenia tepuiana Badillo =*Oyedaea tepuiana*

BALANOPHORACEAE

reviewed by B. Hansen (1992); reviewed by B. Hansen (1996)

REFERENCES:

- Hansen, B. 1980. Balanophoraceae. Flora Neotropica Monogr. 23: 1-80.
 Hansen, B. 1993. Balanophoraceae. In A.R.A. Görtz-van Rijn, Flora of the Guianas (series A) 14: 40-43.
 Lanjouw, J. 1932. Balanophoraceae. In A. Pulle, Flora of Suriname 1(1): 45-46.

Helosis cayennensis (Swartz) Spreng. var. *cayennensis* [GU SU FG]
Langsdorffia hypogaea Mart. [GU]

BALANOPHORACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Cynomorium cayennense Swartz =*Helosis cayennensis*
Helosis guyanensis L.C. Rich., nom. illeg. superfl. =*Helosis cayennensis*

BALSAMINACEAE

Impatiens balsamina L. [GU] [probably escaped from cultivation]

BASELLACEAE

reviewed by R.A. DeFilipps (1996)

REFERENCES:

- Sperling, C.R. 1987. Systematics of the Basellaceae. Ph.D. Dissertation, Harvard University. U.M Dissertation Information Service, Ann Arbor, Michigan.

Anredera vesicaria (Lam.) Gaertn. [FG] [probably escaped from cultivation]
Basella alba L. [GU SU FG] [cultivated & naturalized]

BASELLACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Anredera leptostachys* (Moquin) van Steenis =*Anredera vesicaria*
Basella rubra L. =*Basella alba*
Boussingaultia leptostachya Moq. =*Anredera vesicaria*

BATACEAE

REFERENCES:

- Jonker, F.P. 1953. Batidaceae. In A. Pulle & J. Lanjouw, Flora of Suriname 1(2): 91-93.

Batis maritima L. [GU SU FG?]

BEGONIACEAE

reviewed by J.C. Lindeman (1992); reviewed by D. Wasshausen, J.C. Lindeman (1996)

REFERENCES:

- Lindeman, J.C. 1984. Begoniaceae. In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 5(1): 576-584.
 Smith, L.B., D.C. Wasshausen, J. Golding, & C.E. Karegeannes. 1986. Begoniaceae (illustrated key and annotated species list). Smithsonian Contrib. Bot. 60: 1-584.

Begonia fischeri Schrank [GU]
Begonia glabra Aubl. [SU FG]
Begonia heloisana Brade [GU]
Begonia hirsuta Aubl. [FG]
Begonia humilis Dryander [GU SU FG]
Begonia jenmanii Tutin [GU]
Begonia prieurii A. DC. [GU SU FG]
Begonia semiovata Liebm. [GU SU FG]
Begonia steyermarkii L.B. Smith & B.G. Schub. [GU]

BEGONIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Begonia diffusa* L.B. Smith & B.G. Schub. [not in Guianas]
Begonia filipes Benth. [not in Guianas]
Begonia guaduensis Kunth [not in Guianas]
Begonia guyanensis A. DC. =*Begonia semiovata*
Begonia hirtella Link [not in Guianas]
Begonia kaietukensis Tutin =*Begonia fischeri*
Begonia kvistii L.B. Smith [nomen nudum] =*Begonia jenmanii*
Begonia roraimensis Tutin =*Begonia fischeri*
Begonia scandens Swartz =*Begonia glabra*
Begonia tovarensis Klotzsch =*Begonia fischeri*

BIGNONIACEAE

contributed by A.H. Gentry (1992)

REFERENCES:

- Gentry, A.H. 1978. Bignoniaceae. In B. Maguire & collaborators, 1978. Botany of the Guayana Highland part 10. Mem. New York Bot. Gard. 29: 245-283.
 Gentry, A.H. 1980. Bignoniaceae - Part I (Crescentieae and Tourretieae). Flora Neotropica Monogr. 25(I): 1-130.
 Gentry, A.H. 1982. Bignoniaceae. In Z. Luces de Febres, Flora de Venezuela 8: 1-462.
 Gentry, A.H. 1992. Bignoniaceae - Part II (Tribe Tecomeae). Flora Neotropica Monogr. 25(II): 1-335.
 Sandwith, N.Y. 1938. Bignoniaceae. In A. Pulle, Flora of Suriname 4(2): 1-86.

- Adenocalymna impressum (Rusby) Sandw. [SU FG]
 Adenocalymna inundatum Mart. ex DC. var. surinamense Bureau & K. Schum. [GU SU FG]
 Adenocalymna prancei A. Gentry [FG]
 Adenocalymna purpurascens Rusby [GU]
 Adenocalymna saulense A. Gentry [FG]
 Adenocalymna subincanum Huber [FG]
 Amphilophium paniculatum (L.) Kunth var. imatacense A. Gentry [GU SU FG]
 Anemopaegma chrysoleucum (Kunth) Sandw. [GU SU FG]
 Anemopaegma foetidum Bureau & K. Schum. [GU SU]
 Anemopaegma granvillei A. Gentry [FG]
 Anemopaegma ionanthum A. Gentry [GU FG]
 Anemopaegma jucundum Bureau & K. Schum. [GU]
 Anemopaegma karstenii Bureau & K. Schum. [GU]
 Anemopaegma longidens DC. [FG]
 Anemopaegma maguirei Sandw. [GU? SU]
 Anemopaegma oligoneuron (Sprague & Sandw.) A. Gentry [GU SU]
 Anemopaegma paraense Bureau & K. Schum. [GU? SU FG]
 Anemopaegma parkeri Sprague [GU SU FG]
 Anemopaegma robustum Bureau & K. Schum. [GU FG]
 Arrabidaea arthreron (DC.) Bureau ex K. Schum. [SU?]
 Arrabidaea bilabiata (Sprague) Sandw. [GU SU FG]
 Arrabidaea brachypoda (DC.) Bureau [GU?]
 Arrabidaea candicans (L.C. Rich.) DC. [GU SU FG]
 Arrabidaea chica (Humb. & Bonpl.) Verl. [SU? FG]
 Arrabidaea cinerea Bureau ex K. Schum. var. cinerea [GU FG]
 Arrabidaea cinerea Bureau ex K. Schum. var. longipila Sandw. [GU]
 Arrabidaea cinnamomea (DC.) Sandw. [FG]
 Arrabidaea corallina (Jacq.) Sandw. [GU SU? FG]
 Arrabidaea egensis Bureau & K. Schum. [GU]
 Arrabidaea fangshawei Sandw. [GU SU FG]
 Arrabidaea florida DC. [GU SU FG]
 Arrabidaea grosourdyana (Baill.) Sandw. [GU FG]
 Arrabidaea inaequalis (DC. ex Splitg.) K. Schum. [GU SU FG]
 Arrabidaea japurensis (DC.) Bureau & K. Schum. [GU FG]
 Arrabidaea mollis (Vahl.) Bureau ex K. Schum. [GU SU FG]

- Arrabidaea nigrescens Sandw. [GU SU FG]
 Arrabidaea oligantha Bureau & K. Schum. [GU SU FG]
 Arrabidaea patellifera (Schlecht.) Sandw. [GU SU FG]
 Arrabidaea prancei A. Gentry [GU]
 Arrabidaea pubescens (L.) A. Gentry [GU]
 Arrabidaea revillae A. Gentry [GU]
 Arrabidaea spicata Bureau & K. Schum. [FG]
 Arrabidaea trailii Sprague [SU FG]
 Arrabidaea tuberculata DC. [GU SU? FG]
 Callichlamys latifolia (L.C. Rich.) K. Schum. [GU SU FG]
 Ceratophyllum tetragonolobum (Jacq.) Sprague & Sandw. [GU SU]
 Clytostoma binatum (Thunb.) Sandw. [GU SU FG]
 Crescentia cujete L. [GU SU FG] [cultivated only?]
 Cuspidaria subincana A. Gentry [GU SU]
 Cybistax antisiphilitica (Mart.) Mart. ex DC. [SU]
 Cydista aequinoctialis (L.) Miers [GU SU FG]
 Cydista lilacina A. Gentry [SU FG]
 Digomphia densicoma (Mart. ex DC.) Pilger [GU]
 Digomphia laurifolia Benth. [GU]
 Distictella cremersii A. Gentry [FG]
 Distictella cuneifolia (DC.) Sandw. [FG]
 Distictella elongata (Vahl) Urb. [GU SU FG]
 Distictella magnoliifolia (Kunth) Sandw. [GU SU FG]
 Distictella obovata Sandw. [GU]
 Distictella parkeri (DC.) Sprague & Sandw. [GU]
 Distictella porphyrotricha Sandw. [GU]
 Distictella sp. cf. obovata Sandw. [FG]
 Distictis granulosa Bureau & K. Schum. [GU SU? FG]
 Distictis pulverulenta (Sandw.) A. Gentry [GU FG]
 Godmania aesculifolia (Kunth) Standl. [GU]
 Jacaranda copaia (Aubl.) D. Don subsp. copaia [GU SU FG]
 Jacaranda copaia (Aubl.) D. Don subsp. spectabilis (Mart. ex DC.) A. Gentry [GU SU FG]
 Jacaranda duckei Vattimo [SU FG]
 Jacaranda obtusifolia Humb. & Bonpl. subsp. rhombifolia (G. Mey.) A. Gentry [GU SU FG]
 Lundia corymbifera (Vahl) Sandw. [FG]
 Lundia densiflora DC. [GU SU]
 Lundia erionema DC. [GU SU FG]
 Macfadyena uncata (Andr.) Sprague & Sandw. [GU SU FG]
 Macfadyena unguis-cati (L.) A. Gentry [GU SU FG]
 Mansoa aliacea (Lam.) A. Gentry [GU SU FG]
 Mansoa kerere (Aubl.) A. Gentry [GU SU FG]
 Mansoa sp. cf. onohualcooides A. Gentry [SU]
 Mansoa sp. nov. aff. standleyi [FG]
 Mansoa standleyi (Steyermark) A. Gentry [GU SU FG]
 Mansoa verrucifera (Schlecht.) A. Gentry [GU]
 Martinella obovata (Kunth) Bureau & K. Schum. [GU SU FG]
 Melloa quadrivalvis (Jacq.) A. Gentry [GU]
 Memora alba (Aubl.) Miers [FG]
 Memora bracteosa (DC.) Bureau ex K. Schum. [GU SU? FG]
 Memora flavidula (DC.) Bureau & K. Schum. [GU SU FG]
 Memora flaviflora (Miq.) Pulle [GU SU FG]
 Memora heterophylla (Kraenzl.) Sandw. [GU]
 Memora moringifolia (DC.) Sandw. [SU FG]
 Memora racemosa A. Gentry [SU FG]
 Memora schomburgkii (DC.) Miers [GU SU FG]
 Memora tanaeciocarpa A. Gentry [GU FG]
 Mussatia hyacinthina (Standley) Sandw. [GU]
 Mussatia prieurei (DC.) Bureau ex K. Schum. [GU SU FG]
 Parabignonia steyermarkii Sandw. [GU SU FG]
 Paragonia pyramidata (L.C. Rich.) Bureau [GU SU FG]
 Phryganocydia corymbosa (Venten.) Bureau ex K. Schum. [GU FG]
 Pithecoctenium crucigerum (L.) A. Gentry [GU SU FG]

- Pleonotoma albiflora (Salzm. ex DC.) A. Gentry [GU SU FG]
 Pleonotoma clematis (Kunth) Miers [GU SU FG]
 Pleonotoma echitidea Sprague & Sandw. [GU SU]
 Pleonotoma moringaeifolia (DC.) Miers [FG] [unverified name]
 Pleonotoma sp. cf. dendrotricha Sandw. [FG]
 Potamoganos microcalyx (G. Mey.) Sandw. [GU SU]
 Pseudocalymma sagotii (Bureau & K. Schum.) Sandw. [FG] [unverified name]
 Pyrostegia dichotoma Miers ex K. Schum. [GU SU]
 Roentgenia sordida (Bureau & K. Schum.) Sprague & Sandw. [GU SU FG]
 Schlegelia fuscata A. Gentry [FG]
 Schlegelia macrophylla Ducke [FG]
 Schlegelia paraensis Ducke [SU FG]
 Schlegelia roseiflora Ducke [FG]
 Schlegelia spruceana Bureau & K. Schum. [GU]
 Schlegelia violacea (Aubl.) Griseb. [GU SU FG]
 Stizophyllum inaequilaterum Bureau & K. Schum. [GU SU FG]
 Stizophyllum riparium (Kunth) Sandw. [SU FG]
 Tabebuia aurea (S. Manso) Benth. & J.D. Hook. ex S. Moore [SU]
 Tabebuia capitata (Bureau & K. Schum.) Sandw. [GU SU FG]
 Tabebuia fluvialis (Aubl.) DC. [GU SU FG]
 Tabebuia impetiginosa (Mart. ex DC.) Standl. [SU FG]
 Tabebuia insignis (Miq.) Sandw. var. insignis [GU SU FG]
 Tabebuia insignis (Miq.) Sandw. var. monophylla Sandw. [GU SU]
 Tabebuia obscura (Bureau & K. Schum.) Sandw. [FG?]
 Tabebuia ochracea (Cham.) Standl. subsp. heterotricha (DC.) A. Gentry [GU]
 Tabebuia serratifolia (Vahl) Nichols. [GU SU FG]
 Tabebuia stenocalyx Sprague & Stafp [GU FG]
 Tabebuia subtilis Sprague & Sandw. [GU]
 Tabebuia uleana (Kraenzl.) A. Gentry [GU]
 Tanaecium jaroba Swartz [GU]
 Tanaecium nocturnum (Barb. Rodr.) Bureau & K. Schum. [SU FG]
 Tynanthus pubescens A. Gentry [GU FG]
 Tynanthus sastrei A. Gentry [FG]
 Xylophragma seemannianum (Kuntze) Sandw. [GU SU]

BIGNONIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Adenocalymna bilabiatum (Sprague) Sandw. =Arrabidaea bilabiata
 Anemopaegma carrerense Armitage =Anemopaegma karstenii
 Anomoctenium granulosum (Bureau & K. Schum.) Sandw. =Distictis granulosa
 Arrabidaea obliqua (Kunth) Bureau =Arrabidaea corallina
 Bignonia alba Aubl. =Memora alba
 Bignonia aquatilis E. Mey. =Tabebuia fluvialis
 Bignonia copaia Aubl. =Jacaranda copaia
 Bignonia digitata E. Mey. =Tabebuia fluvialis
 Bignonia echinata Aubl. =Pithecoctenium crucigerum
 Bignonia filicifolia Anderson =Jacaranda obtusifolia subsp. rhombifolia
 Bignonia fluvialis Aubl. =Tabebuia fluvialis
 Bignonia incarnata Aubl. =Mansoa kerere
 Bignonia kerere Aubl. =Mansoa kerere
 Bignonia tinctoria Arruda =Arrabidaea chica?
 Bignonia unguis-cati L. =Macfadyena unguis-cati
- Ceratophytum tobagense (Urb.) Sprague & Sandw.
 =Ceratophytum tetragonolobum
 Distictella pulverulenta Sandw. =Distictis pulverulenta
 Distictella racemosa (Bureau & K. Schum.) Urb. =Distictella magnoliifolia
 Handroanthus durus (Bureau ex K. Schum.) Mattos =Tabebuia insignis var. insignis
 Jacaranda filicifolia D. Don =Jacaranda obtusifolia subsp. rhombifolia
 Jacaranda filicifolia D. Don var. puberula K. Schum.
 =Jacaranda obtusifolia subsp. rhombifolia
 Jacaranda obtusifolia Humb. & Bonpl. var. rhombifolia (G. Mey.) Sandw. =Jacaranda obtusifolia subsp. rhombifolia
 Jacaranda paraensis (Huber) Vattimo =Jacaranda copaia subsp. spectabilis
 Jacaranda rhombifolia G. Mey. =Jacaranda obtusifolia subsp. rhombifolia
 Jacaranda spectabilis Mart. ex A.P. DC. =Jacaranda copaia subsp. spectabilis
 Martinella insculpta Sprague & Sandw. =Martinella obovata
 Memora ovata (Bureau & K. Schum.) Sprague & Sandw.
 =Memora schomburgkii
 Pachyptera aliacea (Lam.) A. Gentry =Mansoa aliacea
 Pachyptera kerere (Aubl.) Sandw. =Mansoa kerere
 Petastoma patelliferum (Schlechtend.) Miers =Arrabidaea patellifera
 Pithecoctenium echinatum (Jacq.) Baill. =Pithecoctenium crucigerum
 Pithecoctenium granulosum (Bureau & K. Schum.) Sprague & Sandw. =Distictis granulosa
 Pseudocalymma aliaceum (Lam.) Sandw. =Mansoa aliacea
 Pseudopaegma oligoneuron Sprague & Sandw. =Anemopaegma oligoneuron
 Roentgenia tuberculata Sprague & Sandw. [name of uncertain application, apparently a nomen nudum]
 Schlegelia lilacina Miq. =Schlegelia violacea
 Schlegelia parasitica (Swartz) Miers ex Griseb. [not in Guianas]
 Tabebuia aquatalis (E. Mey.) Sprague & Sandw. =Tabebuia fluvialis
 Tabebuia caraiba (Mart.) Bureau =Tabebuia aurea
 Tabebuia chrysotricha (Mart. ex DC.) Standl. [not in Guianas]
 Tabebuia dura (Bureau ex K. Schum.) Sprague & Sandw.
 =Tabebuia insignis var. insignis
 Tabebuia floccosa (Bureau & K. Schum.) Sprague & Sandw.
 =Xylophragma seemannianum
 Tabebuia hypolepra Sprague & Sandw. =Tabebuia capitata
 Tabebuia ipe (Mart.) Standl. var. integra (Sprague) Sandw.
 =Tabebuia impetiginosa
 Tabebuia latifolia A.P. DC. =Martinella obovata
 Tabebuia longipes Baker =Tabebuia insignis var. monophylla
 Tabebuia neurophylla Miq. =Arrabidaea patellifera
 Tabebuia roraimae Oliver =Tabebuia insignis var. insignis
 Tecoma conspicua A.P. DC. =Tabebuia serratifolia
 Tecoma dura Bureau ex K. Schum. =Tabebuia insignis var. insignis
 Tecoma fluvialis (Aubl.) Miq. =Tabebuia fluvialis
 Tecoma insignis Miq. =Tabebuia insignis
 Tecoma meyeriana A.P. DC. =Tabebuia fluvialis

- Tecoma patrisiana* A.P. DC. =*Tabebuia serratifolia*
Tecoma roraimae (Oliver) K. Schum. =*Tabebuia insignis* var.
 insignis
Tecoma uleana Kraenzl. =*Tabebuia uleana*
Tetrastictella inaequalis (DC. ex Splitg.) M. Pichon
 =*Arrabidea inaequalis*
Zeyheria surinamensis Miq. =*Paragonia pyramidata*

BIXACEAE

REFERENCES:

- Poppendieck, H.H. 1981. *Cochlospermaceae*.
Flora Neotropica Monogr. 27: 1-33.

- Bixa orellana* L. [GU SU FG]
Bixa urucurana Willd. [GU SU] [=*Bixa orellana*?]
Cochlospermum orinocense (Kunth) Steudel [GU SU FG]
Cochlospermum vitifolium (Willd.) Spreng. [GU SU FG?]

BIXACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Cochlospermum insigne* St. Hil. =*Cochlospermum regium* (Schr.) Pilger [not in Guianas]
Cochlospermum parkeri Planchon =*Cochlospermum orinocense*
Cochlospermum parvifolium Planch. =*Cochlospermum orinocense*
Cochlospermum wentii Pulle =*Cochlospermum orinocense*

BOMBACACEAE

reviewed by L.J. Dorr (1992)

REFERENCES:

- Alverson, W.S. 1994. New species and combinations of *Catostemma* and *Pachira* (*Bombacaceae*) from the Venezuelan Guayana. *Novon* 4(1): 3-8.
 Robyns, A. 1963. Essai de monographie du genre *Bombax* s.l. *Bull. Jard. Bot. État* 33: 1-311.
 Robyns, A. 1967. Bombacaceae. In B. Maguire & collaborators, *Botany of the Guayana Highland* part 7. Mem. New York Bot. Gard. 17(1): 1-439.
 Steyermark, J.A. 1987. Bombacaceae. In Flora of the Venezuelan Guayana - III. Ann. Missouri Bot. Gard. 74(3): 636-646.
 Steyermark, J.A. & W.D. Stevens. 1988. Notes on *Rhodognaphalopsis* and *Bombacopsis* in the Guayanases. Ann. Missouri Bot. Gard. 75: 396-398.
 Uittien, H. 1932. Bombacaceae. In A. Pulle, *Flora of Suriname* 3(1): 26-33.

- Bombacopsis macrocalyx* (Ducke) A. Robyns [FG?]
Bombacopsis nervosa (Uittien) A. Robyns [GU? SU FG]
Bombacopsis quinata (Jacq.) Dugand [GU]
Catostemma altsonii Sandw. [GU]
Catostemma commune Sandw. [GU]
Catostemma fragrans Benth. [GU SU FG]
Ceiba pentandra (L.) Gaertn. [GU SU FG]
Eriotheca crassa (Uittien) A. Robyns [SU FG]
Eriotheca globosa (Aubl.) A. Robyns [GU SU FG]
Eriotheca surinamensis (Uittien) A. Robyns [GU SU FG]
Huberodendron swietenioides (Gleason) Ducke [FG]
Matisia ochrocalyx K. Schum. [FG]
Ochroma pyramidalis (Cav. ex Lam.) Urb. [FG]
Pachira aquatica Aubl. [GU SU FG]
Pachira insignis (Swartz) Sav. [GU SU FG]
Quararibea amazonica Ulbrich [FG]
Quararibea duckei Huber [SU FG]
Quararibea guianensis Aubl. [GU SU FG]
Quararibea lasiocalyx (K. Schum.) Vischer [FG]
Rhodognaphalopsis flaviflora (Pulle) A. Robyns var. *flaviflora* [GU SU FG]
Rhodognaphalopsis flaviflora (Pulle) A. Robyns var. *glabra* A. Robyns [SU]
Rhodognaphalopsis minor (Sims) A. Robyns var. *minor* [GU]
Scleronema guianense Sandw. [GU]

BOMBACACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Bombax aquaticum* (Aubl.) K. Schum. =*Pachira aquatica*
Bombax crassum Uittien =*Eriotheca crassa*
Bombax flavidorum Pulle =*Rhodognaphalopsis flaviflora*
Bombax globosum Aubl. =*Eriotheca globosa*
Bombax jenmanii Oliver =*Rhodognaphalopsis minor*
Bombax nervosum Uittien =*Bombacopsis nervosa*
Bombax spectabile Ulbr. =*Pachira insignis*
Bombax surinamense Uittien =*Eriotheca surinamensis*
Catostemma macrosperma (Sagot) Lemée =*Catostemma fragrans*
Ceiba occidentalis (Spreng.) Burkhill =*Ceiba pentandra*
Pochota flaviflora (Pulle) Steyermark & W.D. Stevens
 =*Rhodognaphalopsis flaviflora*
Pochota minor (Sims) Steyermark & W.D. Stevens
 =*Rhodognaphalopsis minor*
Quararibea turbinata Poir. [specimens apparently referable to *Quararibea duckei*]

BONNETIACEAE

reviewed by A. Weitzman (1992)

REFERENCES:

- Kobuski, C.E. 1948. Studies in the Theaceae, XVII. A review of the genus *Bonnetia*. *J. Arn. Arb.* 29: 393-413.
 Maguire, B. 1972. Bonnetiaceae. In B. Maguire & collaborators, *Botany of the Guayana Highland* part 9. Mem. New York Bot. Gard. 23: 1-832.

Archytaea triflora Mart. [GU]
Bonnetia multinervia (Maguire) Steyermark. [to be expected in GU?]
Bonnetia paniculata Spruce ex Benth. [GU]
Bonnetia roraimae Oliver [GU]
Bonnetia rubicunda (Sastre) A. Weitzman & Stevens, comb. nov. ined. [GU]
Bonnetia sessilis Benth. [GU]
Bonnetia tepuensis Kobuski & Steyermark. [GU]

BONNETIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Archytaea multiflora Benth. =*Archytaea triflora*, syn. nov. ined.
Neblinaria rubicunda Sastre =*Bonnetia rubicunda*
Neogleasonia multinervia Maguire =*Bonnetia multinervia*

BORAGINACEAE

reviewed by C. Feuillet (1992); reviewed by C. Feuillet (1996)

REFERENCES:

- Johnston, I.M. 1928. Studies in the Boraginaceae VII. 1. The South American species of *Heliotropium*. Contrib. Gray Herb. 81: 3-72.
 Johnston, I.M. 1935. Studies in Boraginaceae X. The Boraginaceae of northeastern South America. J. Arn. Arb. 16: 1-64.
 Johnston, I.M. 1936. Boraginaceae. In A. Pulle, Flora of Suriname 4(1): 306-333.
 Uittien, H. 1937. Boraginaceae (additions and corrections). In A. Pulle, Flora of Suriname 4(1): 496-497.

Cordia alliodora (Ruiz & Pav.) Cham. ex DC. [GU SU FG]
Cordia bicolor A. DC. [GU SU FG]
Cordia candidula (Miers) I.M. Johnston [GU]
Cordia curassavica (Jacq.) Roem. & Schult. [GU SU FG]
Cordia exaltata Lam. var. *exaltata* [FG]
Cordia exaltata Lam. var. *melanoneura* (Klotzsch) I.M. Johnston [GU]
Cordia fallax I.M. Johnston [GU]
Cordia fulva I.M. Johnston [SU FG]
Cordia goeldiana Huber [FG]
Cordia grandiflora (Desv.) Kunth [GU]
Cordia hirta I.M. Johnston [GU SU FG]
Cordia laevisfrons I.M. Johnston [SU FG]
Cordia lomatoloba I.M. Johnston [GU SU FG]
Cordia multispicata Cham. [GU]
Cordia nervosa Lam. [GU SU FG]
Cordia nodosa Lam. [GU SU FG]
Cordia panicularis Rudge [GU SU FG]
Cordia polyccephala (Lam.) I.M. Johnston [GU SU]
Cordia sagotii I.M. Johnston [GU SU FG]
Cordia scabrifolia A. DC. [GU]
Cordia schomburgkii A. DC. [GU SU FG]
Cordia sericealyx A. DC. [GU SU]
Cordia sprucei Mez [FG]

Cordia tetrandra Aubl. [GU SU FG]
Cordia tomentosa Lam. ex Roem. & Schult. [SU FG]
Cordia toqueve Aubl. [GU FG]
Cordia wurdackii C. Feuillet, sp. nov. ined. [GU]
Heliotropium curassavicum L. [GU SU FG?]
Heliotropium filiforme Lehmann [GU SU FG]
Heliotropium indicum L. [GU SU FG] [cultivated, persists as an escape]
Heliotropium lagoense (Warm.) Guerke [SU]
Heliotropium procumbens Mill. [GU]
Heliotropium ternatum Vahl [GU]
Lepidocordia punctata Ducke [GU]
Tournefortia bicolor Swartz var. *bicolor* [GU SU FG]
Tournefortia bicolor Swartz var. *calycosa* J.D. Smith [GU SU]
Tournefortia cuspidata Kunth [GU SU]
Tournefortia maculata Lam. [GU SU FG]
Tournefortia melanochaeta DC. [FG]
Tournefortia paniculata Cham. var. *spigeliiflora* (A. DC.) I.M. Johnston [GU SU FG]
Tournefortia ulei Vaupel [GU SU FG]
Tournefortia volubilis L. [GU FG]

BORAGINACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Cordia collococa Aubl. non L. =*Cordia nodosa*
Cordia flavescens Aubl. [name of uncertain application, referable to Lauraceae]
Cordia heterophylla Willd. =*Cordia toqueve*
Cordia lockhartii nom. inval. =*Cordia bicolor* A. DC.
Cordia macrostachya (Jacq.) Roem. & Schult. =*Cordia curassavica*
Cordia scandens Poir. =*Dichapetalum rugosum* (Dichapetalaceae)
Cordia tetraphylla Aubl. =*Buchenavia tetraphylla* (Combretaceae)
Tournefortia aubletii Macbr. =*Tournefortia bicolor*
Tournefortia syringaeifolia Vahl =*Tournefortia maculata*

BRASSICACEAE

reviewed by J.C. Lindeman (1992); reviewed by J.C. Lindeman (1996)

REFERENCES:

- Al-Shehbaz, I. 1988. Cruciferae. In R.A. Howard, Flora of the Lesser Antilles 4: 276-292.

Brassica juncea (L.) Czern. & Coss. [FG?] [introduced]
Coronopus didymus (L.) J.E. Sm. [FG] [probably introduced]
Lepidium virginicum L. [SU FG] [introduced]
Rorippa dubia (Pers.) H. Hara [GU SU] [introduced]
 [=Rorippa indica (L.) Hiern]
Rorippa nasturtium-aquaticum (L.) Hayek [FG] [introduced]
 [=Nasturtium officinale R. Br.]
Rorippa palustris (L.) Besser [SU] [introduced] [=Rorippa islandica (Leder) Borbás]

SPERMATOPHYTA: Bonnetiaceae - Brassicaceae

Sinapis arvensis L. [GU] [introduced]

BRASSICACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Lepidium micropterum Miq. =*Lepidium virginicum*
Nasturtium palustre (L.) DC., non Crantz =*Rorippa palustris*
Rorippa heterophylla (Blume) R.O. Williams =*Rorippa dubia*

BROMELIACEAE

reviewed by E.J. Gouda, J. Grant, & M. Spencer (1992); reviewed by B.K. Holst, J. Grant, E.J. Gouda, & H. Luther (1996)

REFERENCES:

- Grant, J.R. 1995. The resurrection of Alcantarea and Werauhia, a new genus. *Tropische und subtropische Pflanzenwelt* 91: 1-59.
 Gouda, E.J. 1987. Bromeliaceae, subfamily Tillandsioideae. In A.R.A. Görts-van Rijn, *Flora of the Guianas* (series A) 3: 1-112.
 Holst, B.K. 1994. Checklist of Venezuelan Bromeliaceae with notes on species distribution by state and levels of endemism. *Selbyana* 15(1): 132-149.
 Kramer, K.U. & A.R.A. Görts-van Rijn. 1968. Bromeliaceae (additions and corrections). In A. Pulle & J. Lanjouw, *Flora of Suriname* 1(2): 413-414.
 Smith, L.B. 1957. Bromeliaceae. In A. Pulle & J. Lanjouw, *Flora of Suriname* 1(2): 94-148.
 Smith, L.B. 1967. Bromeliaceae of the Guayana Highland. *Mem. New York Bot. Gard.* 14(3): 15-68.
 Smith, L.B. 1986. Revision of the Guayana Highland Bromeliaceae. *Ann. Missouri Bot. Gard.* 73(4): 689-721.
 Smith, L.B. & R.J. Downs. 1974. Pitcairnioideae. *Flora Neotropica Monogr.* 14, part 1: 1-658.
 Smith, L.B. & R.J. Downs. 1977. Tillandsioideae. *Flora Neotropica Monogr.* 14, part 2: 663-1492.
 Smith, L.B. & R.J. Downs. 1979. Bromelioidae. *Flora Neotropica Monogr.* 14, part 3: 1493-2142.

- Aechmea angustifolia* Poepp. & Endl. [GU]
Aechmea aquilega (Salisb.) Griseb. [GU SU FG]
Aechmea brassicoides Baker [GU]
Aechmea bromeliifolia (Rudge) Baker [GU SU FG]
Aechmea campanulata L.B. Smith [GU]
Aechmea castelnavii Baker [to be expected in FG]
Aechmea contracta (Mart. ex Schult.f.) Baker [GU]
Aechmea egleriana L.B. Smith var. *egleriana* [FG]
Aechmea egleriana L.B. Smith var. *major* L.B. Smith [to be expected in FG]
Aechmea fernandae (E. Morren) Baker [to be expected in FG]
Aechmea lanjouwii (L.B. Smith) L.B. Smith [SU]
Aechmea lingulata (L.) Baker [GU SU FG]

- Aechmea megalantha* Harms [FG] [probably misident. of *A. melinonii* according to Gouda]
Aechmea melinonii Hook. [GU SU FG]
Aechmea mertensi (Mey.) Schult.f. [GU SU FG]
Aechmea nudicaulis (L.) Griseb. var. *cuspidata* Baker [GU]
Aechmea nudicaulis (L.) Griseb. var. *nudicaulis* [GU SU FG]
Aechmea pallida L.B. Smith [GU]
Aechmea penduliflora André [GU]
Aechmea politii L.B. Smith [GU FG]
Aechmea prancei L.B. Smith [to be expected in GU]
Aechmea setigera Mart. ex Schult.f. [SU FG]
Aechmea tillandsioides (Mart. ex Schult.f.) Baker [GU SU]
Aechmea tocantina Baker [GU SU FG]
Ananas ananassoides (Baker) L.B. Smith [GU SU FG]
Ananas comosus (L.) Merrill [GU SU FG] [cultivated, naturalized]
Ananas lucidus Mill. [FG]
Ananas nanus (L.B. Smith) L.B. Smith [SU? FG?]
Ananas parguicensis Camargo & L.B. Smith [GU SU]
Araecococcus flagellifolius Harms [SU FG]
Araecococcus goeldianus L.B. Smith [FG]
Araecococcus micranthus Brongn. [GU SU FG]
Billbergia brachysiphon L.B. Smith [to be expected in FG]
Billbergia macrolepis L.B. Smith [GU]
Billbergia pyramidalis (Sims) Lind. [FG]
Billbergia rosea Hort. ex Beer [SU?]
Billbergia violacea Beer [GU SU FG]
Brocchinia acuminata L.B. Smith [to be expected in GU]
Brocchinia hechtiioides Mez [Mt. Roraima]
Brocchinia melanacra L.B. Smith [to be expected in GU]
Brocchinia micrantha (Baker) Mez [GU]
Brocchinia reducta Baker [GU]
Brocchinia steyermarkii L.B. Smith [GU]
Brocchinia tatei L.B. Smith [GU]
Bromelia agavifolia Brongn. ex Houllett [FG]
Bromelia alta L.B. Smith [GU SU]
Bromelia chrysanthia Jacq. [to be expected in GU]
Bromelia fosteriana L.B. Smith [SU]
Bromelia goeldiana L.B. Smith [to be expected in GU]
Bromelia humilis Jacq. [SU?]
Bromelia morreniana (Regel) Mez [to be expected in FG]
Bromelia oleveiriae L.B. Smith [FG?]
Bromelia pinguin L. [GU SU] [cultivated only?]
Bromelia plumieri (E. Morren) L.B. Smith [GU SU FG]
Bromelia rondoniana L.B. Smith [to be expected in GU]
Bromelia serra Griseb. [FG]
Bromelia tubulosa L.B. Smith [FG?]
Catopsis berteroniana (Schult.f.) Mez [GU SU FG]
Catopsis sessiliflora (Ruiz & Pav.) Mez [SU FG]
Connellia nutans L.B. Smith [to be expected in GU]
Connellia augustae (Rich. Schomb.) N.E. Brown [GU] [Mt. Roraima]
Connellia caricifolia L.B. Smith [Mt. Roraima]
Connellia quelchii N.E. Brown [Mt. Roraima]
Disteganthus basilateralis Lem. [FG]
Disteganthus calatheoides (L.B. Smith) L.B. Smith & R.W. Read [FG]
Disteganthus lateralis (L.B. Smith) Gouda [SU FG]
Guzmania altonii L.B. Smith [GU SU FG]
Guzmania angustifolia (Baker) Wittmack [GU?]
Guzmania brasiliensis Ule [possibly to be expected in GU]
Guzmania calothrysus Mez [GU]
Guzmania erythrolepis Brongn. ex Planch. [FG?] [probably misident. of *G. melinonis* according to Gouda]

- Guzmania lingulata* (L.) Mez [GU SU FG]
Guzmania melinonis Regel [GU SU FG]
Guzmania plumieri (Griseb.) Mez [GU? SU? FG]
Guzmania retusa L.B. Smith [GU]
Guzmania roezlii (E. Morren) Mez [GU]
Guzmania sphaeroidea (André) André ex Mez [GU]
Guzmania squarrosa (Mez & Sodiro) L.B. Smith & Pittendrigh
[GU]
Guzmania steyermarkii L.B. Smith [to be expected in GU]
Hohenbergia stellata Schult.f. [to be expected in GU]
Lindmania geniculata L.B. Smith [GU]
Lindmania gracillima (L.B. Smith) L.B. Smith [to be expected
in GU]
Lindmania guianensis (Beer) Mez [GU]
Lindmania paludosa L.B. Smith [possibly to be expected in
GU]
Navia angustifolia (Baker) Mez [GU]
Navia arida L.B. Smith & Steyermark. [GU]
Navia barbellata L.B. Smith [GU]
Navia brachyphylla L.B. Smith [GU?]
Navia cataractarum Sandw. [GU]
Navia duidae L.B. Smith [GU?]
Navia gleasonii L.B. Smith [GU]
Navia maguirei L.B. Smith [SU]
Navia rupestris (Gleason) Sandw. [GU]
Navia sandwithii L.B. Smith [GU]
Navia splendens L.B. Smith [GU]
Pitcairnia brittoniana Mez [GU]
Pitcairnia caricifolia Mart. ex Schult.f. [GU SU FG] [=Pepinia
caricifolia]
Pitcairnia ctenophylla L.B. Smith [=Pepinia ctenophylla] [to
be expected in GU]
Pitcairnia geyskesii L.B. Smith [GU SU FG] [=Pepinia
geyskesii]
Pitcairnia heterophylla (Lindl.) Beer [to be expected in GU]
Pitcairnia incarnata Baker [FG] [=Pepinia incarnata]
Pitcairnia leprieurii Baker [GU FG]
Pitcairnia maidifolia (C. Morren) Decne. [GU SU]
Pitcairnia nuda Baker [GU SU] [=Pepinia nuda]
Pitcairnia patentiflora L.B. Smith [FG] [=Pepinia patentiflora]
Pitcairnia pusilla Mez [FG]
Pitcairnia rubiginosa (Brongn.) Baker [FG] [=Pepinia
rubiginosa]
Pitcairnia sastrei L.B. Smith & R.W. Read [SU? FG]
Pitcairnia sprucei Baker [FG] [=Pepinia sprucei]
Streptocalyx longifolius (Rudge) Baker [SU FG] [=Aechmea
longifolia]
Streptocalyx poeppigii Beer [SU FG] [=Aechmea beeriana]
Streptocalyx poitaei Baker [FG] [=Aechmea poitaei]
Tillandsia adpressiflora Mez [GU? SU FG]
Tillandsia anceps Lodd. [GU SU FG]
Tillandsia balbisiana Schult.f. [possibly to be expected in GU]
Tillandsia bulbosa Hook. [GU SU FG]
Tillandsia compacta Griseb. [possibly to be expected in GU]
Tillandsia complanata Benth. [GU]
Tillandsia elongata Kunth var. *subimbricata* (Baker) L.B.
Smith [GU?]
Tillandsia fasciculata Swartz [GU? SU FG]
Tillandsia fendleri Griseb. var. *fendleri* [GU]
Tillandsia fendleri Griseb. var. *reducta* (L.B. Smith) L.B.
Smith [possibly to be expected in GU]
Tillandsia flexuosa Swartz [GU SU FG]
Tillandsia geminiflora Brongn. [SU]
Tillandsia jenmanii Baker [GU] [=Racinaea jenmanii]
Tillandsia kegeliana Mez [GU SU FG]
Tillandsia monadelpha (E. Morren) Baker [GU SU FG]
- Tillandsia paraensis* Mez [GU SU FG]
Tillandsia pruinosa Swartz [GU? SU]
Tillandsia spiculosa Griseb. var. *micrantha* (Baker) L.B. Smith
[GU] [=Racinaea spiculosa var. micrantha]
Tillandsia spiculosa Griseb. var. *spiculosa* [GU SU FG]
[=Racinaea spiculosa var. spiculosa]
Tillandsia spiculosa Griseb. var. *stenoglossa* (L.B. Smith)
Gouda [GU] [=Racinaea stenoglossa var. stenoglossa]
Tillandsia stricta Solander ex Ker-Gawl. [GU SU]
Tillandsia tenuifolia L. [GU SU FG]
Tillandsia tetrantha Ruiz & Pav. var. *caribaea* (L.B. Smith)
Gouda [GU?] [Mt. Roraima] [=Racinaea tetrantha var.
caribaea]
Tillandsia turneri Baker var. *orientalis* L.B. Smith [GU]
Tillandsia usneoides (L.) L. [GU SU FG]
Vriesea amazonica (Baker) Mez [SU FG] [=Werauhia
gigantea]
Vriesea capituligera (Griseb.) L.B. Smith & Pitt.
[=Mezobromelia capituligera] [possibly to be expected in
GU]
Vriesea duidae (L.B. Smith) Gouda [GU]
Vriesea gladioliflora (Wendl.) Antoine [GU SU FG]
[=Werauhia gladioliflora]
Vriesea heliconioides (Kunth) Hook. ex Walp. [GU? SU FG]
Vriesea heterandra (André) L.B. Smith [SU]
Vriesea hygrometrica (André) L.B. Smith & Pittendrigh
[=Werauhia hygrometrica] [to be expected in GU]
Vriesea incurva (Griseb.) R.W. Read [GU] [=Tillandsia
incurva]
Vriesea johnstonii (Mez) L.B. Smith & Pittendrigh [GU]
[=Vriesea hygrometrica?]
Vriesea jonghei (C. Koch) E. Morren [FG]
Vriesea platynema Gaudichaud [GU]
Vriesea pleiosticha (Griseb.) Gouda [GU SU FG]
[=Mezobromelia pleiosticha]
Vriesea procera (Mart. ex Schult.f.) Wittmack [GU SU FG]
Vriesea ringens (Griseb.) Mez [GU] [=Werauhia ringens]
Vriesea rubra (Ruiz & Pav.) Beer [GU]
Vriesea soderstromii L.B. Smith [GU]
Vriesea splendens (Brongn.) Lem. var. *formosa* Suringar ex
Witte [GU]
Vriesea splendens (Brongn.) Lem. var. *splendens* [GU SU
FG]
Vriesea viridiflora (Regel) Wittmack ex Mez [GU]
[=Werauhia viridiflora]

BROMELIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Aechmea beeriana* L.B. Smith & Spencer =*Streptocalyx*
poeppigii
Aechmea lateralis L.B. Smith =*Disteganthus lateralis*
Aechmea longifolia (Rudge) L.B. Smith & Spencer
=*Streptocalyx longifolius*
Aechmea mucroniflora Hook. =*Aechmea mertensii*
Aechmea poitaei (Baker) L.B. Smith & Spencer =*Streptocalyx*
poitaei
Aechmea spicata Mart. ex Schult.f. =*Aechmea mertensii*
Aechmea tillandsioides (Mart. ex Schult.f.) Baker var.
kienastii (E. Morren ex Mez) L.B. Smith =*Aechmea*
tillandsioides

- Ananas ananassoides* (Baker) L.B. Smith var. *nanus* L.B. Smith =*Ananas nanus*
- Brocchinia bernardii* L.B. Smith =*Brocchinia melanacra*
- Brocchinia paniculata* Schult.f. [not in Guianas]
- Brocchinia secunda* L.B. Smith =*Brocchinia tatei*
- Bromelia granvillei* L.B. Smith [nomen nudum]
- Bromelia karatas* L. =*Bromelia plumieri*
- Catopsis inconspicua* Bak. =*Catopsis nitida* [not in Guianas]
- Chevaliera fernandae* (E. Morren) L.B. Smith & W.J. Kress =*Aechmea fernandae*
- Chevaliera pallida* (L.B. Smith) L.B. Smith & W.J. Kress =*Aechmea pallida*
- Cottendorfia geniculata* (L.B. Smith) L.B. Smith =*Lindmania geniculata*
- Cottendorfia gracillima* L.B. Smith =*Lindmania gracillima*
- Cottendorfia guianensis* (Beer) Klotzsch ex Baker =*Lindmania guianensis*
- Cottendorfia paludosa* (L.B. Smith) L.B. Smith =*Lindmania paludosa*
- Cottendorfia serrulata* (L.B. Smith) L.B. Smith =*Lindmania serrulata*
- Disteganthus bromeliifolius* L.B. Smith [nomen nudum] =*Disteganthus lateralis*
- Gravisia aquilega* (Salisb.) Mez =*Aechmea aquilega*
- Gravisia lanjouwii* (L.B. Smith) L.B. Smith =*Aechmea lanjouwii*
- Guzmania minor* Mez =*Guzmania lingulata*
- Guzmania pleiosticha* (Griseb.) Mez =*Vriesea pleiosticha*
- Guzmania splitgereri* Mez =*Vriesea pleiosticha*
- Guzmania venamensis* L.B. Smith =*Guzmania sphaeroidea*
- Lamprococcus campanulatus* (L.B. Smith) L.B. Smith & W.J. Kress =*Aechmea campanulata*
- Mezobromelia capituligera* (Griseb.) J.R. Grant =*Vriesea capituligera*
- Mezobromelia pleiosticha* (Griseb.) Utley & Luther =*Vriesea pleiosticha*
- Navia fluviatilis* L.B. Smith =*Navia rupestris*
- Pepinia caricifolia* (Mart. ex Schult.f.) Varadarajan & Gilmartin =*Pitcairnia caricifolia*
- Pepinia ctenophylla* (L.B. Smith) Varadarajan & Gilmartin =*Pitcairnia ctenophylla*
- Pepinia geyskesii* (L.B. Smith) Varadarajan & Gilmartin =*Pitcairnia geyskesii*
- Pepinia incarnata* (Baker) Varadarajan & Gilmartin =*Pitcairnia incarnata*
- Pepinia nuda* (Baker) Varadarajan & Gilmartin =*Pitcairnia nuda*
- Pepinia patentiflora* (L.B. Smith) Varadarajan & Gilmartin =*Pitcairnia patentiflora*
- Pepinia rubiginosa* (Brongn.) Varadarajan & Gilmartin =*Pitcairnia rubiginosa*
- Pepinia sprucei* (Baker) Varadarajan & Gilmartin =*Pitcairnia sprucei*
- Pitcairnia kegeliana* Schlecht. =*Pitcairnia caricifolia*
- Platyachmea contracta* (Mart. ex Schult.f.) L.B. Smith & W.J. Kress =*Aechmea contracta*
- Platyachmea tillandsioides* (Mart. ex Schult.f.) L.B. Smith & W.J. Kress =*Aechmea tillandioides*
- Pothuava nudicaulis* (L.) L.B. Smith & W.J. Kress =*Aechmea nudicaulis*
- Quesnelia lamarckii* Baker =*Musa coccinea*
(Musaceae)[cultivated only]
- Racinaea jenmanii* (Baker) Spencer & L.B. Smith =*Tillandsia jenmanii*
- Racinaea spiculosa* (Griseb.) Spencer & L.B. Smith var. *micrantha* (Baker) Spencer & L.B. Smith =*Tillandsia spiculosa* var. *micrantha*
- Racinaea spiculosa* (Griseb.) Spencer & L.B. Smith var. *spiculosa* =*Tillandsia spiculosa* var. *spiculosa*
- Racinaea spiculosa* (Griseb.) Spencer & L.B. Smith var. *stenoglossa* (L.B. Smith) Spencer & L.B. Smith =*Tillandsia spiculosa* var. *stenoglossa*
- Racinaea tetrantha* (Ruiz & Pav.) Spencer & L.B. Smith var. *caribaea* (L.B. Smith) Spencer & L.B. Smith =*Tillandsia tetrantha* var. *caribaea*
- Thecophyllum splitgerberi* (Mez) Pittendrigh =*Vriesea pleiosticha*
- Tillandsia amazonica* Baker =*Vriesea amazonica*
- Tillandsia appuniana* Baker =*Vriesea splendens* var. *splendens*
- Tillandsia archeri* L.B. Smith =*Vriesea turneri*
- Tillandsia compressa* Bert. [not in Guianas]
- Tillandsia conspersa* Miq. =*Tillandsia stricta*
- Tillandsia depepaneana* Steud. var. *reducta* (L.B. Smith) L.B. Smith =*Tillandsia fendleri* var. *reducta*
- Tillandsia duidae* L.B. Smith =*Vriesea duidae*
- Tillandsia graminifolia* Baker =*Tillandsia monadelpha*
- Tillandsia incurva* Griseb. =*Vriesea incurva*
- Tillandsia multifolia* Mez =*Tillandsia turneri* var. *orientalis*
- Tillandsia pachychlamys* Mez =*Vriesea gladioliflora*
- Tillandsia parkeri* Baker =*Tillandsia spiculosa* var. *spiculosa*
- Tillandsia pulchella* Hook. =*Tillandsia tenuifolia*
- Tillandsia pulchella* Hook. var. *surinamensis* Mez =*Tillandsia tenuifolia*
- Tillandsia punctulata* Cham. & Schlechtend. [not in Guianas]
- Tillandsia rhodocincta* Baker =*Tillandsia turneri* var. *orientalis*
- Tillandsia rhododactyla* Mez =*Vriesea rubra*
- Tillandsia rigidula* Baker =*Guzmania roezlii*
- Tillandsia rubra* Ruiz & Pavon var. *reducta* L.B. Smith =*Tillandsia fendleri* var. *reducta*
- Tillandsia splendens* Brongn. =*Vriesea splendens*
- Tillandsia stenoglossa* L.B. Smith =*Tillandsia spiculosa* var. *stenoglossa*
- Tillandsia subimbricata* Baker =*Tillandsia elongata* var. *subimbricata*
- Tillandsia surinamensis* Miq. ex Mez =*Tillandsia tenuifolia*
- Tillandsia tenuifolia* L. var. *surinamensis* (Mez) L.B. Smith =*Tillandsia tenuifolia*
- Tillandsia usneoides* (L.) L. var. *filiformis* (André) Mez =*Tillandsia usneoides*
- Vriesea gigantea* (Mart. ex Schult.f.) Mez =*Vriesea amazonica*
- Vriesea pachychlamys* Mez =*Vriesea gladioliflora*
- Vriesea splitgerberi* (Mez) L.B. Smith & Pittendrigh =*Vriesea pleiosticha*
- Werauhia gigantea* (Mart. ex Schult.f.) J.R. Grant =*Vriesea amazonica*
- Werauhia gladioliflora* (Wendl.) J.R. Grant =*Vriesea gladioliflora*
- Werauhia hygrometrica* (André) J.R. Grant =*Vriesea hygrometrica*
- Werauhia ringens* (Griseb.) J.R. Grant =*Vriesea ringens*
- Wittmackia odora* Mez =*Aechmea lingulata*

BRUNELLIACEAE**REFERENCES:**

Cuatrecasas, J. 1970. Brunelliaceae. Flora Neotropica Monogr. 2: 1-188.

Brunellia comocladifolia Humb. & Bonpl. subsp. *ptariana* (Steyermark) Cuatrecasas [Mt. Roraima]

BURMANNIACEAE

reviewed by P.J.M. Maas (1992); reviewed by P.J.M. Maas (1996)

REFERENCES:

- Jonker, F.P. 1938. Burmanniaceae. In A. Pulle, Flora of Suriname 1(1): 176-187.
 Jonker, F.P. 1968. Burmanniaceae (additions and corrections). In A. Pulle & J. Lanjouw, Flora of Suriname 1(2): 321-325.
 Maas, P.J.M., H. Maas-van de Kamer, J. van Benthem, H.C.M. Snelders, & T. Rübsamen. 1986. Burmanniaceae. Flora Neotropica Monogr. 42: 1-189.
 Maas, P.J.M. & H. Maas-van de Kamer. 1989. Burmanniaceae. In A.R.A. Görtz-van Rijn, Flora of the Guianas (series A) 6: 1-43.
 Maas, P.J.M. & H. Maas-van de Kamer. 1987. A new *Thismia* (Burmanniaceae) from French Guiana. Brittonia 39(3): 376-378.

Apteris aphylla (Nutt.) Barnhart ex Small [GU SU FG]
Burmannia bicolor Mart. [GU SU FG]
Burmannia capitata (Walter ex J.F. Gmel.) Mart. [GU SU FG]
Burmannia flava Mart. [GU SU FG]
Burmannia tenella Benth. [GU]
Campylosiphon purpurascens Benth. [GU SU FG]
Cymbocarpa saccata Sandw. [GU]
Dictyostega orobanchoides (Hook.) Miers subsp. *orobanchoides* [GU SU]
Dictyostega orobanchoides (Hook.) Miers subsp. *parviflora* (Benth.) Snelders & Maas [GU SU FG]
Gymnosiphon brachycephalus Snelders & Maas [GU SU]
Gymnosiphon breviflorus Gleason [GU SU FG]
Gymnosiphon capitatus (Benth.) Urb. [GU]
Gymnosiphon cymosus (Benth.) Benth. & J.D. Hook. [SU]
Gymnosiphon divaricatus (Benth.) Benth. & J.D. Hook. [GU SU FG]
Gymnosiphon fimbriatus (Benth.) Urb. [GU]
Gymnosiphon guianensis Gleason [GU SU]
Gymnosiphon minutus Snelders & Maas [GU]
Gymnosiphon recurvatus Snelders & Maas [GU FG?]
Hexapterella gentianoides Urb. [GU SU]
Miersiella umbellata (Miers) Urb. [GU FG]
Thismia saulensis Maas & Maas [FG]

BURMANNIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Apteris aphylla (Nuttall) Barnhart ex Small var. *hymenanthera* (Miq.) Jonk. =*Apteris aphylla*
Apteris gracillima Sagot [nomen nudum] =*Apteris aphylla*
Apteris hymenanthera Miq. =*Apteris aphylla*
Burmannia brachystachya Miq. =*Burmannia bicolor*
Dictyostega schomburgkii Miers =*Dictyostega orobanchoides* subsp. *orobanchoides*
Dictyostega schomburgkii Miers var. *parviflora* Benth. =*Dictyostega orobanchoides* subsp. *parviflora*
Gymnosiphon altsoni Gleason =*Hexapterella gentianoides*
Gymnosiphon arcuatus Urb. =*Gymnosiphon divaricatus*
Gymnosiphon cornutus (Benth.) Benth. & J.D. Hook. =*Gymnosiphon divaricatus*
Gymnosiphon tenellus (Benth.) Urb. [not in Guianas]
Miersiella aristata Sandw. =*Miersiella umbellata*

BURSERACEAE

reviewed by D. Daly (1992)

REFERENCES:

- Daly, D. 1987. Studies in neotropical Burseraceae I. A synopsis of the genus *Crepidospermum*. Brittonia 39: 51-58.
 Daly, D. 1989. Studies in neotropical Burseraceae II. Generic limits in New World Protieae and Canarieae. Brittonia 41: 17-27.
 Daly, D. 1992. Studies in neotropical Burseraceae VI. New taxa and combinations in *Protium* Burm.f. Brittonia 44: 280-299.
 Swart, J.J. 1942. A monograph of the genus *Protium* and some allied genera. Rec. Trav. Bot. Neerl. 34: 211-446.
 Swart, J.J. 1951. Burseraceae. In A. Pulle, Flora of Suriname 3(2): 204-251.

Bursera simaruba (L.) Sarg. [GU FG]
Crepidospermum goudotianum (Tul.) Triana & Planch. [GU FG]
Crepidospermum rhoifolium (Benth.) Triana & Planch. [GU SU FG]
Dacryodes belemensis Cuatrec. [SU?]
Dacryodes cuspidata (Cuatrec.) Daly [FG]
Dacryodes nitens Cuatrec. [GU SU FG]
Dacryodes roraimensis Steyermark. & Maguire [GU]
Dacryodes steyermarkii Sandw. [GU]
Protium altsonii Sandw. [GU SU FG]
Protium apiculatum Swart [SU FG]
Protium aracouchini (Aubl.) March. [GU SU FG]
Protium crassipetalum Cuatrec. [GU SU?]
Protium crenatum Sandw. [GU]
Protium cuneatum Swart [GU SU? FG]
Protium decandrum (Aubl.) March. [GU SU FG]
Protium demerarensis Swart [GU FG]
Protium divaricatum Engl. subsp. *fumarium* Daly [FG]
Protium elegans Engl. [FG?]

Protium fimbriatum Swart [FG]
Protium giganteum Engl. var. *crassifolium* (Engl.) Daly [SU FG]
Protium giganteum Engl. var. *giganteum* [GU SU FG]
Protium glabrescens Swart [SU?]
Protium grandifolium Engl. [FG]
Protium guianense (Aubl.) March. var. *guianense* [GU SU FG]
Protium heptaphyllum (Aubl.) March. subsp. *heptaphyllum* [GU SU FG]
Protium melinonis Engl. [FG]
Protium morii Daly [FG]
Protium nodulosum Swart [FG]
Protium occultum Daly [FG]
Protium opacum Swart subsp. *rabelianum* Daly [GU FG]
Protium pallidum Cuatrec. [FG]
Protium pilosum (Cuatrec.) Daly [FG]
Protium plagiocarpum Benoist [GU? SU? FG]
Protium poeppigianum Swart [FG]
Protium polybotryum (Turcz.) Engl. subsp. *polybotryum* [GU SU FG]
Protium pullei Swart [SU] [unverified name]
Protium robustum (Swart) Porter [SU FG]
Protium sagotianum March. [GU SU FG]
Protium strumosum Daly [GU FG]
Protium subserratum (Engl.) Engl. [GU FG]
Protium tenuifolium (Engl.) Engl. [GU SU FG]
Protium trifoliolatum Engl. [GU SU FG]
Protium unifoliolatum Engl. [GU]
Tetragastris altissima (Aubl.) Swart [GU SU FG]
Tetragastris hostmannii (Engl.) Kuntze [GU SU FG]
Tetragastris panamensis (Engl.) Kuntze [GU SU FG]
Trattinnickia burserifolia Mart. [GU SU FG]
Trattinnickia demerarae Sandw. [GU SU FG]
Trattinnickia glaziovii Swart [FG]
Trattinnickia rhoifolia Willd. [GU SU FG]

BURSERACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Bursera velutinifolia Cowan =*Cyrtocarpa velutinifolia*
 (Anacardiaceae)
Hemicrepidispernum rhoifolium (Benth.) Swart
 =*Crepidispernum rhoifolium*
Icica altissima Aubl. =*Tetragastris altissima*
Icica aracouchini Aubl. =*Protium aracouchini*
Icica decandra Aubl. =*Protium decandrum*
Icica enneandra Aubl. =*Protium decandrum*
Icica guianensis Aubl. =*Protium guianense*
Icica heptaphylla Aubl. =*Protium heptaphyllum*
Protium araguense Cuatrec. [not in Guianas]
Protium crassifolium Engl. =*Protium giganteum* var.
crassifolium
Protium firmum Swart =*Protium apiculatum*
Protium hostmannii (Miq.) Engl. =*Protium guianense* var.
guianense
Protium insigne (Planch. & Triana) Engl. =*Protium*
sagotianum
Protium neglectum Swart =*Protium tenuifolium*
Protium octandrum Swart =*Protium heptaphyllum* subsp.
heptaphyllum
Protium schomburgkianum Engl. =*Protium decandrum*
Tetragastris pilosa Cuatrec. =*Protium pilosum*
Trattinnickia cuspidata Cuatrec. =*Dacryodes cuspidata*

CABOMBACEAE

additions and corrections by J.H. Wiersema
 (1996)

REFERENCES:

- Cramer, J. 1979. Cabombaceae. In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 5(1): 385-389.
 Fassett, N.C. 1953. A monograph of Cabomba. Castanea 18: 116-128.
 Oergaard, M., H.W.E. van Bruggen, & P.J. van der Vlugt. 1992. Die Familie Cabombaceae (Cabomba und Brasenia). Aqua-Planta sonderheft nr. 3.
 Wiersema, J.H. 1989. A new species of Cabomba from tropical America. Ann. Missouri Bot. Gard. 76(4): 1167-1168.

Brasenia schreberi J.F. Gmelin [GU]
Cabomba aquatica Aubl. [GU SU FG]
Cabomba furcata Schult. & Schult.f. [GU SU?]
Cabomba haynesii Wiersema [to be expected in GU]

CABOMBACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Cabomba piauhensis Gardn. var. *albida* Fassett =*Cabomba*
haynesii
Cabomba piauhensis Gardn. var. *piauhensis* =*Cabomba*
furcata
Cabomba warmingii Caspary =*Cabomba furcata*

CACTACEAE

contributed by B.E. Leuenberger (1992);
 additions and corrections by B.E. Leuenberger (1996)

REFERENCES:

- Hunt, D. 1992. CITES Cactaceae Checklist. Royal Botanic Gardens, Kew.
 Leuenberger, B.E. 1987. A preliminary list of Cactaceae from the Guianas and recommendations for future collecting and preparation of specimens. Willdenowia 16: 497-510.
 Leuenberger, B.E. 1989. Lectotypification of *Cereus hexagonus* (L.) Miller and taxonomic notes on related taxa from South America. Bot. Jahrb. Syst. 111(2): 145-164.
 Leuenberger, B.E. 1995 (in press). Cactaceae. In A.R.A. Görts-van Rijn, Flora of the Guianas (series A).
 Taylor, N.P. 1991. The genus *Melocactus* in Central and South America. Bradleya 9: 1-80.

- Cereus hexagonus* (L.) Mill. [GU SU FG]
Epiphyllum phyllanthus (L.) Haw. var. *phyllanthus* [GU SU FG]
Hylocereus lemairei (Hook.) Britton & Rose [GU? SU? FG?] [cultivated only]
Hylocereus scandens (Salm-Dyck) Backeberg [GU SU]
Melocactus neryi Schum. [GU SU]
Melocactus smithii (Alexander) Buining [GU]
Opuntia cochenillifera (L.) Mill. [SU FG] [cultivated only?
Pereskia aculeata Mill. [GU SU FG] [widely cultivated but apparently native in Guianas]
Pilosocereus oligolepis (Vaupel) Byles & Rowley [GU]
Rhipsalis baccifera (J. Mill.) W.T. Stearn [GU SU FG]
Rhipsalis floccosa Pfeiffer [SU]
Rhipsalis oblonga Löfgren [SU]
Rhipsalis pachyptera Pfeiff. [GU? FG?] [cultivated only?
Selenicereus sp. sect. *Salmdyckia* [GU? SU? FG]

CACTACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Cephalocereus kanukuensis* Alexander =*Pilosocereus oligolepis*
Cereus curtissi Otto [Guianan records dubious]
Cereus grandiflorus Mill. [Guianan records dubious]
Cereus jamacaru DC. [Guianan records dubious]
Cereus longiflorus Alexander =*Cereus hexagonus*
Cereus peruvianus Auct. =*Cereus uruguayanus* [Guianan records dubious]
Cereus triangularis (L.) Haw. =*Hylocereus triangularis* (L.) Britton & Rose [Guianan records dubious]
Epiphyllum hookeri Haw. =*Epiphyllum phyllanthus* var. *hookeri* [Guianan records dubious]
Epiphyllum phyllanthus (L.) Haw. var. *hookeri* (Haw.) Kimnach [Guianan records dubious]
Hylocereus triangularis (L.) Britton & Rose [Guianan records dubious]
Melocactus schulzianus Buining =*Melocactus neryi*
Nopalea cochenillifera (L.) Salm-Dyck =*Opuntia cochenillifera*
Phyllocactus phyllanthus (DC.) Link =*Epiphyllum phyllanthus*
Pilosocereus kanukuensis (Alexander) Leuenberger =*Pilosocereus oligolepis*
Rhipsalis cassutha Gaertn. =*Rhipsalis baccifera*
Rhipsalis minutiflora K. Schum. =*Rhipsalis baccifera*
Rhipsalis occidentalis Barthlott & Rauh [not in Guianas]

CAESALPINIACEAE

Cassia, *Chamaecrista*, *Dialium*, *Dicorynia*, *Dinizia*, *Martiodendron*, & *Senna* contributed by R.C. Barneby (1992)

REFERENCES:

- Amshoff, G.J.H. 1939. Papilionaceae. In A. Pulle, Flora of Suriname 2(2): 1-257.
 Cowan, R.S. 1961. Leguminosae. In B. Maguire, J.J. Wurdack, & collaborators, Botany of the Guayana Highland part IV. Mem. New York Bot. Gard. 10(4): 65-87.
 Cowan, R.S. 1968. *Swartzia*. Flora Neotropica Monogr. 1: 1-228.

- Cowan, R.S. & J.C. Lindeman. 1989. Caesalpiniaceae p.p. In A.R.A. Görts-van Rijn, Flora of the Guianas (series A) 7: 1-167.
 Dwyer, J.D. 1951. The Central American, West Indian, and South American species of *Copaifera* (Caesalpiniaceae). *Brittonia* 7(3): 143-172.
 Dwyer, J.D. 1954. The tropical American genus *Tachigalia* Aubl. (Caesalpiniaceae). *Ann. Missouri Bot. Gard.* 41: 223-260.
 Dwyer, J.D. 1957. The tropical American genus *Sclerolobium* Vogel (Caesalpiniaceae). *Lloydia* 20: 67-118, suppl. 266-267.
 Dwyer, J.D. 1958. The New World species of *Cynometra*. *Ann. Missouri Bot. Gard.* 45: 313-345.
 Fonseca Vaz, A.M.S. da. 1979. Considerações sobre a taxonomia do gênero *Bauhinia* L. sect. *Tylotaea* Vogel (Leguminosae - Caesalpinoideae) do Brasil. *Rodriguésia* 31(51): 127-234.
 Görts-van Rijn, A.R.A., K.U. Kramer, & J.C. Lindeman. 1976. Papilionaceae (additions and corrections). In J. Lanjouw & A.L. Stoffers, Flora of Suriname 2(2): 556-610.
 Irwin, H.S. & R.C. Barneby. 1982. The American *Cassiinae*. A synoptical revision of Leguminosae tribe Cassieae subtribe Cassiinae in the New World. *Mem. New York Bot. Gard.* 35: 1-918.
 Koeppen, R.C. 1967. Revision of *Dicorynia*. *Brittonia* 19(1): 42-61.
 Lee, Y.T. & J.H. Langenheim. 1975. Systematics of the genus *Hymenaea* L. Univ. Calif. Publ. Bot. 69: 1-109.
 Polhill, R.M. & P.H. Raven [ed.]. 1981. Advances in Legume Systematics. Royal Botanical Garden, Kew, England.
 Silva, M.F. da. 1976. Revisão taxonômica do gênero *Peltogyne* Vog. *Acta Amaz.* 6(1) suppl.: 1-61.
 Silva, M.F. da. 1986. *Dimorphandra*. Flora Neotropica Monogr. 44: 1-127.

- Aldina insignis* (Benth.) Endl. var. *insignis* [GU]
Aldina insignis (Benth.) Endl. var. *retusa* Cowan [GU]
Aldina latifolia Spruce ex Benth. var. *latifolia* [to be expected in GU]
Aldina latifolia Spruce ex Benth. var. *pubescens* Cowan [to be expected in GU]
Batesia floribunda Spruce ex Benth. [FG]
Bauhinia aculeata L. [GU]
Bauhinia bicuspida Benth. [SU]
Bauhinia breviloba Benth. [SU]
Bauhinia cinnamomea DC. [GU SU FG]
Bauhinia confertiflora Benth. [GU]
Bauhinia coronata Benth. [FG]
Bauhinia cupreoniens Ducke [GU SU FG]
Bauhinia eilertsii Pulle [SU]
Bauhinia glabra Jacq. [GU SU]
Bauhinia guianensis Aubl. [GU SU FG]

- Bauhinia kunthiana Vogel [GU SU FG]
 Bauhinia longicuspis Spruce ex Benth. [FG]
 Bauhinia longipetala (Benth.) Walp. [GU]
 Bauhinia macrostachya Benth. [GU] [=Bauhinia unguifolia?]
 Bauhinia outimouta Aubl. [FG]
 Bauhinia poiteauana Vogel [FG] [=Bauhinia smilacina?]
 Bauhinia richardiana DC. [FG]
 Bauhinia rubiginosa Bong. [GU SU FG] [=Bauhinia
 guianensis?]
 Bauhinia scala-simiae Sandw. [GU]
 Bauhinia siqueirae Ducke [GU FG]
 Bauhinia smilacina (Schott) Steud. [SU FG]
 Bauhinia sp. cf. rutilans Spruce ex Benth. [GU]
 Bauhinia splendens Kunth [SU FG]
 Bauhinia surinamensis Amsh. [GU SU FG] [=Bauhinia
 guianensis?]
 Bauhinia unguifolia L. [GU]
 Bocca alterna (Benth.) Cowan [GU]
 Bocca prouacensis Aubl. [SU FG]
 Bocca viridiflora (Ducke) Cowan [GU SU FG]
 Brownea guianensis Klotzsch [GU]
 Brownea latifolia Jacq. [GU]
 Caesalpinia bonduc (L.) Roxb. [GU SU FG]
 Caesalpinia pulcherrima (L.) Swartz [GU SU FG] [cultivated;
 naturalized?]
 Campsiandra comosa Benth. var. comosa [GU SU]
 Campsiandra comosa Benth. var. laurifolia (Benth.) Cowan
 [GU]
 Candolleodendron brachystachyum (DC.) Cowan [SU FG]
 Cassia cowanii Irwin & Barneby var. cowanii [FG]
 Cassia cowanii Irwin & Barneby var. guianensis (Sandw.)
 Irwin & Barneby [GU SU]
 Cassia fastuosa Willd. ex Benth. var. fastuosa [SU FG]
 Cassia fistula L. [GU FG] [widely cultivated, occasionally
 escaping]
 Cassia grandis L.f. [GU SU FG]
 Cassia moschata Kunth [GU]
 Cassia spruceana Benth. [FG]
 Chamaecrista adiantifolia (Benth.) Irwin & Barneby var.
 pteridophylla (Sandw.) Irwin & Barneby [GU] [to be
 expected in SU, FG]
 Chamaecrista apoucouita (Aubl.) Irwin & Barneby [GU SU
 FG]
 Chamaecrista calycioides (DC. ex Collad.) Greene [GU? FG]
 Chamaecrista desvauxii (Collad.) Killip var. brevipes (Benth.)
 Irwin & Barneby [GU SU?]
 Chamaecrista desvauxii (Collad.) Killip var. mollissima
 (Benth.) Irwin & Barneby [GU SU? FG?]
 Chamaecrista desvauxii (Collad.) Killip var. saxatilis (Amsh.)
 Irwin & Barneby [SU FG]
 Chamaecrista diphylla (L.) Greene [GU SU FG]
 Chamaecrista fagonioides (Vogel) Irwin & Barneby [GU SU
 FG]
 Chamaecrista flexuosa (L.) Greene [GU SU FG]
 Chamaecrista hispidula (Vahl) Irwin & Barneby [GU SU FG]
 Chamaecrista nictitans (L.) Moench var. disadena (Steud.)
 Irwin & Barneby [GU SU FG]
 Chamaecrista nictitans (L.) Moench var. glabrata (Vogel)
 Irwin & Barneby [GU] [widely naturalized]
 Chamaecrista nictitans (L.) Moench var. paraguariensis (Chod.
 & Hassl.) Irwin & Barneby [GU]
 Chamaecrista nictitans (L.) Moench var. patellaria (Collad.)
 Barneby, comb. nov. ined. [GU SU FG]
 Chamaecrista nictitans (L.) Moench var. praetexta (Vogel)
 Irwin & Barneby [GU SU FG]
 Chamaecrista polystachya (Benth.) Irwin & Barneby [GU]
 Chamaecrista ramosa (Vogel) Irwin & Barneby [GU SU FG]
 Chamaecrista roairaiae (Benth.) Gleas. [GU]
 Chamaecrista rotundifolia (Pers.) Greene [GU?] [common
 weed to be expected in the Guianas]
 Chamaecrista serpens (L.) Greene var. serpens [GU]
 Chamaecrista viscosa (Kunth) Irwin & Barneby var. major
 (Benth.) Irwin & Barneby [GU SU]
 Chamaecrista viscosa (Kunth) Irwin & Barneby var. viscosa
 [to be expected in GU?]
 Copaifera epunctata Amsh. [SU]
 Copaifera guianensis Desf. [GU SU FG]
 Copaifera langsdorffii Desf. [GU]
 Copaifera officinalis L. [GU?]
 Copaifera pubiflora Benth. [GU]
 Copaifera reticulata Ducke [SU]
 Crudia amazonica Spruce ex Benth. [FG]
 Crudia aromatica (Aubl.) Willd. [SU FG]
 Crudia bracteata Benth. [FG]
 Crudia glaberrima (Steud.) Macbride [GU SU FG]
 Crudia oblonga Benth. [GU FG]
 Crudia pubescens Spruce ex Benth. [FG]
 Crudia spicata (Aubl.) Willd. [SU FG]
 Crudia tomentosa (Aubl.) Macbr. [GU FG]
 Cynometra bauhiniifolia Benth. var. bauhiniifolia [GU SU]
 Cynometra hostmanniana Tul. [GU SU FG]
 Cynometra marginata Benth. var. guianensis Dwyer [GU SU]
 Cynometra marginata Benth. var. marginata [GU SU FG]
 Cynometra parvifolia Tul. [SU FG]
 Cynometra spruceana Benth. var. spruceana [GU]
 Delonix regia (Bojer ex Hook.) Raf. [GU SU FG] [cultivated
 only?]
 Dialium guianense (Aubl.) Sandw. [GU SU FG]
 Dicorynia guianensis Amsh. [GU SU FG]
 Dicorynia paraensis Benth. [FG?]
 Dicymbe altsonii Sandw. [GU]
 Dicymbe bernardii Cowan [GU]
 Dicymbe corymbosa Spruce ex Benth. [GU]
 Dicymbe fraterna Cowan [GU]
 Dicymbe jenmanii Sandw. [GU]
 Dicymbe pharangophila Cowan [GU]
 Dicymbe uaiparuensis Cowan [to be expected in GU]
 Dimorphandra conjugata (Splitg.) Sandw. [GU SU]
 Dimorphandra cuprea Sprague & Sandw. subsp. cuprea [GU]
 Dimorphandra davisii Sprague & Sandw. [GU]
 Dimorphandra gonggrijpii Kleinh. [GU]
 Dimorphandra macrostachya Benth. subsp. congestiflora
 (Sprague & Sandw.) M.F. da Silva [GU]
 Dimorphandra macrostachya Benth. subsp. glabrifolia (Ducke)
 M.F. da Silva [GU FG]
 Dimorphandra macrostachya Benth. subsp. macrostachya [GU
 FG?]
 Dimorphandra polyandra Benoist [GU SU FG]
 Dimorphandra pullei Amsh. [SU FG]
 Dimorphandra williamii M.F. da Silva [GU]
 Dinizia excelsa Ducke [GU] [to be expected in FG]
 Elizabetha bicolor Ducke [FG?]
 Elizabetha coccinea Rich. Schomb. ex Benth. var. coccinea
 [GU]
 Elizabetha coccinea Rich. Schomb. ex Benth. var. oxyphylla
 (Harms) Cowan [GU SU]
 Elizabetha fanshawei Cowan [GU]
 Elizabetha grahamii Cowan [GU]
 Elizabetha macrostachya Benth. [GU SU]
 Elizabetha paraensis Ducke [SU? FG?]
 Elizabetha princeps Rich. Schomb. ex Benth. [GU SU FG]
 Eperua bijuga Mart. ex Benth. [FG]

- Eperua falcata* Aubl. [GU SU FG]
Eperua glabra Cowan [GU FG?]
Eperua grandiflora (Aubl.) Benth. subsp. *grandiflora* [SU FG]
Eperua grandiflora (Aubl.) Benth. subsp. *guyanensis* Cowan
[GU FG]
Eperua jenmanii Oliver subsp. *jenmanii* [GU SU? FG]
Eperua jenmanii Oliver subsp. *sandwithii* Cowan [GU]
Eperua rubiginosa Miq. var. *grandiflora* Pulle [SU]
Eperua rubiginosa Miq. var. *rubiginosa* [GU SU FG]
Eperua schomburgkiana Benth. [GU SU FG]
Eperua venosa Cowan [to be expected in GU]
Exostyles sp. [SU]
Haematoxylum campechianum L. [GU SU FG] [cultivated
only?]
Heterostemon ingifolius Sandw. [GU]
Heterostemon mazarunensis Sandw. [GU]
Heterostemon mimosoides Desf. var. *complanatus* Cowan
[SU]
Heterostemon mimosoides Desf. var. *mimosoides* [GU SU
FG]
Heterostemon otophorus Sandw. [GU]
Hymenaea courbaril L. var. *courbaril* [GU SU FG]
Hymenaea oblongifolia Huber var. *davisi* (Sandw.) Lee &
Langenh. [GU]
Hymenaea oblongifolia Huber var. *oblongifolia* [GU FG?]
Hymenaea oblongifolia Huber var. *palustris* (Ducke) Lee &
Langenh. [GU] [to be expected in SU, FG]
Jacqueshuberia brevipes Barneby [GU]
Lecointea amazonica Ducke [GU SU FG]
Macrolobium acaciifolium (Benth.) Benth. [GU SU FG]
Macrolobium acrothamnos Cowan [to be expected in GU]
Macrolobium amplexans (Amsh.) Cowan [SU]
Macrolobium angustifolium (Benth.) Cowan [GU SU FG]
Macrolobium bifolium (Aubl.) Pers. [GU SU FG]
Macrolobium campestre Huber var. *arboreum* Cowan [GU SU
FG]
Macrolobium furcatum Ducke [to be expected in GU]
Macrolobium guianense (Aubl.) Pulle [SU FG]
Macrolobium huberianum Ducke var. *huberianum* [GU]
Macrolobium huberianum Ducke var. *pubirachis* Amsh. [GU]
Macrolobium jenmanii (Gleason) Sandw. [GU]
Macrolobium limbatum Spruce ex Benth. var. *fanshawei*
(Cowan) Cowan [GU]
Macrolobium longeracemosum Amsh. [GU SU]
Macrolobium montanum Ducke var. *potaroanum* Cowan [GU]
Macrolobium multijugum (DC.) Benth. var. *multijugum* [GU
SU FG]
Macrolobium pendulum Willd. ex Vogel [GU SU FG]
Macrolobium stenopetalum Amsh. [SU]
Macrolobium suaveolens Spruce ex Benth. var. *pakarimense*
Cowan [GU]
Macrolobium suaveolens Spruce ex Benth. var. *suaveolens*
[GU]
Macrolobium venulosum Benth. [possibly to be expected in
GU]
Martiodendron excelsum (Benth.) Gleason [GU]
Martiodendron parviflorum (Amsh.) Koeppen [SU FG]
Mora excelsa Benth. [GU SU]
Mora gonggrijpii (Kleinh.) Sandw. [GU SU]
Paloue brasiliensis Ducke [FG]
Paloue guianensis Aubl. [GU SU FG]
Paloue induta Sandw. [GU]
Paloue riparia Pulle [GU SU FG]
Paloveopsis emarginata Cowan [GU]
Parkinsonia aculeata L. [SU] [cultivated only?]
Peltogyne floribunda (Kunth) Benth. [GU]
Peltogyne lecointei Ducke [FG?]
Peltogyne paniculata Benth. subsp. *paniculata* [GU SU FG]
Peltogyne paniculata Benth. subsp. *pubescens* (Benth.) M. F.
da Silva [GU SU FG]
Peltogyne venosa (Vahl) Benth. subsp. *densiflora* (Spruce ex
Benth.) M. F. da Silva [GU SU FG]
Peltogyne venosa (Vahl) Benth. subsp. *venosa* [GU SU FG]
Peltophorum dubium (Spreng.) Taub. [GU]
Peltophorum inerne (Rosb.) Naves [GU]
Peltophorum pterocarpum (DC.) Backer ex K. Heyne [GU SU
FG] [cultivated only?]
Recordoxylon speciosum (Benoist) Gazel ex Barneby [GU
FG]
Sclerolobium albiflorum Benoist [SU FG]
Sclerolobium amplifolium Ducke [FG]
Sclerolobium bracteosum Harms [SU?]
Sclerolobium guianense Benth. var. *guianense* [GU SU FG]
Sclerolobium melinonii Harms [SU FG]
Sclerolobium micropetalum Ducke [GU SU]
Sclerolobium paraense Huber [SU FG]
Sclerolobium roraimae Schomb. [GU?] [Mt. Roraima]
Sclerolobium tinctorium Benth. [FG]
Senna alata (L.) Roxb. [GU SU FG]
Senna bacillaris (L.f.) Irwin & Barneby var. *bacillaris* [GU
SU FG]
Senna bicapsularis (L.) Roxb. [GU FG]
Senna chrysocarpa (Desv.) Irwin & Barneby [GU SU FG]
Senna georgica Irwin & Barneby [FG]
Senna hirsuta (L.) Irwin & Barneby var. *hirsuta* [GU SU FG]
Senna latifolia (G. Mey.) Irwin & Barneby [GU SU FG]
Senna ligustrina (L.) Irwin & Barneby [GU?]
Senna lourteigiana Irwin & Barneby [SU? FG]
Senna macranthera (DC. ex Collad.) Irwin & Barneby
[cultivated, perhaps escaping]
Senna multijuga (L.C. Rich.) Irwin & Barneby var. *multijuga*
[GU SU FG]
Senna obtusifolia (L.) Irwin & Barneby [GU SU FG]
Senna occidentalis (L.) Link [GU SU FG]
Senna pallida (Vahl) Irwin & Barneby var. *pallida* [to be
expected in GU]
Senna pilifera (Vogel) Irwin & Barneby var. *subglabra* (S.
Moore) Irwin & Barneby [to be expected in the Guianas]
Senna polyphylla (Jacq.) Irwin & Barneby [cultivated, perhaps
escaping]
Senna quinquangulata (L.C. Rich.) Irwin & Barneby [GU SU
FG]
Senna reticulata (Willd.) Irwin & Barneby [GU SU FG]
Senna rupununiensis Irwin & Barneby [GU]
Senna sandwithiana Irwin & Barneby [GU]
Senna siamea (Lam.) Irwin & Barneby [cultivated,
occasionally escaping]
Senna silvestris (Vell.) Irwin & Barneby var. *silvestris* [GU
SU] [to be expected in FG]
Senna sophera (L.) Roxb. [GU]
Senna undulata (Benth.) Irwin & Barneby [GU]
Senna velutina (Vogel) Irwin & Barneby [GU]
Swartzia amshoffiana Cowan [SU FG]
Swartzia anomala Cowan [GU]
Swartzia apiculata Cowan [GU]
Swartzia aptera DC. [FG]
Swartzia arborescens (Aubl.) Pittier [GU SU FG]
Swartzia bannia Sandw. [GU SU]
Swartzia benthamiana Miq. var. *benthamiana* [GU SU FG]
Swartzia brachyrachis Harms var. *glabrata* Cowan [GU SU]
Swartzia coarctata Jackson [FG?]
Swartzia conferta Spruce ex Benth. var. *conferta* [GU]

Swartzia davisii Sandw. [GU]
Swartzia dipetala Willd. ex Vogel [GU]
Swartzia eriocarpa Benth. [GU]
Swartzia fanshawei Cowan [GU]
Swartzia grandifolia Bong. ex Benth. [GU SU FG]
Swartzia guianensis (Aubl.) Urb. [GU SU FG]
Swartzia hostmannii Benth. [SU FG]
Swartzia jenmanii Sandw. [GU]
Swartzia katawa Cowan [GU]
Swartzia laevicarpa Amsh. [GU SU FG?]
Swartzia lamellata Ducke var. *kaieteurensis* Cowan [GU]
Swartzia latifolia Benth. var. *latifolia* [GU]
Swartzia latifolia Benth. var. *sylvestris* Cowan [GU SU]
Swartzia laurifolia Benth. [to be expected in GU]
Swartzia laxiflora Bong. ex Benth. [to be expected in the
Guianas]
Swartzia leblondii Cowan [FG]
Swartzia leiocalyicina Benth. [GU]
Swartzia leioyne (Sandw.) Cowan [GU]
Swartzia longicarpa Amsh. [SU FG]
Swartzia longipedicellata Sandw. [GU]
Swartzia ob lanceolata Sandw. [GU FG]
Swartzia oblonga Benth. [to be expected in GU]
Swartzia pachyphylla Harms [Mt. Roraima]
Swartzia panacoco (Aubl.) Cowan var. *altsonii* (Sandw.)
Cowan [GU]
Swartzia panacoco (Aubl.) Cowan var. *cardonae* (Cowan)
Cowan [GU]
Swartzia panacoco (Aubl.) Cowan var. *kamarangensis* Cowan
[GU]
Swartzia panacoco (Aubl.) Cowan var. *panacoco* [FG]
Swartzia panacoco (Aubl.) Cowan var. *polyanthera* (Steud.)
Cowan [GU SU FG]
Swartzia panacoco (Aubl.) Cowan var. *sagotii* (Sandw.)
Cowan [FG]
Swartzia panacoco (Aubl.) Cowan var. *sandwithiana* (Cowan)
Cowan [GU]
Swartzia panacoco (Aubl.) Cowan var. *tepuiensis* (Schery)
Cowan [to be expected in GU]
Swartzia parvifolia Schery [to be expected in GU]
Swartzia piarensis Cowan [to be expected in GU]
Swartzia picta Spruce ex Benth. var. *boliviarensis* Cowan [to
be expected in GU, possibly in SU]
Swartzia polyphylla DC. [GU SU FG]
Swartzia recurva Poepp. & Endl. [to be expected in GU?]
Swartzia rediviva Cowan [SU]
Swartzia remiger Amsh. [GU? SU FG?]
Swartzia reticulata Ducke [SU] [to be expected in GU]
Swartzia roraimae Sandw. [Mt. Roraima]
Swartzia schomburgkii Benth. var. *guayanensis* Cowan [to be
expected in GU]
Swartzia schomburgkii Benth. var. *schomburgkii* [GU SU]
Swartzia sericea Vogel var. *sericea* [GU? FG]
Swartzia sprucei Benth. var. *tessellata* Cowan [GU]
Swartzia steyermarkii Cowan [GU SU? FG]
Swartzia stipellata Cowan [to be expected in GU]
Swartzia tessmannii Harms [to be expected in GU]
Swartzia tillettii Cowan [GU]
Swartzia wurdackii Cowan [to be expected in GU]
Swartzia xanthopetala Sandw. [GU]
Tachigali bracteolata Dwyer [FG]
Tachigali cavipes (Spruce ex Benth.) Macbr. [FG?]
Tachigali myrmecophila (Ducke) Ducke [SU FG]
Tachigali paniculata Aubl. var. *angustifolia* (Miq.) Dwyer [SU
FG]
Tachigali paniculata Aubl. var. *paniculata* [GU SU FG]

Tachigali paniculata Aubl. var. *sulcata* (Benoist) Dwyer [FG]
Tachigali pubiflora Benth. [GU]
Tachigali rusbyi Harms [GU]
Vouacapoua americana Aubl. [GU? SU FG]
Vouacapoua macropetala Sandw. [GU]
Zollernia paraensis Huber [GU SU FG]

CAESALPINIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Allania insignis Benth. =*Aldina insignis*
Apalatoa spicata Aubl. =*Crudia spicata*
Arouna guianensis Aubl. =*Dialium guianense*
Bauhinia brachystachya Benth. =*Bauhinia glabra*
Bauhinia cumanensis Kunth =*Bauhinia glabra*
Bauhinia guianensis Aubl. var. *splendens* (Kunth) Amsh.
= *Bauhinia splendens*
Bauhinia speciosa Vog., non Roxb. =*Bauhinia rubiginosa*
Campsandra laurifolia Benth. =*Campsandra comosa* var.
laurifolia
Cassia alata L. =*Senna alata*
Cassia apoucouita Aubl. =*Chamaecrista apoucouita*
Cassia biflora L. [ambiguous name, probably applied to *Senna
pallida*]
Cassia calycioides DC. ex Collad. =*Chamaecrista calycioides*
Cassia chrysocarpa Desv. =*Senna chrysocarpa*
Cassia cultrifolia Kunth =*Chamaecrista diphylla*
Cassia desvauxii Collad. =*Chamaecrista desvauxii*
Cassia diphylla L. =*Chamaecrista diphylla*
Cassia fagonoides Vogel =*Chamaecrista fagonoides*
Cassia flexuosa L. =*Chamaecrista flexuosa*
Cassia fruticosa Mill. =*Senna fruticosa* (Mill.) Irwin &
Barneby [not in Guianas]
Cassia glandulosa L. var. *swartzii* (Wikstr.) Macbr.
= *Chamaecrista glandulosa* var. *swartzii* [not in Guianas]
Cassia hirsuta L. =*Senna hirsuta*
Cassia hispidula Vahl =*Chamaecrista hispidula*
Cassia hoffmannseggii Mart. ex Benth. =*Senna latifolia*
Cassia latifolia =*Senna latifolia*
Cassia leiandra Benth. [Guianan records erroneous, but
possibly to be expected]
Cassia leiandra Benth. var. *guianensis* Sandw. =*Cassia
cowanii* var. *guianensis*
Cassia ligustrina L. =*Senna ligustrina*
Cassia lucens Vogel =*Senna silvestris* var. *silvestris*
Cassia macrantha DC. ex Collad. =*Senna macrantha*
Cassia mimosoides L. =*Chamaecrista mimosoides* [not in
Guianas]
Cassia multijuga L.C. Rich. =*Senna multijuga*
Cassia occidentalis L. =*Senna occidentalis*
Cassia paramarboensis Miq. =*Aeschynomene sensitiva*
(Fabaceae)
Cassia patellaris DC. =*Chamaecrista nictitans* var. *patellaris*
Cassia pennelliana Amsh. =*Chamaecrista nictitans* var.
paraguariensis [not in Guianas]
Cassia polypylla Jacq. =*Senna polypylla*
Cassia praetexta Vogel =*Chamaecrista nictitans* var. *praetexta*
Cassia pteridophylla Sandw. =*Chamaecrista adiantiflora* var.
pteridophylla
Cassia quinquangulata Rich. =*Senna quinquangulata*
Cassia racemosa Mill. =*Senna racemosa* (Mill.) Irwin &
Barneby [not in Guianas]
Cassia ramosa Vogel =*Chamaecrista ramosa*
Cassia reticulata Willd. =*Senna reticulata*
Cassia sagotiana Benth. =*Cassia spruceana*

- Cassia saxatilis* (Amsh.) Irwin =*Chamaecrista desvauxii* var. *saxatilis*
Cassia siamea Lam. =*Senna siamea*
Cassia stenocarpa Vogel =*Chamaecrista nictitans* var. *disadena*
Cassia tetraphylla Desv. =*Chamaecrista desvauxii* var. *desvauxii*
Cassia tora L. [not in Guianas]
Cassia uniflora Spreng. [dubious name, not in Guianas]
Cassia viminea L. =*Senna viminea* (L.) Irwin & Barneby [not in Guianas]
Cassia viscosa Kunth =*Chamaecrista viscosa*
Crudia obliqua Griseb. =*Crudia glaberrima*
Crudia parivoa DC. =*Crudia tomentosa*
Dimorphandra congestiflora Sprague & Sandw.
 =*Dimorphandra macrostachya* subsp. *congestiflora*
Dimorphandra hohenkerkii Sprague & Sandw.
 =*Dimorphandra polyantha*
Dimorphandra latifolia Tul. =*Dimorphandra conjugata*
Elisabetha oxyphylla Harms =*Elizabetha coccinea* var. *oxyphylla*
Eperua kourensis Benoist =*Eperua grandiflora*
Eperua stipulata Kleinh. =*Eperua jenmanii*
Hymenaea davisii Sandw. =*Hymenaea oblongifolia* var. *davisii*
Hymenaea palustris Ducke =*Hymenaea oblongifolia* var. *palustris*
Macrolobium acaciifolium (Benth.) Benth. var. *vestitum*
 Sandw. =*Macrolobium acaciifolium*
Macrolobium bifolium (Aubl.) Pers. var. *amplexans* Amsh.
 =*Macrolobium amplexans*
Macrolobium chrysostachyum (Miq.) Benth. =*Macrolobium angustifolium*
Macrolobium elegans Miq. =*Macrolobium bifolium*
Macrolobium hymenaeoides Willd. =*Macrolobium bifolium*
Macrolobium simira (Aubl.) J.F. Gmelin =*Vouapa simira* [incertae sedis]
Macrolobium stamineum G. Mey. =*Macrolobium bifolium*
Macrolobium unijugum (Poep. & Endl.) Cowan
 =*Macrolobium limbatum*
Macrolobium unijugum (Poep. & Endl.) Cowan var. *fanshawei* Cowan =*Macrolobium limbatum* var. *fanshawei*
Martiusia parviflora Amsh. =*Martiodendron parviflorum*
Melanoxyton speciosum Benoist =*Recordoxylon speciosum*
Outea acaciifolia Benth. =*Macrolobium acaciifolium*
Outea guianensis Aubl. =*Macrolobium guianense*
Outea multijuga DC. =*Macrolobium multijugum*
Parivoa grandiflora Aubl. =*Eperua grandiflora*
Parivoa tomentosa Aubl. =*Crudia tomentosa*
Peltogyne densiflora Spruce ex Benth. =*Peltogyne venosa* subsp. *densiflora*
Peltogyne porphyrocardia Griseb. ex Benth. =*Peltogyne floribunda*
Peltogyne pubescens Benth. =*Peltogyne paniculata* subsp. *pubescens*
Poinciana pulcherrima L. =*Caesalpinia pulcherrima*
Possira arborescens Aubl. =*Swartzia arborescens*
Recordoxylon amazonicum (Ducke) Ducke =*Recordoxylon speciosum*
Rittera dodecandra Vahl =*Swartzia arborescens*
Robinia panacoco Aubl. =*Swartzia panacoco*
Senna spruceana Benth. =*Cassia spruceana*
Swartzia alata Willd. =*Swartzia guianensis*
Swartzia alterna Benth. =*Bocoa alterna*
Swartzia apetala Raddi [not in Guianas]
- Swartzia apetala* Raddi var. *acuminata* Amsh. =*Swartzia amshoffiana*
Swartzia bifida Steud. =*Swartzia arborescens*
Swartzia brachystachya DC. =*Candolleodendron brachystachyum*
Swartzia corrugata Benth. [not in Guianas]
Swartzia cuspidata Spruce ex Benth. [not in Guianas]
Swartzia dodecandra (Vahl) Willd. =*Swartzia arborescens*
Swartzia grandifolia Bong. ex Benth. var. *leiogyne* Sandw.
 =*Swartzia leiogyne*
Swartzia longifolia DC. =*Spirotropis longifolia* (Fabaceae)
Swartzia microstylis Benth. =*Swartzia dipetala*
Swartzia minutiflora Kleinh. =*Bocoa prouacensis*
Swartzia parviflora DC. =*Swartzia arborescens*
Swartzia polyanthera Steud. =*Swartzia panacoco* var. *polyanthera*
Swartzia prouacensis (Aubl.) Amsh. =*Bocoa prouacensis*
Swartzia similis Benoist =*Swartzia panacoco*
Swartzia simplex Spreng. [not in Guianas]
Swartzia tepuiensis Schery =*Swartzia panacoco* var. *tepuensis*
Swartzia tomentosa (Willd.) DC. =*Swartzia panacoco*
Swartzia tomentosa (Willd.) DC. var. *altsonii* Sandw.
 =*Swartzia panacoco* var. *altsonii*
Swartzia tomentosa (Willd.) DC. var. *cardonae* Cowan
 =*Swartzia panacoco* var. *cardonae*
Swartzia tomentosa (Willd.) DC. var. *polyanthera* (Steud.) Sandw. =*Swartzia panacoco* var. *polyanthera*
Swartzia tomentosa (Willd.) DC. var. *sagotii* Sandw.
 =*Swartzia panacoco* var. *sagotii*
Swartzia tomentosa (Willd.) DC. var. *sandwithiana* Cowan
 =*Swartzia panacoco* var. *sandwithiana*
Swartzia viridiflora Ducke =*Bocoa viridiflora*
Tachigali glauca Tul. =*Tachigali cavipes*
Tachigali paniculata Aubl. var. *cavipes* Benth. =*Tachigali cavipes*
Tachigali richardiana Tul. ex Lemée [apparently a nomen nudum]
Tachigali sulcata Benoist =*Tachigali paniculata* var. *sulcata*
Tachigali trigona Aubl. =*Tachigali paniculata*
Touantea latifolia (Benth.) Taub. =*Swartzia latifolia*
Touantea sericea (Vogel) Kuntze =*Swartzia sericea*
Touchiroa aromatica Aubl. =*Crudia aromatica*
Tounatea aptera (DC.) Taub. =*Swartzia aptera*
Tounatea arborescens (Aubl.) Britton =*Swartzia arborescens*
Tounatea benthamiana (Miq.) Taub. =*Swartzia benthamiana*
Tounatea dodecandra (Vahl) Taub. =*Swartzia arborescens*
Tounatea guianensis Aubl. =*Swartzia guianensis*
Tounatea hostmanni (Benth.) Taub. =*Swartzia hostmannii*
Tounatea schomburgkii (Benth.) Taub. =*Swartzia schomburgkii*
Vouapa acaciifolia (Benth.) Baill. =*Macrolobium acaciifolium*
Vouapa angustifolia Benth. =*Macrolobium angustifolium*
Vouapa bifolia Aubl. =*Macrolobium bifolium*
Vouapa chrysostachya Miq. =*Macrolobium angustifolium*

SPERMATOPHYTA: Caesalpiniaceae

Vouapa guyanensis (Aubl.) Taub. =*Macrolobium guianense*
Vouapa jenmani Gleason =*Macrolobium jenmanii*
Vouapa multijuga (DC.) Taub. =*Macrolobium multijugum*
Vouapa staminea (G. Mey.) DC. =*Macrolobium bifolium*
Zollernia kanukuensis Cowan =*Zollernia paraënsis*

CAMPANULACEAE

reviewed by J.L. Lutteyn & B. Stein (1992)

REFERENCES:

- Lanjouw, J. 1934. Campanulaceae. In A. Pulle, Flora of Suriname 4(1): 302-305.
 Lanjouw, J. 1937. Campanulaceae (additions and corrections). In A. Pulle, Flora of Suriname 4(1): 494-495.

Centropogon cornutus (L.) Druce [GU SU FG]
Centropogon roraimanus Wimmer [GU]
Hippobroma longiflora (L.) G. Don [GU SU] [to be expected in FG]
Lobelia aquatica Cham. [GU SU FG]

CAMPANULACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Centropogon solanifolius* Benth. [not in Guianas]
Centropogon surinamensis (L.) K. Presl =*Centropogon cornutus*
Isotoma longiflora (L.) K. Presl =*Hippobroma longiflora*

CANELLACEAE

REFERENCES:

- Uittien, H. 1935. Canellaceae. In A. Pulle, Flora of Suriname 3(1): 304-305.
 Wilson, T.K. 1960. The comparative morphology of the Canellaceae. I. Synopsis of genera and wood anatomy. Trop. Woods 112: 1-27.

Cinnamodendron tenuifolium Uittien [SU FG]

CANNACEAE

reviewed by P.J.M. Maas (1992); reviewed by P.J.M. Maas (1996)

REFERENCES:

- Maas, P.J.M. 1979. Cannaceae. In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 5(1): 412-415.
 Maas, P.J.M. 1985. Cannaceae. In A.R.A. Görts-van Rijn, Flora of the Guianas (series A) 1: 69-73.

Canna glauca L. [GU SU FG]
Canna indica L. [GU SU FG] [naturalized?]

CANNACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Canna coccinea Mill. =*Canna indica*
Canna lambertii Lindl. =*Canna indica*

CAPPARACEAE

reviewed by J.C. Lindeman (1992); reviewed by J.C. Lindeman (1996)

REFERENCES:

- Jansen-Jacobs, M.J. 1976. Capparaceae (additions and corrections). In J. Lanjouw & A.L. Stoffers, Flora of Suriname 2(2): 512-517.
 Went, J.C. 1937. Capparidaceae. In A. Pulle, Flora of Suriname 2(1): 397-405.

Capparis amplissima Lam. [GU? SU]
Capparis cynophallophora L. var. *isthmensis* (Eichl.) Iltis ex Jansen-Jacobs [SU]
Capparis frondosa Jacq. [GU SU FG] [=*Capparis baducca* L.]
Capparis guaguaënsis Steyerm. [FG] [to be expected in GU]
Capparis leprieurii Briq. [GU SU FG]
Capparis maroniensis Benoist [GU SU FG]
Capparis pulcherrima Jacq. [FG?]
Capparis sola Macbr. [SU FG?]
Capparis verrucosa Jacq. [GU?]
Capparis yco (Mart.) Mart. & Eichl. var. *guianensis* Sagot [FG]
Cleome aculeata L. [GU SU FG]
Cleome frutescens Aubl. [FG] [=*Cleome spinosa*?]
Cleome guianensis Aubl. [GU SU FG]
Cleome gynandra L. [SU FG] [naturalized]
Cleome latifolia Vahl ex DC. [GU SU FG]
Cleome micrantha W. Hamilton [GU] [name of uncertain application]

- Cleome parviflora Kunth [GU SU FG]
 Cleome rutidosperma DC. [FG] [naturalized]
 Cleome serrata Jacq. [GU SU]
 Cleome speciosa Raf. [GU SU FG]
 Cleome spinosa Jacq. [GU SU FG]
 Cleome stenophylla Klotzsch ex Urb. [GU]
 Cleome viridiflora Schreb. [FG]
 Crateva tapia L. [GU SU FG]
 Morisonia americana L. [GU]

CAPPARACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Capparidastrum baducca (L.) Hutchinson =Capparis baducca
 Capparis baducca L. [Capparis frondosa Jacq. synonymized here by some authors]
 Capparis isthmensis Eichl. =Capparis cynophallophora var. isthmensis
 Capparis montana (Aubl.) Lemée =Pradosia ptychandra (Sapotaceae)
 Capparis perseifolia Iltis ex Jansen-Jacobs [nomen nudum] =Capparis leprieurii
 Capparis surinamensis J.C. Went =Capparis maroniensis
 Cleome gigantea L. =Cleome viridiflora
 Cleome polygama L. =Cleome serrata
 Cleome psoraleafolia DC. =Cleome parviflora
 Cleome surinamensis Miq. =Cleome aculeata
 Crateva acuminata DC. =Crateva tapia
 Crateva benthamii Eichl. =Crateva tapia
 Gynandropsis gynandra (L.) Briq. =Cleome gynandra
 Gynandropsis speciosa (Kunth) DC. =Cleome speciosa
 Physostemon guianense (Aubl.) Malme =Cleome guianensis
 Physostemon lanceolatum Mart. & Zucc. unnamed var. p.p. in Fl. Bras. 13(1): 244 (1865) =Cleome stenophylla
 Quadrella cynophallophora (L.) Hutchinson =Capparis cynophallophora
 Voyara montana Aubl. =Pradosia ptychandra (Sapotaceae)

CAPRIFOLIACEAE

REFERENCES:

- Killip, E.P. & A.C. Smith. 1929. The genus Viburnum in northwestern South America. Bull. Torrey Bot. Club 56: 265-274.
 Steyermark, J.A. 1953. Caprifoliaceae. In J.A. Steyermark & collaborators, Contributions to the Flora of Venezuela. Fieldiana Bot. 28(3): 618-619.

Viburnum tinoides L.f. var. roraimense (Killip & A.C. Smith)
 Steyermark. [GU]

CAPRIFOLIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Viburnum glabratum Kunth [not in Guianas]
 Viburnum roraimense Killip & A.C. Smith =Viburnum tinoides var. roraimense

CARICACEAE

REFERENCES:

- Badillo, V.M. 1971. Monografia de la familia Caricaceae. Publ. Asoc. Prof., Univ. Central de Venezuela. Maracay.
 Lindeman, J.C. 1984. Caricaceae. In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 5(1): 585-591.

- Carica microcarpa Jacq. subsp. heterophylla (Poepp. & Endl.) Badillo [FG]
 Carica papaya L. [GU SU FG] [cultivated, naturalized]
 Jacaratia spinosa (Aubl.) A. DC. [GU SU FG]

CARICACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Carica spinosa Aubl. =Jacaratia spinosa
 Papaya spinosa A. DC. =Jacaratia spinosa

CARYOCARACEAE

contributed by G.T. Prance (1992)

REFERENCES:

- Lanjouw, J. & P.F. van Heerdt. 1941. Caryocaraceae. In A. Pulle, Flora of Suriname 3(1): 366-372.
 Prance, G.T. 1972. Caryocaraceae. In B. Maguire & collaborators, Botany of the Guayana Highland part 9. Mem. New York Bot. Gard. 23: 1-832.
 Prance, G.T. & M.F. da Silva. 1973. Caryocaraceae. Flora Neotropica Monogr. 12: 1-75.

- Anthodiscus mazarunensis Gilly [GU SU]
 Anthodiscus trifoliatus G. Mey. [GU]
 Caryocar glabrum (Aubl.) Pers. subsp. album Prance & Freitas da Silva [GU]
 Caryocar glabrum (Aubl.) Pers. subsp. glabrum [GU SU FG]
 Caryocar microcarpum Ducke [GU SU FG]
 Caryocar montanum Prance [GU]
 Caryocar nuciferum L. [GU SU FG]
 Caryocar pallidum A.C. Smith [FG?]
 Caryocar villosum (Aubl.) Pers. [FG]

CARYOCARACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Caryocar butyrosum (Aubl.) Willd. =Caryocar villosum
 Caryocar tomentosum (Aubl.) Willd. =Caryocar nuciferum
 Pekea butirosa Aubl. =Caryocar villosum
 Pekea tuberculosa Aubl. =Caryocar nuciferum

Saouari glabra Aubl. =*Caryocar glabrum*
 Saouari villosa Aubl. =*Caryocar villosum*

CARYOPHYLLACEAE

reviewed by R.A. DeFilipps (1996)

REFERENCES:

Ooststroom, S.J. van. 1934. Caryophyllaceae.
 In A. Pulle, Flora of Suriname 1(1): 150-153.

Drymaria cordata (L.) Willd. ex Roem. & Schult. [GU SU FG]
Polycarpaea corymbosa (L.) Lam. [GU SU]

CARYOPHYLLACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Polycarpaea atherophora Steud. =*Polycarpaea corymbosa*
Polycarpaea corymbosa (L.) Lam. var. *brasiliensis* (Camb.) Chod. & Hassler =*Polycarpaea corymbosa*

CASUARINACEAE

[Old World family, one species widely cultivated]

REFERENCES:

Berg, C.C. 1992. Casuarinaceae. In A.R.A. Görts-van Rijn, Flora of the Guianas (series A) 11: 140.

Casuarina equisetifolia J.R. & G. Forster [cultivated]

CECROPIACEAE

contributed by C.C. Berg (1992); additions and corrections by C.C. Berg (1996)

REFERENCES:

Berg, C.C. 1992. Cecropiaceae. In A.R.A. Görts-van Rijn, Flora of the Guianas (series A) 11: 93-124.
 Berg, C.C., R.W.A.P. Akkermans, & E.C.H. van Heusden. 1990. Cecropiaceae: Coussapoa and Pourouma. Flora Neotropica Monogr. 51: 1-194.
 Berg, C.C. & G.P. DeWolf. 1975. Moraceae. In J. Lanjouw & A.L. Stoffers, Flora of Suriname 5(1): 265-294.

Cecropia angulata I.W. Bailey [GU]
Cecropia distachya Huber [FG]
Cecropia granvilleana C.C. Berg [SU? FG]

Cecropia kavanayensis Cuatrec. [GU?] =*Cecropia kavanayensis*
Cecropia latiloba Miq. [GU SU FG] =*Cecropia palmata*
Cecropia obtusa Trécul [GU SU FG] =*Cecropia peltata*
Cecropia palmata Willd. [SU FG] =*Cecropia sciadophylla* Mart. [GU SU FG]
Cecropia peltata L. [GU SU FG] =*Cecropia silvae* C.C. Berg [SU FG?]
Coussapoa angustifolia Aubl. [GU SU FG] =*Coussapoa argentea* Akkermans & C.C. Berg [GU?] =*Coussapoa asperifolia* Trécul subsp. *asperifolia* [GU SU FG] =*Coussapoa asperifolia* Trécul subsp. *magnifolia* (Trécul) Akkermans & C.C. Berg [GU] =*Coussapoa crassivenosa* Mildbr. [GU?] =*Coussapoa ferruginea* Trécul [SU FG] =*Coussapoa latifolia* Aubl. [GU SU FG] =*Coussapoa leprieurii* Benoist [FG] =*Coussapoa microcephala* Trécul [GU SU FG] =*Coussapoa parvifolia* Standl. [GU] =*Coussapoa trinervia* Mildbr. [GU] =*Coussapoa viridifolia* Cuatrec. [GU] =*Pourouma bicolor* Mart. subsp. *bicolor* [GU SU FG] =*Pourouma bicolor* Mart. subsp. *digitata* (Trécul) C.C. Berg & van Heusden [GU SU FG] =*Pourouma bolivarensis* C.C. Berg [GU?] =*Pourouma guianensis* Aubl. subsp. *guianensis* [GU SU FG] =*Pourouma melinonii* Benoist subsp. *melinonii* [GU SU FG] =*Pourouma minor* Benoist [GU SU FG] =*Pourouma mollis* Trécul subsp. *mollis* [GU SU FG] =*Pourouma saulensis* C.C. Berg & F. Kooy [FG] =*Pourouma stipulacea* C.C. Berg [GU] =*Pourouma tomentosa* Miq. subsp. *essequiboensis* (Standl.) C.C. Berg & Van Heusden [GU] =*Pourouma tomentosa* Miq. subsp. *maroniensis* (Benoist) C.C. Berg & Van Heusden [SU FG] =*Pourouma velutina* Miq. [SU FG] =*Pourouma villosa* Trécul [GU SU FG]

CECROPIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Cecropia auyantepuiana Cuatrec. =*Cecropia kavanayensis*
Cecropia bureauiana Al. Richter =*Cecropia palmata*
Cecropia dielsiana Snethlage =*Cecropia peltata*
Cecropia juranyiana Al. Richter =*Cecropia sciadophylla*
Cecropia paraensis Huber =*Cecropia latiloba*
Cecropia sciadophylla Mart. var. *decurrens* Snethlage =*Cecropia sciadophylla*
Cecropia steyermarkii Cuatrec. =*Cecropia kavanayensis*
Cecropia surinamensis Miq. =*Cecropia peltata*
Coussapoa cayennensis Hawkes =*Coussapoa asperifolia* subsp. *asperifolia*
Coussapoa cuneata Miq. =*Coussapoa microcephala*
Coussapoa fagifolia Klotzsch =*Coussapoa microcephala*
Coussapoa hypochlora Standl. =*Coussapoa asperifolia* subsp. *magnifolia*
Coussapoa latifolia Aubl. var. *obovata* (Miq.) Miq. =*Coussapo latifolia*
Coussapoa magnifolia Trécul =*Coussapoa asperifolia* subsp. *magnifolia*
Coussapoa microcephala Trécul subsp. *cornifolia* (Standl.) Akkermans & C.C. Berg =*Coussapoa parvifolia*

Coussapoa obovata Miq. =*Coussapoa latifolia*
Coussapoa steyermarkii Cuatrec. =*Coussapoa crassivenosa*
Pourouma aspera Trécul =*Pourouma bicolor* subsp. *bicolor*
Pourouma digitata Trécul =*Pourouma bicolor* subsp. *digitata*
Pourouma essequiboensis Standl. =*Pourouma tomentosa*
 subsp. *essequiboensis*
Pourouma laevis Benoist =*Pourouma villosa*
Pourouma maroniensis Benoist =*Pourouma tomentosa* subsp.
 maroniensis

CELASTRACEAE

reviewed by D. Kearns (1996)

REFERENCES:

Loesener, T. 1942. Celastraceae. In A. Engler & K. Prantl, Die Natürlichen Pflanzenfamilien 20b: 87-197.

Elaeodendron xylocarpum (Vent.) DC. [possibly to be expected in GU]
Gouphia glabra Aubl. [GU SU FG]
Maytenus alnifolia Reissek [FG?]
Maytenus ficiformis Reissek [GU]
Maytenus floribunda Reissek [FG]
Maytenus guyanensis Klotsch ex Reissek [GU]
Maytenus kanukuensis A.C. Smith [GU]
Maytenus myrsinoides Reissek [GU SU FG]
Maytenus oblongata Reissek [GU SU FG]
Maytenus planifolia A.C. Smith [GU]
Maytenus pruinosa Reissek [GU SU FG]
Maytenus tetragona Griseb. [FG]

CELASTRACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Gouphia paraensis Huber =*Gouphia glabra*?
Gouphia tomentosa Aubl. =*Gouphia glabra*
Maytenus reissekii Urb. & Graebn. =*Maytenus myrsinoides*

CERATOPHYLLACEAE

REFERENCES:

Les, D.H. 1988. The evolution of achene morphology in *Ceratophyllum*, II. Fruit variation and systematics of the "spiny-margined" group. *Syst. Bot.* 13(1): 73-86.
 Les, D.H. 1989. The evolution of achene morphology in *Ceratophyllum*, IV. Summary of proposed relationships and evolutionary trends. *Syst. Bot.* 14(2): 254-262.
 Lowden, R.M. 1978. Studies on the submerged genus *Ceratophyllum* in the Neotropics. *Aquatic Botany* 4: 127-142.
 Wilmot-Dear, 1985. *Ceratophyllum* revised, a study in leaf and fruit variation. *Kew Bull.* 40: 243-271.
Ceratophyllum muricatum Cham. [GU SU]

CERATOPHYLLACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Ceratophyllum demersum L. var. *cristatum* (Spruce) K. Schum. =*Ceratophyllum muricatum*
Ceratophyllum lleranae Fassett =*Ceratophyllum muricatum*

CHENOPodiaceae

reviewed by R.A. DeFilips (1996)

REFERENCES:

Lanjouw, J. 1957. Chenopodiaceae. In A. Pulle & J. Lanjouw, Flora of Suriname 1(2): 291-292.

Chenopodium ambrosioides L. [GU SU FG] [naturalized]

CHLORANTHACEAE

contributed by C.A. Todzia (1992); additions and corrections by C.A. Todzia (1996)

REFERENCES:

Todzia, C.A. 1988. Chloranthaceae: *Hedyosmum*. *Flora Neotropicica Monogr.* 48: 1-138.
 Todzia, C.A. 1993. New species of *Hedyosmum* from northern South America. *Novon* 3: 81-85.

Hedyosmum tepuiense Todzia [GU]

CHLORANTHACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Hedyosmum brasiliense Mart. [not in Guianas]
Hedyosmum racemosum Auctt., non (Ruiz & Pav.) G. Don
 =*Hedyosmum tepuiense*

CHRYSOBALANACEAE

contributed by G.T. Prance (1992)

REFERENCES:

Kleinhoonte, A. 1939. Rosaceae. In A. Pulle, Flora of Suriname 2(1): 426-456.

- Prance, G.T. 1972. Chrysobalanaceae. Flora Neotropica Monogr. 9: 1-409.
- Prance, G.T. 1981. Notes on Couepia and Hirtella. Brittonia 33: 347-356.
- Prance, G.T. 1982. Chrysobalanaceae. Flora de Venezuela 14(2): 325-487.
- Prance, G.T. 1986a. Chrysobalanaceae. In A.R.A. Görtz-van Rijn, Flora of the Guianas (series A) 2: 1-146.
- Prance, G.T. 1986b. Studies on the flora of the Guianas. 19. New taxa of Chrysobalanaceae for the Flora of the Guianas. Proc. Kon. Ned. Akad. Wetensch., ser. C. 89: 111-116.
- Prance, G.T. 1989. Chrysobalanaceae (supplement). Flora Neotropica Monogr. 9S: 1-267.
- Prance, G.T. 1992. New species and new records of neotropical Chrysobalanaceae. Kew Bull. 47: 633-646.
- Prance, G.T. & A.R.A. Görtz-van Rijn. 1976. Chrysobalanaceae (additions and corrections). In J. Lanjouw & A.L. Stoffers, Flora of Suriname 2(2): 524-555.
- Acacia guianensis* Aubl. [FG]
Acacia somnolens Maguire [FG]
Chrysobalanus icaco L. [GU SU FG]
Couepia bracteosa Benth. [GU SU FG]
Couepia canomensis (Mart.) Benth. ex J.D. Hook. [GU FG]
Couepia caryophylloides Benoist [SU FG]
Couepia cognata (Steud.) Fritsch var. *cognata* [GU SU]
Couepia cognata (Steud.) Fritsch var. *major* Prance [GU]
Couepia cognata (Steud.) Fritsch var. *membranacea* Prance [GU]
Couepia comosa Benth. [GU]
Couepia elata Ducke [GU]
Couepia exflexa Fanshawe & Maguire [GU]
Couepia foveolata Prance [GU]
Couepia guianensis Aubl. subsp. *divaricata* (Hub.) Prance [GU SU FG]
Couepia guianensis Aubl. subsp. *glandulosa* (Miq.) Prance [GU SU FG]
Couepia guianensis Aubl. subsp. *guianensis* [GU SU FG]
Couepia habrantha Standl. [GU FG]
Couepia martinii Prance [FG]
Couepia multiflora Benth. [GU]
Couepia obovata Ducke [SU FG]
Couepia paraensis (Mart. & Zucc.) Benth. subsp. *glaucescens* (Spr. ex Hook.f.) Prance [GU]
Couepia parillo A.P. DC. [GU SU FG]
Couepia sandwithii Prance [GU]
Exelodendron barbatum (Ducke) Prance [GU SU FG]
Exelodendron coriaceum (Benth.) Prance [GU]
Hirtella angustissima Sandw. [GU FG]
Hirtella araguariensis Prance [GU SU FG]
Hirtella bicornis Mart. & Zucc. var. *bicornis* [SU FG]
Hirtella bicornis Mart. & Zucc. var. *pubescens* Ducke [GU SU FG]
Hirtella bullata Benth. [GU]
Hirtella caduca Fanshawe & Maguire [GU]
Hirtella ciliata Mart. & Zucc. [GU FG]
Hirtella couepiiflora Prance [FG]
Hirtella davisii Sandw. [GU FG]
Hirtella deflexa Maguire [to be expected in GU]
Hirtella duckei Huber [GU]
Hirtella eriandra Benth. [to be expected in FG]
Hirtella glandistipula Ducke [FG]
Hirtella glandulosa Spreng. [GU SU FG]
Hirtella guyanensis (Fritsch) Sandw. [GU]
Hirtella hispidula Miq. [GU SU FG]
Hirtella macrosepala Sandw. [GU SU FG]
Hirtella margae Prance [GU SU]
Hirtella mucronata Prance [GU SU]
Hirtella obidensis Ducke [GU SU FG]
Hirtella paniculata Swartz [GU SU FG]
Hirtella physophora Mart. & Zucc. [GU SU FG]
Hirtella piresii Prance [GU SU]
Hirtella punctillata Ducke [GU SU FG]
Hirtella racemosa Lam. var. *hexandra* (Willd. ex Roem. & Schult.) Prance [GU SU FG]
Hirtella racemosa Lam. var. *hispida* Prance [GU FG]
Hirtella racemosa Lam. var. *racemosa* [GU SU FG]
Hirtella scabra Benth. [GU]
Hirtella silicea Griseb. [GU SU FG]
Hirtella suffulta Prance [FG]
Hirtella tentaculata Poepp. & Endl. [GU]
Hirtella tenuifolia Prance [FG]
Hirtella triandra Swartz subsp. *triandra* [GU SU]
Licania affinis Fritsch [GU SU FG]
Licania alba (Bernoulli) Cuatrec. [GU SU FG]
Licania albiflora Fanshawe & Maguire [GU SU FG]
Licania amapaensis Prance [FG]
Licania apetala (E. Mey.) Fritsch var. *aperta* (Benth.) Prance [GU SU FG]
Licania apetala (E. Mey.) Fritsch var. *apetala* [GU SU FG]
Licania arachnoidea Fanshawe & Maguire [GU]
Licania boyanii Tutin [GU]
Licania buxifolia Sandw. [GU]
Licania canescens Benoist [GU SU FG]
Licania caudata Prance [GU FG]
Licania compacta Fritsch [GU] [Mt. Roraima]
Licania coriacea Benth. [GU FG]
Licania couepiifolia Prance [GU SU]
Licania cuprea Sandw. [GU]
Licania cyathodes Benoist [FG]
Licania davillifolia Benoist [SU FG]
Licania densiflora Kleinh. [GU SU FG]
Licania discolor Pilger [GU SU FG]
Licania divaricata Benth. [GU SU]
Licania elliptica Standl. [SU FG]
Licania fanshawei Prance [GU SU FG]
Licania foveolata Prance [GU]
Licania glabriflora Prance [SU FG]
Licania granvillei Prance [GU FG]
Licania guianensis (Aubl.) Griseb. [GU SU FG]
Licania heteromorpha Benth. var. *glabra* (Mart. ex J.D. Hook.) Prance [GU FG]
Licania heteromorpha Benth. var. *heteromorpha* [GU SU FG]
Licania heteromorpha Benth. var. *perplexans* Sandw. [GU]
Licania hypoleuca Benth. var. *hypoleuca* [GU SU FG]
Licania imbaimadaiensis Prance [GU]
Licania incana Aubl. [GU SU FG]
Licania intrapetiolaris Spruce ex J.D. Hook. [GU]
Licania irwinii Prance [GU SU FG]
Licania jimenezii Prance [GU SU]
Licania kunthiana J.D. Hook. [GU SU FG]
Licania laevigata Prance [GU SU FG]
Licania lasserri Maguire [GU]
Licania lata Macbr. [FG]
Licania latifolia Benth. ex J.D. Hook. [GU FG]

SPERMATOPHYTA: Chrysobalanaceae

- Licania latistipula* Prance [FG]
Licania laxiflora Fritsch [GU SU FG]
Licania leptostachya Benth. [GU SU FG]
Licania licaniiiflora (Sagot) Fritsch [GU SU FG]
Licania longistyla (J.D. Hook.) Fritsch [GU SU FG]
Licania macrophylla Benth. [SU FG]
Licania majuscula Sagot [GU SU FG]
Licania maxima Prance [SU? FG]
Licania membranacea Sagot ex Laness. [GU FG]
Licania micrantha Miq. [GU SU FG]
Licania microphylla Fanshawe & Maguire [GU]
Licania minutiflora (Sagot) Fritsch [GU SU FG]
Licania obtusifolia Fritsch [FG] [dubious species]
Licania octandra (Hoffmanns. ex Roem. & Schult.) Kuntze
 subsp. *octandra* [GU SU FG]
Licania octandra (Hoffmanns. ex Roem. & Schult.) Kuntze
 subsp. *pallida* (J.D. Hook.) Prance [GU]
Licania ovalifolia Kleinh. [SU FG]
Licania parviflora Benth. [GU SU? FG]
Licania parvifolia Hub. [GU]
Licania parvifructa Fanshawe & Maguire [GU]
Licania persaudii Fanshawe & Maguire [GU FG]
Licania piresii Prance [GU FG]
Licania polita Spruce ex J.D. Hook. [GU SU]
Licania pruinosa Benoist [FG]
Licania reticulata Prance [GU FG]
Licania robusta Sagot [SU FG]
Licania roraimensis Standl. [GU] [Mt. Roraima]
Licania rufescens Klotzsch ex Fritsch [GU SU]
Licania sandwithii Prance [GU]
Licania silvae Prance [GU FG]
Licania sprucei (J.D. Hook.) Fritsch [GU FG]
Licania stricta Kleinh. [GU? SU] [dubious species]
Parinari campestris Aubl. [GU SU FG]
Parinari excelsa Sabine [GU SU FG]
Parinari maguirei Prance [GU FG?]
Parinari montana Aubl. emend. Ducke [SU FG]
Parinari parvifolia Sandw. [GU FG]
Parinari rodolphii Hub. [GU SU FG]
- CHYSOBALANACEAE - SYNONYMS AND MISIDENTIFICATIONS:**
- Chrysobalanus icaco* L. var. *pellocarpus* (G. Mey.) Hook.f.
 = *Chrysobalanus icaco*
Chrysobalanus incanus (Aubl.) Gómez de la Maza = *Licania incana*
Chrysobalanus montanus (Aubl.) Gómez de la Maza = *Parinari montana*
Chrysobalanus pellocarpus G. Mey. = *Chrysobalanus icaco*
Chrysobalanus savannarum Britton = *Chrysobalanus icaco*
Couepia glandulosa Miq. = *Couepia guianensis* subsp.
 _{glandulosa}
Couepia myrtifolia Benth. ex J.D. Hook. = *Couepia guianensis* subsp. _{glandulosa}
Couepia pauciflora Huber = *Couepia parillo*
Couepia steudeliana Walp. = *Couepia cognata*
Couepia surinamensis Kleinh. = *Couepia guianensis* subsp.
 _{guianensis}
Couepia versicolor Benoist = *Couepia guianensis* subsp.
 _{guianensis}
Couepia villosa Fanshawe & Maguire = *Couepia parillo*
Ferolia coriacea (Benth.) Kuntze = *Exellodendron coriaceum*
Ferolia montana (Aubl.) Kuntze = *Parinari montana*
- Hirtella americana* Aubl., non L. = *Hirtella racemosa* var.
 _{racemosa}
Hirtella apetala E. Mey. = *Licania apetala*
Hirtella bracteosa Steud. = *Hirtella paniculata*
Hirtella caudata Kleinh. = *Hirtella bicornis* var. _{pubescens}
Hirtella cauliflora Huber = *Hirtella physophora*
Hirtella cognata Steud. = *Couepia cognata*
Hirtella coppenensis Kleinh. = *Hirtella obidensis*
Hirtella cotticaensis Kleinh. = *Hirtella physophora*
Hirtella lanceolata Kleinh. = *Hirtella obidensis*
Hirtella manigera Kleinh. = *Hirtella silicea*
Hirtella melinonii Benoist = *Hirtella silicea*
Hirtella praealta Sagot = *Hirtella bicornis* var. _{bicornis}
Hirtella rubra Benth. = *Hirtella ciliata*
Hirtella strigulosa Steud. = *Hirtella racemosa* var. _{racemosa}
Hirtella subsetosa Fanshawe & Maguire = *Hirtella hispidula*
Hirtella velutina Pilger = *Hirtella glandulosa*
Hirtella violacea Steud. = *Hirtella racemosa* var. _{racemosa}
Hirtella wachenheimii Benoist = *Hirtella glandulosa*
Licania aperta Benth. = *Licania apetala* var. _{aperta}
Licania apetala (E. Mey.) Fritsch var. *pendula* (Benth.) Fritsch
 = *Licania apetala* var. _{apetala}
Licania arachnites Standl. = *Licania parvifolia*
Licania aubletiana (Blume) Lemée = *Acioa guianensis*
Licania axilliflora (Sagot) Hochr. = *Licania leptostachya*
Licania crassifolia Benth. = *Licania incana*
Licania cymosa Fritsch [not in Guianas]
Licania exigua Standl. = *Couepia cognata* var. _{cognata}
Licania floribunda Benth. = *Licania apetala* var. _{apetala}
Licania galibica Benoist = *Licania membranacea*
Licania gracilis Kleinh. = *Licania laxiflora*
Licania grisea Kleinh. = *Licania hypoleuca*
Licania heteromorpha Benth. var. *divaricata* (Benth.) Fritsch
 = *Licania divaricata*
Licania hostmannii Fritsch = *Licania majuscula*
Licania incana Aubl. var. *axilliflora* Sagot = *Licania*
 _{leptostachya}
Licania kanukuensis Standl. = *Licania densiflora*
Licania laxa Fanshawe & Maguire = *Licania polita*
Licania leptostachya Benth. var. *axilliflora* (Sagot) Fritsch
 = *Licania leptostachya*
Licania leptostachya Benth. var. *crassifolia* (Benth.) Benoist
 = *Licania incana*
Licania longifolia Benoist = *Licania alba*
Licania mollis Benth. [not in Guianas]
Licania pachystachya Kleinh. = *Licania robusta*
Licania paniculata Fanshawe & Maguire = *Licania elliptica*
Licania parviflora (Blume) Lemée, nom. illeg. = *Licania*
 _{obtusifolia}
Licania pendula Benth. = *Licania apetala* var. _{apetala}
Licania poeppigii Fritsch = *Licania polita*
Licania pubiflora Benth. = *Licania apetala* var. _{aperta}
Licania sclerophylla (Mart. ex J.D. Hook.) Fritsch [not in
 Guianas]
Licania stahelii Kleinh. = *Licania ovalifolia*
Licania stipata Fanshawe & Maguire [nomen nudum]
Licania takutuensis Standl. = *Licania octandra* subsp. _{octandra}
Licania turiua Cham. & Schlechtend., nom. illeg. = *Licania*
 _{octandra} subsp. _{octandra}
Licania utilis (J.D. Hook.) Fritsch = *Licania octandra* subsp.
 _{octandra}
Licania wilson-brownei Maguire = *Licania licaniiiflora*

Moquilea aubletiana Blume, nom. illeg. =*Acioa guianensis*
Moquilea comosa (Benth.) Walp. =*Couepia comosa*
Moquilea floribunda (Benth.) Hook.f. =*Licania apetala* var.
 apetala
Moquilea glandulosa (Miq.) Walp. =*Couepia guianensis*
 subsp. *glandulosa*
Moquilea guianensis Aubl. =*Licania guianensis*
Moquilea licaniflora Sagot =*Licania licaniflora*
Moquilea minutiflora Sagot =*Licania minutiflora*
Moquilea multiflora (Benth.) Walp. =*Couepia multiflora*
Moquilea pendula (Benth.) Hook.f. =*Licania apetala* var.
 apetala
Moquilea turiuva (Cham. & Schlechtend.) Hook.f. =*Licania*
 octandra
Parinari guyanense (Aubl.) Lemée =*Brosimum rubescens*
 (Moraceae)
Parinari hostmannii Fritsch =*Couepia cognata*
Parinari lucidissima Standl. =*Parinari rodolphii*
Parinarium brachystachum Benth. =*Parinari excelsa*
Parinarium coriaceum Benth. =*Exelodendron coriaceum*
Parinarium guyanense Fritsch =*Hirtella guyanensis*
Petrocarya campestris (Aubl.) Willd. =*Parinari campestris*
Petrocarya montana (Aubl.) Willd. =*Parinari montana*
Tachibota guianensis Aubl. =*Hirtella racemosa* var. *racemosa*

CLETHRACEAE

REFERENCES:

- Sleumer, H. 1967. Monographia Clethracearum. Bot. Jahrb. Syst. 87: 36-175.
 Sleumer, H. 1971. Clethraceae. In T. Lasser, Flora de Venezuela 3(1): 171-183.

Clethra guyanensis Klotzsch ex Meissn. [Mt. Roraima]

CLUSIACEAE

Hypericum, Vismia contributed by N.K.B.
 Robson (1992); reviewed by N.K.B. Robson & J. Pipoly (1996)

REFERENCES:

- Berg, M.E. van der. 1979. Revisão das espécies brasileiras do gênero *Rheedia* L. Acta Amaz. 9(1): 43-74.
 Eyma, P.J. 1934. Guttiferae. In A. Pulle, Flora of Suriname 3(1): 65-118.
 Ewan, J. 1962. Synopsis of the South American species of *Vismia*. Contrib. U.S. Nat. Herb. 35(5): 293-377.
 Kubitzki, K. 1978. Caraipa and Mahurea (Bonnetiaceae). In B. Maguire & collaborators, Botany of the Guayana Highland. Mem. New York Bot. Gard. 29: 82-138.
 Maguire, B. 1958. Guttiferae. In B. Maguire, J. Wurdack & collaborators, Botany of the Guayana Highland Part III. Mem. New York Bot. Gard. 10(1): 49-61.

- Maguire, B. 1961. Guttiferae. In B. Maguire, J.J. Wurdack & collaborators, Botany of the Guayana Highland part IV. Mem. New York Bot. Gard. 10(4): 21-32.
 Maguire, B. 1964. Guttiferae subfam. Moronoboideae. In B. Maguire, J.J. Wurdack, & collaborators, Botany of the Guayana Highland Part V. Mem. New York Bot. Gard. 10(5): 123-135.
 Maguire, B. 1972. Clusiaceae - Quapoya and Renggeria. In B. Maguire & collaborators, Botany of the Guayana Highland Part IX. Mem. New York Bot. Gard. 23: 192-195.
 Robson, N.K.B. 1987. Studies in the genus *Hypericum* L. (Guttiferae). 7. Section 29. Brathys (part 1). Bull. Br. Mus. Nat. Hist. (Bot.) 16: 1-106.
 Robson, N.K.B. 1990. Studies in the genus *Hypericum* L. (Guttiferae). 8. Sections 29. Brathys (part 2) and 30. Trigynobrathys. Bull. Br. Mus. Nat. Hist. (Bot.) 20: 1-151.
 Sandwith, N.Y. 1936. Contributions to the flora of tropical America: XXVI. The genus *Tovomita* in British Guiana. Kew Bull. 1936: 210-221.

- Calophyllum brasiliense* Camb. [GU SU FG]
Calophyllum longifolium Willd. [GU SU]
Calophyllum lucidum Benth. [GU FG?]
Caraipa ampla Ducke [FG]
Caraipa densifolia Mart. subsp. *densifolia* [GU SU FG]
Caraipa llanorum Cuatrec. [GU]
Caraipa parvifolia Aubl. [FG]
Caraipa psilocarpa Kubitzki [GU?]
Caraipa punctulata Ducke [GU SU FG]
Caraipa racemosa Cambess. [GU FG]
Caraipa richardiana Cambess. [GU SU FG]
Caraipa savannarum Kubitzki [GU]
Caraipa tereticaulis Tul. [GU]
Clusia aishaltonensis Pipoly, sp. nov. ined. [GU]
Clusia amazonica Planch. & Triana [GU]
Clusia brachystyla Maguire var. *brachystyla* [GU]
Clusia brongniartiana Planch. & Triana [FG] [dubious species]
Clusia capituliflora Pipoly, sp. nov. ined. [GU]
Clusia cardonae Maguire [GU]
Clusia columnaris Engl. [GU SU]
Clusia crassifolia Planch. & Triana [GU]
Clusia cuneata Benth. [GU FG]
Clusia duidae Gleason [GU]
Clusia flaviflora Engl. [SU]
Clusia fockeana Miq. [GU SU FG]
Clusia gaudichaudii Choisy [SU]
Clusia grandiflora Splitg. [GU SU FG]
Clusia guayanae Pipoly, sp. nov. ined. [GU]
Clusia insignis Mart. [GU SU FG] [=Clusia grandiflora?]
Clusia kanukuana Maguire [GU FG?]
Clusia leprantha Mart. [GU SU FG] [=Clusia purpurea?]
Clusia lunanthera Maguire [SU]
Clusia macropoda Engl. [GU SU]
Clusia maguireana Pipoly, sp. nov. ined. [GU]
Clusia martinii Sagot [GU] [=Clusia palmicida?]
Clusia melchiorii Gleason [GU SU FG]

- Clusia microstemon* Planch. & Triana [GU SU]
Clusia minor L. [GU SU FG]
Clusia mutica Maguire [GU]
Clusia myriandra (Benth.) Planch. & Triana [GU]
Clusia nemorosa G. Mey. [GU SU FG]
Clusia palmicida L.C. Rich. [GU SU FG]
Clusia panapanari (Aubl.) Choisy [GU SU FG]
Clusia parvifolia Maguire [GU]
Clusia phelpsiiana Maguire [to be expected in GU]
Clusia picta Pipoly, sp. nov. ined. [GU]
Clusia platystigma Eyma [GU? SU FG]
Clusia purpurea (Splitg.) Engl. [GU SU FG]
Clusia pusilla Steyerl. subsp. *pakaraimae* Maguire [GU]
Clusia pusilla Steyerl. subsp. *pusilla* [GU]
Clusia renggerioides Triana & Planch. [GU]
Clusia robusta Eyma [SU]
Clusia rosea Jacq. [GU SU FG] [=Clusia major L. ?]
Clusia savannarum Maguire [GU]
Clusia schomburgkiana (Planch. & Triana) Benth. ex Engl. [GU]
Clusia schomburgkii Vesque [GU]
Clusia scrobiculata Benoit [GU SU FG]
Clusia sessilis Klotzsch ex Engl. [GU SU]
Clusia stylosa Maguire [SU]
Clusia tabulamontana Maguire [GU SU]
Clusiella axillaris (Engl.) Cuatrec. [GU]
Clusiella elegans Planch. & Triana [GU]
Dystovomita sp. [GU]
Haploclathra leiantha (Benth.) Benth. [GU]
Havetiopsis flavida (Benth.) Planch. & Triana [GU FG]
Hypericum marahuacanum N. Robson subsp. *chimantaeum* N. Robson [to be expected in GU]
Hypericum roraimense Gleason [GU] [Mt. Roraima]
Hypericum thesiifolium Kunth [to be expected in GU]
Lorostemon bombaciflorum Ducke [GU]
Mahurea extispulata Benth. subsp. *extispulata* [GU]
Mahurea palustris Aubl. [GU? FG]
Marila saramaccana Pulle [SU]
Moronoea coccinea Aubl. [GU SU FG]
Moronoea intermedia Engl. [GU]
Moronoea jenmanii Engl. var. *fanshawei* Maguire [GU]
Moronoea jenmanii Engl. var. *jenmanii* [GU FG?]
Oedematopus obovatus (Spruce) Planch. & Triana [GU SU FG]
Oedematopus octandrus (Poepp. & Endl.) Planch. & Triana [GU FG]
Oedematopus quadratus Maguire [SU]
Platonia insignis Mart. [GU SU FG]
Quapoja bracteolata Sandw. [GU]
Quapoja peruviana (Poepp. & Endl.) Kuntze [GU]
Quapoja scandens Aubl. [FG]
Quapoja sipapoana Maguire [GU]
Renggeria comans Meisn. [FG]
Rheedia acuminata (Ruiz & Pav.) Planch. & Triana [GU SU FG] [=Garcinia acuminata (Ruiz & Pav.) Hammel]
Rheedia benthamiana Planch. & Triana [GU SU FG] [=Garcinia benthamiana (Planch. & Triana) Pipoly, comb. nov. ined.]
Rheedia brasiliensis (Mart.) Planch. & Triana [FG] [=Garcinia brasiliensis Mart.]
Rheedia lateriflora L. [GU] [=Garcinia humilis (Vahl) C. Adams]
Rheedia macrophylla (Mart.) Planch. & Triana [GU SU FG] [=Garcinia macrophylla Mart.]
Rheedia madruno (Kunth) Planch. & Triana [SU] [=Garcinia madruno (Kunth) Hammel]
- Rheedia martinii* Maguire [SU] [=Garcinia sp.]
Rheedia virens Planch. & Triana [GU] [=Garcinia sp.]
Sympodia globulifera L.f. [GU SU FG]
Thysanostemon fanshawei Maguire [GU]
Thysanostemon pakaraimae Maguire [GU]
Tovomita albiflora A.C. Smith [GU]
Tovomita atropurpurea Steyerl. [GU]
Tovomita brasiliensis (Mart.) Walpers [GU SU FG]
Tovomita brevitistaminea Engl. [GU SU FG]
Tovomita calodictyos Sandw. [GU SU]
Tovomita caloneura A.C. Smith [GU]
Tovomita carinata Eyma [SU FG]
Tovomita cephalostigma Vesque [GU SU FG]
Tovomita choisyana Planch. & Triana [GU SU FG]
Tovomita clusiifolia G. Don [FG]
Tovomita divaricata Maguire [GU]
Tovomita eggersii Vesque [GU]
Tovomita fanshawei Maguire [GU]
Tovomita grata Sandw. [GU SU FG]
Tovomita guianensis Aubl. [GU FG]
Tovomita longifolia (L.C. Rich.) Hochr. [GU SU FG]
Tovomita macrophylla Walp. [GU]
Tovomita melinonis Vesque [FG]
Tovomita obovata Engl. [GU]
Tovomita obscura Sandw. [GU]
Tovomita pyrifolia Planch. & Triana [SU?]
Tovomita schomburgkii Planch. & Triana [GU SU]
Tovomita secunda Poepp. ex Planch. & Triana [SU FG]
Tovomita tenuiflora Benth. [GU]
Tovomita umbellata Benth. [GU FG]
Tovomita uniflora G. Don [FG]
Tovomita weddelliana Planch. & Triana [GU]
Tovomitidium speciosum (Ducke) Ducke [to be expected in FG]
Tovomitopsis membranacea (Planch. & Triana) D'Arcy [GU FG] [=Chryssochlamys membranacea Planch. & Triana]
Tovomitopsis nicaraguensis (Oerst.) Planch. & Triana [GU]
Tovomitopsis standleyana (L.O. Williams) D'Arcy [GU]
Vismia baccifera (L.) Triana & Planch. subsp. *dealbata* (Kunth) Ewan [SU? FG?]
Vismia calcantei v.d. Berg [SU]
Vismia cayennensis (Jacq.) Pers. [GU SU FG]
Vismia confertiflora Spruce ex Reichardt [GU? SU FG]
Vismia glaziovii Ruhl. [GU SU FG]
Vismia guianensis (Aubl.) Choisy var. *acuminata* (Lam.) v.d. Berg [GU SU FG]
Vismia guianensis (Aubl.) Choisy var. *guianensis* [GU SU FG]
Vismia japurensis Reichardt [GU SU]
Vismia latifolia (Aubl.) Choisy [GU? SU FG]
Vismia lauriformis (Lam.) Choisy [FG?] [to be expected in GU]
Vismia laxiflora Reichardt [GU]
Vismia macrophylla Kunth [GU SU FG]
Vismia ramuliflora Miq. [GU SU FG]
Vismia sandwithii Ewan [GU FG]
Vismia sessilifolia (Aubl.) Choisy [GU SU FG]

CLUSIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Caopia acuminata (Lam.) Kuntze =*Vismia guianensis* var.
 acuminata
Caopia cayennensis (Jacq.) Kuntze =*Vismia cayennensis*
Caopia guianensis (Aubl.) Lyons =*Vismia guianensis*
Caopia latifolia (Aubl.) Kuntze =*Vismia latifolia*
Caopia laxiflora (Reich.) Kuntze =*Vismia laxiflora*
Caopia sessilifolia (Aubl.) Kuntze =*Vismia sessilifolia*
Caraipa angustifolia Aubl. =*Couepia* sp. (Chrysobalanaceae)
Caraipa glabrata Mart. =*Caraipa grandifolia* [not in Guianas]
Caraipa lacerdae Barb. Rodr. =*Caraipa grandifolia* [not in
 Guianas]
Caraipa latifolia Aubl. =*Licania membranacea*
 (Chrysobalanaceae)
Caraipa laxiflora Benth. =*Caraipa densifolia*
Caraipa longifolia Aubl. =*Licania alba* (Chrysobalanaceae)
Caraipa paraensis J. Huber =*Caraipa grandifolia* [not in
 Guianas]
Caraipa psidiiifolia Ducke =*Caraipa richardiana*
Caraipa simplicior Sandw. =*Caraipa tereticaulis*?
Caraipa variabilis Camb. =*Caraipa densifolia*?
Chrysochlamys membranacea Planch. & Triana
 =*Tovomitopsis membranacea*
Chrysochlamys weberbaueri Engl. =*Tovomitopsis standleyana*
Clusia cerroana Steyerm. =*Clusia sessilis*
Clusia colorans Klotzsch ex Engl. =*Clusia panapanari*
Clusia cucullata Klotzsch [nomen nudum]
Clusia jenmanii Engl. =*Clusia myriandra*
Clusia parvicaulis Vesque =*Clusia minor*
Clusia planchoniana Engl. var. *oblongifolia* Vesque =*Clusia*
 schomburgkiana
Clusia roraimana Steyerm. =*Clusia schomburgkii*
Clusia stahelii Maguire =*Clusia fockeana*
Clusia venosa Jacq. =*Clusia minor*
Garcinia acuminata (Ruiz & Pav.) Hammel =*Rheedia*
 acuminata
Garcinia brasiliensis Mart. =*Rheedia brasiliensis*
Garcinia macrophylla Mart. =*Rheedia macrophylla*
Garcinia madruno (Kunth) Hammel =*Rheedia madruno*
Havetiopsis flexilis (Benth.) Planch. & Triana =*Havetiopsis*
 flava
Hypericum acuminatum Lam. =*Vismia guianensis* var.
 acuminata
Hypericum cayennense Jacq. =*Vismia cayennensis*
Hypericum guianense Aubl. =*Vismia guianensis*
Hypericum latifolium Aubl. =*Vismia latifolia*
Hypericum reticulatum Poir. =*Vismia macrophylla*
Hypericum rufescens Lam. =*Vismia sessilifolia*
Hypericum sessilifolium Aubl. =*Vismia sessilifolia*
Oedematopus duidae Gleason [recorded from Guianas in
 error]
Quapoya acuminata (Planch. & Triana) Kuntze =*Quapoya*
 bracteolata
Quapoya panapanari Aubl. =*Clusia panapanari*
Renggeria montana Klotzsch [nomen nudum] =*Quapoya*
 bracteolata
Rengifa acuminata Planch. & Triana =*Quapoya bracteolata*
Rengifa scandens (Aubl.) Planch. & Triana =*Quapoya*
 scandens
Rheedia kappleri Eyma =*Rheedia acuminata*
Rheedia sagotiana Engl. =*Rheedia benthamiana*
Vismia acuminata (Lam.) Pers. =*Vismia guianensis* var.
 acuminata
Vismia amazonica Ewan =*Vismia glaziovii*
Vismia angusta Miq. =*Vismia macrophylla*
Vismia baccifera (L.) Triana & Planch. subsp. *ferruginea*
 (Kunth) Ewan =*Vismia guianensis*

Vismia dealbata Kunth =*Vismia baccifera* subsp. *dealbata*
Vismia falcata Rusby =*Vismia laxiflora*
Vismia ferruginea Kunth =*Vismia guianensis*
Vismia lindeniana Decne. [not in Guianas]
Vismia pentagyna (Spreng.) Ewan [not in Guianas]
Vismia reticulata (Poir.) Choisy =*Vismia macrophylla*
Vismia rufescens (Lam.) Pers. =*Vismia sessilifolia*
Vismia schomburgkiana Klotzsch ex Schomb. [nomen nudum]

COMBRETACEAE

contributed by C.A. Stace (1992); additions and corrections by C.A. Stace (1996)

REFERENCES:

- Alwan Al-Mayah, A.-R. A. & C.A. Stace. 1985. Resurrection of two Eighteenth Century names in American Combretaceae. *Nord. J. Bot.* 5(5): 447-449.
 Exell, A.W. 1935. Combretaceae. In A. Pulle, *Flora of Suriname* 3(1): 164-177.
 Exell, A.W. 1953. The Combretum species of the New World. *J. Linn. Soc. Lond. (Bot.)* 55: 103-141.
 Exell, A.W. & C.A. Stace. 1963. A revision of the genera *Buchenavia* and *Ramatuellea*. *Bull. Brit. Mus. (Nat. Hist.)* 3: 1-46.
 Exell, A.W. & C.A. Stace. 1966. Revision of the Combretaceae. *Bol. Soc. Brot. (ser. 2)* 40: 5-26.

Buchenavia amazonia Alwan & Stace [FG?]
Buchenavia fanshawei Exell & Maguire [GU]
Buchenavia grandis Ducke [GU SU FG]
Buchenavia guianensis (Aubl.) Alwan & Stace [FG]
Buchenavia macrophylla Eichl. [SU? FG]
Buchenavia megalophylla Van Heurck & Muell. [GU]
Buchenavia nitidissima (L.C. Rich.) Alwan & Stace [FG]
Buchenavia parvifolia Ducke [GU FG]
Buchenavia pulcherrima Exell & Stace [GU]
Buchenavia tetraphylla (Aubl.) R. Howard [SU FG]
Buchenavia viridiflora Ducke [FG]
Combretum cacoucia (Baill.) Exell ex Sandw. [GU SU FG]
Combretum fruticosum (Loefl.) Stuntz [GU]
Combretum glabrum DC. [GU FG]
Combretum laurifolium Mart. [GU]
Combretum laxum Jacq. [GU SU FG]
Combretum llewelynii Macbr. [GU?]
Combretum pyramidatum Desv. ex Hamilton [GU SU FG]
Combretum rohrii Exell [FG]
Combretum rotundifolium L.C. Rich. [GU SU FG]
Conocarpus erecta L. [GU SU FG]
Laguncularia racemosa (L.) C.F. Gaertn. [GU SU FG]
Terminalia amazonia (J.F. Gmelin) Exell [GU SU FG]
Terminalia catappa L. [SU FG] [cultivated, naturalized]
Terminalia dichotoma G. Mey. [GU SU FG]
Terminalia guyanensis Eichl. [GU SU FG]

Terminalia lucida Hoffmanns. ex Mart. [GU SU FG]
Terminalia oblonga (Ruiz & Pav.) Steud. [FG]
Terminalia quintalata Maguire [GU]
Thiloa paraguariensis Eichl. [FG]

COMBRETACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Buceras bucida Crantz =*Bucida bucera* L. [not in Guianas]
Buchenavia capitata (Vahl) Eichl. =*Buchenavia tetraphylla*
Bucida bucera L. [not in Guianas]
Cacoucia coccinea Aubl. =*Combretum cacoucia*
Combretum brunnescens Gleason =*Combretum laxum*
Combretum fulgens Gleason =*Combretum laxum*
Combretum fusiforme Gleason =*Combretum glabrum*
Combretum jacquinii Griseb. =*Combretum laxum*
Combretum laxum Aubl. =*Combretum rotundifolium*
Pamea guianensis Aubl. =*Buchenavia guianensis*
Tanibouca guianensis Aubl. =*Terminalia dichotoma*
Terminalia nitidissima L.C. Rich. =*Buchenavia nitidissima*
Terminalia pamea DC. =*Buchenavia guianensis*

COMMELINACEAE

contributed by R. Faden (1992)

REFERENCES:

- Aristeguieta, L. 1965. Notas sobre la familia Commelinaceae en Venezuela. Bol. Acad. Cienc. Físicas, Matemáticas y Naturales 25(69): 94-142.
 Uittien, H. 1938. Commelinaceae. In A. Pulle, Flora of Suriname 1(1): 197-212.

Aneilema umbrosum (Vahl) Kunth subsp. *ovato-oblongum* (P. Beauv.) J.K. Morton [GU SU FG]
Buforrestia candolleana C.B. Clarke [SU FG]
Callisia repens L. [FG]
Commelina benghalensis L. [FG] [naturalized]
Commelina caroliniana Walter [GU]
Commelina diffusa Burm.f. [GU SU FG]
Commelina erecta L. [GU SU FG]
Commelina obliqua Vahl [FG]
Commelina platyphylla Klotzsch ex C.B. Clarke [GU]
Commelina rufipes Seub. var. *glabrata* (D.R. Hunt) Faden & D.R. Hunt [GU SU FG]
Commelina rufipes Seub. var. *rufipes* [GU SU FG]
Commelina schomburgkiana Klotzsch [GU]
Dichorisandra diederichsanae Steyermark. [GU]
Dichorisandra hexandra (Aubl.) Standley. [GU SU FG]
Floscopia peruviana C.B. Clarke [SU FG]
Gibasis geniculata (Jacq.) Rohweder [GU SU FG]
Murdannia nudiflora (L.) Brenan [SU FG?]
Murdannia schomburgkiana (Kunth) Brückner [GU]
Tinantia umbellata (Vahl) Urb. [GU]
Tradescantia zanonia (L.) Swartz [GU]
Tradescantia zebrina Hort. ex Bosse [GU]
Tripogandra glandulosa (Seub.) Rohweder [FG]
Tripogandra serrulata (Vahl) Handel-Mazzetti [GU SU FG]

COMMELINACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Athyrocarpus persicariifolius (DC.) Hemsley =*Commelina rufipes* var. *glabrata*
Athyrocarpus rufipes (Seub.) Standley. =*Commelina rufipes* var. *rufipes*
Commelina hexandra Aubl. =*Dichorisandra hexandra*
Commelina nudiflora L. =*Murdannia nudiflora*
Commelina serrulata Vahl =*Tripogandra serrulata*
Commelina virginica L. [not in Guianas]
Commelinopsis persicariifolia (DC.) M. Pichon =*Commelina rufipes* var. *glabrata*
Dichorisandra incurva Roem. & Schult. [not in Guianas]
Dichorisandra leucophthalmos Hook. [not in Guianas]
Rhoeo discolor (L'Hér.) Hance =*Rhoeo spathacea* (Swartz) Stearn [cultivated only]
Tinantia erecta (Jacq.) Schlecht. [not in Guianas]
Tradescantia elongata G. Mey. [not in Guianas]
Tradescantia geniculata Jacq. =*Gibasis geniculata*
Tradescantia glandulosa C.B. Clarke [not in Guianas]

CONNARACEAE

reviewed by E. Forero (1992); reviewed by E. Forero (1996)

REFERENCES:

- Forero, E. 1983. Connaraceae. Flora Neotropica Monogr. 36: 1-207.
 Forero, E. & A.R.A. Göts-van Rijn. 1976. Connaraceae (additions and corrections). In J. Lanjouw & A.L. Stoffers, Flora of Suriname 2(2): 654-657.
 Lanjouw, J. 1940. Connaraceae. In A. Pulle, Flora of Suriname 2(2): 332-340.

Cnestidium guianense (Schellenb.) Schellenb. [GU SU FG]
Connarus coriaceus Schellenb. [GU SU FG]
Connarus erianthus Benth. ex Baker var. *stipitatus* Forero [SU FG?] *Connarus incomptus* Planch. [GU]
Connarus fasciculatus (DC.) Planch. subsp. *fasciculatus* [SU FG]
Connarus lambertii (DC.) Sagot [GU]
Connarus megacarpus S.F. Blake [GU]
Connarus patrisii (DC.) Planch. [GU SU FG]
Connarus perrottetii (DC.) Planch. var. *perrottetii* [GU SU FG]
Connarus perrottetii (DC.) Planch. var. *rufus* Forero [GU]
Connarus punctatus Planch. [GU SU FG]
Pseudoconnarus macrophyllus (Poep. & Endl.) Radlk. [GU]
Pseudoconnarus subtriplinervis (Radlk.) Schellenb. [GU SU]
Rourea frutescens Aubl. [GU SU FG]
Rourea grosourdyana Baill. var. *grosourdyana* [GU]
Rourea kappleri Lanj. [SU]
Rourea ligulata Baker [GU?]
Rourea neglecta Schellenb. var. *neglecta* [FG]
Rourea pubescens (DC.) Radlk. var. *pubescens* [FG]

- Rourea pubescens* (DC.) Radlk. var. *spadicea* (Radlk.) Forero
[SU FG]
Rourea revoluta Planch. var. *glabra* Baker [GU]
Rourea revoluta Planch. var. *revoluta* [GU]
Rourea surinamensis Miq. [GU SU FG]

CONNARACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Bernardinia guianensis* Schellenb. =*Cnestidium guianense*
Connarus confertiflorus Baker =*Connarus patrisii*
Connarus floribundus Planch. =*Connarus perrottetii*
Connarus guianensis Lambert ex DC. =*Connarus lambertiae*
Connarus incomptus Planch. var. *subcordata* Baker
= *Connarus incomptus*
Connarus macrophyllus Poepp. & Endl. =*Pseudoconnarus macrophyllus*
Connarus neglectus Schellenb. =*Connarus coriaceus*
Connarus opacus Schellenb. =*Connarus coriaceus*
Connarus pubescens DC. =*Rourea pubescens*
Connarus schomburgkii Planch. =*Connarus lambertiae*
Omphalobium fasciculatum DC. =*Connarus fasciculatus*
Omphalobium patrisii DC. =*Connarus patrisii*
Omphalobium perrottetii DC. =*Connarus perrottetii*
Robergia frutescens Willd. =*Rourea frutescens*
Rourea glabra Kunth var. *coriacea* Baker =*Rourea surinamensis*
Rourea induita Planch. var. *concinna* Baker =*Rourea frutescens*
Rourea spadicea Radlk. =*Rourea pubescens* var. *spadicea*
Rourea subtriplinervis Radlk. =*Pseudoconnarus subtriplinervis*
Santalodes frutescens (Aubl.) Kuntze =*Rourea frutescens*
Santalodes revolutum (Planch.) Kuntze =*Rourea revoluta*

CONVOLVULACEAE

contributed by D.F. Austin (1992); additions and corrections by D.F. Austin (1996)

REFERENCES:

- Austin, D.F. 1982. Convolvulaceae. In T. Lasser, Flora de Venezuela.
Austin, D.F. & P.B. Cavalcante. 1982. Convolvuláceas da Amazônia. Publ. Avulsas Mus. Paraense E. Goeldi 36: 1-134.
Austin, D.F. & G.W. Staples III. 1981. Convolvulaceae. In B. Maguire & collaborators, Botany of the Guayana Highland Part XI. Mem. N.Y. Bot. Gard. 32: 1-391.
Ooststroom, S.J. van. 1932. Convolvulaceae. In A. Pulle, Flora of Suriname 4(1): 66-102.
Ooststroom, S.J. van. 1937. Convolvulaceae (additions and corrections). In A. Pulle, Flora of Suriname 4(1): 468-471.

- Aniseia cernua* Moricand [GU SU FG] [= *Aniseia minor* (Choisy) McDonald?]
Aniseia martinicensis (Jacq.) Choisy [GU SU FG]
Bonamia maripoides H. Hallier [GU SU FG]
Calycobolus glaber (Kunth) House [GU]

- Dicranostyles ampla* Ducke var. *ampla* [GU SU?]
Dicranostyles ampla Ducke var. *castanea* D. Austin [GU SU?]
Dicranostyles guianensis Mennega [GU SU FG]
Dicranostyles scandens Benth. [GU?]
Dicranostyles villosus Mennega [SU FG]
Evolvulus alsinoides (L.) L. [GU SU FG]
Evolvulus convolvuloides (Willd.) Stearn [GU SU? FG?]
Evolvulus filipes Mart. [GU SU FG]
Evolvulus glomeratus Nees & Mart. [GU]
Evolvulus nummularius (L.) L. [GU SU FG]
Evolvulus sericeus Swartz [GU SU]
Ipomoea alba L. [GU SU FG]
Ipomoea angulata Mart. ex Choisy [FG?]
Ipomoea anisomeres Robins. & Bart. [GU SU FG?]
Ipomoea aquatica Forsk. [GU SU FG]
Ipomoea argentea Meisn. [GU SU? FG?]
Ipomoea asarifolia (Desr.) Roem. & Schult. [GU?]
Ipomoea batatas (L.) Poir. [GU SU FG] [cultivated and frequently escaping]
Ipomoea batatoides Choisy [GU SU FG]
Ipomoea bignonoides Lindl. [FG]
Ipomoea cairica (L.) Sweet [GU]
Ipomoea carnea Jacq. subsp. *fistulosa* (Choisy) D.F. Austin [GU SU?]
Ipomoea distans Choisy [FG]
Ipomoea fimbrisepala Choisy [FG?]
Ipomoea gabrieli Choisy [FG]
Ipomoea hederifolia L. [GU SU]
Ipomoea horsfalliae Hook. [SU]
Ipomoea imperati (Vahl) Griseb. [GU SU FG]
Ipomoea indica (Burm.f.) Merrill [GU?]
Ipomoea killipiana O'Donell [FG]
Ipomoea leprieurii D. Austin [FG]
Ipomoea mauritiana Jacq. [GU SU FG]
Ipomoea nil (L.) Roth [GU SU FG]
Ipomoea pes-caprae (L.) R. Brown [GU SU FG]
Ipomoea phillomega (Vell.) House [GU SU FG]
Ipomoea piurensis O'Donell [GU]
Ipomoea quamoclit L. [GU SU FG]
Ipomoea rubens Choisy [GU SU FG]
Ipomoea schomburgkii Choisy [GU SU]
Ipomoea setifera Poir. [GU SU FG]
Ipomoea squamosa Choisy [GU SU?]
Ipomoea subrevoluta Choisy [GU SU FG]
Ipomoea tiliacea (Willd.) Choisy [GU SU FG]
Ipomoea trifida (Kunth) G. Don [GU?]
Ipomoea violacea L. [GU SU FG]
Iseia luxurians (Moric.) O'Donell [GU?]
Jacquemontia agrestis (Choisy) Meissn. [GU]
Jacquemontia ciliata Sandw. [GU FG]
Jacquemontia guyanensis (Aubl.) Meissn. [GU SU FG]
Jacquemontia pentantha (Jacq.) G. Don [FG]
Jacquemontia sphaerostigma (Cav.) Rusby [GU]
Jacquemontia tamnifolia (L.) Griseb. [GU SU FG]
Jacquemontia velutina Choisy [SU?]
Lysiostyles scandens Benth. [GU SU]
Maripa glabra Choisy [GU SU FG]
Maripa longifolia Sagot ex H. Hallier [FG]
Maripa paniculata Barb. Rodr. [SU? FG]
Maripa reticulata Ducke var. *reticulata* [SU FG]
Maripa scandens Aubl. [GU SU FG]
Maripa violacea (Aubl.) v. Ooststr. [GU SU FG]
Merremia aegyptia (L.) Urb. [GU SU FG]

Merremia aturensis (Kunth) H. Hallier [GU SU FG]
Merremia cissoides (Lam.) H. Hallier [GU SU FG]
Merremia digitata (Spreng.) H. Hallier [GU]
Merremia dissecta (Jacq.) H. Hallier [GU SU FG]
Merremia macrocalyx (Ruiz & Pav.) O'Donell [GU SU FG]
Merremia quinquefolia (L.) H. Hallier [GU]
Merremia ternifolia Pitt. [GU]
Merremia umbellata (L.) H. Hallier [GU SU FG]
Merremia wurdackii D. Austin & Staples [FG]
Opercivilina hamiltonii (G. Don) Austin & Staples [GU SU FG]
Opercivilina sericantha (Miq.) v. Ooststr. [SU FG]
Opercivilina turpethum (L.) S. Manso [FG] [var. *turpethum*?]
[probably introduced]
Opercivilina turpethum (L.) S. Manso var. *ventricosa* (Bertero)
Staples & Austin [SU] [probably introduced]
Tetralocularia pennellii O'Donell [FG]

CONVOLVULACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Convolvulus glaber Aubl. =*Merremia macrocalyx*
Convolvulus guianensis Aubl. =*Jacquemontia guyanensis*
Ipomoea digitata L. [not in Guianas]
Ipomoea fragrans (Boj.) Boj. ex Choisy =*Ipomoea rubens*
Ipomoea parkeri Choisy =*Ipomoea rubens*
Ipomoea quinquefolia (L.) Griseb. =*Merremia quinquefolia*
Ipomoea reptans (L.) Poir. =*Ipomoea aquatica*
Ipomoea riedelii Meissn. =*Ipomoea batatasoides*
Ipomoea solanifolia L. [misapplied name, not in Guianas]
Ipomoea squamisepala O'Donell =*Ipomoea angulata*
Ipomoea stolonifera (Cyrillo) J.F. Gmelin =*Ipomoea imperati*
Ipomoea tuba (Schlecht.) G. Don =*Ipomoea violacea*
Ipomoea tuberosa L. =*Merremia tuberosa* (L.) Rendle [not in Guianas]
Jacquemontia violacea (Vahl) Choisy =*Jacquemontia pentantha*
Maripa cayennensis Meissn. =*Maripa scandens*
Maripa passifloroides Benth. =*Maripa violacea*
Merremia glabra (Aubl.) H. Hallier =*Merremia macrocalyx*
Mouroucoa violacea Aubl. =*Maripa violacea*
Opercivilina alata (Ham.) Urb. =*Opercivilina hamiltonii*
Opercivilina passifloroides (Benth.) Ducke =*Maripa violacea*
Opercivilina triquetra (Vahl) H. Hallier =*Opercivilina turpethum*
Opercivilina ventricosa Peter =*Opercivilina turpethum* var.
ventricosa

COSTACEAE

reviewed by P.J.M. Maas (1992); reviewed by
P.J.M. Maas (1996)

REFERENCES:

- Maas, P.J.M. 1972. Costoideae (Zingiberaceae). In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 8: 1-140.
Maas, P.J.M. 1977. Costoideae (additions). In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 18: 162-218.
Maas, P.J.M. 1979. Zingiberaceae. In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 5(1): 416-441.
Maas, P.J.M. 1985. Zingiberaceae. In A.R.A. Görtz-van Rijn, Flora of the Guianas (series A) 1: 29-67.

Costus arabicus L. [GU SU FG]
Costus claviger Benoist [GU SU FG]
Costus congestiflorus L.C. Rich. ex Gagnep. [GU SU FG]
Costus curcumoides Maas [FG]
Costus erythrothrys Loes. [GU SU FG]
Costus guanaiensis Rusby var. *macrostobilus* (K. Schum.) Maas [GU]
Costus lanceolatus Petersen subsp. *pulchriflorus* (Ducke) Maas [SU FG]
Costus lasius Loes. [FG]
Costus scaber Ruiz & Pav. [GU SU FG]
Costus spiralis (Jacq.) Roscoe var. *spiralis* [GU SU FG]
Costus spiralis (Jacq.) Roscoe var. *villosus* Maas [GU SU FG]
Costus villosissimus Jacq. [GU FG?] Dimerocostus strobilaceus Kuntze subsp. *gutierrezii* (Kuntze) Maas [GU SU]

COSTACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Costus bracteatus Gleason =*Costus claviger*
Costus ciliatus Miq. =*Costus scaber*
Costus congestiflorus L.C. Rich. ex Gagnep. var. *glabrior* K. Schum. =*Costus congestiflorus*
Costus cylindricus Auct. non Jacq. =*Costus scaber*
Costus cylindricus Jacq. var. *ciliatus* (Miq.) O.G. Petersen =*Costus scaber*
Costus discolor Roscoe =*Costus arabicus*
Costus guianicus Loes. =*Costus claviger*
Costus niveus G. Mey. =*Costus arabicus*
Costus pulchriflorus Ducke =*Costus lanceolatus* subsp. *pulchriflorus*
Costus ramosus Woodson =*Costus arabicus*
Costus scaberulus L.C. Rich. ex Gagnep. =*Costus scaber*
Costus spicatus Auct. non Sessé & Moç. =*Costus scaber*

CRASSULACEAE

REFERENCES:

- Stoffers, A.L. 1984. Crassulaceae. In A.L. Stoffers & J.C. Lindeman, Flora of Suriname V(1): 573-575.

Bryophyllum pinnatum (Lam.) Kurz [GU SU FG] [cultivated, naturalized]
Kalanchoe crenata (Andr.) Haw. [GU] [cultivated or escaped from cultivation]

CRASSULACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Bryophyllum calycinum Salisb. =*Bryophyllum pinnatum*
Kalanchoe brasiliensis Cambess. =*Kalanchoe crenata*

Kalanchoe pinnata (Lam.) Pers. =*Bryophyllum pinnatum*

CUCURBITACEAE

reviewed by C. Jeffrey & M. Nee (1992);
reviewed by M. Nee (1996)

REFERENCES:

- Jeffrey, C. 1978. Further notes on Cucurbitaceae: IV. Some New World taxa. *Kew Bull.* 33: 347-380.
 Jeffrey, C. 1984. Cucurbitaceae. In A.L. Stoffers & J.C. Lindeman, *Flora of Suriname* 5(1): 457-518.
 Jeffrey, C. & B. Trujillo. 1992. Cucurbitaceae. In G. Morillo, *Flora de Venezuela* 5(1): 11-201.

- Cayaponia angustiloba* (Cogn.) Cogn. [GU SU]
Cayaponia coriacea Cogn. [GU SU FG]
Cayaponia cruegeri (Naud.) Cogn. [GU SU FG]
Cayaponia guianensis C. Jeffrey [GU]
Cayaponia jenmanii C. Jeffrey [GU SU FG]
Cayaponia ophthalmica R.E. Schultes [GU SU FG]
Cayaponia racemosa (Mill.) Cogn. [GU FG]
Cayaponia rigida (Cogn.) Cogn. [GU SU FG]
Cayaponia selysioides C. Jeffrey [GU SU FG]
Cayaponia tessmannii Harms [FG?]
Cayaponia triangularis (Cogn.) Cogn. [GU SU FG]
Ceratosanthes palmata (L.) Urb. [GU SU FG]
Citrullus lanatus (Thunb.) Matsumura & Nakai [GU SU FG]
 [cultivated, occasionally escaping]
Coccinia grandis (L.) Voigt [GU] [cultivated, occasionally escaping]
Cucumis anguria L. [GU? SU FG] [cultivated, naturalized]
Cucumis melo L. [GU? SU FG?] [cultivated, occasionally escaping]
Cucurbita moschata (Lam.) Poir. [GU SU FG] [cultivated, occasionally escaping]
Fevillea cordifolia L. [FG?]
Fevillea trilobata L. [FG?]
Gurania acuminata Cogn. [GU SU FG]
Gurania bignoniacaea (Poepp. & Endl.) C. Jeffrey [GU SU FG]
Gurania brevipedunculata Cogn. [GU FG]
Gurania huberi Cogn. [GU SU FG]
Gurania oxyphylla C. Jeffrey [GU SU FG]
Gurania reticulata Cogn. [FG]
Gurania robusta Suessang. [SU FG]
Gurania simplicifolia (Steyermark) C. Jeffrey [GU]
Gurania spinulosa (Poepp. & Endl.) Cogn. [GU SU FG]
Gurania subumbellata (Miq.) Cogn. [GU SU FG]
Helmontia cardiophylla Harms [FG]
Helmontia leptantha (Schlechtend.) Cogn. [GU SU FG]
Kedrostis foetidissima (Jacq.) Cogn. [SU] [naturalized?]
Lagenaria siceraria (Molina) Standl. [GU SU FG] [cultivated, occasionally escaping]
Luffa cylindrica (L.) M.J. Roem. [GU SU FG] [cultivated, occasionally escaping]
Luffa sepium (G. Mey.) C. Jeffrey [GU SU FG]
Melothria pendula L. [GU SU FG]
Melothria trilobata Cogn. [GU SU]

- Momordica charantia* L. [GU SU FG] [cultivated, naturalized]
Posadaea sphaerocarpa Cogn. [GU SU FG]
Psiguria triphylla (Miq.) C. Jeffrey [GU SU FG]
Rytidostylis amazonica (Cogn.) Kuntze [FG]
Selsysia prunifera (Poepp. & Endl.) Cogn. [GU? SU FG]
Siolmatura pentaphylla Harms [GU]
Wilbrandia hibiscoidea Manso [GU?]

CUCURBITACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Anguria bignoniacaea* Poepp. & Endl. =*Gurania bignoniacaea*
Anguria guianensis Klotzsch ex Schlechtend. =*Gurania bignoniacaea*
Anguria kegeliana Schlechtend. =*Gurania spinulosa*
Anguria leptantha Schlechtend. var. *brevipes* Schlechtend. =*Helmontia leptantha*
Anguria longispica Sagot [name of uncertain application]
Anguria multiflora Miq. =*Gurania spinulosa*
Anguria subumbellata Miq. =*Gurania subumbellata*
Anguria treslingiana Pulle =*Psiguria triphylla*
Anguria trilobata sensu Pulle non (L.) Jacq. =*Gurania spinulosa*
Anguria triphylla Miq. =*Psiguria triphylla*
Anguria umbrosa Auct. non Kunth =*Psiguria triphylla*
Apodanthera spp. [no records verified for Guianas]
Cayaponia calycina Cogn. =*Cayaponia cruegeri*
Cayaponia sclerocarpa Sagot [name of uncertain application]
Cayaponia simplicifolia (Naud.) Cogn. [not in Guianas]
Citrullus vulgaris Schrad. =*Citrullus lanatus*
Elaterium amazonicum Mart. ex Cogn. =*Rytidostylis amazonica*
Elaterium carthaginense Jacq. =*Rytidostylis carthaginensis* (Jacq.) Kuntze [not in Guianas]
Gurania breviflora Cogn. =*Gurania bignoniacaea*
Gurania cissoides (Benth.) Cogn. =*Gurania bignoniacaea*
Gurania diffusa Cogn. =*Gurania huberi*
Gurania diversifolia Cogn. =*Gurania acuminata*
Gurania durandii Cogn. =*Gurania spinulosa*
Gurania guianensis (Klotzsch ex Schlechtend.) Cogn. =*Gurania bignoniacaea*
Gurania kegeliana (Schlechtend.) Cogn. =*Gurania spinulosa*
Gurania klotzschiana Cogn. =*Gurania subumbellata*
Gurania leviana Cogn. var. *glabra* Cogn. =*Gurania robusta*
Gurania multiflora (Miq.) Cogn. =*Gurania spinulosa*
Gurania sagotiana Cogn. =*Gurania reticulata*
Helmontia simplicifolia Cogn. =*Helmontia leptantha*
Lagenaria vulgaris Ser. =*Lagenaria siceraria*
Luffa operculata (L.) Cogn. [not in Guianas]
Melothria fluminensis Gardn. =*Melothria pendula*
Melothria guadalupensis (Spreng.) Cogn. =*Melothria pendula*
Momordica balsamina L. [Guianan records dubious]
Rytidostylis carthaginensis (Jacq.) Kuntze [not in Guianas]
Trianosperm rigidum Cogn. =*Cayaponia rigidum*
Trianosperma triangularis Cogn. =*Cayaponia triangularis*

CUNONIACEAE

reviewed by P. Berry (1996)

REFERENCES:

- Killip, E.P. & A.C. Smith. 1929. The genus *Weinmannia* in northern South America. Bull. Torrey Bot. Club 56: 361-377.
- Weinmannia brachystachya* Willd. [to be expected in GU (Mt. Roraima)]
Weinmannia fagaroides Kunth [GU?] [Mt. Roraima]
Weinmannia guyanensis Klotzsch ex Engl. [GU] [Mt. Roraima]
Weinmannia laxiramea Killip & A.C. Smith [GU] [Mt. Roraima]
Weinmannia pinnata L. [GU?] [Mt. Roraima]
Weinmannia velutina Schmidt [GU?] [Mt. Roraima]

CUNONIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Weinmannia pinnata* L. var. *caripensis* (H.B.K.) Cuatr.
 =*Weinmannia pinnata*
Weinmannia roraimensis Cuatrec. =*Weinmannia fagaroides*
Weinmannia steyermarkii Cuatrec. =*Weinmannia velutina*

CUSCUTACEAE**REFERENCES:**

- Austin, D.F. 1982. Convolvulaceae. In Flora de Venezuela.
 Yuncker, T.G. 1923. Revision of the South American species of *Cuscuta*. I. Am. J. Bot. 9: 557-575; II. Am. J. Bot. 10: 1-17.

- Cuscuta americana* L. [SU]
Cuscuta umbellata Kunth [GU SU]

CYCADACEAE**REFERENCES:**

- Stevenson, D.W. 1991. Cycadaceae. In A.R.A. Göts-van Rijn, Flora of the Guianas (series A) 9: 3-7.

- Cycas* spp. [species of this Old World family are widely cultivated]

CYCLANTHACEAE**REFERENCES:**

- Harling, G. 1958. Monograph of the Cyclanthaceae. Acta Horti Berg. 18: 1-428.
 Harling, G. 1972. Cyclanthaceae. In B. Maguire & collaborators, Botany of the Guiana Highland part 9. Mem. New York Bot. Gard. 23: 1-832.

- Asplundia brachyphylla* Harling [GU SU FG]
Asplundia fanshawei (Maguire) Harling [GU SU]
Asplundia glandulosa (Gleason) Harling [GU SU FG]
Asplundia gleasonii Harling [GU]
Asplundia guianensis Harling [GU]
Asplundia heterantha Harling [SU FG]
Asplundia maguirei Harling [GU SU]
Carludovica palmata Ruiz & Pav. [FG?]
Cyclanthus bipartitus Poit. [GU FG]
Dicranopygium angustissimum (Sandw.) Harling [GU]
Dicranopygium nanum (Gleason) Harling [GU]
Dicranopygium pygmaeum (Gleason) Harling subsp. *fimbriatum* (Maguire) Harling [SU FG]
Dicranopygium pygmaeum (Gleason) Harling subsp. *pygmaeum* [GU SU FG]
Evodianthus funifer (Poit.) Lindm. subsp. *funifer* [GU SU FG]
Evodianthus funifer (Poit.) Lindm. subsp. *trailianus* (Drude) Harling [GU SU FG]
Ludovia lancifolia Brongn. [SU FG] [to be expected in GU]
Stelestylis stylaris (Gleason) Harling [GU]
Stelestylis surinamensis Harling [SU FG?]
Thoracocarpus bissectus (Vell.) Harling [GU SU FG]

CYCLANTHACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Carludovica acuminata* (Ruiz & Pav.) Harling [not in Guianas]
Carludovica angustissima Sandw. =*Dicranopygium angustissimum*
Carludovica coronata Gleason =*Evodianthus funifer* subsp. *funifer*
Carludovica disticha Neum. =*Ludovia lancifolia*
Carludovica fanshawei Maguire =*Asplundia fanshawei*
Carludovica fimbriata Maguire =*Dicranopygium pygmaeum* subsp. *fimbriatum*
Carludovica glandulosa Gleason =*Asplundia glandulosa*
Carludovica kegeliana Lemaire =*Thoracocarpus bissectus*
Carludovica latifrons Drude =*Asplundia latifrons* (Drude) Harling [not in Guianas]
Carludovica nana Gleason =*Dicranopygium nanum*
Carludovica pygmaea Gleason =*Dicranopygium pygmaeum*
Carludovica sarmentosa Sagot ex Drude =*Thoracocarpus bissectus*
Carludovica stylaris Gleason =*Stelestylis stylaris*

CYPERACEAE

contributed by P. Goetghebeur & M.T. Strong (1992); additions and corrections by M.T. Strong, 1996

REFERENCES:

- Core, E.L. 1965. Cyperaceae tribe Sclerieae. In B. Maguire & collaborators, Botany of the Guayana Highland Part VI. Mem. New York Bot. Gard. 12(3): 1-285.
- Cremers, G. & M. Hoff. 1993. Inventaire taxonomique des plantes de la Guyane française III - les Cyperaceae et les Poaceae. Mus. Nat. Hist. Nat., Coll. Patr. Nat. (Sér. Patr. Génétique) 11: 1-213.
- Koyama, T. and B. Maguire. 1965. Cyperaceae tribe Lagenocarpeae. In B. Maguire & collaborators, Botany of the Guayana Highland part 6. Mem. New York Bot. Gard. 12(3): 1-285.
- Koyama, T. 1967. Cyperaceae - Mapanioideae. In B. Maguire & collaborators, Botany of the Guayana Highland part 7. Mem. New York Bot. Gard. 17(1): 1-439.
- Koyama, T. 1972. Cyperaceae - Rhynchosporoae and Cladieae. In B. Maguire & collaborators, Botany of the Guayana Highland part 9. Mem. New York Bot. Gard. 23: 1-832.
- Kral, R. 1971. A treatment of Abildgaardia, Bulbostylis, and Fimbristylis (Cyperaceae) for North America. Sida 4: 57-227.
- Lindeman, J.C. & A.R.A. Görts-van Rijn. 1968. Cyperaceae (additions and corrections). In A. Pulle & J. Lanjouw, Flora of Suriname 1(2): 310-314.
- Simpson, D.A. 1992. A revision of the genus Mapania. Royal Botanic Gardens, Kew.
- Thomas, W.W. 1984. The systematics of Rhynchospora section Dichromena. Mem. New York Bot. Gard. 37: 1-116.
- Uittien, H. 1934. Cyperaceae. In A. Pulle, Flora of Suriname 1(1): 72-149.
- Uittien, H. 1943. Cyperaceae (additions and corrections). In A. Pulle [ed.], Flora of Suriname 1(1): 492-505.

- Abildgaardia ovata (Burm.f.) Kral [GU]
- Ascolepis brasiliensis (Kunth) Benth. ex C.B. Clarke [GU SU]
- Becquerelia cymosa Brongn. subsp. cymosa [GU SU FG]
- Becquerelia cymosa Brongn. subsp. merkeliana (Nees) T. Koyama [GU SU FG]
- Becquerelia tuberculata (Boeck.) H. Pfeiff. [GU SU]
- Bisboeckelera irrigua (Nees) Kunze [GU]
- Bisboeckelera longifolia (Rudge) Kunze [GU SU FG]
- Bisboeckelera microcephala (Boeck.) T. Koyama [GU SU FG]
- Bulbostylis capillaris (L.) C.B. Clarke var. capillaris [GU SU FG]
- Bulbostylis capillaris (L.) C.B. Clarke var. major Uittien [SU]
- Bulbostylis circinata (Nees) C.B. Clarke [GU SU FG]
- Bulbostylis conifera (Kunth) C.B. Clarke [GU SU FG]

- Bulbostylis fasciculata Uittien [GU SU FG]
- Bulbostylis hirta (Thunb.) Svenson [GU]
- Bulbostylis junciformis (Kunth) C.B.Clarke var. glabrescens Boeck. [SU]
- Bulbostylis junciformis (Kunth) C.B.Clarke var. junciformis [GU SU FG]
- Bulbostylis juncoidea (Vahl) Kükenth. [GU FG]
- Bulbostylis lanata (Kunth) C.B. Clarke [GU SU FG]
- Bulbostylis paradoxa (Spreng.) Lindm. [GU SU FG]
- Bulbostylis stenocarpa Kükenth. [GU SU FG]
- Bulbostylis surinamensis Uittien [GU SU FG?]
- Bulbostylis tenuifolia (Rudge) Macbr. [GU SU FG]
- Bulbostylis truncata (Nees) M.T. Strong [GU SU]
- Bulbostylis vestita (Kunth) C.B. Clarke var. glabrescens Boeck. [SU]
- Bulbostylis vestita (Kunth) C.B. Clarke var. vestita [SU FG]
- Calyptrocarya bicolor (H. Pfeiff.) T. Koyama [GU SU FG]
- Calyptrocarya glomerulata (Brongn.) Urb. var. glomerulata [GU SU FG]
- Calyptrocarya luzuliformis T. Koyama [GU SU]
- Calyptrocarya monocephala Hochst. ex Steud. [GU SU FG]
- Calyptrocarya poeppigiana Kunth [GU SU FG] [records may be referable to another species]
- Carex polystachya Sw. ex Wahlb. [GU]
- Cephalocarpus rigidus Gilly ex Gleason & Killip [GU SU]
- Cladium costatum Steyerl. [GU?] [Mt. Roraima]
- Cladium mariscus Pohl [SU?]
- Cyperus aggregatus (Willd.) Endl. [GU SU FG]
- Cyperus altsonii Kükenth. [GU]
- Cyperus amabilis Vahl [GU SU]
- Cyperus articulatus L. [GU SU FG] [var. articulatus?]
- Cyperus articulatus L. var. nodosus (Willd.) Kükenth. [FG]
- Cyperus capillifolius A. Rich. [GU?]
- Cyperus chlorocephalus (C.B. Clarke) Kükenth. [GU FG]
- Cyperus comosus Poir. [GU SU FG]
- Cyperus compressus L. [GU SU FG]
- Cyperus corymbosus Rottb. [GU SU]
- Cyperus croceus Vahl [GU SU FG]
- Cyperus cuspidatus Kunth [GU SU FG?]
- Cyperus difformis L. [GU]
- Cyperus digitatus Roxb. [GU SU]
- Cyperus distans L.f. [GU SU FG]
- Cyperus eragrostis Lam. [SU]
- Cyperus filifolius Willd. ex Kunth [GU]
- Cyperus flavescens L. [GU SU?]
- Cyperus gayi (C.B. Clarke) Kükenth. [FG]
- Cyperus giganteus Vahl [GU SU FG]
- Cyperus guianensis (C.B. Clarke) Kükenth. [GU SU]
- Cyperus haspan L. [GU SU FG] [subsp. haspan?]
- Cyperus haspan L. subsp. juncoidea (Lam.) Kükenth. [GU SU FG]
- Cyperus haspan L. var. riparius (Nees) Kükenth. [GU FG]
- Cyperus hermaphroditus (Jacq.) Standl. [GU FG?]
- Cyperus hoppiiifolius Uittien [SU FG]
- Cyperus imbricatus Retz. [GU] [var. imbricatus?]
- Cyperus imbricatus Retz. var. elongatus (Boeck.) Kükenth. [GU]
- Cyperus involucratus Rottb. [SU] [escaped from cultivation]
- Cyperus iria L. [GU] [introduced]
- Cyperus kappleri Hochst. ex Steud. [GU SU FG]
- Cyperus laxus Lam. s.l. [GU SU FG]
- Cyperus ligularis L. [GU SU FG]
- Cyperus luzulae (L.) Rottb. ex Retz. var. luzulae [GU SU FG]

- Cyperus luzulae* (L.) Rottb. ex Retz. var. *microcephalus* (Nees)
Nees [GU]
Cyperus megapotamicus Kunth [SU?]
Cyperus miliifolius Poepp. & Kunth [GU SU FG]
Cyperus mutisii (Kunth) Griseb. [GU FG]
Cyperus odoratus L. [GU SU FG]
Cyperus oxylepis Nees ex Steud. [GU]
Cyperus polystachyos Rottb. [GU SU FG]
Cyperus prolixus Kunth [GU SU FG?]
Cyperus pseudodistans Uittien [SU]
Cyperus pumilus L. [FG]
Cyperus rotundus L. [GU SU FG]
Cyperus schomburgkianus Nees [GU]
Cyperus simplex Kunth [GU SU FG]
Cyperus sphacelatus Rottb. [GU SU FG]
Cyperus subumbellatus Kükenth. [SU]
Cyperus surinamensis Rottb. [GU SU FG] [var.
surinamensis?]
Cyperus surinamensis Rottb. var. *lutescens* Boeck. [SU FG]
Cyperus traillii C.B. Clarke [GU SU]
Cyperus unioloides R. Brown [SU]
Cyperus virens Michx. [SU]
Didymianthus stellatum (Boeck.) Gilly [GU]
Diplacrum africanum (Benth.) C.B. Clarke [SU]
Diplacrum capitatum (Willd.) Boeck. [GU SU FG]
Diplacrum guianense (Nees) T. Koyama [GU SU FG]
Diplasia karataefolia L.C. Rich. [GU SU FG]
Eleocharis acutangula (Roxb.) Schult. [GU SU]
Eleocharis debilis Kunth [GU]
Eleocharis elegans (Kunth) Roem. & Schult. [GU SU FG]
Eleocharis filiculmis Kunth [GU SU FG]
Eleocharis flaccida (Rchb. ex Spreng.f.) Urb. [GU SU FG]
Eleocharis flavescens (Poir.) Urb. [GU SU FG]
Eleocharis geniculata (L.) Roem. & Schult. [GU SU FG]
Eleocharis interstincta (Vahl) Roem. & Schult. [GU SU FG]
Eleocharis jelskiana Boeck. [GU SU FG]
Eleocharis maculosa (Vahl) Roem. & Schult. [GU]
Eleocharis minima Kunth [GU FG?] [var. *minima*?]
Eleocharis minima Kunth var. *bicolor* (Chapm.) Svenson [GU]
Eleocharis mitrata (Griseb.) C.B. Clarke [GU SU FG]
Eleocharis mutata (L.) Roem. & Schult. [GU SU FG]
Eleocharis nana Kunth [GU SU]
Eleocharis nigrescens (Nees) Steud. [GU]
Eleocharis nodulosa (Roth) Schult. [SU]
Eleocharis pachystyla (C. Wright) C.B. Clarke [GU SU FG]
Eleocharis plicarachis (Griseb.) Svenson [GU SU FG]
Eleocharis retroflexa (Poir.) Urb. [GU SU FG]
Eleocharis sellowiana Kunth [GU FG] [var. *sellowiana*?]
Eleocharis sellowiana Kunth var. *homonyma* (Steud.) H.
Pfeiff. [FG]
Eleocharis sp. aff. *glaucoides* Boeck. [GU]
Eleocharis subfoliata C.B. Clarke [GU SU]
Everardia angusta N.E. Brown [GU]
Everardia debilis T. Koyama & Maguire [GU]
Everardia disticha T. Koyama & Maguire [GU]
Everardia montana Ridley ex im Thurn subsp. *montana* [GU]
Everardia surinamensis Gilly [GU SU]
Exochogyne amazonica C.B. Clarke [GU SU FG]
Fimbristylis annua (Allioni) Roem. & Schult. [GU SU FG]
Fimbristylis aspera (Schrad.) Boeck. [GU]
Fimbristylis autumnalis (L.) Roem. & Schult. [GU? SU FG]
Fimbristylis complanata (Retz.) Link [SU FG]
Fimbristylis cymosa R. Brown [GU SU FG]
Fimbristylis dichotoma (L.) Vahl [GU SU FG]
Fimbristylis ferruginea (L.) Vahl [GU SU FG]
Fimbristylis limosa Poepp. & Kunth [GU]
- Fimbristylis miliacea* (L.) Vahl [GU SU FG] [naturalized]
Fimbristylis quinquangularis (Vahl) Knuth [GU]
Fimbristylis spadicea Vahl [GU SU FG]
Fimbristylis vahlii Link [GU SU FG]
Fuirena robusta Kunth [GU SU FG]
Fuirena simplex Vahl [FG]
Fuirena umbellata Rottb. [GU SU FG]
Hypolytrum amplum Poepp. & Kunth ex Kunth [GU SU FG]
Hypolytrum jenmanii C.B. Clarke subsp. *jenmanii* [GU SU
FG]
Hypolytrum jenmanii C.B. Clarke subsp. *serratifolium*
(Uittien) T. Koyama [GU SU FG]
Hypolytrum longifolium (L.C. Rich.) Nees subsp. *longifolium*
[GU SU FG]
Hypolytrum longifolium (L.C. Rich.) Nees subsp. *rubescens*
(Huber ex C.B. Clarke) T. Koyama [GU]
Hypolytrum longifolium (L.C. Rich.) Nees subsp. *sylvaticum*
(Poepp. & Kunth) T. Koyama [GU SU FG]
Hypolytrum nudum C.B. Clarke [GU]
Hypolytrum pallidiceps S. Hooper & T. Koyama [GU]
Hypolytrum pulchrum (Rudge) H. Pfeiff. [GU SU FG]
Hypolytrum schraderianum Nees [GU FG]
Hypolytrum spongiosum T. Koyama [GU]
Hypolytrum stemonifolium T. Koyama [GU]
Kyllinga brevifolia Rottb. [GU SU FG]
Kyllinga nemoralis (J.R. & G. Forster) Dandy ex Hutchinson
[SU FG?]
Kyllinga odorata Vahl [GU SU FG]
Kyllinga pumila Michx. [GU SU FG]
Kyllinga pungens Link [GU SU FG]
Kyllinga vaginata Lam. [SU FG]
Lagenocarpus glomerulatus Gilly [GU]
Lagenocarpus guianensis Lindl. & Nees ex Nees [GU SU FG]
Lagenocarpus rigidus (Kunth) Nees subsp. *tremulus* (Nees) T.
Koyama & Maguire [GU SU FG]
Lagenocarpus sabanensis Gilly [SU FG]
Lagenocarpus verticillatus (Spreng.) T. Koyama & Maguire
[GU SU]
Lipocarpha humboldtiana Nees [GU SU]
Lipocarpha micrantha (Vahl) G. Tucker [GU SU FG]
Lipocarpha salzmanniana Steud. [GU]
Lipocarpha schomburgkii (Friedland) G. Tucker [GU]
Mapania assimilis T. Koyama subsp. *guianensis* D.A. Simpson
[FG]
Mapania cuatrecasasii T. Koyama [GU]
Mapania imeriensis (R. Gross) T. Koyama [GU SU]
Mapania insignis Sandw. [GU]
Mapania macrophylla (Boeck.) H. Pfeiff. [GU SU FG]
Mapania maguireana T. Koyama & Steyerl. [GU]
Mapania paradoxa J. Raynal [FG]
Mapania pycnocephala (Benth.) Benth. subsp. *fluvialis*
(Sandw.) T. Koyama [GU FG]
Mapania steyermarkii T. Koyama [GU]
Mapania surinamensis Uittien [SU]
Mapania sylvatica Aubl. subsp. *sylvatica* [GU SU FG]
Mapania tepuiana (Steyerl.) T. Koyama [GU FG?]
Mapaniopsis effusa C.B. Clarke [FG]
Mapaniopsis micrococca T. Koyama [GU]
Oxycaryum cubense (Poepp. & Kunth) Palla [GU SU FG]
Pleurostachys guianensis Uittien [SU]
Pleurostachys puberula Boeck. [GU FG]
Remirea maritima Aubl. [SU FG]
Rhynchosciadium steyermarkii (T. Koyama) T. Koyama [GU]
Rhynchospora albescens (Miq.) Kükenth. [GU SU]
Rhynchospora albomarginata Kükenth. [GU]

SPERMATOPHYTA: Cyperaceae

- Rhynchospora amazonica Poepp. & Kunth subsp. amazonica [GU]
 Rhynchospora amazonica Poepp. & Kunth subsp. guianensis (Kükenth.) T. Koyama [GU FG?]
 Rhynchospora arenicola Uittien [GU SU FG]
 Rhynchospora aristata Boeck. [GU]
 Rhynchospora armerioides Presl [GU SU]
 Rhynchospora barbata (Vahl) Kunth [GU SU FG]
 Rhynchospora bolivarana Steyermark [GU]
 Rhynchospora brachychaeta C. Wright [GU]
 Rhynchospora brasiliensis Boeck. [GU]
 Rhynchospora brevirostris Griseb. [SU FG]
 Rhynchospora cajennensis Boeck. [GU FG]
 Rhynchospora canaliculata Boeck. [FG]
 Rhynchospora candida (Nees) Boeck. [GU SU FG?]
 Rhynchospora caracasana (Kunth) Boeck. [GU SU]
 Rhynchospora cephalotes (L.) Vahl [GU SU FG] [var. cephalotes?]
 Rhynchospora cephalotes (L.) Vahl var. angustifolia Uittien [SU]
 Rhynchospora comata (Link) Roem. & Schult. [GU SU FG]
 Rhynchospora contracta (Nees) J. Raynal [FG]
 Rhynchospora corymbosa (L.) Britton [GU SU FG]
 Rhynchospora curvula Griseb. [GU SU FG]
 Rhynchospora emaciata (Nees) Boeck. [GU FG]
 Rhynchospora exaltata Kunth [GU] [var. exaltata?]
 Rhynchospora exaltata Kunth var. microcephala Kükenth. [GU]
 Rhynchospora fallax Uittien [GU SU FG]
 Rhynchospora fascicularis (Michx.) Vahl var. distans (Michx.) Chapman [SU]
 Rhynchospora filiformis Vahl [GU SU FG]
 Rhynchospora flexuosa C.B. Clarke subsp. tepuiana (Steyermark) T. Koyama [GU]
 Rhynchospora gigantea Link [GU SU FG]
 Rhynchospora globosa (Kunth) Roem. & Schult. [GU SU FG]
 Rhynchospora graminea Uittien [GU SU FG?]
 Rhynchospora hassleri C.B. Clarke [GU SU FG]
 Rhynchospora heterocaulis C.B. Clarke [SU]
 Rhynchospora hieronymii Boeck. [GU]
 Rhynchospora hirsuta (Vahl) Vahl [GU SU FG]
 Rhynchospora holoschoenoides (L.C. Rich.) Herter [GU SU FG]
 Rhynchospora junciformis (Kunth) Boeck. [GU SU FG]
 Rhynchospora longibracteata Boeck. [GU]
 Rhynchospora macrochaeta Steud. [GU]
 Rhynchospora maguireana T. Koyama [GU]
 Rhynchospora marisculus Nees [GU SU]
 Rhynchospora montana (Uittien) H. Pfeiff. [SU]
 Rhynchospora nervosa (Vahl) Boeck. subsp. ciliata T. Koyama [GU SU FG]
 Rhynchospora nervosa (Vahl) Boeck. subsp. nervosa [GU SU FG]
 Rhynchospora nitens (Vahl) A. Gray [GU]
 Rhynchospora polyphylla Vahl [GU SU FG]
 Rhynchospora pubera (Vahl) Boeck. subsp. parvula W.W. Thomas [GU]
 Rhynchospora pubera (Vahl) Boeck. subsp. pubera [GU SU FG]
 Rhynchospora radicans (Schlechtend. & Cham.) H. Pfeiff. subsp. microcephala (Bertero ex Spreng.) W. Thomas [GU SU FG]
 Rhynchospora reptans (L.C. Rich.) Boeck. [GU SU FG]
 Rhynchospora riparia (Nees) Boeck. [GU SU FG]
 Rhynchospora robusta (Kunth) Boeck. [GU FG?]
 Rhynchospora roraimae Kükenth. [GU] [Mt. Roraima]
- Rhynchospora rugosa (Vahl) Gale [GU SU FG]
 Rhynchospora schomburgkiana (Boeck.) T. Koyama [GU]
 Rhynchospora steyermarkii T. Koyama [GU]
 Rhynchospora stricta Boeck. var. demerarensis (C.B. Clarke) Kükenth. [GU]
 Rhynchospora subdicephala T. Koyama [FG]
 Rhynchospora sublanata Lindeman & Donsel. [GU SU]
 Rhynchospora subplumosa C.B. Clarke [GU SU]
 Rhynchospora tenella (Nees) Boeck. var. tenella [GU SU FG]
 Rhynchospora terrima Nees ex Spreng. [GU SU FG]
 Rhynchospora tenuis Willd. ex Link subsp. austrobrasiliensis T. Koyama [GU]
 Rhynchospora tenuis Willd. ex Link subsp. tenuis [GU SU FG]
 Rhynchospora trichocheata C.B. Clarke [GU SU?]
 Rhynchospora trichodes C.B. Clarke [GU SU FG]
 Rhynchospora triflora (Poir.) Vahl [GU SU FG]
 Rhynchospora trispicata (Nees) Steud. [GU SU FG]
 Rhynchospora velutina (Kunth) Boeck. [GU SU FG]
 Rhynchospora watsonii (Britton) Davidse [GU SU FG]
 Schoenoplectus maritimus (L.) K. Lye [SU FG?]
 Schoenoplectus robustus (Pursh) M.T. Strong [GU SU FG?]
 Scleria acanthocarpa Boeck. [FG]
 Scleria bracteata Cav. [GU SU FG]
 Scleria cerradicola T. Koyama [GU]
 Scleria cyperina Willd. ex Kunth [GU SU FG]
 Scleria distans Poir. [FG]
 Scleria eggersiana Boeck. [GU SU]
 Scleria flagellum-nigrorum Berg. [GU SU]
 Scleria grandis Core [GU?]
 Scleria hirtella Swartz [GU SU FG]
 Scleria interrupta L.C. Rich. [GU FG]
 Scleria lacustris Wright [GU SU]
 Scleria latifolia Swartz [GU SU FG]
 Scleria lindleyana C.B. Clarke [FG?]
 Scleria lithosperma (L.) Swartz [FG]
 Scleria longigluma Kükenth. [GU]
 Scleria macrogyna C.B. Clarke [GU SU FG]
 Scleria macrophylla Presl [GU SU FG]
 Scleria martii (Nees) Steud. [SU FG]
 Scleria melaleuca Rchb. ex Cham. & Schltdl. [GU SU FG]
 Scleria microcarpa Nees [GU SU FG]
 Scleria micrococca (Liebm.) Steud. [GU SU FG]
 Scleria mitis Berg. [GU SU FG]
 Scleria nutans Willd. ex Kunth [GU?]
 Scleria pinetorum Britton [SU]
 Scleria pterota Presl var. melanocarpa Nees [SU] [=Scleria melaleuca?]
 Scleria scabra Willd. [GU SU]
 Scleria secans (L.) Urb. [GU SU FG]
 Scleria setacea Poir. [GU SU FG]
 Scleria splitgerberiana Henrard ex Uittien [SU]
 Scleria staheliiana Uittien [SU FG]
 Scleria stipitata Uittien [GU SU]
 Scleria stipularis Nees [GU SU FG]
 Scleria tepuiensis Core [GU FG]
 Scleria triquetra M.T. Strong [FG]
 Scleria vaginata or cf. vaginata Steud. [SU]
 Scleria verticillata Muhl. ex Willd. [GU SU FG?]
 Scleria violacea Pilger [FG]
 Trilepis kanukuensis Gilly [GU SU FG]
 Websteria confervoides (Poir.) S. Hooper [GU SU? FG]

CYPERACEAE - SYNONYMS AND MISIDENTIFICATIONS:

SPERMATOPHYTA: Cyperaceae

- Becquerelia divaricata (Nees ex Boeck.) Palla =Becquerelia cymosa subsp. merkeliana
- Bisboeckeleria angustifolia (Boeck.) Kuntze =Bisboeckeleria longifolia
- Bolboschoenus maritimus (L.) Palla =Schoenoplectus maritimus
- Bolboschoenus robustus (Pursh) Soják =Schoenoplectus robustus
- Bulbostylis capillaris (L.) C.B. Clarke var. glabra Uittien =Bulbostylis truncata
- Bulbostylis capillaris (L.) C.B. Clarke var. tenuifolia (Rudge) C.B. Clarke =Bulbostylis tenuifolia
- Bulbostylis schomburgkiana (Steud.) M.T. Strong [type erroneously reported from Guyana]
- Bulbostylis spadicea (Kunth) Kükenth. =Bulbostylis paradoxa
- Calyptrocarya fragifera Nees ex Kunth [nomen nudum] =Calyptrocarya glomerulata
- Calyptrocarya intermedia C.B. Clarke =Calyptrocarya glomerulata
- Cyperus brevifolius (Rottb.) Hassk. =Kyellinga brevifolia
- Cyperus cayennensis Lam. =Cyperus aggregatus
- Cyperus chalaranthus Presl =Cyperus laxus s.l.
- Cyperus densicaespitosus Mattf. & Kükenth. =Kyellinga pumila
- Cyperus diffusus Vahl =Cyperus laxus s.l.
- Cyperus elegans Auct. non L. =Cyperus laxus s.l.
- Cyperus flavus (Vahl) Nees =Cyperus aggregatus
- Cyperus globulosus Aubl. =Cyperus luzulae
- Cyperus globulosus Auctt., non Aubl. =Cyperus croceus
- Cyperus huarmensis (Kunth) M.C. Johnston =Cyperus aggregatus
- Cyperus kyllingia Endl. =Kyellinga nemoralis
- Cyperus obtusatus (Presl) Mattf. & Kükenth. =Kyellinga pungens
- Cyperus pedunculatus (R. Br.) Kern =Remirea maritima
- Cyperus ruderalis Uittien =Cyperus trailii
- Cyperus sesquiflorus (Torrey) Mattf. & Kükenth. =Kyellinga odorata
- Cyperus tomentosus Kunth =Cyperus laxus s.l.
- Cyperus uncinatus Poir. [not in Guianas]
- Dichromena ciliata Vahl =Rhynchospora nervosa var. ciliata
- Dichromena monostachya (Boeck.) C.B. Clarke =Rhynchospora albescens
- Dichromena montana Uittien =Rhynchospora montana
- Dichromena pubera Vahl =Rhynchospora pubera
- Dichromena radicans Schlechtend. & Cham. =Rhynchospora radicans
- Dichromena repens Vahl =Rhynchospora reptans
- Diplacrum laevissimum Kükenth. =Diplacrum guianense
- Diplacrum longifolium (Griseb.) C.B. Clarke ex Durand & Schinz =Diplacrum capitatum
- Diplacrum notopterum (Nees ex Steud.) C.B. Clarke =Diplacrum guianense
- Eleocharis atropurpurea (Retz.) Presl [not in Guianas]
- Eleocharis caribaea (Rottb.) S.F. Blake =Eleocharis geniculata
- Eleocharis fistulosa (Poir.) Link =Eleocharis acutangula
- Eleocharis sagotii C.B. Clarke =Eleocharis jelskiana
- Eleocharis sagotii C.B. Clarke var. glochidiata C.B. Clarke =Eleocharis plicarachis
- Eleocharis sulcata Nees =Eleocharis filiculmis
- Fimbristylis annua (Allioni) Roem. & Schult. var. diphylla (Retz.) Kükenth. =Fimbristylis dichotoma
- Fimbristylis cymosa R. Brown subsp. spathacea (Roth) T. Koyama =Fimbristylis cymosa
- Fimbristylis littoralis Guadichaud [= miliacea by some]
- Fimbristylis spathacea Roth =Fimbristylis cymosa
- Hemicarpa micrantha (Vahl) Pax =Lipocarpa micrantha
- Kyllinga monocephala Rottb., nom. illeg. =Kyllinga nemoralis
- Kyllinga peruviana Lam. =Kyllinga vaginata
- Kyllinga rigida Baldwin =Kyllinga vaginata
- Kyllinga sesquiflora Torrey =Kyllinga odorata
- Lagenocarpus amazonicus (C.B. Clarke) Pfeiff. =Exochogyne amazonica
- Lagenocarpus kunthii (Miq.) Uittien =Lagenocarpus verticillatus
- Lagenocarpus tremulus Nees =Lagenocarpus rigidus subsp. tremulus
- Lagenocarpus weigelti (Spreng.) Uittien =Lagenocarpus verticillatus
- Lipocarpa sellowiana Kunth =Lipocarpa humboldtiana
- Mariscus cayennensis (Lam.) Urb. =Cyperus aggregatus
- Mariscus chlorocephalus C.B. Clarke =Cyperus chlorocephalus
- Mariscus elatus Kunth =Cyperus aggregatus
- Mariscus flavus Vahl =Cyperus aggregatus
- Mariscus gayi C.B. Clarke =Cyperus gayi
- Mariscus guianensis C.B. Clarke =Cyperus guianensis
- Mariscus ligularis (L.) Urb. =Cyperus ligularis
- Mariscus mutisii Kunth =Cyperus mutisii
- Mariscus pedunculatus (R. Br.) T. Koyama =Remirea maritima
- Mariscus tovarii Kunth =Cyperus hermaphroditus
- Mariscus umbellatus (Rottb.) Vahl =Cyperus subumbellatus
- Pycreus capillifolius (A. Rich.) C.B. Clarke =Cyperus capillifolius
- Pycreus flavescens (L.) Rchb. =Cyperus flavescens
- Pycreus megapotamicus (Kunth) Nees =Cyperus megapotamicus
- Pycreus polystachyos (Rottb.) Beauv. =Cyperus polystachyos
- Pycreus pumilus (L.) Nees =Cyperus pumilus
- Pycreus unioloides (R. Brown) Urb. =Cyperus unioloides
- Rhynchospora aurea Vahl =Rhynchospora corymbosa
- Rhynchospora cyperoides (Swartz) Mart. =Rhynchospora holoschoenooides
- Rhynchospora denticulata Huber =Rhynchospora subplumosa
- Rhynchospora distans Vahl =Rhynchospora fascicularis var. distans
- Rhynchospora glauca Vahl =Rhynchospora rugosa
- Rhynchospora hispidula (Vahl) Boeck., nom. illeg. =Rhynchospora trichodes
- Rhynchospora longispiculata Boeck. =Rhynchospora filiformis
- Rhynchospora monostachya Boeck. =Rhynchospora albescens

Rhynchospora nervosa (Vahl) Boeck. var. *ciliata* (Vahl)
 Kükenth. =*Rhynchospora nervosa* subsp. *ciliata*
Rhynchospora pilosa (Kunth) Boeck. subsp. *arenicola*
 (Uittien) T. Koyama =*Rhynchospora arenicola*
Rhynchospora podosperma C. Wright =*Rhynchospora filiformis*
Rhynchospora repens (Vahl) Boeckeler =*Rhynchospora reptans*
Rhynchospora rufa (Nees) Boeck. =*Rhynchospora velutina*
Rhynchospora setacea (Berg.) Boeck. =*Rhynchospora tenerima*
Rhynchospora stellata (Lam.) Griseb. =*Rhynchospora colorata*
 [not in Guianas]
Rhynchospora tenerima Nees ex Spreng. subsp. *fallax*
 (Uittien) T. Koyama =*Rhynchospora fallax*
Rhynchospora tenuis Willd. ex Link subsp. *riparia* (Nees) T.
 Koyama =*Rhynchospora riparia*
Rhynchospora viridilutea C.B. Clarke =*Rhynchospora hassleri*
Scirpus cubensis Poepp. & Kunth =*Oxycaryum cubense*
Scirpus maritimus L. =*Schoenoplectus maritimus*
Scirpus micranthus Vahl =*Lipocarpha micrantha*
Scirpus robustus Pursh =*Schoenoplectus robustus*
Scirpus submersus C. Wright =*Websteria confervoides*
Scleria arundinacea Kunth =*Scleria latifolia*
Scleria foliosa C. Wright, nom. illeg. =*Scleria microcarpa*
Scleria latifolia Nees =*Scleria arundinacea* [=*Scleria latifolia*
 Swartz]
Scleria liebmanni Steud. =*Scleria micrococca*
Scleria paludosa Kunth =*Scleria macrophylla*
Scleria pterota Presl [nomen nudum] =*Scleria melaleuca*
Scleria pyramidalis Hochst. ex Steud. =*Scleria martii* [=*Scleria stipularis*?]
Scleria reflexa Kunth =*Scleria secans*
Scleria tenella Kunth =*Scleria verticillata*
Scleria weigeltiana Schrad. ex Boeck. =*Scleria secans*
Torulinium ferox (L.C. Rich.) Urb. =*Cyperus odoratus*
Torulinium odoratum (L.) S. Hooper =*Cyperus odoratus*

CYRILLACEAE

REFERENCES:

Thomas, J.L. 1960. A monographic study of the
Cyrillaceae. Contr. Gray Herb. 186: 1-114.

Cyrilla antillana Michx. [GU] [=*Cyrilla racemiflora* s.l.]
Cyrilla brevifolia N.E. Brown [GU] [=*Cyrilla racemiflora* s.l.]
Cyrilla perrottetii Briq. [GU] [=*Cyrilla racemiflora* s.l.]
Cyrilla racemiflora L. [GU SU FG]

DICHAPETALACEAE

contributed by G.T. Prance (1992)

REFERENCES:

Prance, G.T. 1972. Dichapetalaceae. Flora
Neotropica Monogr. 10: 1-84.
 Prance, G.T. 1979. A new species of
Dichapetalum from Suriname. Bull. Torrey
Bot. Club 106(4): 309-312.

Prance, G.T. 1983. Additions to Neotropical
Dichapetalaceae. Brittonia 35(1): 49-54.
 Stafleu, F.A. 1951. Dichapetalaceae. In A.
Pulle, Flora of Suriname 3(2): 166-172.

Dichapetalum pedunculatum (DC.) Baill. [GU SU FG]
Dichapetalum rugosum (Vahl) Prance [GU SU FG]
Dichapetalum schulzii Prance [SU]
Tapura amazonica Poepp. & Endl. [SU FG]
Tapura capitulifera Baill. [GU SU FG]
Tapura guianensis Aubl. [GU SU FG]
Tapura singularis Ducke [FG]

DICHAPETALACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Chailletia flavicans Klotzsch =*Dichapetalum rugosum*
Chailletia pedunculata DC. =*Dichapetalum pedunculatum*
Chailletia sessiliflora DC. =*Tapura guianensis*
Chailletia vestita Benth. =*Dichapetalum rugosum*
Dichapetalum flavicans (Klotzsch) Engl. =*Dichapetalum rugosum*
Dichapetalum glabrum (Vahl) Prance =*Dichapetalum pedunculatum*
Dichapetalum scandens (Poir.) Johnston =*Dichapetalum rugosum*
Dichapetalum vestitum (Benth.) Baill. =*Dichapetalum rugosum*
Rohria petioliflora Willd. =*Tapura guianensis*
Rohria schreberi J.F. Gmel. =*Tapura guianensis*
Rohria tapura J.F. Gmel. =*Tapura guianensis*
Sympyllanthus glaber Vahl =*Dichapetalum pedunculatum*
Sympyllanthus rugosus Vahl =*Dichapetalum rugosum*

DILLENIACEAE

contributed by G. Aymard & C.L. Kellogg (1992);
additions and corrections by G. Aymard &
reviewed by C.L. Kellogg (1996)

REFERENCES:

Aymard, G. & J. Miller. 1994. Dilleniaceae
novae Neotropicae III. Sinopsis y adiciones a
las Dilleniaceae del Perú. Candollea 49(1):
 169-182.
 Kubitzki, K. 1970. Die gattung Tetracera. Mitt.
Bot. Münch. 8: 1-98.
 Kubitzki, K. 1971. Doliocarpus, Davilla und
verwandte gattungen. Mitt. Bot. Münch. 9: 1-
 105.
 Lanjouw, J. & P.F. van Heerdt. 1941.
Dilleniaceae. In A. Pulle, Flora of Suriname
3(1): 386-408.

SPERMATOPHYTA: Cyperaceae - Dilleniaceae

- Curatella americana* L. [GU SU FG]
Davilla alata (Venten.) Briq. [GU SU FG]
Davilla kunthii A. St. Hil. [GU SU FG]
Davilla lacunosa Mart. [FG]
Davilla nitida (Vahl) Kubitzki [GU SU FG]
Davilla rugosa Poir. var. *rugosa* [GU SU FG]
Davilla steyermarkii Kubitzki [to be expected in GU]
Doliocarpus brevipedicellatus Gärcke subsp. *brevipedicellatus* [GU SU FG]
Doliocarpus dentatus (Aubl.) Standl. subsp. *dentatus* [GU SU FG]
Doliocarpus dentatus (Aubl.) Standl. subsp. *esmeraldae* (Steyermark) Kubitzki [GU SU FG]
Doliocarpus gracilis Kubitzki [SU FG]
Doliocarpus guianensis (Aubl.) Gilg. [GU SU FG]
Doliocarpus macrocarpus Mart. ex Eichl. [GU SU FG]
Doliocarpus major J.F. Gmelin subsp. *major* [GU SU FG]
Doliocarpus paraensis Sleumer [GU SU FG]
Doliocarpus sagotianus Kubitzki [FG]
Doliocarpus savannarum Sandw. [GU SU FG]
Doliocarpus spraguei Cheesem. [GU SU FG]
Pinzona coriacea Mart. & Zucc. [GU SU FG]
Tetracera asperula Miq. [GU SU FG]
Tetracera costata Mart. ex Eichl. subsp. *costata* [GU SU FG]
Tetracera costata Mart. ex Eichl. subsp. *rotundifolia* (J.E. Smith) Kubitzki [GU FG]
Tetracera surinamensis Miq. [GU SU FG]
Tetracera tigarea DC. [GU SU FG]
Tetracera volubilis L. subsp. *volubilis* [GU SU FG]
Tetracera willdenowiana Steud. subsp. *emarginata* Kubitzki [FG]
Tetracera willdenowiana Steud. subsp. *willdenowiana* [SU]

DILLENIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Calinea scandens* Aubl. =*Doliocarpus spraguei*
Davilla aspera (Aubl.) Benoist =*Davilla kunthii*
Davilla multiflora (DC.) St. Hil. =*Davilla nitida*
Doliocarpus calinea J.F. Gmelin =*Doliocarpus spraguei*
Doliocarpus coriaceus (Mart. & Zucc.) Gilg =*Pinzona coriacea*
Doliocarpus rolandri J.F. Gmelin =*Doliocarpus major*
Doliocarpus scandens Poir. =*Doliocarpus major*
Doliocarpus surinamensis Lanj. =*Doliocarpus paraensis*
Doliocarpus virgatus Sagot =*Doliocarpus macrocarpus*
Soramia guianensis Aubl. =*Doliocarpus guianensis*
Tetracera ovalifolia DC. =*Tetracera asperula*
Tetracera rotundifolia Smith =*Tetracera asperula*
Tigarea aspera Aubl. =*Tetracera tigarea*
Tigarea dentata Aubl. =*Doliocarpus dentatus*

DIOSCOREACEAE

REFERENCES:

- Gleason, H.A. 1925. Studies on the flora of northern South America. V. Miscellaneous new or noteworthy species. Bull. Torrey Bot. Club 52(5): 181-196.
 Knuth, R. 1924. Dioscoreaceae. In A. Engler, Das Pflanzenreich IV(43): 1-387.
- Dioscorea alata* L. [GU SU FG] [introduced]

- Dioscorea amazonum* Mart. ex Griseb. [GU SU FG]
Dioscorea bulbifera L. [SU FG] [introduced]
Dioscorea cayennensis Lam. [GU SU FG] [introduced?]
Dioscorea cordifolia Laness.
Dioscorea crotalariaefolia Uline [GU]
Dioscorea dodecaneura Vell. [GU SU FG]
Dioscorea esculenta (Lour.) Prain [FG] [cultivated only?]
Dioscorea georgensis Knuth [GU] [=Dioscorea amazonum?]
Dioscorea guianensis Knuth [GU]
Dioscorea hastata Vell. [FG] [=Dioscorea hasslerana?]
Dioscorea hitchcockii Knuth [GU]
Dioscorea lanosa Gleason [GU SU]
Dioscorea macrostachya Benth. [GU?]
Dioscorea manicorensis Clayton, sp. nov. ined. [SU FG]
Dioscorea megacarpa Gleason [GU SU FG]
Dioscorea melastomatifolia Uline ex Prain & Burkitt [FG]

[=Dioscorea truncata?]
Dioscorea microura Knuth [GU]
Dioscorea oblonga Gleason [GU SU]
Dioscorea pilosiuscula Bert. ex Spreng. [GU SU FG]
Dioscorea piperifolia Humb. & Bonpl. ex Willd. [GU]
Dioscorea polygonoides Humb. & Bonpl. ex Willd. [GU SU FG]
Dioscorea pomeroonensis Knuth [GU]
Dioscorea potarensis Knuth [GU]
Dioscorea pubescens Poir. [FG] [insufficiently known species]
Dioscorea quinquefoliolata Knuth [GU]
Dioscorea riparia Kunth & Schomb. [GU SU] [=Dioscorea samydea?]
Dioscorea sagittata Poir. [FG] [insufficiently known species]
Dioscorea samydea Mart. ex Griseb. [GU SU]
Dioscorea syringifolia Kunth & Schomb. [GU FG]
Dioscorea trachyandra Griseb. [GU]
Dioscorea trachycarpa Kunth [GU] [insufficiently known species]
Dioscorea trichanthera Gleason [GU]
Dioscorea trifida L.f. [GU SU FG]
Dioscorea truncata Miq. [SU] [=Dioscorea trifida?]

DIOSCOREACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Dioscorea affinis* Kunth =*Dioscorea trifida*
Dioscorea bulbifera Griseb., non L. =*Dioscorea pilosiuscula*
Dioscorea cuspidata Klotzsch ex Kunth =*Dioscorea amazonum*
Dioscorea elegantula Kunth =*Dioscorea amazonum*
Dioscorea kegeliana Griseb. =*Dioscorea polygonoides*
Dioscorea megalobotrya Kunth & Schomb. ex Kunth =*Dioscorea amazonum*
Dioscorea schomburgkiana Kunth ex Schomb. =*Dioscorea pilosiuscula*
Dioscorea surinamensis Mey. =*Dioscorea amazonum*
Dioscorea truncata Schomb., non Miq. =*Dioscorea megacarpa*
Dioscorea truncata Prain, non Miq. =*Dioscorea megacarpa*

DIPTEROCARPACEAE

REFERENCES:

- Maguire, B. & P.S. Ashton. 1977. Pakaraimoideae, Dipterocarpaceae of the Western Hemisphere. II. Systematic,

- geographic, and phyletic considerations.
Taxon 26(4): 343-368.
- Maguire, B. & P.S. Ashton. 1980. Pakaraimaea dipterocarpacea II. Taxon 29(2/3): 225-231.
- Maguire, B. & J.A. Steyermark. 1981.
Pakaraimaea dipterocarpacea - III. In B. Maguire & collaborators, Botany of the Guayana Highland part 11. Mem. New York Bot. Gard. 32: 1-391.
- Pakaraimaea dipterocarpacea Maguire & Ashton subsp. dipterocarpacea [GU]

DROSERACEAE

contributed C.L. Kelloff (1992); reviewed by C.L. Kelloff (1996)

REFERENCES:

- Brummer-Dinger, C.A. 1955. Notes on Guiana Droseraceae. Acta Bot. Neerl. 4(1): 136-138.
- Maguire, B. & J.J. Wurdack. 1957. Droseraceae. In B. Maguire, J.J. Wurdack, & collaborators, Botany of the Guayana Highland part 2. Mem. New York Bot. Gard. 9(3): 331-336.

- Drosera capillaris Poir. [GU SU]
Drosera cayennensis Sagot ex Diels [GU FG]
Drosera esmeraldae (Steyermark) Maguire & Wurdack [GU]
Drosera intermedia Hayne [GU SU]
Drosera kaieteurensis Brummer-Dinger [GU]
Drosera pusilla Kunth [GU SU]
Drosera roraimae (Klotzsch ex Diels) Maguire & Laundon [GU]
Drosera sessilifolia St. Hil. [GU]
Drosera tenella Willd. ex Roem. & Schult. [FG] [=Drosera capillaris?]

EBENACEAE

REFERENCES:

- Cavalcante, P.B. 1963. Contribuição ao conhecimento do gênero *Diospyros* Dalech. na Amazônia. Bol. Mus. Goeldi n.s. 20: 1-53.
- White, F. 1981. Ebenaceae. In B. Maguire & collaborators, Botany of the Guayana Highland part 11. Mem. New York Bot. Gard. 32: 1-391.
- Diospyros artantifolia* Mart. ex Miq. [FG]
Diospyros carbonaria Benoist [FG]
Diospyros cauliflora Mart. [FG]
Diospyros cayennensis A. DC. [FG]
Diospyros dichroa Sandw. [GU SU FG]
Diospyros discolor Willd. [FG] [cultivated; naturalized?]
Diospyros duckei Sandw. [FG?]

- Diospyros glomerata* Spruce [FG]
Diospyros guianensis (Aubl.) Guerke subsp. *akaraiensis* (A.C. Smith) F. White [GU?]
Diospyros guianensis (Aubl.) Guerke subsp. *guianensis* [GU SU FG]
Diospyros ierensis Britton [GU SU? FG]
Diospyros lissocarpoides Sandw. [GU SU FG]
Diospyros martinii Benoist ex Amshoff [SU FG]
Diospyros matheriana A.C. Smith [GU SU FG]
Diospyros melinonii (Hiern) A.C. Smith [GU SU FG]
Diospyros praetermissa Sandw. [perhaps to be expected in FG]
Diospyros santaremnensis Sandw. [perhaps to be expected in FG]
Diospyros sericea A. DC. [GU]
Diospyros tetrandra Hiern [SU FG]
Diospyros vestita Benoist [FG]

EBENACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Diospyros akaraiensis* A.C. Smith =*Diospyros guianensis* subsp. *akaraiensis*
Diospyros paralea Steud. =*Diospyros guianensis*
Diospyros subrotata Hiern =*Diospyros artanthifolia*
Paralea guianensis Aubl. =*Diospyros guianensis*
Ropourea guianensis Aubl. =*Diospyros martinii*

ELAEOCARPACEAE

reviewed by L.J. Dorr (1992)

REFERENCES:

- Jansen-Jacobs, M.J. 1986. Elaeocarpaceae (additions and corrections). In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 3(1-2): 301-305.
- Smith, C.E., Jr. 1954. The New World species of Sloanea. Contr. Gray Herb. 175: 1-114.
- Uittien, H. 1932. Elaeocarpaceae. In A. Pulle, Flora of Suriname 3(1): 58-64.

- Sloanea acutiflora* Uittien [SU] [=Sloanea laxiflora?]
Sloanea brevipes Benth. [GU SU? FG]
Sloanea durissima Spruce ex Benth. [GU]
Sloanea echinocarpa Uittien [GU SU FG]
Sloanea eichleri K. Schum. [GU SU FG]
Sloanea garckeana K. Schum. [GU SU FG]
Sloanea gracilis Uittien [SU]
Sloanea grandiflora J.E. Smith [GU SU FG]

- Sloanea guianensis* (Aubl.) Benth. [GU SU FG]
Sloanea latifolia (Rich.) K. Schum. [GU FG]
Sloanea laurifolia (Benth.) Benth. [GU FG?]
Sloanea macrophylla Benth. ex Turcz. [FG?]
Sloanea nitida G. Don [GU FG]
Sloanea obtusifolia (Moric.) K. Schum. [FG?]
Sloanea parviflora Planch. ex Benth. [GU SU FG]
Sloanea picapica Standl. var. *hirsuta* C.E. Smith [GU]
Sloanea pubescens (Poepp. & Endl.) Benth. [SU? FG]
Sloanea robusta Uittien [GU SU]
Sloanea rufa Planch. ex Benth. [SU FG]
Sloanea schomburgkii Benth. [GU FG]
Sloanea sinemariensi Aubl. [SU? FG]
Sloanea synandra Spruce ex Benth. [GU FG]
Sloanea terniflora (Moçino & Sessé ex DC.) Standl. [SU FG]
Sloanea trichosticha R.O. Williams & Sandw. [GU]
Sloanea tuerckheimii J.D. Smith [GU SU FG]

ELAEOCARPACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Ablania guianensis* Aubl. =*Sloanea guianensis*
Courimari guianensis Aubl. =*Sloanea* sp.? [name of uncertain application]
Sloanea amplifrons Johnston =*Sloanea grandiflora*
Sloanea brachytepala Ducke =*Sloanea laurifolia*
Sloanea bracteosa Ducke =*Sloanea nitida*
Sloanea corymbiflora DC. =*Sloanea latifolia*
Sloanea dentata L. [not in Guianas]
Sloanea obtusa (Splitg.) K. Schum. =*Sloanea parviflora*
Sloanea usurpatrix Sprague & Riley =*Sloanea tuerckheimii*

EREMOLEPIDACEAE

contributed by J. Kuijt (1992)

REFERENCES:

- Kuijt, J. 1988. Monograph of the Eremolepidaceae. *Syst. Bot. Monogr.* 18: 1-60.

Antidaphne viscoidea Poepp. & Endl. [GU]

ERICACEAE

contributed by J.L. Luteyn (1992)

REFERENCES:

- Lanjouw, J. 1934. Ericaceae. In A. Pulle, Flora of Suriname 4(1): 299-301.
 Lanjouw, J. 1937. Ericaceae (additions and corrections). In A. Pulle, Flora of Suriname 4(1): 492-493.
 Luteyn, J.L. 1983. Ericaceae Part I. *Cavendishia*. *Flora Neotrop. Monogr.* 35: 1-290.

- Luteyn, J.L. 1987. *Orthaea*: new species and redefinition of the genus. *Nord. J. Bot.* 7(1): 31-37.
 Luteyn, J.L. (ed.). 1995. Ericaceae - Part II. The Superior-Ovaried Genera (Monotropoideae, Pyroloideae, Rhododendroideae, and Vaccinioideae p.p.). *Flora Neotropica Monogr.* 66: 1-560.
 Maguire, B., J.A. Steyermark, & J.L. Luteyn. 1978. Ericaceae. In B. Maguire & collaborators, *Botany of the Guayana Highland*. Mem. New York Bot. Gard. 29: 139-203.
 Sleumer, H.O. 1936. Die Arten der Gattung *Vaccinium* L. in Zentral- und Südamerika. *Notizbl. Bot. Gart. Berlin-Dahlem* 13: 111-140.
 Smith, A.C. 1932. The American species of *Thibaudieae*. *Contr. U.S. Nat. Herb.* 28: 311-547.
 Smith, A.C. 1933. The genera *Sphyrospermum* and *Disterigma*. *Brittonia* 1: 203-232.

- Agarista duckei* (Huber) Judd [to be expected in GU]
Befaria [Bejaria] *imthurnii* N.E. Brown [GU?] [Mt. Roraima]
Befaria [Bejaria] *sprucei* Meissn. [GU]
Cavendishia callista J.D. Smith [GU SU FG]
Ceratostema glandulifera Maguire, Steyermark, & Luteyn [GU]
Disterigma humboldtii (Klotzsch) Nied. [GU]
Gaultheria erecta Ventenat [GU] [Mt. Roraima]
Gaultheria setulosa N.E. Brown [GU?] [Mt. Roraima]
Ledotheamnus guyanensis Meissn. [GU?] [Mt. Roraima]
Ledotheamnus sessiliflorus N.E. Brown [GU?] [Mt. Roraima]
Notopora schomburgkii J.D. Hook. [GU]
Orthaea apophysata (Griseb.) A.C. Smith [GU]
Orthaea hispida A.C. Smith [GU]
Orthaea merumensis Maguire, Steyermark, & Luteyn [GU]
Orthaea venamensis Maguire, Steyermark, & Luteyn [GU]
Pernettya marginata N.E. Brown [Mt. Roraima]
Psammisia guianensis Klotzsch [GU]
Psammisia urichiiana (Britton) A.C. Smith [GU]
Satyria carnosiflora Lanj. [GU SU]
Satyria cerander (Dunal) A.C. Smith [SU? FG]
Satyria panurensis (Benth.) Benth. & J.D. Hook. [GU FG]
Sphyrospermum buxifolium Poepp. & Endl. [GU FG]
Sphyrospermum cordifolium Benth. [GU FG]
Thibaudia formosa (Klotzsch) Hoerold [GU]
Thibaudia nutans Klotzsch ex Mansf. [GU SU]
Vaccinium euryanthum A.C. Smith [GU]
Vaccinium puberulum Klotzsch ex Meissn. s.l. [GU]
Vaccinium roraimense N.E. Brown [Mt. Roraima]

ERICACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Befaria aestuans* Mutis ex L.f. [not in Guianas]
Befaria glauca Bonpl. =*Befaria aestuans* [not in Guianas]
Befaria guianensis Klotzsch ex N.E. Brown =*Befaria sprucei*
Befaria guianensis Klotzsch ex Schomb. [nomen nudum]
 =*Befaria sprucei*
Befaria puberula Klotzsch ex Mansfeld & Sleumer =*Befaria sprucei*

- Befaria schomburgkiana Klotzsch ex Mansfeld & Sleumer
=Befaria sprucei
Befaria schomburgkiana Klotzsch ex Schomb. [nomen nudum]
=Befaria sprucei
Befaria tatei Gleason =Befaria imthurnii
Brossea roraimae (Klotzsch ex Meissn.) O. Kuntze
=Gaultheria erecta
Cavendishia duidae A.C. Smith =Cavendishia callista
Cavendishia salicifolia Maguire, Steyerl. & Luteyn
=Cavendishia callista
Epigaea cordifolia Swartz =Gaultheria domingensis [not in
Guianas]
Gaultheria odorata Bredemeyer ex Willd. =Gaultheria erecta
Gaultheria roraimae Klotzsch ex Meissn. =Gaultheria erecta
Orthaea pubifolia Maguire, Steyerl. & Luteyn =Orthaea
hispida
Psammisia coriacea N.E. Brown =Thibaudia nutans
Satyria maguirei Camp =Satyria carnosiflora
Sphyrosperrnum majus Griseb. =Sphyrosperrnum cordifolium
Thibaudia roraimae Mansf. =Thibaudia formosa
Thibaudia ulei (Mansf.) A.C. Smith =Thibaudia nutans
Vaccinium subcrenulatum Klotzsch ex Meissn. =Vaccinium
puberulum s.l.
- Eriocaulon heterodoxum Moldenke [GU]
Eriocaulon humboldtii Kunth [GU SU]
Eriocaulon melanocephalum Kunth [GU SU FG]
Eriocaulon steyermarkii Moldenke [GU SU]
Eriocaulon stramineum Körn. [FG?]
Eriocaulon tenuifolium Klotzsch ex Körn. [GU]
Leiothrix flavesiensis (Bong.) Ruhland [GU]
Paepalanthus bifidus (Schrad.) Kunth [GU SU FG]
Paepalanthus convexus Gleason [GU]
Paepalanthus dichotomus Klotzsch ex Körn. [GU]
Paepalanthus fasciculatus (Roettb.) Körn. [GU SU FG]
Paepalanthus filipes Moldenke [GU]
Paepalanthus fraternus N.E. Brown [GU]
Paepalanthus gleasonii Moldenke [GU]
Paepalanthus lamarckii Kunth [GU SU FG]
Paepalanthus oyapockensis Herzog [GU SU FG]
Paepalanthus pauper Moldenke [GU]
Paepalanthus perplexans Moldenke [GU]
Paepalanthus polytrichoides Kunth [GU SU]
Paepalanthus roraimensis Moldenke [GU]
Paepalanthus schomburgkii Klotzsch ex Körn. [GU]
Paepalanthus sessiliflorus Mart. var. venezuelensis Moldenke
[GU]
Paepalanthus subcaulescens N.E. Brown [GU]
Paepalanthus subtilis Miq. [GU SU]
Paepalanthus tortilis (Bong.) Körn. [GU SU]
Philodice hoffmannseggii Mart. [GU SU]
Rondonanthus capillaceus (Klotzsch ex Körn.) Hensold &
Giul. [GU]
Rondonanthus roraimae (Oliver) Herzog [GU]
Syngonanthus anomalus (Körn.) Ruhland [GU SU FG]
Syngonanthus bisumbellatus (Steud.) Ruhland [GU]
Syngonanthus caulescens (Poir.) Ruhland [GU SU FG]
Syngonanthus fenestratus Hensold [GU]
Syngonanthus gracilis (Bong.) Ruhland [GU SU FG]
Syngonanthus heteroploidies Herzog [GU]
Syngonanthus humboldtii (Kunth) Ruhland [GU SU]
Syngonanthus jenmanii (Gleason) Giul. & Hensold [GU]
Syngonanthus kegelianus (Körn.) Ruhland [GU SU]
Syngonanthus leprieurii (Körn.) Ruhland [FG]
Syngonanthus longipes Gleason [GU SU]
Syngonanthus pakaraimensis Moldenke [GU]
Syngonanthus simplex (Miq.) Ruhland [GU SU FG]
Syngonanthus surinamensis Moldenke [SU]
Syngonanthus umbellatus (Lam.) Ruhland [GU SU FG]
Syngonanthus xeranthemoides (Bong.) Ruhland [GU]
Tonina fluviatilis Aubl. [GU SU FG]

ERIOCAULACEAE

contributed by M. Hakki (1992); additions and corrections by M. Hakki (1996)

REFERENCES:

- Giulietti, A.M., M.C.E. Amaral, & V. Bitrich. 1995. Phylogenetic analysis of inter- and infrageneric relationships of Leiothrix Ruhland (Eriocaulaceae). *Kew Bull.* 50(1): 55-71.
- Giulietti, A.M. & N. Hensold. 1991. Nomenclatural changes and range extension in Leiothrix flavesiensis (Bong.) Ruhl. (Eriocaulaceae). *Novon* 1(1): 45-49.
- Giulietti, A.M. & N. Hensold. 1991. Synonymization of the genera Comanthera and Carptotepala with Syngonanthus (Eriocaulaceae). *Ann. Missouri Bot. Gard.* 78 (2): 460-464.
- Hensold, N. 1991. Revisionary studies in the Eriocaulaceae of Venezuela. *Ann. Missouri Bot. Gard.* 78(2): 424-440.
- Hensold, N. & A.M. Giulietti. 1991. Revision and redefinition of the genus Rondonanthus Herzog (Eriocaulaceae). *Ann. Missouri Bot. Gard.* 78(2): 441-459.
- Lindeman, J.C. & A.R.A. Görtz-van Rijn. 1968. Eriocaulaceae (additions and corrections). In A. Pulle & J. Lanjouw, *Flora of Suriname* 1(2): 330-339.
- Moldenke, H.N. 1971. A Fifth Summary of the Verbenaceae, Avicenniaceae, Stilbaceae, Dicrostylidaceae, Symploremaceae, Nyctanthaceae, and Eriocaulaceae of the World. H.N. Moldenke, Wayne, NJ.
- Uittien, H. & A.N.J. Heyn. 1938. Eriocaulaceae. In A. Pulle, *Flora of Suriname* 1(1): 213-224. Eriocaulon guyanense Körn. [GU FG]
- Eriocaulon heterodoxum Moldenke [GU]
Eriocaulon humboldtii Kunth [GU SU]
Eriocaulon melanocephalum Kunth [GU SU FG]
Eriocaulon steyermarkii Moldenke [GU SU]
Eriocaulon stramineum Körn. [FG?]
Eriocaulon tenuifolium Klotzsch ex Körn. [GU]
Leiothrix flavesiensis (Bong.) Ruhland [GU]
Paepalanthus bifidus (Schrad.) Kunth [GU SU FG]
Paepalanthus convexus Gleason [GU]
Paepalanthus dichotomus Klotzsch ex Körn. [GU]
Paepalanthus fasciculatus (Roettb.) Körn. [GU SU FG]
Paepalanthus filipes Moldenke [GU]
Paepalanthus fraternus N.E. Brown [GU]
Paepalanthus gleasonii Moldenke [GU]
Paepalanthus lamarckii Kunth [GU SU FG]
Paepalanthus oyapockensis Herzog [GU SU FG]
Paepalanthus pauper Moldenke [GU]
Paepalanthus perplexans Moldenke [GU]
Paepalanthus polytrichoides Kunth [GU SU]
Paepalanthus roraimensis Moldenke [GU]
Paepalanthus schomburgkii Klotzsch ex Körn. [GU]
Paepalanthus sessiliflorus Mart. var. venezuelensis Moldenke
[GU]
Paepalanthus subcaulescens N.E. Brown [GU]
Paepalanthus subtilis Miq. [GU SU]
Paepalanthus tortilis (Bong.) Körn. [GU SU]
Philodice hoffmannseggii Mart. [GU SU]
Rondonanthus capillaceus (Klotzsch ex Körn.) Hensold &
Giul. [GU]
Rondonanthus roraimae (Oliver) Herzog [GU]
Syngonanthus anomalus (Körn.) Ruhland [GU SU FG]
Syngonanthus bisumbellatus (Steud.) Ruhland [GU]
Syngonanthus caulescens (Poir.) Ruhland [GU SU FG]
Syngonanthus fenestratus Hensold [GU]
Syngonanthus gracilis (Bong.) Ruhland [GU SU FG]
Syngonanthus heteroploidies Herzog [GU]
Syngonanthus humboldtii (Kunth) Ruhland [GU SU]
Syngonanthus jenmanii (Gleason) Giul. & Hensold [GU]
Syngonanthus kegelianus (Körn.) Ruhland [GU SU]
Syngonanthus leprieurii (Körn.) Ruhland [FG]
Syngonanthus longipes Gleason [GU SU]
Syngonanthus pakaraimensis Moldenke [GU]
Syngonanthus simplex (Miq.) Ruhland [GU SU FG]
Syngonanthus surinamensis Moldenke [SU]
Syngonanthus umbellatus (Lam.) Ruhland [GU SU FG]
Syngonanthus xeranthemoides (Bong.) Ruhland [GU]
Tonina fluviatilis Aubl. [GU SU FG]

ERIOCAULACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Carpotepala jenmanii (Gleason) Moldenke =Syngonanthus jenmanii
Paepalanthus brunneus Moldenke =Paepalanthus oyapockensis
Paepalanthus capillaceus Klotzsch ex Körn. =Rondonanthus capillaceus
Paepalanthus congestus (Kunth) Kunth =Paepalanthus fasciculatus
Paepalanthus griseus Moldenke =Paepalanthus oyapockensis

Paepalanthus leucocyanus Tutin =*Paepalanthus oyapockensis*
Paepalanthus maguirei Moldenke =*Paepalanthus tortilis*
Paepalanthus tafelbergensis Moldenke =*Paepalanthus oyapockensis*
Paepalanthus tatei Moldenke =*Paepalanthus tortilis*
Paepalanthus viscosus Moldenke =*Paepalanthus polytrichoides*
Syngonanthus biformis (N.E. Brown) Gleason =*Syngonanthus simplex*
Syngonanthus glandulosus Gleason =*Syngonanthus caulescens*
Syngonanthus guianensis Moldenke =*Paepalanthus polytrichoides*
Syngonanthus heteropeplus (Körn.) Ruhland =*Syngonanthus simplex*
Syngonanthus macrocaulon Ruhland =*Syngonanthus anomalus*
Syngonanthus savannarum Moldenke =*Paepalanthus dichotomus*
Syngonanthus tricostatus Gleason =*Syngonanthus xeranthemoides*

ERYTHROXYLACEAE

reviewed by P. Berry (1996)

REFERENCES:

- Schulz, O.E. 1907. Erythroxylaceae. In A. Engler, *Das Pflanzenreich* IV(134): 1-176.
 Westhoff, V. 1942. Erythroxylaceae. In A. Pulle, *Flora of Suriname* 3(2): 1-12.

Erythroxylum amazonicum Peyr. [GU SU FG]
Erythroxylum amplum Benth. [GU SU FG]
Erythroxylum brevipes DC. [GU?]
Erythroxylum campestre St. Hil. [GU?]
Erythroxylum citrifolium St. Hil. [GU SU FG]
Erythroxylum coelophlebiun Mart. [SU]
Erythroxylum cumanense Kunth [GU SU FG]
Erythroxylum divaricatum Peyr. [GU]
Erythroxylum fimbriatum Peyr. [FG]
Erythroxylum gracilipes Peyr. [GU SU FG]
Erythroxylum grisebachii Peyr. [SU]
Erythroxylum impressum O.E. Schulz [GU]
Erythroxylum kapplerianum Peyr. [GU SU FG]
Erythroxylum leptoneurum O.E. Schulz [FG]
Erythroxylum ligustrinum DC. [SU FG]
Erythroxylum lineolatum DC. [GU SU FG]
Erythroxylum macrophyllum Cav. [GU SU FG]
Erythroxylum mucronatum Benth. [GU SU FG]
Erythroxylum roraimae Klotzsch ex O.E. Schulz [GU SU FG]
Erythroxylum rufum Cav. [GU FG]
Erythroxylum schomburgkii Peyr. [GU]
Erythroxylum squamatum Swartz [GU SU FG]
Erythroxylum suberosum St. Hil. [GU FG]
Erythroxylum vernicosum O.E. Schulz [GU FG?]

ERYTHROXYLACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Erythroxylum coelophlebiun Mart. var. *grisebachii* (Peyr.) O.E. Schulz =*Erythroxylum grisebachii*

Erythroxylum ectinocalyx Klotzsch =*Erythroxylum divaricatum*
Erythroxylum orinocense Klotzsch =*Erythroxylum schomburgkii*
Erythroxylum recurrens Huber =*Erythroxylum gracilipes*
Erythroxylum squarrosum Klotzsch [nomen nudum] =*Erythroxylum rufum*
Erythroxylum testaceum Peyr. =*Erythroxylum suberosum*
Erythroxylum venezuelense Steyermark. =*Erythroxylum mucronatum*

EUPHORBIACEAE

contributed by L.J. Gillespie (1992)

REFERENCES:

- Burger, W. & M. Huft. Rubiaceae. In W. Burger, *Flora Costaricensis*. Fieldiana Bot. (n.s.) 36: 1-169.
 Den Hollander, G. & C.C. Berg. 1986. Studies on the flora of the Guianas 21. *Mabea* species of the Guianas - a precursor. Proc. Kon. Ned. Akad. Wet. ser. C, 89(2): 147-157.
 Franco, P. 1990. The genus *Hyeronima* in South America. Bot. Jahrb. Syst. 111: 297-346.
 Gillespie, L.J. 1993. Euphorbiaceae of the Guianas: Annotated species checklist and key to the genera. Brittonia 45(1): 56-94.
 Gillespie, L.J. 1993. A synopsis of the Neotropical *Plukenetia* including two new species. Syst. Bot. 18(4): 575-592.
 Gillespie, L.J. 1994. A new section and two new species of *Tragia* from Venezuelan Guayana and French Guiana. Novon 4(4): 330-338.
 Gillespie, L.J. & W.S. Armbruster (in press). A contribution to the Guianan Flora: *Dalechampia*, *Haematostemon*, *Omphalea*, *Pera*, *Plukenetia*, and *Tragia*, with notes on subfamily Acalyphoideae. Smithsonian Contributions to Botany 86.
 Görts-van Rijn, A.R.A. 1976. Euphorbiaceae (additions and corrections). In J. Lanjouw & A.L. Stoffers, *Flora of Suriname* 2(2): 387-424.
 Hayden, W.J. 1990. Notes on Neotropical Amanoa. Brittonia 42(4): 260-270.
 Jablonski, E. 1965. Euphorbiaceae. In B. Maguire & collaborators, *Botany of the Guayana Highland Part 6*. Mem. New York Bot. Gard. 12(3): 1-285.
 Jablonski, E. 1967. Euphorbiaceae. In B. Maguire & collaborators, *Botany of the Guayana Highland Part 7*. Mem. New York Bot. Gard. 17(1): 1-439.
 Lanjouw, J. 1932. Euphorbiaceae. In A. Pulle, *Flora of Suriname* 2(1): 1-101.

- Lanjouw, J. 1939. Euphorbiaceae (additions and corrections). In A. Pulle, Flora of Suriname 2(1): 457-470.
- Rogers, D.J. & S.G. Appan. 1973. Manihot and Manihotoides. Flora Neotropica Monogr. 13: 1-272.
- Webster, G.L. & W.S. Armbruster. 1991. A synopsis of the neotropical species of Dalechampia. J. Linn. Soc. Bot. 105: 137-177.
- Acalypha arvensis* Poepp. [SU FG]
Acalypha diversifolia Jacq. [GU SU FG]
Acalypha indica L. [GU FG] [naturalized]
Acalypha lanceolata Willd. [GU] [naturalized]
Acalypha macrostachya Jacq. [GU SU]
Acalypha poiretii Spreng. [FG]
Acalypha scandens Benth. [GU SU]
Acalypha villosa Jacq. [GU]
Actinostemon schomburgkii (Klotzsch) Hochr. [GU SU? FG]
Adenophaedra grandifolia (Klotzsch) Muell. Arg. [GU FG]
Alchornea schomburgkii Klotzsch [GU SU FG]
Alchornea triplinervia (Spreng.) Muell. Arg. [GU SU FG]
Alchorneopsis floribunda (Benth.) Muell. Arg. [GU SU FG]
Amanoa congesta W.J. Hayden [FG]
Amanoa guianensis Aubl. [GU SU FG]
Amanoa neglecta W.J. Hayden [SU FG]
Antidesma ghaesembilla Gaertn. [GU] [cultivated, naturalized]
Aparisthium cordatum (Adr. Juss.) Baill. [GU SU FG]
Bernardia amazonica Croizat [FG] [specimens not seen]
Bernardia sidoides (Klotzsch) Muell. Arg. [GU]
Caperonia corchoroides Muell. Arg. [SU] [=Caperonia palustris?]
Caperonia paludosa Klotzsch [GU FG] [=Caperonia castaneifolia (L.) A. St. Hil.?]
Caperonia palustris (L.) A. St. Hil. [GU SU FG]
Caperonia stenophylla Muell. Arg. [GU SU FG?]
Chaetocarpus schomburgkianus (Kuntze) Pax & K. Hoffm. [GU SU FG]
Chamaesyce adenoptera (Bertol.) Small [GU? FG]
Chamaesyce hirta (L.) Millsp. [GU SU FG]
Chamaesyce hypericifolia (L.) Millsp. [GU SU FG]
Chamaesyce hyssopifolia (L.) Small [GU SU FG]
Chamaesyce mesembryanthifolia (Jacq.) Dugand [FG?]
Chamaesyce prostrata (Aiton) Small [GU SU FG]
Chamaesyce serpens (Kunth) Small [GU FG]
Chamaesyce thymifolia (L.) Millsp. [GU SU FG]
Cnidoscolus urens (L.) J.C. Arthur [GU SU FG]
Conceveiba guianensis Aubl. [GU SU FG]
Conceveiba hostmannii Benth. [SU]
Conceveiba martiana Baill. [FG]
Croton argyrophylloides Muell. Arg. [FG?]
Croton conduplicata Kunth [GU] [specimens not seen]
Croton cuneatus Klotzsch [GU SU FG]
Croton draconoides Muell. Arg. [FG]
Croton essequiboensis Klotzsch [GU] [=Croton populifolius P. Mill.?]
Croton galeopsifolius Lanj. [GU]
Croton guianensis Aubl. [GU SU? FG]
Croton hirtius L'Hér. [GU SU FG]
Croton hostmannii Miq. [GU SU FG]
Croton kaieteuri Jabl. [GU] [probably conspecific with *Croton cuneatus*]
Croton kavayanensis Steyermark. [FG?]
- Croton lobatus* L. [GU SU FG]
Croton longiradiatus Lanj. [SU FG]
Croton macradenis Görtz & Punt [GU SU FG]
Croton matourensis Aubl. [GU SU FG]
Croton nervosus Klotzsch [GU]
Croton nuntians Croizat [GU FG]
Croton orinocensis Muell. Arg. [GU]
Croton pakaraimae Jabl. [GU]
Croton palanostigma Klotzsch [FG]
Croton polypeurus Croizat [GU]
Croton potaroensis Lanj. [GU]
Croton pullei Lanj. var. *glabrior* Lanj. [SU FG]
Croton pullei Lanj. var. *pullei* [GU? SU]
Croton roraimensis Croizat var. *roraimensis* [GU]
Croton rotllerifolius Baill. [FG?]
Croton schiedeanus Schlechtend. [GU SU FG]
Croton sipaliwiniensis Lanj. [SU]
Croton stahelianus Lanj. [SU]
Croton subincanus Muell. Arg. [GU SU FG]
Croton tafelbergicus Croizat [SU FG]
Croton trinitatis Millsp. [GU SU FG]
Dalechampia affinis Muell. Arg. [GU SU FG]
Dalechampia attenuistylus Armbruster [FG]
Dalechampia brownsbergensis Webster & Armbruster [SU]
Dalechampia dioscoreifolia Poepp. [FG]
Dalechampia fragrans Armbruster [SU FG]
Dalechampia magnoliifolia Muell. Arg. [GU FG]
Dalechampia micrantha Poepp. [SU FG]
Dalechampia parvibracteata Lanj. [GU SU FG]
Dalechampia scandens L. [GU SU FG]
Dalechampia tiliifolia Lam. [GU FG]
Discocarpus essequiboensis Klotzsch [GU SU]
Dodecastigma integrifolium (Lanj.) Lanj. & Sandw. [GU FG]
Drypetes fanshawei Sandw. [GU]
Drypetes variabilis Uittien [GU SU FG]
Euphorbia comosa Vell. [SU?]
Euphorbia cotinifolia L. [GU SU FG]
Euphorbia cyathophora Murray [SU FG] [cultivated, naturalized]
Euphorbia graminea Jacq. [FG]
Euphorbia heterophylla L. [GU SU] [cultivated, naturalized]
Euphorbia surinamensis Lanj. [GU SU]
Gavarretia terminalis Baill. [GU]
Glycydendron amazonicum Ducke [GU SU FG]
Haematostemon guianensis Sandw. [GU]
Hevea brasiliensis (Adr. Juss.) Muell. Arg. [FG?] [widely cultivated, possibly indigenous in FG]
Hevea guianensis Aubl. [GU? FG]
Hevea pauciflora (Spruce ex Benth.) Muell. Arg. [GU SU]
Hura crepitans L. [GU SU FG]
Hyeronima alchorneoides Allemao var. *alchorneoides* [GU SU FG]
Hyeronima alchorneoides Allemao var. *stipulosa* Franco [FG]
Hyeronima oblonga (Tul.) Muell. Arg. [GU FG]
Jablonskia congesta (Benth. ex Muell. Arg.) Webster [GU SU FG?]
Jatropha curcas L. [GU SU FG] [cultivated, naturalized]
Jatropha gossypiifolia L. [GU SU FG]
Mabea angularis den Hollander [GU]
Mabea biglandulosa Muell. Arg. [GU]
Mabea montana Muell. Arg. [GU]
Mabea pakaraimaea Esser, sp. nov. ined. [GU]
Mabea piriri Aubl. [GU SU FG]
Mabea pulcherrima Muell. Arg. [GU SU FG]
Mabea rubicunda Jabl. [GU]
Mabea salicoides Esser [FG]

- Mabea speciosa Muell. Arg. subsp. A [GU SU FG]
 Mabea speciosa Muell. Arg. subsp. B [FG]
 Mabea speciosa Muell. Arg. subsp. speciosa [GU SU FG]
 Mabea subsessilis Pax & K. Hoffm. [GU SU FG]
 Mabea taquari Aubl. [GU SU FG]
 Manihot brachyloba Muell. Arg. [SU FG]
 Manihot esculenta Crantz [GU SU FG] [cultivated,
 naturalized]
 Manihot quinquepartita Huber ex Rogers & Appan [FG]
 Manihot surinamensis Rogers & Appan [GU SU FG]
 Manihot tristis Muell. Arg. subsp. saxicola (Lanjouw) Rogers
 & Appan [GU SU FG]
 Maprounea guianensis Aubl. [GU SU FG]
 Margaritaria nobilis L.f. [GU SU FG]
 Micrandra brownsbergensis Lanj. [SU FG] [probably
 conspecific with Micrandra elata]
 Micrandra glabra (R.E. Schultes) R.E. Schultes [GU SU]
 Micrandra gleasoniana (Croizat) R.E. Schultes [GU]
 Micrandra rossiana R.E. Schultes [GU]
 Micrandra siphonoides Benth. [FG]
 Micrandra spruceana (Baill.) R.E. Schultes [GU?] [record
 probably misident.]
 Omphalea diandra L. [GU SU FG]
 Pausandra fordii R. Secco [FG]
 Pausandra martinii Baill. [GU SU FG]
 Pausandra trianae (Muell. Arg.) Baill. [FG] [specimens not
 seen]
 Pedilanthus tithymaloides (L.) Poit. [GU SU FG] [native GU,
 SU; cultivated in all]
 Pera bicolor (Klotzsch) Muell. Arg. [GU SU FG]
 Pera decipiens (Muell. Arg.) Muell. Arg. [GU SU]
 Pera glabrata (Schott) Baill. [GU SU FG]
 Phyllanthus acuminatus Vahl [GU SU]
 Phyllanthus adiantoides Klotzsch [GU SU]
 Phyllanthus amarus Schumacher & Thonning [GU SU FG]
 Phyllanthus attenuatus Miq. [GU SU FG]
 Phyllanthus brasiliensis (Aubl.) Poir. [GU SU FG]
 Phyllanthus caroliniensis Walter subsp. caroliniensis [FG]
 Phyllanthus caroliniensis Walter subsp. guianensis (Klotzsch)
 Webster [GU SU FG]
 Phyllanthus caroliniensis Walter subsp. stenopterus (Muell.
 Arg.) Webster [FG]
 Phyllanthus debilis Klein ex Willd. [GU SU FG] [naturalized]
 Phyllanthus elisiae Urb. [GU SU]
 Phyllanthus gallinetae Jabl. [GU]
 Phyllanthus hyssopifoloides Kunth [SU? FG]
 Phyllanthus juglandifolius Willd. [GU FG]
 Phyllanthus major Steyermark. [GU]
 Phyllanthus minutulus Muell. Arg. [GU]
 Phyllanthus niruri L. [SU FG]
 Phyllanthus orbiculatus L.C. Rich. [SU FG]
 Phyllanthus piscatorum Kunth [GU?] [specimens not seen]
 Phyllanthus pseudo-conami Muell. Arg. [GU]
 Phyllanthus pycnophyllus Muell. Arg. [GU]
 Phyllanthus stipulatus (Raf.) Webster [GU SU FG]
 Phyllanthus subglomeratus Poir. [GU FG] [cultivated only?]
 Phyllanthus tenellus Roxb. [GU SU] [naturalized]
 Phyllanthus urinaria L. [GU SU FG] [naturalized]
 Phyllanthus vacciniifolius (Muell. Arg.) Muell. Arg. subsp.
 vacciniifolius [GU]
 Piranhea trifoliata Baill. [GU?]
 Plukenetia loretensis Ule [GU]
 Plukenetia polyadenia Muell. Arg. [GU SU FG]
 Plukenetia supraglandulosa L.J. Gillespie [SU FG]
 Plukenetia verrucosa J.E. Smith [GU SU FG]
 Plukenetia volubilis L. [SU]
- Pogonophora schomburgkiana Miers ex Benth. [GU SU FG]
 Richeria grandis Vahl [GU FG]
 Ricinus communis L. [GU SU FG] [cultivated, naturalized]
 Sagotia brachysepala (Muell. Arg.) R. Secco [GU SU FG]
 Sagotia racemosa Baill. [GU SU FG]
 Sandwithia guyanensis Lanj. [GU FG]
 Sapium ciliatum Hemsley [SU FG]
 Sapium glandulosum (L.) Morong [GU SU FG]
 Sapium jenmanii Hemsley [GU SU]
 Sapium montanum Lanj. [SU FG?] [=Sapium argutum?]
 Sapium paucinervium Hemsley [GU SU FG]
 Sebastiania bidentata (Mart.) Pax [SU]
 Sebastiania corniculata (Vahl) Muell. Arg. [GU SU FG]
 Sebastiania guyanensis (Muell. Arg.) Muell. Arg. [GU]
 [=Gymnanthes guyanensis]
 Senefelderia macrophylla Ducke [GU SU FG]
 Senefelderopsis croizatii Steyermark. [GU]
 Tragia fendleri Muell. Arg. [GU]
 Tragia lessertiana (Baill.) Muell. Arg. [GU SU FG]
 Tragia tabulaemontana L.J. Gillespie [FG]
 Tragia volubilis L. [SU FG]

EUPHORBIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Acalypha persimilis Muell. Arg. var. corchorifolia (A. Rich.)
 Muell. Arg. [not in Guianas]
 Acalypha samydifolia Poepp. =Acalypha diversifolia
 Actinostemon depauperatus Pax & K. Hoffm. =Actinostemon
 schomburgkii
 Actinostemon guyanensis Pax & K. Hoffm. =Sandwithia
 guyanensis?
 Alchornea brachygyne Pax & K. Hoffm. =Alchornea
 schomburgkii
 Alchornea cordata (Juss.) Muell. Arg. =Aparisthium cordatum
 Alchorneopsis trimera Lanj. =Alchorneopsis floribunda
 Amanoa grandiflora (Muell. Arg.) Muell. Arg. =Amanoa
 guyanensis
 Amanoa guianensis Aubl. var. grandiflora Muell. Arg.
 =Amanoa guyanensis
 Angostyles tabulamontana Croizat [dubious species of
 uncertain placement]
 Apodandra loretensis (Ule) Pax & Hoffmann =Plukenetia
 lorentensis
 Caperonia castaneifolia (L.) A. St. Hil. [see Caperonia
 paludosa]
 Chaetocarpus stipularis Gleason =Chaetocarpus
 schomburgkianus
 Chamaesyce glomerifera Millsp. =Chamaesyce hypericifolia
 Cleidion sp. [not in Guianas]
 Conami brasiliensis Aubl. =Phyllanthus brasiliensis
 Conceveibum cordatum Adr. Juss. =Aparisthium cordatum
 Croton argyrophyllus Muell. Arg. =Croton nervosus
 Croton bartlettii Lanj. =Croton potaroensis
 Croton glabellus L. [not in Guianas]
 Croton glandulosus L. [not in Guianas]
 Croton glandulosus L. subsp. hirtus (L'Hér.) Croizat =Croton
 hirtus
 Croton micans Swartz =Croton nervosus
 Croton miquelianus Ferg. =Croton trinitatis
 Croton populifolius P. Mill. [see Croton essequiboensis]
 Croton populifolius P. Mill. var. essequiboensis (Klotzsch)
 Muell. Arg. =Croton essequiboensis
 Croton surinamensis Muell. Arg. =Croton cuneatus
 Cunuria glabra R.E. Schult. =Micrandra glabra

SPERMATOPHYTA: Euphorbiaceae

- Cunuria gleasoniana* Croizat =*Micrandra gleasoniana*
Cunuria spruceana Baill. =*Micrandra spruceana*
Dactylostemon schomburgkii Klotzsch =*Actinostemon schomburgkii*
Dalechampia spathulata (Scheidw.) Baill. [not in Guianas]
Discocarpus mazarunensis Croizat =*Chaetocarpus schomburgkianus*
Dodecastigma mazarunense Croizat =*Dodecastigma integrifolium*
Drypetes maguireana Monachino =*Chaetocarpus schomburgkianus*
Euphorbia adenoptera Bertol. =*Chamaesyce adenoptera*
Euphorbia brasiliensis Lam. =*Chamaesyce hyssopifolia*
Euphorbia buxifolia Lam. =*Chamaesyce mesembryanthemifolia* (Jacq.) Dugand
Euphorbia cotinoides Miq. =*Euphorbia cotinifolia*
Euphorbia heterophylla L. var. *cyathophora* (Murr.) Griseb. =*Euphorbia cyathophora*
Euphorbia hirta L. =*Chamaesyce hirta*
Euphorbia hypericifolia L. =*Chamaesyce hypericifolia*
Euphorbia hyssopifolia L. =*Chamaesyce hyssopifolia*
Euphorbia morisoniana Klotzsch =*Euphorbia heterophylla*
Euphorbia multinodis Urban =*Chamaesyce multinodis* (Urban) Millsp. [not in Guianas]
Euphorbia myrtillifolia L. [not in Guianas]
Euphorbia prostrata Aiton =*Chamaesyce prostrata*
Euphorbia serpens Kunth =*Chamaesyce serpens*
Euphorbia thymifolia L. =*Chamaesyce thymifolia*
Gaedawakka schomburgkiana Kuntze =*Chaetocarpus schomburgkianus*
Glochidion vacciniifolius Muell. Arg. =*Phyllanthus vacciniifolius*
Gymnanthes guyanensis Muell. Arg. =*Sebastiana guyanensis*
Hevea confusa Hemsley =*Hevea pauciflora*
Hyeronima laxiflora (Tul.) Muell. Arg. =*Hyeronima alchorneoides* var. *alchorneoides*
Jatropha urens L. =*Cnidoscolus urens*
Mabea argutissima Croizat =*Mabea subsessilis*
Mabea caudata Pax & K. Hoffm. =*Mabea speciosa* subsp. *speciosa*
Mabea caudata Pax & K. Hoffm. var. *concolor* Lanj. =*Mabea speciosa* subsp. A
Mabea ciliata Gleason =*Mabea montana*
Mabea costata Pax & K. Hoffm. =*Mabea montana*
Mabea eximia Ducke =*Mabea pulcherrima*
Mabea lucida Pax & K. Hoffm. =*Mabea montana*
Mabea montana Muell. Arg. subsp. *biglandulosa* (Muell. Arg.) den Hollander =*Mabea biglandulosa*
Mabea montana Muell. Arg. subsp. *lucida* (Pax & K. Hoffm.) den Hollander =*Mabea montana*
Mabea occidentalis Benth. [not in Guianas]
Mabea occidentalis Benth. var. *laevigata* (Muell. Arg.) Muell. Arg. =*Mabea biglandulosa*
Mabea occidentalis Benth. var. *obovata* (Muell. Arg.) Muell. Arg. =*Mabea speciosa* subsp. B
Mabea occidentalis Benth. var. *purpurascens* (Muell. Arg.) Muell. Arg. =*Mabea speciosa* subsp. B
Mabea piriri Aubl. var. *obovata* Muell. Arg. =*Mabea speciosa* subsp. B
Mabea piriri Aubl. var. *purpurascens* Muell. Arg. =*Mabea speciosa* subsp. B
Mabea saramaccensis Croizat =*Mabea speciosa* subsp. A
Mabea schomburgkii Benth. =*Mabea taquari*
Mabea speciosa Muell. Arg. subsp. *concolor* (Muell. Arg.) den Hollander =*Mabea piriri*
Mabea taquari Aubl. var. *angustifolia* Muell. Arg. =*Mabea taquari*
Manihot dulcis Pax. =*Manihot esculenta*
Manihot glaziovii Muell. Arg. [not in Guianas]
Manihot melanobasis Muell. Arg. [not in Guianas]
Manihot saxicola Lanj. =*Manihot tristis* subsp. *saxicola*
Manihot sprucei Pax =*Manihot esculenta*
Manihot tristis Muell. Arg. subsp. *tristis* [not in Guianas]
Meborea guianensis Aubl. =*Phyllanthus* sp.? [name of uncertain application]
Micrandra elata (Didrichs.) Muell. Arg. [see *Micrandra brownsbergensis*]
Microstachys guianensis Klotzsch =*Sebastiania corniculata*
Pausandra flagellaris Lanj. =*Pausandra martinii*
Pausandra integrifolia Lanj. =*Dodecastigma integrifolium*
Pera echinocarpa Baill. [not in Guianas]
Pera ferruginea (Schott) Muell. Arg. =*Pera glabrata*
Pera nitida (Benth.) Jabl. =*Pera decipiens*
Pera obovata Baill. [not in Guianas]
Pera schomburgkiana Benth. ex Muell. Arg. =*Pera bicolor*
Peridium bicolor Klotzsch =*Pera bicolor*
Peridium bicolor Klotzsch var. *nitidum* Benth. =*Pera decipiens*
Peridium decipiens Muell. Arg. =*Pera decipiens*
Phyllanthus conami Swartz =*Phyllanthus brasiliensis*
Phyllanthus diffusus Klotzsch =*Phyllanthus stipulatus*
Phyllanthus epiphyllanthus L. [not in Guianas]
Phyllanthus grandifolius L. [not in Guianas]
Phyllanthus guianensis Klotzsch =*Phyllanthus carolinensis* subsp. *guianensis*
Phyllanthus guyanensis Muell. Arg. =*Phyllanthus attenuatus*
Phyllanthus lathyroides Kunth [not in Guianas]
Phyllanthus nobilis (L.f.) Muell. Arg. =*Margaritaria nobilis*
Phyllanthus pentrandrus Schum. & Th. [not in Guianas]
Plukenetia abutifolia (Ducke) Pax & Hoffmann =*Plukenetia polyadenia*
Richeria laurifolia (Baill.) Baill. =*Richeria grandis*
Sagotia racemosa Baill. var. *brachysepala* Muell. Arg. =*Sagotia brachysepala*
Sagotia tafelbergii Croizat =*Sagotia racemosa*
Sapium argutum Muell. Arg. [see *Sapium montanum*]
Sapium aubletianum (Muell. Arg.) Hub. =*Sapium glandulosum*
Sapium aucuparium Jacq. [see *Sapium glandulosum*]
Sapium biglandulosum (L.) Muell. Arg. [see *Sapium glandulosum*]
Sapium biglandulosum (L.) Muell. Arg. var. *aubletianum* Muell. Arg. =*Sapium glandulosum*
Sapium biglandulosum (L.) Muell. Arg. var. *klotzschianum* Muell. Arg. =*Sapium glandulosum*
Sapium biglandulosum (L.) Muell. Arg. var. *lanceolatum* Muell. Arg. =*Sapium glandulosum*
Sapium cladogyna Hutch. =*Sapium jenmanii*

Sapium ellipticum Hemsley [see *Sapium glandulosum*]
Sapium hemsleyanum Huber [see *Sapium glandulosum*]
Sapium hippomane G. Mey. =*Sapium glandulosum*
Sapium klotzschianum (Muell. Arg.) Huber =*Sapium glandulosum*
Sapium lanceolatum (Muell. Arg.) Huber =*Sapium glandulosum*
Sapium microdentatum Lanj. =*Sapium paucinervium*
Sapium obtusilobium Muell. Arg. =*Sapium glandulosum*
Sapium prunifolium Klotzsch =*Sapium glandulosum*
Sebastiania corniculata (Vahl) Muell. Arg. var. *guyanensis* (Klotzsch) Pax & K. Hoffm. =*Sebastiania corniculata*
Sebastiania linearifolia Lanj. =*Sebastiania bidentata*
Sebastiania micrantha (Benth.) Lanj. =*Sebastiania corniculata*
Securinega congesta (Benth. ex Muell. Arg.) Muell. Arg. =*Jablonskia congesta*
Senefelderopsis sipapoensis Jabl. =*Senefelderopsis croizatii*
Stilaginella laxiflora Tul. =*Hyeronima alchorneoides* var. *alchorneoides*
Stilaginella oblonga Tul. =*Hyeronima oblonga*
Traganthus sidoides Klotzsch =*Bernardia sidoides*
Tragia corniculata Vahl =*Sebastiania corniculata*
Tragia grandifolia Klotzsch =*Adenophaedra grandifolia*

FABACEAE

Aeschynomene, *Chaetocalyx*, & *Machaerium* by V.E. Rudd; *Canavalia* by G. Aymard; *Clitoria* by P.R. Fantz; *Dioclea* by R.H. Maxwell; *Lonchocarpus* by M. Sousa; *Macroptilium*, *Phaseolus*, & *Vigna* by A. Delgado Salinas; *Crotalaria* reviewed by D.R. Windler (1992); reviewed by P.R. Fantz, V.E. Rudd, & G. Aymard (1996)

REFERENCES:

- Amshoff, G.J.H. 1939. Papilionaceae. In A. Pulle, Flora of Suriname 2(2): 1-257.
 Aymard C., G. & N. Cuello A. 1991. Dos nuevas especies Neotropicales del género *Canavalia* (Papilionoideae - Phaseoleae - Diocleinae). *Biollania* 8: 87-92.
 Burkart, A. 1971. El género *Galactia* (Legum.-Phaseoleae) en Sudamérica. *Darwiniana* 16: 663-796.
 Cowan, R.S. 1961. Leguminosae. In B. Maguire, J.J. Wurdack, & collaborators, Botany of the Guayana Highland part IV. Mem. New York Bot. Gard. 10(4): 65-87.
 Ducke, A. 1942. *Lonchocarpus*, subgenus *Phacelanthus* Pittier, in Brazilian Amazonia. *Trop. Woods* 69: 2-7.
 Dwyer, J.D. 1980. Leguminosae subfamily Papilionoideae (conclusion). In R.E. Woodson, Jr., R.W. Schery, & collaborators, Flora of Panama. Ann. Missouri Bot. Gard. 67: 523-818.
 Görts-van Rijn, A.R.A., K.U. Kramer, & J.C. Lindeman. 1976. Papilionaceae (additions and corrections). In J. Lanjouw & A.L. Stoffers, Flora of Suriname 2(2): 556-610.
 Grear, J.W. 1971. A revision of the American species of *Eriosema*. Mem. New York Bot. Gard. 20(3): 1-98.
 Grear, J.W. 1978. A revision of the New World species of *Rhynchosia*. Mem. New York Bot. Gard. 31(1): 1-168.
 Kruckhoff, B.A. 1969. Supplementary notes on the American species of *Erythrina*. III. *Phytologia* 19: 113-175.
 Lima, H.C. de. 1982. Revisão taxonômica do gênero *Vatairea* Aublet (Leguminosae - Faboideae). Arquiv. Jard. Bot. Rio de Janeiro 26: 173-213.
 Lima, H.C. de. 1985. *Diplotropis* Bentham. Estudo dos Táxons infragenéricos. Acta Amaz. 15: 61-75.
 Maxwell, R.H. 1970. The genus *Cymbosema* (Leguminosae): notes and distribution. Ann. Missouri Bot. Gard. 57(2): 252-257.
 Mohlenbrock, R.H. 1958. A revision of the genus *Stylosanthes*. Ann. Missouri Bot. Gard. 44: 299-355.
 Mohlenbrock, R.H. 1961. A monograph of the leguminous genus *Zornia*. *Webbia* 16(1): 1-141.
 Mohlenbrock, R.H. 1963. Further considerations in *Stylosanthes*. *Rhodora* 65: 245-258.
 Polhill, R.M. & P.H. Raven [ed.]. 1981. Advances in Legume Systematics. Royal Botanical Garden, Kew, England.
 Ramírez, N. 1995. Revisión taxonómica del género Alexa Moq. (Fabaceae, Sophoreae). Ann. Missouri Bot. Gard. 82(4): 549-569.
 Rojo, J.P. 1972. *Pterocarpus*. Revised for the world. *Phanerog. Monogr.* 5: 1-119.
 Rudd, V.E. 1955. The American species of *Aeschynomene*. Contr. U.S. Nat. Herb. 32: 1-172.
 Rudd, V.E. 1955. A revision of the genus *Chaetocalyx*. Contr. U.S. Nat. Herb. 32: 247-277.
 Rudd, V.E. 1963. The genus *Dussia* (Leguminosae). Contr. U.S. Nat. Herb. 32: 247-277.
 Rudd, V.E. 1965. The American species of *Ormosia*. Contr. U.S. Nat. Herb. 32: 279-384.
 Rudd, V.E. 1981. Two new species of *Paramachaerium* and a brief resumé of the genus. *Brittonia* 33(3): 435-440.
 Rudd, V.E. 1987. Studies in *Machaerium* (Leguminosae) VI. *Phytologia* 62: 282-302.
 Rudd, V.E. 1989. Studies in *Machaerium* VII. Section II, Lineata. Part I. Species with wingless fruit. *Phytologia* 64: 1-12.
 Sauer, J. 1964. Revision of *Canavalia*. *Brittonia* 16: 106-181.
 Verdcourt, B. 1970. Studies in the Leguminosae - Papilionoideae for the 'Flora of Tropical East Africa': IV. *Kew Bull.* 24: 507-569.
 Schultze-Kraft, R.J. & L. Coradin. 1990. Biogeography of *Centrosema*. In R. Schultze-Kraft & R.J. Clements (ed.), *Centrosema: Biology, Agronomy, and Utilization*.
 Williams, R.J. & R.R. Clements. 1990. Taxonomy of *Centrosema*. In R. Schultze-

Kraft & R.J. Clements (ed.), *Centrosema: Biology, Agronomy, and Utilization*.
 Yakovlev, G.P. 1969. A review of *Sweetia* and
Acosmium. Notes Royal Bot. Gard. Edinb.
 29: 347-355.

Abrus fruticulosus Wallich ex Wight & Walker-Arnott [SU]
 [introduced]
Abrus precatorius L. [GU SU FG] [cultivated, naturalized]
Acosmium nitens (Vogel) Yakovlev [GU SU FG]
Acosmium paeclarum (Sandw.) Yakovlev [GU]
Aeschynomene americana L. [GU FG]
Aeschynomene brasiliiana (Poir.) DC. [GU SU FG]
Aeschynomene evenia Wright [GU?]
Aeschynomene filosa Mart. ex Benth. [GU]
Aeschynomene fluminensis Vell. [GU SU FG]
Aeschynomene histrix Poir. var. *densiflora* (Benth.) Rudd
 [GU]
Aeschynomene histrix Poir. var. *histrix* [GU SU FG]
Aeschynomene interrupta Benth. [GU]
Aeschynomene paniculata Willd. ex Vogel [GU SU]
Aeschynomene pratensis Small var. *caribaea* Rudd [GU FG]
Aeschynomene rufis Benth. [GU]
Aeschynomene sensitiva Swartz [GU SU FG]
Alexa cowanii Yakovlev [GU]
Alexa grandiflora Ducke [FG?]
Alexa imperatricis (Rob. Schomb.) Baill. [GU SU?]
Alexa surinamensis Yakovlev [GU SU]
Alexa wachenheimii Benoist [GU SU FG]
Alysicarpus vaginalis (L.) DC. [GU SU FG] [introduced]
Andira coriacea Pulle [SU FG]
Andira grandispila Amsh. [GU]
Andira inermis (Wright) DC. [GU SU FG]
Andira surinamensis (Bondt) Splitg. ex Amshoff [GU SU FG]
Andira villosa Kleinh. [SU]
Bowdichia virgilioides Kunth [GU SU]
Cajanus cajan (L.) Millsp. [GU SU FG] [cultivated,
 naturalized]
Calopogonium coeruleum (Benth.) Sauv. [GU SU FG]
Calopogonium mucunoides Desv. [GU SU FG]
Calopogonium velutinum (Benth.) Amsh. [GU SU FG]
Canavalia brasiliensis Mart. ex Benth. [GU SU FG]
Canavalia dictyota Piper var. *dictyota* [GU SU FG]
Canavalia dictyota Piper var. *ferruginea* Aymard & Cuello
 [SU]
Canavalia ensiformis (L.) DC. [GU? SU FG] [escaped from
 cultivation]
Canavalia gladiata (Jacq.) DC. var. *gladiata* [SU] [escaped
 from cultivation]
Canavalia grandiflora Benth. [GU]
Canavalia plagiisperma Piper [GU SU] [probably escaped
 from cultivation]
Canavalia rosea (Swartz) DC. [GU SU FG]
Centrolobium paraense Tul. [GU FG]
Centrosema angustifolium (Kunth) Benth. [GU SU]
Centrosema brasiliianum (L.) Benth. [GU SU FG]
Centrosema capitatum (Rich.) Amsh. [GU SU FG]
Centrosema macrocarpum Benth. [GU]
Centrosema pascuorum Mart. ex Benth. [GU]
Centrosema plumieri (Turp. ex Pers.) Benth. [GU SU? FG?]
Centrosema sp. aff. *molle* Mart. ex Benth. [GU SU FG]
 [specimens previously identified as *Centrosema*
 pubescens]

Centrosema triquetrum (Hoffm. ex Benth.) Benth. & Hook.
 [GU]
Centrosema vexillatum Benth. [GU SU]
Centrosema virginianum Benth. [GU? SU FG?]
Chaetocalyx brasiliensis (Vogel) Benth. [SU FG?]
Clathrotropis brachypetala (Tul.) Kleinh. var. *brachypetala*
 [GU SU FG]
Clathrotropis brachypetala (Tul.) Kleinh. var. *ferruginea*
 Yakovlev [SU]
Clathrotropis macrocarpa Ducke [GU]
Clathrotropis paradoxa Sandw. [GU]
Clitoria arborescens R. Brown [GU SU FG]
Clitoria brachycalyx Harms [GU]
Clitoria falcata Lam. var. *falcata* [GU SU FG]
Clitoria guianensis (Aubl.) Benth. var. *guianensis* [GU SU
 FG]
Clitoria kaieteurensis Fantz [GU]
Clitoria laurifolia Poir. [GU SU FG]
Clitoria leptostachya Benth. var. *leptostachya* [GU]
Clitoria pendens Fantz [SU]
Clitoria sagotii Fantz var. *canaliculata* Fantz [GU SU]
Clitoria sagotii Fantz var. *sagotii* [FG]
Clitoria ternatea L. var. *ternatea* [SU FG] [cultivated or
 escaped from cultivation]
Coursetia ferruginea (Kunth) Lavin [GU]
Crotalaria goreensis Guill. & Perr. [GU FG] [introduced]
Crotalaria incana L. [GU]
Crotalaria juncea Willd. [GU SU] [introduced]
Crotalaria maypurensis Kunth [GU]
Crotalaria micans Link [GU SU FG]
Crotalaria nitens Kunth [GU]
Crotalaria pallida Aiton [GU] [introduced]
Crotalaria pilosa P. Mill. [GU SU FG]
Crotalaria quinquefolia L. [GU] [introduced]
Crotalaria retusa L. [GU SU FG]
Crotalaria stipularia Desv. [GU SU FG]
Crotalaria verrucosa L. [GU SU] [introduced]
Crotalaria zanzibarica Benth. [GU] [introduced]
Cymbosema roseum Benth. [to be expected in the Guianas]
Dalbergia brownei (Jacq.) Urb. [GU SU FG]
Dalbergia ecastaphyllum (L.) Taubert [GU SU FG]
Dalbergia glauca (Desv.) Amsh. [GU SU FG?]
Dalbergia inundata Spruce ex Benth. [GU]
Dalbergia monetaria L.f. [GU SU FG]
Dalbergia riedelii (Radlk.) Sandw. [GU SU FG]
Dalbergia subcymosa Ducke [SU FG]
Desmodium adscendens (Swartz) DC. [GU SU FG]
Desmodium asperum (Poir.) Desv. [GU SU FG]
Desmodium axillare (Swartz) DC. [GU SU FG]
Desmodium barbatum (L.) Benth. & Oerst. [GU SU FG]
Desmodium cajanifolium (Kunth) DC. [GU SU]
Desmodium distortum (Aubl.) Macbr. var. *perrottetii* (DC.)
 Schind. [GU FG]
Desmodium guianense DC. [FG]
Desmodium incanum (Swartz) DC. [GU SU FG]
Desmodium molliculum (Kunth) DC. [GU]
Desmodium procumbens (Mill.) Hitchc. [SU]
Desmodium sclerophyllum Benth. [GU SU]
Desmodium scorpiurus (Swartz) Desv. [GU FG]
Desmodium tortuosum (Swartz) DC. [SU] [introduced]
Desmodium triflorum (L.) DC. [GU SU FG] [introduced]
Desmodium velutinum DC. [FG]
Desmodium wydlerianum Urb. [GU SU]
Dioclea apurensis Kunth [SU] [unverified name]
Dioclea coriacea Benth. [SU]
Dioclea elliptica Maxwell, sp. nov. ined. [GU SU FG]

- Dioclea guianensis* Benth. [GU SU FG]
Dioclea huberi Ducke [FG?]
Dioclea macrantha Huber var. *bracteolata* (Merrill) Maxwell,
 comb. nov. ined. [GU SU?]
Dioclea macrantha Huber var. *macrantha* [GU SU]
Dioclea macrocarpa Huber [GU SU FG]
Dioclea malacocarpa Ducke [GU SU FG]
Dioclea megacarpa Rolfe [FG?]
Dioclea reflexa J.D. Hook. [GU SU FG]
Dioclea scabra (Rich.) Maxwell var. *scabra* [GU SU FG]
Dioclea scabra (Rich.) Maxwell var. *schulzii* Maxwell [GU]
Dioclea violacea Mart. ex Benth. [GU? SU? FG?]
Dioclea virgata (Rich.) Amsh. var. *crenata* Maxwell [GU SU
 FG]
Dioclea virgata (Rich.) Amsh. var. *virgata* [GU SU FG]
Dioclea wilsonii Standl. [GU SU FG]
Diplotropis purpurea (Rich.) Amsh. var. *leptophylla* (Kleinh.)
 Amsh. [SU FG]
Diplotropis purpurea (Rich.) Amsh. var. *purpurea* [GU SU
 FG]
Diplotropis racemosa (Hoehne) Amsh. var. *racemosa* [GU]
Diplotropis rigidocarpa Lima [GU]
Dipteryx odorata (Aubl.) Willd. [GU SU FG]
Dipteryx punctata (Blake) Amsh. [GU SU FG]
Dussia discolor (Benth.) Amsh. [GU SU FG]
Eriosema crinitum (Kunth) G. Don var. *crinitum* [GU SU FG]
Eriosema crinitum (Kunth) G. Don var. *stipulare* (Benth.)
 Fortunato [GU]
Eriosema rufum (Kunth) G. Don var. *rufum* [GU SU]
Eriosema simplicifolium (Kunth) G. Don var. *simplicifolium*
 [GU SU FG]
Eriosema violaceum (Aubl.) G. Don [GU SU FG]
Erythrina amazonica Krukoff [GU SU FG]
Erythrina fusca Loureiro [GU SU FG]
Etaballia dubia (Kunth) Rudd [GU]
Fissicalyx fendleri Benth. [GU]
Flemingia strobilifera (L.) R. Brown [SU] [introduced]
Galactia dubia DC. [FG?]
Galactia gracillima Benth. [SU?]
Galactia jussiaeana Kunth var. *jussiaeana* [GU SU]
Galactia latisiliqua Desv. [GU]
Galactia longifolia (Jacq.) Benth. [FG]
Galactia striata (Jacq.) Urb. [GU]
Gliricidia sepium (Jacq.) Steud. [GU SU FG] [widely
 cultivated & naturalized]
Hymenolobium excelsum Ducke [FG?]
Hymenolobium flavum Kleinh. [GU SU FG]
Hymenolobium nitidum Benth. [GU]
Hymenolobium petraeum Ducke [GU SU FG]
Hymenolobium pulcherrimum Ducke [FG]
Indigofera endecaphylla Jacq. [GU FG?]
Indigofera hirsuta L. [GU FG] [cultivated only?]
Indigofera lespedezoides Kunth [GU]
Indigofera microcarpa Desv. [GU SU FG]
Indigofera spicata Forsskal [FG]
Indigofera suffruticosa Mill. [GU SU FG] [cultivated only?]
Indigofera tinctoria L. [GU FG] [cultivated, perhaps escaped]
Lablab purpureus (L.) Sweet [GU? SU FG] [widely cultivated]
Lonchocarpus chrysophyllus Kleinh. [GU SU FG]
Lonchocarpus densiflorus Benth. [GU]
Lonchocarpus floribundus Benth. [GU SU FG]
Lonchocarpus hedyosmus Miq. [SU FG]
Lonchocarpus heptaphyllus (Poir.) DC. [GU SU FG]
Lonchocarpus longifolius (Benth.) Ducke [SU?]
Lonchocarpus margaritensis Pittier [GU]
Lonchocarpus martynii A.C. Smith [GU]
Lonchocarpus negrensis Benth. [SU FG]
Lonchocarpus nicou (Aubl.) DC. [GU SU? FG]
Lonchocarpus rariflorus Mart. ex Benth. [GU]
Lonchocarpus rufescens Benth. [GU]
Lonchocarpus scandens (Aubl.) Ducke [GU SU FG]
Lonchocarpus sericeus (Poir.) DC. [to be expected in the
 Guianas]
Lonchocarpus spruceanus Benth. [FG]
Luetzelburgia sp. [GU]
Machaerium affine Benth. [GU]
Machaerium altiscandens Ducke [SU FG]
Machaerium aureiflorum Ducke [GU FG]
Machaerium ferox (Mart. ex Benth.) Ducke [GU SU]
Machaerium floribundum Benth. [GU FG]
Machaerium inundatum (Mart. ex Benth.) Ducke [GU SU FG]
Machaerium isadelphum (E. Mey.) Amsh. [SU]
Machaerium kegelii Meisn. [GU SU FG]
Machaerium leiophyllum (DC.) Benth. var. *latifolium* (Benth.)
 Rudd [GU FG]
Machaerium leiophyllum (DC.) Benth. var. *leiophyllum* [GU
 SU FG]
Machaerium lunatum (L.f.) Ducke [GU SU FG]
Machaerium macrophyllum Benth. [GU SU FG]
Machaerium madeirensense Pittier [GU SU]
Machaerium mutisii Killip ex Rudd [SU]
Machaerium myrianthum Spruce ex Benth. [GU SU]
Machaerium paraense Ducke [SU FG]
Machaerium polypyllum (Poir.) Benth. [SU FG]
Machaerium quinata (Aubl.) Sandw. var. *parviflorum* (Benth.)
 Rudd [GU SU FG]
Machaerium quinata (Aubl.) Sandw. var. *quinata* [GU SU
 FG]
Machaerium robiniifolium (DC.) Vogel [GU]
Machaerium trifoliolatum Ducke [GU SU FG]
Macroptilium atropurpureum (Sessé & Moçino ex DC.) Urb.
 [FG]
Macroptilium gracile (Poepp. ex Benth.) Urb. [GU FG]
Macroptilium lathyroides (L.) Urban [GU SU FG]
Macroptilium longepedunculatum (Mart. ex Benth.) Urb. [GU
 SU FG]
Monopteryx inpae Rodrigues [FG]
Mucuna pruriens (L.) DC. [SU] [cultivated, naturalized]
Mucuna sloanei Fawcett & Rendle [GU SU FG]
Mucuna urens (L.) DC. [GU SU FG]
Muellera frutescens (Aubl.) Standl. [GU SU FG]
Myroxylon peruiferum L.f. [GU]
Ormosia cinerea Benoist [SU FG]
Ormosia coarctata Jackson [GU SU FG]
Ormosia coccinea (Aubl.) Jackson [GU SU FG]
Ormosia costulata (Miq.) Kleinh. [GU SU]
Ormosia coutinhoi Ducke [GU SU FG]
Ormosia flava (Ducke) Rudd [SU FG]
Ormosia guyanensis C.H. Stirton, sp. nov. ined. [GU]
Ormosia lignivalvis Rudd [GU FG]
Ormosia melanocarpa Kleinh. [SU FG]
Ormosia nobilis Tul. [GU FG]
Ormosia paraensis Ducke [GU SU FG]
Ormosia stipularis Ducke [GU SU FG]
Ormosia wayana Stirton [FG]
Paramachaerium ormosioides (Ducke) Ducke [FG]
Paramachaerium schomburgkii (Benth.) Ducke [GU FG]
Phaseolus lunatus L. [GU SU FG] [cultivated, naturalized]
Phaseolus reptans Ducke [SU?]
Phaseolus vulgaris L. [GU SU FG] [probably cultivated only]
Platymiscium filipes Benth. [FG]
Platymiscium pinnatum (Jacq.) Dugand [GU FG]

SPERMATOPHYTA: Fabaceae

Platymiscium trinitatis Benth. [GU SU FG]
Platymiscium ulei Harms [SU FG]
Poecilanthe effusa (Huber) Ducke [SU FG]
Poecilanthe hostmannii (Benth.) Amsh. [GU SU FG]
Poecilanthe ovalifolia Kleinh. [SU]
Pterocarpus amazonum (Benth.) Amsh. [GU]
Pterocarpus officinalis Jacq. subsp. *officinalis* [GU SU FG]
Pterocarpus rohrii Vahl [GU SU FG]
Pterocarpus santalinooides L'Hér. ex DC. [GU SU FG]
Pueraria phaseoloides (Roxb.) Benth. [GU SU FG]
 [naturalized]
Rhynchosia melanocarpa Grear [perhaps to be expected in the
 Guianas]
Rhynchosia minima (L.) DC. [GU SU FG]
Rhynchosia phaseoloides (Swartz) DC. [GU SU FG]
Rhynchosia schomburgkii Benth. [GU]
Sesbania exasperata Kunth [SU FG]
Sesbania grandiflora (L.) Pers. [cultivated, occasionally
 escaping]
Sesbania sericea (Willd.) DC. [GU SU FG] [introduced]
Sesbania sesban (L.) Merrill [SU] [introduced]
Soemmeringia semperflorens Mart. [GU FG?]
Spirotropis longifolia (DC.) Baill. [SU FG]
Stylosanthes angustifolia Vogel [GU SU FG]
Stylosanthes cayennensis Mohlenbrock [FG] [=Stylosanthes
 guianensis?]
Stylosanthes guianensis (Aubl.) Swartz var. *gracilis* (Kunth)
 Vogel [GU SU]
Stylosanthes guianensis (Aubl.) Swartz var. *guianensis* [GU
 SU FG]
Stylosanthes hispida L.C. Rich. [GU SU FG] [=Stylosanthes
 guianensis?]
Stylosanthes viscosa Swartz [GU SU FG]
Taralea crassifolia (Spruce ex Benth.) Ducke [GU]
Taralea nudipes (Tul.) Ducke [FG]
Taralea oppositifolia Aubl. [GU SU FG]
Taralea reticulata (Benth.) Ducke [GU]
Tephrosia adunca Benth. [GU SU]
Tephrosia candida DC. [SU] [introduced]
Tephrosia cinerea (L.) Pers. [GU SU FG]
Tephrosia purpurea (L.) Pers. [SU]
Tephrosia sessiliflora (Poir.) Hassler [GU SU]
Tephrosia sinapou (Buchholz) A. Chevalier [GU SU FG]
Teramnus labialis Spreng. [GU] [introduced?]
Teramnus uncinatus (L.) Swartz [FG?]
Vatairea erythrocarpa Ducke [FG]
Vatairea guianensis Aubl. [GU SU FG]
Vatairea paraensis Ducke [SU FG]
Vataireopsis speciosa Ducke [GU SU FG] [records may
 represent misidentifications]
Vataireopsis surinamensis Lima [GU SU FG]
Vigna adenantha (G. Mey.) Maréchal, Mascherpa & Stain
 [GU? SU FG]
Vigna hosei (Craig) Baker [SU FG] [cultivated, naturalized]
Vigna juriuana (Harms) Verdcourt [GU SU FG]
Vigna lasiocarpa (Benth.) Verdcourt [GU SU FG]
Vigna linearis (Kunth) Maréchal, Mascherpa, & Stainier [GU
 SU]
Vigna longifolia (Benth.) Verdcourt [FG]
Vigna luteola (Jacq.) Benth. [GU SU FG]
Vigna peduncularis (Kunth) Fawcett & Rendle [SU FG]
Vigna trichocarpa (C. Wright) A. Delgado, comb. nov. ined.
 [GU SU FG]
Vigna unguiculata (L.) Walpers [GU SU FG] [cultivated,
 naturalized]
Vigna vexillata (L.) A. Rich. [GU SU FG]

Zornia curvata Mohlenbrock [GU]
Zornia diphylla (L.) Pers. [GU]
Zornia glabra Desv. [GU SU FG]
Zornia gracilis DC. [FG]
Zornia guanipensis Pittier [SU]
Zornia latifolia J.E. Smith var. *latifolia* [GU SU FG]
Zornia pardina Mohlenbrock var. *vichadana* Killip ex
 Mohlenbrock [GU]
Zornia reticulata Sm. [GU]
**FABACEAE - SYNONYMS AND
 MISIDENTIFICATIONS:**
Acourea violacea Aubl. =*Dalbergia* sp.?
Aeschynomene biflora (Mill.) Fawc. & Rend. =*Aeschynomene*
 brasiliiana
Aeschynomene densiflora Benth. =*Aeschynomene histrix* var.
 densiflora
Aeschynomene gracilis Miq. =*Aeschynomene paniculata*
Aeschynomene hispida Willd. =*Aeschynomene virginica* [not
 in Guianas]
Aeschynomene viscidula Michx. [not in Guianas]
Agati grandiflora (L.) Desv. =*Sesbania grandiflora*
Alexa leiopetala Sandw. =*Alexa imperaticris*
Alexandra imperaticris (Rob. Schomb.) Baill. =*Alexa*
 imperaticris
Amerimnum latifolium Willd. =*Lonchocarpus heptaphyllum*
Amphiodon effusus Huber =*Poecilanthe effusa*
Andira retusa (Lam.) Kunth =*Andira surinamensis*
Bowdichia guianensis Ducke =*Diplotropis purpurea*
Cajanus indicus Spreng. =*Cajanus cajan*
Canavalia bracteolata Merrill =*Dioclea macrantha* var.
 bracteolata
Canavalia maritima (Aubl.) Thouars =*Canavalia rosea*
Canavalia obtusifolia DC. =*Canavalia rosea*
Centrosema latissimum Ducke =*Centrosema triquetrum*
Centrosema platycarpum Benth. [not in Guianas]
Centrosema pubescens Auctt, non Benth. =*Centrosema* sp. aff.
 molle Mart. ex Benth.
Clathrotropis flava Ducke =*Ormosia flava*
Clathrotropis surinamensis Kleinh. =*Ormosia flava*
Clitoria amoena Miq. =*Clitoria arborescens*
Clitoria angustifolia Kunth =*Centrosema angustifolium*
Clitoria arborea Mart. ex Benth. [not in Guianas]
Clitoria brasiliiana L. =*Centrosema brasiliatum*
Clitoria capitata Rich. =*Centrosema capitatum*
Clitoria glycinoides DC. =*Clitoria falcata*
Clitoria guyanensis Aubl. ex Desv. =*Clitoria laurifolia*
Clitoria javitensis (Kunth) Benth. var. *glabra* Sagot =*Clitoria*
 sagotii
Clitoria plumieri Turp. ex Pers. =*Centrosema plumieri*
Clitoria poitei Benth. =*Clitoria arborescens*
Clitoria poitei DC. =*Clitoria arborescens*
Clitoria rubiginosa Juss. ex Pers. =*Clitoria falcata* var. *falcata*
Coronilla sericea Willd. =*Sesbania sericea*
Coublania frutescens Aubl. =*Muellera frutescens*
Coumarouna odorata Aubl. =*Dipteryx odorata*
Coumarouna oppositifolia (Aubl.) Taub. =*Taralea*
 oppositifolia
Coumarouna punctata Blake =*Dipteryx punctata*
Crotalaria anagyroides Kunth =*Crotalaria micans*
Crotalaria gajanensis Desv. =*Clitoria laurifolia*
Crotalaria guianensis Aubl. =*Clitoria guianensis*
Crotalaria paramariboensis Miq. =*Crotalaria verrucosa*
Crotalaria pterocaula Desv. =*Crotalaria pilosa*

- Crotalaria saltiana* Andr. =*Crotalaria pallida*
Cyclolobium hostmannii Benth. =*Poecilanthe hostmannii*
Cymbosema apurense (Kunth) Pittier =*Dioclea apurense*
Cytisus sessiliflorus Poir. =*Tephrosia sessiliflora*
Cytisus violaceus Aubl. =*Eriosema violaceum*
Dalbergia atropurpurea Ducke =*Dalbergia glauca*
Deguelia scandens Aubl. =*Lonchocarpus scandens*
Derris amazonica Killip =*Lonchocarpus negrensis*
Derris guianensis Benth. =*Lonchocarpus scandens*
Derris longifolia Benth. =*Lonchocarpus longifolius*
Derris pterocarpa (DC.) Killip =*Lonchocarpus scandens*
Derris scandens (Aubl.) Pitt. =*Lonchocarpus scandens*
Desmodium canum (J.F. Gmelin) Schinz & Thellung
 =*Desmodium incanum*
Desmodium frutescens (Jacq.) Schindler =*Desmodium incanum*
Desmodium molle (Vahl) DC. =*Desmodium glabrum* (Mill.) DC. [not in Guianas]
Desmodium spectabilis Miq. =*Desmodium asperum*
Desmodium supinum DC. =*Desmodium incanum*
Dibrachion guianense Tul. =*Diplotropis purpurea*
Dioclea glabra Benth. =*Dioclea elliptica*
Dioclea lasiocarpa Mart. =*Dioclea virgata*
Diplotropis brachypetala Tul. =*Clathrotropis brachypetala* var.
 brachypetala
Diplotropis guianensis Benth. =*Diplotropis purpurea*
Diplotropis leptophylla Kleinh. =*Diplotropis purpurea* var.
 leptophylla
Diplotropis racemosa (Hoehne) Amsh. var. *kaieteurensis*
 Amsh. =*Diplotropis racemosa* var. *racemosa*
Dipteryx crassifolia Spruce ex Benth. =*Taralea crassifolia*
Dipteryx nudipes Tul. =*Taralea nudipes*
Dipteryx oppositifolia (Aubl.) Willd. =*Taralea oppositifolia*
Dolichos ensiformis L. =*Canavalia ensiformis*
Dolichos gladiatus Jacq. =*Canavalia gladiata*
Dolichos lablab L. =*Lablab purpureus*
Dolichos luteolus Jacq. =*Vigna luteola*
Dolichos maritimus Aubl. =*Canavalia rosea*
Dolichos minimus L. =*Rhynchosia minima*
Dolichos roseus Swartz =*Canavalia rosea*
Dolichos unguiculatus L. =*Vigna unguiculata*
Dolichos urens L. =*Mucuna urens*
Dolichos virgatus Rich. =*Dioclea virgata*
Drepanocarpus ferox Mart. ex Benth. =*Machaerium ferox*
Drepanocarpus inundatus Mart. ex Benth. =*Machaerium inundatum*
Drepanocarpus isadelphus E. Mey. =*Machaerium isadelphum*
Drepanocarpus lunatus (L.f.) G. Mey. =*Machaerium lunatum*
Drepanocarpus macrophyllus Ducke =*Machaerium macrophyllum*
Dussia cayennensis Harms =*Dussia discolor*
Ecastophyllum benthamianum Miq. =*Dalbergia monetaria*
Ecastophyllum glaucum Desv. =*Dalbergia glauca*
Ecastophyllum monetaria (L.f.) DC. =*Dalbergia monetaria*
Ecastophyllum pubescens DC. =*Dalbergia subcymosa*
Ecastophyllum riedelii Radlk. =*Dalbergia riedelii*
Eriosema flavidiflorum Miq. =*Eriosema violaceum*
Eriosema fusiforme Rusby =*Eriosema crinitum* var. *fusiforme*
 (Rusby) Grear [not in Guianas]
Eriosema stipulare Benth. =*Eriosema crinitum* var. *stipulare*
Erythrina corallodendrum L. [not in Guianas]
Erythrina glauca Willd. =*Erythrina fusca*
Etaballia guianensis Benth. =*Etaballia dubia*
Galega cinerea L. =*Tephrosia cinerea*
Galega toxicaria Swartz =*Tephrosia sinapou*
Geoffroea *discolor* Benth. =*Dussia discolor*
- Geoffroea inermis* Wright =*Andira inermis*
Geoffroea pubescens Rich. =*Andira surinamensis*
Geoffroea retusa (Lam.) Poir. =*Andira surinamensis*
Geoffroea surinamensis Bondt =*Andira surinamensis*
Geoffroea violacea (Aubl.) Pers. =*Acourea violacea*
 Aubl. [=*Dalbergia* sp. ?]
Glycine crinita Kunth =*Eriosema crinitum*
Glycine phaseoloides Swartz =*Rhynchosia phaseoloides*
Glycine rufa Kunth =*Eriosema rufum*
Glycine simplicifolia Kunth =*Eriosema simplicifolium*
Hedysarum adscendens Swartz =*Desmodium adscendens*
Hedysarum asperum Poir. =*Desmodium asperum*
Hedysarum axillare Swartz =*Desmodium axillare*
Hedysarum barbatum L. =*Desmodium barbatum*
Hedysarum brasiliianum Poir. =*Aeschynomene brasiliiana*
Hedysarum cajanifolium Kunth =*Desmodium cajanifolium*
Hedysarum diphyllosum L. =*Zornia diphyllosum*
Hedysarum ecastaphyllum L. =*Dalbergia ecastaphyllum*
Hedysarum procumbens Mill. =*Desmodium procumbens*
Indigofera anil L. =*Indigofera suffruticosa*
Indigofera pascuorum Benth. =*Indigofera lespedezoides*
Leptolobium costulatum Miq. =*Ormosia costulata*
Leptolobium nitens Vogel =*Acosmum nitens*
Leptolobium nitidum Miq. =*Acosmum nitens*
Lonchocarpus ernestii Harms =*Lonchocarpus margaritensis*
Lonchocarpus latifolius (Willd.) Kunth =*Lonchocarpus heptaphyllum*
Lonchocarpus nitidus Spruce ex Benth. =*Lonchocarpus floribundus*
Lonchocarpus pentaphyllus (Poir.) DC. =*Lonchocarpus heptaphyllum*
Lonchocarpus pterocarpus DC. =*Lonchocarpus scandens*
Machaerium aculeatum Raddi [not in Guianas]
Machaerium ferrugineum Pers. =*Machaerium quinata*
Machaerium multifoliolatum Ducke [not in Guianas]
Machaerium oblongifolium Vogel [not in Guianas]
Machaerium schomburgkii Benth. =*Paramachaerium schomburgkii*
Machaerium surinamense Miq. =*Machaerium leiophyllum*
Moutouchi suberosa Aubl. =*Pterocarpus officinalis*
Mucuna altissima (Jacq.) DC. =*Mucuna urens*
Muellera moniliformis L.f. =*Muellera frutescens*
Neurocarpum guianense (Aubl.) Desv. =*Clitoria guianensis*
Nissolia leiophylla DC. =*Machaerium leiophyllum* var.
 leiophyllum
Nissolia polyphylla Poir. =*Machaerium polyphyllum*
Nissolia quinata Aubl. =*Machaerium quinata*
Ormosia costulata (Miq.) Kleinh. var. *trifoliata* (Huber) Amsh.
 =*Ormosia costulata*
Ormosia costulata (Miq.) Kleinh. var. *trifoliata* (Huber) Amsh.
 =*Ormosia costulata*
Ormosia fastigiata Tul. [not in Guianas]
Ormosia trifoliata Huber =*Ormosia costulata*
Ormosiopsis flava Ducke =*Ormosia flava*
Phaseolus adenanthus G. Mey. =*Vigna adenantha*

SPERMATOPHYTA: Fabaceae

Phaseolus campestris Benth. =Macroptilium longepedunculatum	Carpotroche surinamensis Uittien [GU SU FG]
Phaseolus juruanus Harms =Vigna juruana	Casearia aculeata Jacq. [GU SU]
Phaseolus lasiocarpus Mart. ex Benth. =Vigna lasiocarpa	Casearia acuminata DC. [GU? SU FG]
Phaseolus lathyroides L. =Macroptilium lathyroides	Casearia arborea (L.C. Rich.) Urb. [GU SU FG]
Phaseolus linearis Kunth =Vigna linearis	Casearia combayensis Tul. [GU SU FG]
Phaseolus longipedunculatus Mart. ex Benth. =Macroptilium longepedunculatum	Casearia commersoniana Camb. [GU SU FG]
Phaseolus peduncularis Kunth =Vigna peduncularis	Casearia decandra Jacq. [GU SU FG]
Phaseolus pilosus Kunth =Vigna lasiocarpa	Casearia grandiflora Camb. [GU SU FG]
Phaseolus schottii Benth. =Vigna longifolia	Casearia guianensis (Aubl.) Urb. [GU SU FG]
Phaseolus surinamensis Miq. =Vigna adenantha	Casearia javitensis Kunth [GU SU FG]
Phaseolus trichocarpus Wright =Vigna trichocarpa	Casearia mariquensis Kunth [GU SU FG]
Phaseolus truxillensis Kunth =Vigna adenantha	Casearia negrensis Eichl. [SU FG]
Phaseolus vexillatus L. =Vigna vexillata	Casearia pitumba Sleumer [GU SU FG]
Pterocarpus amazonicus Huber =Pterocarpus santalinoides	Casearia resinifera Spruce ex Eichl. [FG]
Pterocarpus draco L. =Pterocarpus officinalis	Casearia rusbyana Briquet [GU SU FG]
Pterocarpus esculentus Schum. & Thonn. =Pterocarpus santalinoides	Casearia spinescens (Swartz) Griseb. [GU]
Pterocarpus lunatus L.f. =Machaerium lunatum	Casearia sylvestris Swartz [GU SU FG]
Pterocarpus magnicarpus Schery =Pterocarpus rohrii	Casearia ulmifolia Vahl ex Ventenat [GU SU FG]
Pterocarpus rufescens Benth. =Pterocarpus rohrii	Casearia zizyphoides Kunth [GU FG]
Pterocarpus suberosa (Aubl.) Pers. =Pterocarpus officinalis	Euceraea nitida Mart. [GU SU]
Rhadinocarpus brasiliensis Vogel =Chaetocalyx brasiliensis	Hasseltia floribunda Kunth [FG?]
Robinia nicou Aubl. =Lonchocarpus nicou	Hecatostemon completus (Jacq.) Sleumer [GU]
Robinia panacoco Aubl. =Swartzia panacoco (Caesalpiniaceae)	Homalium guianense (Aubl.) Oken [GU SU FG]
Robinia sepium Jacq. =Gliricidia sepium	Homalium racemosum Jacq. [GU SU FG]
Sesbania aegyptica Poir. =Sesbania sesban	Laetia cupulata Spruce ex Benth. [GU]
Singana guianensis Aubl. [name of uncertain application]	Laetia procera (Poepp.) Eichl. [GU SU FG]
Sphinctolobium glaucescens Miq. =Muellera frutescens	Laetia suaveolens (Poepp.) Benth. [GU]
Spirotropis candollei Tul. =Spirotropis longifolia	Lindackeria paludosa (Benth.) Gilg [GU FG?]
Stenolobium brachycarpum (Desv.) Benth. =Calopogonium mucunoides	Mayna odorata Aubl. [GU SU FG]
Stenolobium coeruleum Benth. =Calopogonium coeruleum	Neptychocarpus apodanthus (Kuhlmann) Buchheim [SU FG]
Stenolobium velutinum Benth. =Calopogonium velutinum	Neptychocarpus killipii (Monachino) Buchheim [FG]
Sweetia nitens (Vogel) Benth. =Acosmum nitens	Neosprucea sp. [FG?]
Sweetia praeclera Sandw. =Acosmum praeclerarum	Prockia crucis P. Browne ex L. [to be expected in the Guianas]
Tachigali purpurea Rich. =Diplotropis purpurea var. purpurea	Ryania pyrifera (L.C. Rich.) Sleumer & Uittien [GU SU FG]
Tephrosia brevipes Benth. =Tephrosia sessiliflora	Ryania speciosa Vahl [GU SU FG]
Tephrosia toxicaria (Swartz) Pers. =Tephrosia sinapou	Xylosma benthamii (Tul.) Triana & Planch. [GU SU FG]
Trifolium guianense Aubl. =Stylosanthes guianensis	Xylosma ciliatifolium (Clos) Eichl. [GU FG?]
Vatairea surinamensis Kleinh. =Vatairea guianensis	Xylosma tessmannii Sleumer [GU FG]
Vigna repens (L.) Kuntze =Vigna luteola	
Zornia marajoara Huber =Zornia guanipensis	
Zornia surinamensis Miq. =Zornia diphylla	

FLACOURTIACEAE

contributed by R.W. Kiger (1992)

REFERENCES:

- Sleumer, H.O. 1980. Flacourtiaceae. Flora Neotropica Monogr. 22: 1-499.
 Sleumer, H.O. & H. Uittien. 1935. Flacourtiaceae. In A. Pulle, Flora of Suriname 3(1): 282-303.

Banara guianensis Aubl. [GU SU FG]
 Carpotroche crispidentata Ducke [FG]
 Carpotroche longifolia (Poepp.) Benth. [GU SU FG]

FLACOURTIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Casearia arguta Kunth [not in Guianas]
Casearia bracteifera Sagot =Casearia combayensis
Casearia cambessedesii Eichl. =Casearia ulmifolia
Casearia cotticensis Uittien =Casearia ulmifolia
Casearia densiflora Benth. =Casearia commersoniana
Casearia dentata (Aubl.) Sessé & Moçino =Casearia commersoniana
Casearia laurifolia Benth. =Casearia commersoniana
Casearia macrophylla Vahl =Casearia pitumba
Casearia nitida Jacq. [not in Guianas]
Casearia petraea Benth. =Casearia ulmifolia
Homalium densiflorum Spruce ex Benth. =Homalium guianense
Homalium napimoga Spreng. =Homalium guianense
Iroucana guianensis Aubl. =Casearia guianensis
Laetia calophylla Eichl. =Laetia suaveolens
Laetia casearioides Sagot ex Benth. =Laetia procera
Laetia hirtella Kunth =Hecatostemon completus

Laetia obtusifolia Eichl. ex Benoist [nomen nudum] =*Laetia procera*
Mayna denticulata Benth. =*Mayna odorata*
Napimoga guianensis Aubl. =*Homalium guianense*
Patrisia parviflora DC. =*Ryania speciosa*
Patrisia pyrifera L.C. Rich. =*Ryania pyrifera*
Patrisia speciosa (Vahl.) Monachino =*Ryania speciosa*
Patrisia spruceana (Monachino) Lemée =*Ryania spruceana*
 [not in Guianas]
Piparea dentata Aubl. =*Casearia commersoniana*
Pitumba guianensis Aubl. =*Casearia pitumba*
Ptychocarpus apodanthus Kuhlm. =*Neoptychocarpus apodanthus*
Racoubea guianensis Aubl. =*Homalium guianense*
Ryania pyrifera (L.C. Rich.) Sleumer & Uittien var. *tomentosa* (Miq.) Sleumer =*Ryania speciosa*
Ryania sagotiana Eichl. =*Ryania pyrifera*
Xylosma nitidum (Hellenius) A. Gray ex Griseb. [not in Guianas]

GENTIANACEAE

contributed by M.J. Jansen-Jacobs & P.J.M. Maas (1992)

REFERENCES:

- Jonker, F.P. 1936. Gentianaceae. In A. Pulle, Flora of Suriname 4(1): 400-427.
 Maas, P.J.M. 1985. Nomenclatural notes on neotropical Lisantheae. Proc. Kon. Ned. Akad. Wetensch. (ser. c) 88(4): 405-412.
 Maas, P.J.M., S. Nilsson, A.M.C. Hollants, B.J.H. ter Welle, H. Persoon, & E.C.H. van Heusden. 1984. Systematic studies in neotropical Gentianaceae - the Lisanthus complex. Acta Bot. Neerl. 32: 371-374.
 Maguire, B. 1981. Gentianaceae. In B. Maguire & collaborators, Botany of the Guayana Highland part 11. Mem. N.Y. Bot. Gard. 32: 1-391.
 Maguire, B. & B.M. Boom. 1989. Gentianaceae (part 3). In B. Maguire & collaborators, Botany of the Guayana Highland part 13. Memoirs of the New York Bot. Garden 51: 1-127.
 Maas, P.J.M. & P. Ruyters. 1986. Voyria and Voyriella (Saprophytic Gentianaceae). Flora Neotropica Monogr. 41: 1-93.

Celiantha imthurniana (Oliver) Maguire [GU]
Chorisepalum psychotrioides Ewan var. *psychotrioides* [GU]
Coutoubea humilis Sandw. [GU]
Coutoubea ramosa Aubl. [GU SU FG]
Coutoubea reflexa Benth. [GU]
Coutoubea spicata Aubl. [GU SU FG]
Curtia tenuifolia (Aubl.) Knobl. var. *tenella* (Mart.) Grothe & Maas [FG]
Curtia tenuifolia (Aubl.) Knobl. var. *tenuifolia* [GU SU? FG]
Irlbachia alata (Aubl.) Maas subsp. *alata* [GU SU FG]
Irlbachia alata (Aubl.) Maas subsp. *angustifolia* (Kunth) Persoon & Maas [GU]

Irlbachia alata (Aubl.) Maas subsp. *longistyла* Persoon & Maas [GU FG]
Irlbachia alata (Aubl.) Maas subsp. *viridiflora* (Mart.) Persoon & Maas [GU]
Irlbachia caeruleascens (Aubl.) Griseb. [GU SU FG]
Irlbachia nemorosa (Willd. ex Roem. & Schult.) Merrill [GU]
Irlbachia purpurascens (Aubl.) Maas [GU SU FG]
Irlbachia quelchii (N.E. Brown) Maas [GU]
Irlbachia tatei (Gleason) Maguire [GU]
Macrocarpaea sp. [GU] [Mt Ayanganna]
Neurotheca loeselioides (Spruce ex Progel) Baill. subsp. *loeselioides* [GU SU]
Schultesia benthamiana Klotzsch ex Griseb. [GU SU?]
Schultesia brachyptera Cham. [GU SU FG]
Schultesia guianensis (Aubl.) Malme [GU SU FG]
Schultesia pohliana Progel [GU SU]
Schultesia subcrenata Klotzsch ex Griseb. [GU]
Symbolanthus calygonus (Ruiz & Pav.) Griseb. s.l. [GU]
Tachia gracilis Benth. [GU]
Tachia grandiflora Maguire & Weaver [FG]
Tachia guianensis Aubl. [GU SU FG]
Tachia schomburgkiana Benth. [GU]
Tachia smithii Maguire & Weaver [GU?]
Tachia sp. nov. [SU]
Tapeinostemon spenneroides Benth. [GU SU]
Voyria aphylla (Jacq.) Pers. [GU SU FG]
Voyria aurantiaca Splitg. [GU SU FG]
Voyria caerulea Aubl. [GU SU FG]
Voyria clavata Splitg. [GU SU FG]
Voyria corymbosa Splitg. subsp. *alba* (Standl.) Ruyters & Maas [GU SU FG]
Voyria corymbosa Splitg. subsp. *corymbosa* [SU FG]
Voyria flavescentia Griseb. [SU FG]
Voyria pittieri (Standl.) L.O. Williams [GU]
Voyria rosea Aubl. [GU SU FG]
Voyria spruceana Benth. [GU SU FG]
Voyria tenella Hook. [GU SU FG]
Voyria tenuiflora Griseb. [GU SU FG]
Voyriella parviflora (Miq.) Miq. [GU SU FG]

GENTIANACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Calolisanthus imthurnianus (Oliver) Gleason =*Celiantha imthurniana*
Calolisanthus tatei Gleason =*Irlbachia tatei*
Chelonanthus alatus (Aubl.) Pulle =*Irlbachia alata* subsp. *alata*
Chelonanthus angustifolius (Kunth) Gilg =*Irlbachia alata* subsp. *angustifolia*
Chelonanthus chelonoides (L.f.) Gilg =*Irlbachia alata* subsp. *alata*
Chelonanthus schomburgkii (Griseb.) Gilg =*Irlbachia alata* subsp. *alata*
Chelonanthus uliginosus Griseb. =*Irlbachia purpurascens*
Coutoubea ramosa Aubl. var. *longifolia* Benth. =*Coutoubea ramosa*
Coutoubea ramosa Aubl. var. *racemosa* (G. Mey.) Benth. =*Coutoubea ramosa*
Exacum guianense Aubl. =*Schultesia guianensis*
Exacum tenuifolium Aubl. =*Curtia tenuifolia* subsp. *tenuifolia*

Leiothamnus elisabethae Schomb. =*Symbolanthus calygonus*
Leiphamos calycina (Splitg. ex A. DC.) Miq. =*Voyria caerulea*
Leiphamos leucantha (Miq.) Gilg. =*Voyria tenuiflora*
Leiphamos montana Jonker =*Voyria corymbosa* subsp. *alba*
Leiphamos obconica Auct., non (Progel) Gilg. =*Voyria tenella*
Lisanthus alatus Aubl. =*Irlbachia alata* subsp. *alata*
Lisanthus caerulescens Aubl. =*Irlbachia caerulescens*
Lisanthus chelonoides L.f. =*Irlbachia alata* subsp. *alata*
Lisanthus elisabethae (Schomb.) Griseb. =*Symbolanthus calygonus*
Lisanthus fistulosus Poir. =*Irlbachia alata* subsp. *alata*
Lisanthus grandiflorus Aubl. =*Irlbachia alata* subsp. *alata*
Lisanthus imthurnianus Oliver =*Celianta imthurniana*
Lisanthus purpurascens Aubl. =*Irlbachia purpurascens*
Lisanthus quelchii N.E. Brown =*Irlbachia quelchii*
Lisanthus uliginosus Griseb. =*Irlbachia purpurascens*
Macrocarpaea quelchii (N.E. Brown) Ewan =*Irlbachia quelchii*
Rogersanthus quelchii (N.E. Brown) Maguire & Boom
 = *Irlbachia quelchii*
Schultesia schomburgkiana Progel =*Schultesia benthamiana*
Stahelia spenneroides (Benth.) Jonker =*Tapeinostemon spenneroides*
Stahelia surinamensis Jonker =*Tapeinostemon spenneroides*
Symbolanthus elisabethae (Schomb.) Gilg =*Symbolanthus calygonus*
Symbolanthus quelchii (N.E. Brown) Gleason =*Irlbachia quelchii*
Tapeinostemon surinamensis (Jonker) Steyermark
 = *Tapeinostemon spenneroides*
Tetrapollinia caerulescens (Aubl.) Maguire & Boom
 = *Irlbachia caerulescens*

GESNERIACEAE

reviewed by C. Feuillet & L.E. Skog (1992);
 reviewed by L.E. Skog & C. Feuillet (1996)

REFERENCES:

- Leeuwenberg, A.J.M. 1958. The Gesneriaceae of Guiana. *Acta Bot. Neerl.* 7: 291-444.
 Leeuwenberg, A.J.M. 1984. Gesneriaceae. In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 5(1): 592-650.
 Morton, C.V. 1939. A revision of Besleria. *Contr. U.S. Nat. Herb.* 26: 395-474.
 Wiehler, H.J. 1978. The genera Episcia, Alsobia, Nautilocalyx, and Paradrymonia. *Selbyana* 5: 11-60.

- Alloplectus cristatus* (L.) Mart. var. *epirotes* Leeuwenberg [GU]
Alloplectus savannarum C. Morton [GU SU]
Besleria flavo-virens Nees & Mart. [GU SU FG]
Besleria insolita C. Morton [GU FG]
Besleria laxiflora Benth. [GU SU FG]
Besleria maasii Wiehler [FG]
Besleria patrisii DC. [FG]
Besleria penduliflora Fritsch [GU]
Besleria saxicola C. Morton [GU]
Besleria verecunda C. Morton [GU SU FG]
Chrysanthemis pulchella (Donn ex Sims) Decne. [GU SU FG]
Chrysanthemis rupestris (Benth.) Leeuwenberg [GU SU]

Chrysanthemis villosa (Benth.) Leeuwenberg [GU]
Codonanthe calcarata (Miq.) Hanst. [GU SU FG]
Codonanthe crassifolia (Focke) C. Morton [GU SU FG]
Codonanthopsis dissimilata (H.E. Moore) Wiehler [GU FG]
Columnea calotricha J.D. Smith [SU FG]
Columnea guianensis C. Morton [GU]
Columnea oerstediana Klotzsch ex Oersted [FG]
Columnea sanguinea (Pers.) Hanst. [GU? SU FG]
Corytoplectus deltoideus (C. Morton) Wiehler [GU]
Drymonia antherocycla Leeuwenberg [SU FG]
Drymonia coccinea (Aubl.) Wiehler [GU SU FG]
Drymonia psilocalyx Leeuwenberg [SU FG]
Drymonia serrulata (Jacq.) Mart. [GU SU FG]
Episcia reptans Mart. [GU SU FG]
Episcia sphaleria Leeuwenberg [SU FG]
Episcia xantha Leeuwenberg [FG]
Gloxinia perennis (L.) Fritsch [GU SU FG] [cultivated or escaped from cultivation]
Gloxinia purpurascens (Rusby) Wiehler [GU FG]
Kohleria hirsuta (Kunth) Regel [GU SU FG]
Lembocarpus amoenum Leeuwenberg [SU FG]
Napeanthus jelskii Fritsch [FG]
Napeanthus macrostoma Leeuwenberg [SU FG]
Nautilocalyx bryogoton (Leeuwenberg) Wiehler [GU]
Nautilocalyx cordatus (Gleason) L.E. Skog [GU]
Nautilocalyx kohlerioides (Leeuwenberg) Wiehler [FG]
Nautilocalyx mimuloides (Benth.) C. Morton [GU FG]
Nautilocalyx pallidus (Sprague) Sprague [FG]
Nautilocalyx pictus (Hook.) Sprague [GU SU FG]
Nautilocalyx porphyrotrichus (Leeuwenberg) Wiehler [GU]
Nautilocalyx villosus (Kunth & Bouché) Sprague [GU SU? FG?]
Paradrymonia campostyla (Leeuwenberg) Wiehler [SU FG]
Paradrymonia ciliosa (Mart.) Wiehler [GU SU FG]
Paradrymonia densa (C.H. Wright) Wiehler [GU SU FG]
Paradrymonia maculata (J.D. Hook.) Wiehler [GU FG]
Rhoogiton cyclophyllus Leeuwenberg [GU]
Rhoogiton viviparus Leeuwenberg [GU]
Sinningia incarnata (Aubl.) D. Denham [GU SU FG]
Sinningia schomburgkiana (Kunth & Bouché) Chautems [GU]
Tylopsacas cuneatum (Gleason) Leeuwenberg [GU]

GESNERIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Alloplectus calotrichus* (J.D. Smith) Stearn =*Columnea calotricha*
Alloplectus coccineus (Aubl.) Mart. =*Drymonia coccinea*
Alloplectus meridensis Klotzsch ex Hanst. [not in Guianas]
Alloplectus patrisii DC. =*Drymonia coccinea*
Besleria bivalvis L.f. =*Mendoncia bivalvis* (L.f.) Merr.
 (Mendonciaceae)
Besleria coccinea Aubl. =*Drymonia coccinea*
Besleria incarnata Aubl. =*Sinningia incarnata*
Besleria lutea L. [not in Guianas]
Besleria violacea Aubl. =*Schlegelia violacea* (Bignoniacae)
Centrosolenia densa (C.H. Wright) Sprague =*Paradrymonia densa*

Centrosolenia hirsuta Benth. =*Nautilocalyx cordatus*
Codonanthe bipartita L.B. Smith =*Codonanthe calcarata*
Codonanthe carnosa Hanst. [not in Guianas]
Codonanthe confusa Sandw. =*Codonanthe crassifolia*
Codonanthopsis ulei Fritsch [not in Guianas]
Columnea aureonitens Hook. =*Columnea sanguinea*
Columnea scandens L. [not in Guianas]
Crantzia patrisii (DC.) Fritsch =*Drymonia coccinea*
Drymonia calcarata Mart. =*Drymonia serrulata*
Drymonia campostyla Leeuwenberg =*Paradrymonia campostyla*
Drymonia cristata Miq. =*Drymonia serrulata*
Drymonia sarmentosula Lem. =*Drymonia serrulata*
Drymonia turrialvae Hanst. [not in Guianas]
Episcia bryogoton Leeuwenberg =*Nautilocalyx bryogoton*
Episcia ciliosa (Mart.) Hanst. =*Paradrymonia ciliosa*
Episcia cordata Gleason =*Nautilocalyx cordatus*
Episcia densa C.H. Wright =*Paradrymonia densa*
Episcia hirsuta (Benth.) Hanst. =*Nautilocalyx cordatus*
Episcia maculata J.D. Hook. =*Paradrymonia maculata*
Episcia mimuloides Benth. =*Nautilocalyx mimuloides*
Episcia porphyrotricha Leeuwenberg =*Nautilocalyx porphyrotrichus*
Gesneria schomburgkiana Kunth & Bouché =*Sinningia schomburgkiana*
Gloxinia trichantha Miq. =*Gloxinia perennis*
Hypocyrta crassifolia Focke =*Codonanthe crassifolia*
Nautilocalyx adenosiphon (Leeuwenberg) Wiehler [not in Guianas]
Nautilocalyx lacteus Sandw. =*Nautilocalyx pictus*
Nematanthus calcaratus Miq. =*Codonanthe calcarata*
Rechsteineria incarnata (Aubl.) Leeuwenberg =*Sinningia incarnata*
Rechsteineria schomburgkiana (Kunth & Bouché)
Leeuwenberg =*Sinningia schomburgkiana*
Tussacia rupestris Benth. =*Chrysanthemis rupestris*
Tylospurma cuneatum (Gleason) Leeuwenberg =*Tylopsacas cuneatum*

GNETACEAE

contributed by D. Stevenson (1992)

REFERENCES:

- Markgraf, F. 1965. New discoveries of *Gnetum* in tropical America. *Ann. Missouri Bot. Gard.* 52: 379-386.
 Stevenson, D. & T. Zanoni. 1991. Gnetaceae. In A.R.A. Görtts-van Rijn, Flora of the Guianas (series A) 9: 12-18.

Gnetum camporum (Markgr.) D. Stevenson & T. Zanoni [to be expected in GU]
Gnetum leyboldii Tul. [to be expected in the Guianas]
Gnetum nodiflorum Brongn. [GU SU FG]
Gnetum paniculatum Spruce ex Benth. [GU FG]
Gnetum urens (Aubl.) Blume [GU SU FG]

GNETACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Gnetum cruzianum Gleason =*Gnetum nodiflorum*

Gnetum melinonii Benoist =*Gnetum urens*
Gnetum thaum Brongn. =*Gnetum urens*
Gnetum urens (Aubl.) Blume var. *camporum* Markgr.
 = *Gnetum camporum*
Thoa urens Aubl. =*Gnetum urens*

HAEMODORACEAE

contributed by P.J.M. Maas (1992); additions and corrections by P.J.M. Maas (1996)

REFERENCES:

- Lanjouw, J. 1938. Haemodoraceae. In A. Pulle, *Flora of Suriname* 1(1): 255-257.
 Maas, P.J.M. & H. Maas-van de Kamer. 1993. Haemodoraceae. *Flora Neotropica Monogr.* 61: 1-44.
 Maas, P.J.M. & H. Maas-van de Kamer. 1994. Haemodoraceae. In A.R.A. Görtts-van Rijn, *Flora of the Guianas* (series A) 15: 103-112.
 Villaruel, F. 1971. Haemodoraceae. In T. Lasser, *Flora de Venezuela* 3(1): 207-222.

Schiekia orinocensis (Kunth) Meissn. subsp. *orinocensis* [GU SU]
Schiekia orinocensis (Kunth) Meissn. subsp. *silvestris* Maas & Stoeel [GU SU FG]
Xiphidium caeruleum Aubl. [GU SU FG]

HAEMODORACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Schiekia orinocensis (Kunth) Meissn. subsp. *savannarum* Maguire & Wurdack =*Schiekia orinocensis* subsp. *orinocensis*
Troschelia orinocensis (Kunth) Klotzsch & M.R. Schomb. [*nomen nudum*] =*Schiekia orinocensis*
Xiphidium fockeanum Miq. =*Xiphidium caeruleum*

HALORAGACEAE

REFERENCES:

- Orchard, A.E. 1981. A revision of South American *Myriophyllum*, and its repercussions on some Australian and North American species. *Brunonia* 4: 27-65.

Laurembergia tetrandra (Schott) Kanitz subsp. *tetrandra* [to be expected in the Guianas]
Myriophyllum aquaticum (Vell.) Verdcourt [GU? FG?]

HALORAGACEAE - SYNONYMS AND MISIDENTIFICATIONS:

SPERMATOPHYTA: Gesneriaceae - Haloragaceae

Myriophyllum proserpinacoides Gillies ex Hook. & Arnott
= *Myriophyllum aquaticum*

HELICONIACEAE

reviewed by P.J.M. Maas (1992); reviewed by
P.J.M. Maas & W.J. Kress (1996)

REFERENCES:

- Berry, F. & W.J. Kress. 1991. *Heliconia: An Identification Guide*. Washington, DC: Smithsonian Institution Press.
 Maas, P.J.M. 1985. Musaceae. In A.R.A. Görts-van Rijn, Flora of the Guianas (series A) 1: 1-28.
 Maas, P.J.M. & M.J.M. de Rooij. 1979. Musaceae. In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 5(1): 393-411.

- Heliconia acuminata* L.C. Rich. subsp. *acuminata* [GU SU FG]
Heliconia aemygdiana Burle-Marx [FG]
Heliconia bihai (L.) L. [GU SU FG]
Heliconia chartacea Lane ex Barreiros [GU SU FG]
Heliconia dasyantha Koch & Bouché [SU FG]
Heliconia densiflora B. Verl. subsp. *angustifolia* L. Andersson [GU]
Heliconia densiflora B. Verl. subsp. *densiflora* [SU FG]
Heliconia episcopalis Vell. [SU]
Heliconia hirsuta L.f. [GU SU FG]
Heliconia lourteigiae Mello & E. Santos [GU SU FG]
Heliconia marginata (Griggs) Pittier [GU SU FG?]
Heliconia pendula Wawra [GU FG]
Heliconia psittacorum L.f. [GU SU FG]
Heliconia richardiana Miq. [GU SU FG]
Heliconia spathocircinata Aristeguieta [GU SU FG]
Heliconia stricta Huber [GU SU]
Heliconia xnickeieriensis Maas & de Rooij [GU SU]

HELICONIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Bihai silvestris* Gleason = *Heliconia psittacorum*
Heliconia ballia L.C. Rich. = *Heliconia psittacorum*
Heliconia brasiliensis Hook. = *Heliconia farinosa* Raddi [not in Guianas]
Heliconia brasiliensis Hook. var. *concolor* O.G. Petersen = *Heliconia psittacorum*
Heliconia canoidea L.C. Rich. = *Heliconia psittacorum*
Heliconia glauca Poit. ex B. Verl. = *Heliconia richardiana*
Heliconia hirsuta L.f. var. *cannoidea* (L.C. Rich.) Baker = *Heliconia psittacorum*
Heliconia humilis (Aubl.) Jacq. = *Heliconia psittacorum*
Heliconia psittacorum L.f. var. *schomburgkiana* (Klotzsch) Baker = *Heliconia psittacorum*
Heliconia psittacorum L.f. var. *spathacea* Eichler ex O.G. Petersen = *Heliconia psittacorum*
Heliconia schomburgkiana Klotzsch = *Heliconia psittacorum*
Heliconia silvestris (Gleason) L.B. Smith = *Heliconia psittacorum*

HERNANDIACEAE

REFERENCES:

- Kostermans, A.J.G.H. 1937. Hernandiaceae. In A. Pulle, Flora of Suriname 2(1): 338-344.
 Kubitzki, K.U. 1969. Monographie der Hernandiaceen. Bot. Jahrb. Syst. 89: 78-205.
 Kubitzki, K.U. 1976. Hernandiaceae (additions and corrections). In J. Lanjouw & A.L. Stoffers, Flora of Suriname 2(2): 485-486.
 Kubitzki, K.U. 1982. Hernandiaceae. In Z. Luces de Febres, Flore de Venezuela 4(2): 317-324.

- Hernandia guianensis* Aubl. [GU SU FG]
Sparattanthelium aruakorum Tutin [GU SU]
Sparattanthelium guianense Sandw. [GU FG?]
Sparattanthelium uncigerum (Meissn.) Kubitzki [GU SU FG]
Sparattanthelium wonotoboense Kosterm. [GU SU]

HERNANDIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Hermandia sonora* L. [not in Guianas]
Sparattanthelium botucudorum Mart. [not in Guianas]
Sparattanthelium botucudorum Mart. var. *uncigerum* Meissn. = *Sparattanthelium uncigerum*
Sparattanthelium macusiorum A.C. Smith = *Sparattanthelium wonotoboense*
Sparattanthelium melinonis Baill. ex Lemée [nomen nudum] = *Sparattanthelium uncigerum*

HIPPOCRATEACEAE

contributed by A.R.A. Görts-van Rijn (1992); additions and corrections by A.R.A. Görts-van Rijn (1996)

REFERENCES:

- Görts-van Rijn, A.R.A. & A.M.W. Mennega. 1994. Hippocrateaceae. In A.R.A. Görts-van Rijn, Flora of the Guianas (series A) 16: 1-157.
 Loesener, T. 1942. Hippocrateaceae. In A. Engler & K. Prantl, Die Natürlichen Pflanzenfamilien 20b: 198-231.
 Smith, A.C. 1940. The American species of Hippocrateaceae. Brittonia 3: 341-355.

- Anthodon decussatum* Ruiz & Pav. [FG]
Cheiloclinium anomalum Miers [GU SU]
Cheiloclinium belizense (Standl.) A.C. Smith [GU FG]
Cheiloclinium cognatum (Miers) A.C. Smith [GU SU FG]
Cheiloclinium diffusiflorum (Miers) A.C. Smith [GU SU FG]

Cheiloclinium hippocrateoides (Peyr.) A.C. Smith [GU SU FG]
Cheiloclinium minutiflorum (A.C. Smith) A.C. Smith [FG]
Cuervea kappleriana (Miq.) A.C. Smith [GU SU FG]
Elachyptera floribunda (Benth.) A.C. Smith [GU SU FG]
Hippocratea volubilis L. [GU SU FG]
Hylenaea comosa (Swartz) Miers [GU SU FG]
Hylenaea praecelsa (Miers) A.C. Smith [to be expected in the Guianas]
Hylenaea unguiculata A.M. Mennega [SU]
Peritassa compta Miers [GU]
Peritassa huanucana (Loes.) A.C. Smith [GU SU FG]
Peritassa laevigata (Hoffmanns. ex Link) A.C. Smith [GU SU FG?]
Prionostemma aspera (Lam.) Miers [GU SU FG]
Pristimera caudata A.M. Mennega [SU]
Pristimera holdeniana (A.C. Smith) A.C. Smith [GU]
Pristimera nervosa (Miers) A.C. Smith [GU SU FG]
Pristimera tenuiflora (Mart. ex Peyr.) A.C. Smith [SU FG]
Pristimera verrucosa (Kunth) Miers [GU]
Salacia amplectens A.C. Smith [GU SU FG]
Salacia cordata (Miers) A.M. Mennega [SU?]
Salacia duckei A.C. Smith [SU? FG]
Salacia elliptica (Mart.) G. Don [GU SU FG]
Salacia impressifolia (Miers) A.C. Smith [GU SU FG]
Salacia insignis A.C. Smith [SU FG]
Salacia juruana Loes. [GU SU FG]
Salacia kanukuensis A.C. Smith [GU SU]
Salacia maburensis A.M. Mennega [GU]
Salacia miqueliana Loes. [SU FG]
Salacia multiflora (Lam.) DC. subsp. *mucronata* (Rusby) A.M. Mennega [SU FG]
Salacia multiflora (Lam.) DC. subsp. *multiflora* [GU SU FG]
Salacia pachyphylla (Miers) Peyr. [GU]
Tontelea attenuata Miers [GU FG]
Tontelea coriacea A.C. Smith [GU SU FG]
Tontelea cylindrocarpa (A.C. Smith) A.C. Smith [SU FG]
Tontelea glabra A.C. Smith [GU SU FG]
Tontelea laxiflora (Benth.) A.C. Smith [GU SU FG]
Tontelea nectandrifolia (A.C. Smith) A.C. Smith [GU SU FG?]
Tontelea ovalifolia (Miers) A.C. Smith subsp. *ovalifolia* [GU FG]
Tontelea ovalifolia (Miers) A.C. Smith subsp. *richardii* (Peyr.) Görtz & A.M. Mennega [FG]
Tontelea sandwithii A.C. Smith [GU FG]

HIPPOCRATEACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Amphizoma laxiflora (Benth.) Miers =*Tontelea laxiflora*
Anthodon laxiflorum Benth. =*Tontelea laxiflora*
Cheiloclinium gleasonianum (A.C. Smith) A.C. Smith =*Cheiloclinium hippocrateoides*
Cheiloclinium jenmanii A.C. Smith =*Cheiloclinium belizense*
Cheiloclinium lineolatum (A.C. Smith) A.C. Smith =*Cheiloclinium cognatum*
Cheiloclinium parviflorum (Miers) A.C. Smith =*Cheiloclinium diffusiflorum*
Cheiloclinium podostemnum (Sandw.) A.C. Smith =*Cheiloclinium belizense*
Hippocratea aggregata Peyr. =*Cuervea kappleriana*
Hippocratea ambigua Peyr. [insufficiently known taxon]
Hippocratea aspera Lam. =*Prionostemma aspera*
Hippocratea comosa Swartz =*Hylenaea comosa*

Hippocratea emarginata Rudge =*Salacia multiflora* subsp. *multiflora*
Hippocratea flava Gleason =*Cuervea kappleriana*
Hippocratea holdeniana A.C. Smith =*Pristimera holdeniana*
Hippocratea kappleriana Miq. =*Cuervea kappleriana*
Hippocratea lutea Gleason =*Cuervea kappleriana*
Hippocratea malpighiifolia Rudge =*Prionostemma aspera*
Hippocratea multiflora Lam. =*Salacia multiflora*
Hippocratea obovata L.C. Rich. =*Salacia multiflora* subsp. *multiflora*
Hippocratea schomburgkii Klotzsch [nomen nudum] =*Prionostemma aspera*
Hippocratea tenuiflora Mart. ex Peyr. =*Pristimera tenuiflora*
Hylenaea capilliflora Miers =*Hylenaea comosa*
Peritassa cuneata A.M. Mennega =*Peritassa huanucana*
Peritassa granulata (Urb.) A.C. Smith =*Peritassa laevigata*
Prionostemma malpighiifolia (Rudge) Miers =*Prionostemma aspera*
Pristimera apiculata Miers =*Cuervea kappleriana*
Pristimera caribaea (Urb.) A.C. Smith [not in Guianas]
Raddia lacunosa Miers =*Salacia elliptica*
Raddia pachyphylla Miers =*Salacia pachyphylla*
Salacia anomala (Miers) Peyr. =*Cheiloclinium anomalum*
Salacia gleasoniana A.C. Smith =*Cheiloclinium hippocrateoides*
Salacia guianensis Klotzsch [nomen nudum] =*Salacia elliptica*
Salacia guianensis (Aubl.) Lemée =*Macahanea guianensis*
Aubl. [incertae sedis; excluded from Hippocrateaceae by A.C. Smith]
Salacia hippocrateoides Peyr. =*Cheiloclinium hippocrateoides*
Salacia lacunosa (Miers) Peyr. =*Salacia elliptica*
Salacia laevigata (Hoffmanns. ex Link) DC. =*Peritassa laevigata*
Salacia laevigata (Hoffmanns. ex Link) DC. subsp. *obtusa* Peyr. =*Peritassa compta*
Salacia laxiflora (Benth.) Peyr. =*Tontelea laxiflora*
Salacia laxiflora (Benth.) Peyr. var. *amygdalifolia* Peyr. =*Tontelea laxiflora*
Salacia macrantha A.C. Smith [not in Guianas]
Salacia macrophylla Miq. =*Salacia miqueliana*
Salacia mucronata Rusby =*Salacia multiflora* subsp. *mucronata*
Salacia obovata (L.C. Rich.) Peyr. =*Salacia multiflora* subsp. *multiflora*
Salacia obovata (L.C. Rich.) Peyr. var. *guianensis* Peyr. =*Salacia multiflora* subsp. *multiflora*
Salacia parviflora Sagot ex Peyr. =*Cheiloclinium diffusiflorum*
Salacia podostemma Sandw. =*Cheiloclinium belizense*
Salacia richardii Peyr. =*Tontelea ovalifolia* subsp. *richardii*
Salacia rugulosa Sagot [nomen nudum] =*Salacia multiflora* subsp. *multiflora*
Salacia scabra DC. =*Prionostemma aspera*
Salacia scandens (Aubl.) Griseb. =*Elachyptera floribunda*?
Thermophila emarginata (Rudge) Miers =*Salacia multiflora* subsp. *multiflora*
Thermophila macrophylla (Miq.) Miers =*Salacia miqueliana*
Thermophila obovata (L.C. Rich.) Miers =*Salacia multiflora* subsp. *multiflora*
Thermophila rugulosa Miers =*Salacia multiflora* subsp. *multiflora*

Tonsella malpighiifolia (Rudge) G. Mey. =*Prionostemma aspera*
Tontelea aubletiana Miers =*Tontelea* sp.
Tontelea fluminensis (Peyr.) A.C. Smith =*Tontelea ovalifolia* subsp. *richardii*
Tontelea parviflora Miers =*Cheiloclinium diffusiflorum*
Tontelea richardii (Peyr.) A.C. Smith =*Tontelea ovalifolia* subsp. *richardii*
Tontelea scandens Aubl. =*Elachyptera floribunda*?

HUGONIACEAE

reviewed by D. Sabatier (1992)

REFERENCES:

- Bakhuizen van den Brink f., R.C. 1941.
 Linaceae. In A. Pulle, Flora of Suriname 3(1): 409-411.
 Secco, R. de S. & S.M.B. Silva. 1990. Materiaes para a flora amazônica - VIII. Contribuição à sistemática das Linaceae da Amazônia Brasileira. Bol. Mus. Paraense Emílio Goeldi (Bot.) 6(1): 113-135.

Hebepepalum humiriifolium (Planch.) Benth. [GU SU FG]
Roucheria calophylla Planch. [GU SU? FG?]
Roucheria laxiflora Winkl. [SU FG]
Roucheria schomburgkii Planch. [GU]

HUGONIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Roucheria humeriifolia Planch. =*Hebepepalum humiriifolium*

HUMIRIACEAE

reviewed by D. Sabatier (1992)

REFERENCES:

- Bakhuizen van den Brink f., R.C. 1941.
 Humiriaceae. In A. Pulle, Flora of Suriname 3(1): 412-421.
 Cuatrecasas, J. 1961. A taxonomic revision of the Humiriaceae. Contrib. U.S. Nat. Herb. 35: 25-214.
 Sabatier, D. 1987. Studies on the Flora of the Guianas 12. Quelques nouveautés chez les Humiriaceae. Proc. Kon. Ned. Akad. Wet. ser. C, 90(2): 203-210.

Endopleura uchii (Huber) Cuatrec. [GU?]
Humiria balsamifera (Aubl.) St. Hil. var. *balsamifera* [GU SU FG]
Humiria balsamifera (Aubl.) St. Hil. var. *coriacea* Cuatrec. [GU SU]
Humiria balsamifera (Aubl.) St. Hil. var. *floribunda* (Mart.) Cuatrec. [GU SU FG]

Humiria balsamifera (Aubl.) St. Hil. var. *guianensis* (Benth.) Cuatrec. [GU SU]
Humiria balsamifera (Aubl.) St. Hil. var. *imbaimadaiensis* Cuatrec. [GU]
Humiria balsamifera (Aubl.) St. Hil. var. *laurina* (Urb.) Cuatrec. [GU]
Humiria balsamifera (Aubl.) St. Hil. var. *savannarum* (Gleason) Cuatrec. [GU]
Humiria crassifolia Mart. ex Urb. var. *acutipetala* Cuatrec. [GU]
Humiria crassifolia Mart. ex Urb. var. *crassifolia* [GU]
Humiriastrum excelsum (Ducke) Cuatrec. [FG]
Humiriastrum obovatum (Benth.) Cuatrec. [GU]
Humiriastrum subcrenatum (Benth.) Cuatrec. [FG]
Sacoglottis amazonica Mart. [GU FG?]
Sacoglottis cydonioides Cuatrec. [GU SU FG]
Sacoglottis guianensis Benth. var. *guianensis* [GU SU FG]
Sacoglottis guianensis Benth. var. *hispidula* Cuatrec. [GU? SU]
Schistostemon densiflorum (Benth.) Cuatrec. [GU SU]
Schistostemon dichotomum (Urb.) Cuatrec. [SU FG]
Schistostemon sylvaticum Sabatier [FG]
Vantanea guianensis Aubl. [GU SU FG]
Vantanea minor Benth. [GU]
Vantanea parviflora Lam. var. *parviflora* [SU FG]

HUMIRIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Houmiri balsamifera Aubl. =*Humiria balsamifera*
Humiria floribunda Mart. =*Humiria balsamifera* var. *floribunda*
Humiria subcrenata Urb. =*Humiriastrum subcrenatum*
Humirium guianense Benth. =*Humiria balsamifera* var. *guianensis*
Sacoglottis densiflora (Benth.) Urb. =*Schistostemon densiflorum*
Sacoglottis dichotoma Urb. =*Schistostemon dichotomum*
Sacoglottis kaboeriensis Bakh. v.d. Brink f. =*Schistostemon densiflorum*
Sacoglottis mattogrossensis Malme [not in Guianas;
 specimens represent a new species (fide Sabatier)]
Sacoglottis obovata (Benth.) Urb. =*Humiriastrum obovatum*

HYDROCHARITACEAE

REFERENCES:

- Cook, C.D. 1985. A revision of the genus *Apalanthe*. Aquatic Bot. 21: 157-164.
 Cook, C.D. & K. Urmi-König, 1983. A revision of the genus *Limnobium* including *Hydromystria*. Aquatic Bot. 17: 1-27.
 Jonker, F.P. 1943. Hydrocharitaceae. In A. Pulle, Flora of Suriname 1(1): 467-471.
 Lowden, R.M. 1992. Floral variation and taxonomy of *Limnobium* L.C. Richard. Rhodora 94: 111-134.
 Phillips, R.C. & E.G. Meñez. 1988. Seagrasses. Smiths. Contrib. Marine Sci. 34: 1-104.

Apalanthe granatensis (Humb. & Bonpl.) Planch. [GU SU FG]
Limnobium spongia (Bosc) Steud. subsp. *laevigatum* (Humb. & Bonpl. ex Willd.) Lowden [GU SU FG]

HYDROCHARITACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Elodea granatensis Humb. & Bonpl. =*Apalanthe granatensis*
Elodea guyanensis L.C. Rich. =*Elodea granatensis*
Hydromystria laevigata (Willd.) Hanzeker =*Limnobium spongia* subsp. *laevigatum*
Limnobium laevigatum (Humb. & Bonpl. ex Willd.) Heine =*Limnobium spongia* subsp. *laevigatum*
Limnobium stoloniferum (G. Mey.) Griseb. =*Limnobium spongia* subsp. *laevigatum*
Philotria granatensis (Humb. & Bonpl.) Victorin =*Apalanthe granatensis*

HYDROPHYLACEAE

REFERENCES:

- Constance, L. 1982. Hydrophyllaceae. In Z. Luces de Febres, Flora de Venezuela 8(3): 7-14.
 Davenport, L.J. 1988. A monograph of *Hydrolea*. Rhodora 90 (862): 169-208.

Hydrolea elatior Schott [GU]
Hydrolea palustris (Aubl.) Raeusch. [FG] [naturalized?]
Hydrolea spinosa L. var. *spinosa* [GU SU FG]

HYDROPHYLACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Hydrolea minima Brand =*Hydrolea elatior*
Hydrolea multiflora Mart. ex Choisy =*Hydrolea elatior*
Sagonea palustris Aubl. =*Hydrolea palustris*

ICACINACEAE

reviewed by A.C. de Roon (1992); reviewed by A.C. de Roon (1996)

REFERENCES:

- Howard, R.A. 1942. Studies in the Icacinaceae, III. A revision of *Emmotum*. J. Arn. Arb. 23: 479-494.
 Howard, R.A. 1942. Studies of the Icacinaceae IV. Considerations of the New World genera. Contrib. Gray Herb. 142: 3-60.
 Howard, R.A. 1978. Icacinaceae. In B. Maguire & collaborators, Botany of the Guayana Highland part 10. Mem. New York Bot. Gard. 29: 62-68.
 Howard, R.A. 1992. A revision of *Casimirella*, including *Humirianthera*. Brittonia 44(2): 166-172.

SPERMATOPHYTA: Hydrocharitaceae - Iridaceae

Jansen-Jacobs, M.J. 1979. Icacinaceae. In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 5(1): 344-355.
 Roon, A.C. de. 1994. Icacinaceae. In A.R.A. Görtz-van Rijn, Flora of the Guianas (series A) 16: 1-157.
 Sleumer, H. 1942. Icacinaceae. In A. Engler & K. Prantl, Die Natürlichen Pflanzenfamilien 20b: 322-396.

Casimirella ampla (Miers) R. Howard [FG]
Dendrobangia boliviiana Rusby [GU SU FG]
Discophora guianensis Miers [GU SU FG]
Emmotum acuminatum (Benth.) Miers [Guianan records erroneous, but possibly to be expected]
Emmotum conjunctum R.A. Howard [GU]
Emmotum fagifolium Desv. ex Hamilton [GU SU FG]
Emmotum fulvum R.A. Howard [GU?] [Mt. Roraima]
Emmotum glabrum Benth. ex Miers [GU]
Emmotum orbiculatum (Benth.) Miers [Guianan records erroneous, but possibly to be expected]
Leretia cordata Vell. [GU SU FG]
Pleurisanthes artocarpi Baill. [GU FG]
Pleurisanthes emarginata Tiegh. [SU FG]
Pleurisanthes flava Sandw. [GU]
Pleurisanthes parviflora (Ducke) Howard [SU FG]
Poraqueiba guianensis Aubl. [GU SU FG]

ICACINACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Clavapetalum surinamense Pulle =*Dendrobangia boliviiana*
Emmotum argenteum Gleason =*Emmotum glabrum*
Emmotum ptarianum Steyermark =*Emmotum glabrum*
Humirianthera ampla (Miers) Baehni =*Casimirella ampla*
Humirianthera duckei Huber =*Casimirella ampla*
Leretia parviflora Ducke =*Pleurisanthes parviflora*
Mappia ampla Miers =*Casimirella ampla*
Mappia parviflora (Ducke) Baehni =*Pleurisanthes parviflora*
Pleurisanthes brasiliensis Tiegh. [not in Guianas]
Pleurisanthes simpliciflora Sleumer [not in Guianas]
Pogopetalum acuminatum Benth. =*Emmotum acuminatum*
Pogopetalum acutum Benth. =*Emmotum fagifolium*
Pogopetalum orbiculatum Benth. =*Emmotum orbiculatum*
Poraqueiba surinamensis Miers =*Poraqueiba guianensis*

IRIDACEAE

reviewed by P. Goldblatt (1992)

REFERENCES:

- Boterenbrood, M.J.A. 1943. Iridaceae. In A. Pulle, Flora of Suriname 1(1): 455-460.
 Goldblatt, P. & T.M. Howard. 1992. Notes on *Alophia* and a new species, *A. veracruzana*, from Vera Cruz, Mexico. Ann. Missouri Bot. Gard. 79(4): 901-905.

Goldblatt, P. & N. Snow. 1991. Systematics and chromosome cytology of Eleutherine Herbert. Ann. Missouri Bot. Gard. 78(4): 942-949.

- Alophia drummondii (Graham) R. Foster [GU]
- Cipura paludosa Aubl. [GU SU FG]
- Eleutherine bulbosa (P. Mill.) Urb. [GU SU FG]
- Neomarica caerulea (Ker-Gawl.) Sprague [escaped from cultivation]
- Sisyrinchium vaginatum Spreng. [GU SU] [to be expected in FG]
- Trimezia fosteriana Steyerl. [GU]
- Trimezia guianensis Ravenna [GU]
- Trimezia martinicensis (L.) Herbert [GU? FG]

IRIDACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Ixia americana Aubl. =Eleutherine bulbosa
- Sisyrinchium alatum Hook. =Sisyrinchium vaginatum
- Sisyrinchium americanum (Aubl.) Lemée =Eleutherine bulbosa
- Sisyrinchium marchio (Vell.) Steud. =Sisyrinchium vaginatum

IXONANTHACEAE

reviewed by D. Sabatier (1992)

REFERENCES:

- Forman, L.L. 1965. A new genus of Ixonanthaceae with notes on the family. Kew Bull. 19: 517-526.
- Kuhlmann, J.G. 1925. Cyrtaceae, in Contribuição para o conhecimento de algumas plantas novas. Arq. Jard. Bot. Rio de Janeiro 4: 356-358.
- Steyermark, J.A. & J.L. Luteyn. 1980. Revision of the genus Ochthocosmus. Brittonia 32: 128-143.
- Secco, R. de S. & S.M.B. Silva. 1990. Materiaes para a flora amazônica - VIII. Contribuição à sistemática das Linaceae da Amazônia Brasileira. Bol. Mus. Paraense Emílio Goeldi (Bot.) 6(1): 113-135.

- Cyrillopsis paraensis Kuhlmann [FG]
- Ochthocosmus attenuatus Steyerl. & Luteyn [GU]
- Ochthocosmus barrae Hallier f. [GU?]
- Ochthocosmus longipedicellatus Steyerl. & Luteyn [GU]
- Ochthocosmus parvifolius Hallier f. [GU?] [incertae sedis]
- Ochthocosmus roraimae Benth. var. roraimae [GU]

IXONANTHACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Ochthocosmus grandifolius Steyerl. =Ochthocosmus roraimae var. grandifolius
- Ochthocosmus roraimae Benth. var. parvifolius (Hallier f.) Steyerl. & Luteyn =Ochthocosmus parvifolius

JUGLANDACEAE

REFERENCES:

- Manning, W.E. 1960. The genus Juglans in South America and the West Indies. Brittonia 12: 1-26.

- Juglans sp. [FG?] [none known from Guianas, probably based on misidentifications or cultivated material]

JUGLANDACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Juglans brasiliensis Dode. =Juglans australis Griseb. [not in Guianas]

KRAMERIACEAE

contributed by B.B. Simpson (1992); additions and corrections by B.B. Simpson (1996)

REFERENCES:

- Simpson, B.B. 1989. Krameriaeae. Flora Neotropica Monogr. 49: 1-108.

- Krameria ixine Loefling [GU]
- Krameria spartoides Klotsch ex O. Berg [GU]
- Krameria tomentosa A. St. Hil. [GU?]

LACISTEMATACEAE

REFERENCES:

- Sleumer, H.O. 1980. Flacourtiaceae. Flora Neotropica Monogr. 22: 1-499.
- Vaandrager, G. 1938. Lacistemaceae. In A. Pulle, Flora of Suriname 1(1): 258-261.

- Lacistema aggregatum (Bergius) Rusby [GU SU FG]
- Lacistema grandifolium Schnizlein [SU FG]
- Lacistema polystachyum Schnizlein [GU SU FG]

LAMIACEAE

reviewed by R.M. Harley (1992)

REFERENCES:

- Epling, C. 1935-1937. Synopsis of the South American Labiateae. Repert. Sp. Nov. Beih. 85: 1-341.
 Epling, C. 1949. Revisión del género *Hyptis* (Labiatae). Rev. Mus. La Plata (Sect. Bot.) 7: 153-497.
 Harley, R.M. 1988. Revision of generic limits in *Hyptis* Jacq. (Labiatae) and its allies. Bot. J. Linn. Soc. 98: 87-95.
 Kostermans, A.J.G.H. 1936. Labiateae. In A. Pulle, Flora of Suriname 4(1): 334-353.
 Kostermans, A.J.G.H. 1937. Labiateae (additions and corrections). In A. Pulle, Flora of Suriname 4(1): 498.

- Eriope crassipes* Benth. [FG]
Hypenia salzmannii (Benth.) Harley [GU]
Hyptidendron arboreum (Benth.) Harley [GU]
Hyptis atrorubens Poit. [GU SU FG]
Hyptis brevipes Poit. [SU FG] [frequently confused with *H. lanceolata*]
Hyptis capitata Jacq. [FG?]
Hyptis dilatata Benth. [GU]
Hyptis hirsuta Kunth [GU SU]
Hyptis lacustris St. Hil. ex Benth. [GU]
Hyptis lanceolata Poir. [GU SU FG]
Hyptis lantanifolia Poit. [GU SU FG]
Hyptis microphylla Pohl ex Benth. [GU SU]
Hyptis mutabilis (L.C. Rich.) Briquet [SU FG]
Hyptis pachycephala Epling [FG]
Hyptis parkeri Benth. [GU SU? FG?]
Hyptis pectinata (L.) Poit. [GU SU? FG]
Hyptis pulegioides Pohl ex Benth. [GU]
Hyptis recurvata Poit. [GU SU FG]
Hyptis spicigera Lam. [GU FG]
Hyptis suaveolens (L.) Poit. [GU FG]
Leonotis nepetifolia (L.) R. Brown [GU SU FG]
Leonurus japonicus Houtt. [GU SU FG] [naturalized]
Marsypianthes chamaedrys (Vahl) Kuntze [GU SU FG]
Ocimum americanum L. [SU]
Ocimum campechianum P. Mill. [GU SU FG]
Ocimum gratissimum L. [SU] [naturalized]
Scutellaria leucantha Loeser [FG]
Scutellaria uliginosa St. Hil. [FG]

LAMIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Hyptis americana* (Aubl.) Urb. =*Hyptis spicigera*
Hyptis arborea Benth. =*Hyptidendron arboreum*
Hyptis radiata Willd. =*Hyptis alata* (Raf.) Shinners [not in Guianas]
Hyptis salzmannii Benth. =*Hypenia salzmannii*
Leonurus sibiricus Auct. non L. =*Leonurus japonicus*
Ocimum micranthum Willd. =*Ocimum campechianum*

LAURACEAE

reviewed by H. van der Werff (1992); reviewed by H. van der Werff (1996)

REFERENCES:

- Allen, C.K. 1964. Lauraceae. In B. Maguire, J.J. Wurdack, & collaborators, Botany of the Guayana Highland part 5. Mem. New York Bot. Gard. 10(5): 1-278.
 Allen, C.K. 1965. Lauraceae. In B. Maguire & collaborators, Botany of the Guayana Highland part 6. Mem. New York Bot. Gard. 12(3): 1-285.
 Jansen-Jacobs, M.J. 1976. Lauraceae (additions and corrections). In J. Lanjouw & A.L. Stoffers, Flora of Suriname 2(2): 451-484.
 Kostermans, A.J.G.H. 1936-1938. Revision of the Lauraceae. Rec. Trav. Bot. Neerl. 33: 719-757 (I), 34: 500-609 (II), 35: 56-129 (III), 35: 834-931 (V).
 Kostermans, A.J.G.H. 1936. Lauraceae. In A. Pulle, Flora of Suriname 2(1): 244-337.
 Kostermans, A.J.G.H. 1939. Lauraceae (additions and corrections). In A. Pulle, Flora of Suriname 2(1): 481-487.
 Kubitzki, K. & S. Renner. 1982. Lauraceae I (Aniba and Aiouea). Flora Neotropica Monogr. 31: 1-124.
 Rohwer, J.G. 1986. Prodromus einer Monographie der Gattung *Ocotea* Aubl., sensu lato. Mitt. Inst. Allg. Bot. Hamburg 20: 3-278.
 Rohwer, J.G. 1993. Lauraceae: *Nectandra*. Flora Neotrop. Monogr. 60: 1-332.
 Rohwer, J.G., H.G. Richter, & H. van der Werff. 1991. Two new genera of neotropical Lauraceae and critical remarks on the generic delimitation. Ann. Missouri Bot. Gard. 78: 388-400.
 Werff, H. van der. 1986. *Kubitzkia* van der Werff, a new name for a genus of neotropical Lauraceae. Taxon 35(1): 164-166.
 Werff, H. van der. 1987. A revision of *Mezilaurus*. Ann. Missouri Bot. Gard. 74: 153-182.
 Werff, H. van der. 1991. A key to the genera of Lauraceae in the New World. Ann. Missouri Bot. Gard. 78: 377-387.
 Werff, H. van der. 1995. Two new species of Lauraceae from central French Guiana. Brittonia 47(4): 372-375.

- Aiouea guianensis* Aubl. [GU SU FG]
Aiouea impressa (Meissn.) Kosterm. [FG]
Aiouea laevis (Mart.) Kosterm. [GU SU]
Aiouea longipetiolata van der Werff [FG]
Aiouea opaca van der Werff [FG]
Aniba canelilla (Kunth) Mez [GU SU?]

- Aniba citrifolia (Nees) Mez [GU FG]
 Aniba excelsa Kosterm. [GU]
 Aniba guianensis Aubl. [GU SU FG]
 Aniba hostmanniana (Nees) Mez [GU SU FG]
 Aniba hypoglauca Sandw. [GU SU]
 Aniba jenmanii Mez [GU SU FG]
 Aniba kappleri Mez [GU SU FG]
 Aniba megaphylla Mez [GU SU FG]
 Aniba panurensis (Meissn.) Mez [GU SU FG]
 Aniba parviflora (Meissn.) Mez [SU FG]
 Aniba percoriacea C.K. Allen [SU]
 Aniba permollis (Nees) Mez [GU]
 Aniba riparia (Nees) Mez [GU SU]
 Aniba rosaeodora Ducke [GU SU FG]
 Aniba taubertiana Mez [SU FG]
 Aniba terminalis Ducke [FG]
 Aniba williamsii O.C. Schmidt [GU? SU FG]
 Beilschmidia curviramea (Meissn.) Kosterm. [GU]
 Beilschmidia hexanthera van der Werff [FG]
 Cassytha filiformis L. [GU SU FG]
 Chlorocardium rodiei (Rob. Schomb.) Rohwer, Richter, & van der Werff [GU SU FG]
Cinnamomum cinnamomiifolia (Kunth) Kosterm. [recorded from FG in error, but perhaps to be expected in GU]
 Cryptocarya guianensis Meissn. [FG]
 Cryptocarya maroniensis Benoist [FG]
 Dicycillum caryophylaceum (Mart.) Nees [FG?]
 Endlicheria anomala (Nees) Mez [GU SU]
 Endlicheria bracteolata (Meissn.) C.K. Allen [GU SU FG]
 Endlicheria endlicheriopsis (Mez) Kosterm. [GU SU FG]
 Endlicheria gracilis Kosterm. [GU SU FG]
 Endlicheria multiflora (Miq.) Mez [GU SU FG]
 Endlicheria paradoxa Mez [SU?]
 Endlicheria punctulata (Mez) C.K. Allen [GU SU FG]
 Endlicheria pyriformis (Nees) Mez [SU FG]
 Endlicheria reflectens (Nees) Mez [GU]
 Endlicheria sericea Nees [SU FG]
 Kubitzkia mezii (Kosterm.) van der Werff [GU SU FG]
 Licaria armeniaca (Nees) Kosterm. [GU]
 Licaria aurea (Huber) Kosterm. [GU SU]
 Licaria brasiliensis (Nees) Kosterm. [SU?]
 Licaria camara (Rob. Schomb.) Kosterm. [GU FG]
 Licaria cannella (Meissn.) Kosterm. [GU SU FG]
 Licaria chrysophylla (Meissn.) Kosterm. [GU SU FG]
 Licaria debilis (Mez) Kosterm. [GU SU FG]
 Licaria guianensis Aubl. [GU SU FG]
 Licaria martiniana (Mez) Kosterm. [GU SU FG]
 Licaria multiflora (Kosterm.) Kosterm. [GU]
 Licaria oppositifolia (Nees) Kosterm. [GU]
 Licaria pachycarpa (Meissn.) Kosterm. [GU FG]
 Licaria polyphylla (Nees) Kosterm. [GU SU FG]
 Licaria subbullata Kosterm. [GU SU FG]
 Licaria vernicosa (Mez) Kosterm. [GU SU FG]
 Mezilaurus itauba (Meissn.) Taub. ex Mez [SU FG]
 Mezilaurus lindaviana Schwacke & Mez [GU]
 Mezilaurus thoroflora van der Werff [GU]
 Nectandra amazonum Nees [GU SU]
 Nectandra cissiflora Nees [GU SU FG]
 Nectandra cuspidata Nees [GU SU]
 Nectandra globosa (Aubl.) Mez [GU SU FG]
 Nectandra hihua (Ruiz & Pav.) Rohwer [GU SU FG]
 Nectandra paucinervia Coe-Teixeira [GU]
 Nectandra pearcei Mez [GU SU]
 Nectandra pulverulenta Nees [FG]
 Nectandra reticulata (Ruiz & Pav.) Mez [SU FG]
 Nectandra sanguinea Roland. ex Rottb. [GU SU]
 Ocotea aciphylla (Nees) Mez [GU SU FG]
 Ocotea amazonica (Meissn.) Mez [FG]
 Ocotea argyrophylla Ducke [SU FG]
 Ocotea bijuga (Rottb.) Bernardi [SU] [=Ocotea neesiana?]
 Ocotea canaliculata (L.C. Rich.) Mez [GU SU FG]
 Ocotea caracasana (Nees) Mez [GU]
 Ocotea ceanothifolia (Nees) Mez [FG]
 Ocotea cernua (Nees) Mez, s.l. [GU SU FG]
 Ocotea commutata (Nees) Mez [FG]
 Ocotea crassifolia (Nees) Mez [GU?] [Mt. Roraima]
 Ocotea cujumari Mart. [FG]
 Ocotea cymbarum Kunth [GU SU FG]
 Ocotea discrepans C.K. Allen [GU SU FG]
 Ocotea dissimilis C.K. Allen [FG] [=Ocotea splendens?]
 Ocotea divaricata (Nees) Mez [FG]
 Ocotea fasciculata (Nees) Mez [GU SU FG]
 Ocotea fendleri (Meissn.) Rohwer [FG]
 Ocotea floribunda (Swartz) Mez [GU SU FG]
 Ocotea glomerata (Nees) Mez [GU SU FG]
 Ocotea gracilis (Meissn.) Mez [GU]
 Ocotea guianensis Aubl. var. guianensis [GU SU FG]
 Ocotea guianensis Aubl. var. subsericea Kosterm. [GU SU]
 Ocotea hemsleyana Mez [GU]
 Ocotea indirectinervia C.K. Allen [FG]
 Ocotea leucoxylon (Swartz) de Lanessan [GU SU FG]
 Ocotea mucronata (Poir.) Kosterm. [FG]
 Ocotea neesiana (Miq.) Kosterm. [GU SU FG] [see also
 Ocotea bijuga]
 Ocotea nigra Benoist [GU SU FG]
 Ocotea oblonga (Meissn.) Mez [GU SU FG]
 Ocotea pauciflora (Nees) Mez [GU]
 Ocotea petalanthera (Meissn.) Mez [SU FG]
 Ocotea puberula (Rich.) Nees [GU SU FG]
 Ocotea rubra Mez [GU SU FG]
 Ocotea rubrinervis Mez [GU? FG]
 Ocotea rufovestita Ducke [FG]
 Ocotea sandwithii Kosterm. [GU]
 Ocotea scandens Kosterm. [FG]
 Ocotea schomburgkiana (Nees) Mez [GU SU FG]
 Ocotea splendens (Meissn.) Mez [GU SU FG]
 Ocotea tilletsiana C.K. Allen [GU]
 Ocotea tomentella Sandw. [GU FG]
 Persea americana P. Mill. [GU SU FG] [cultivated,
 occasionally escaping]
 Persea jenmanii Mez [GU]
 Persea juliana van der Werff [SU]
 Persea nivea Mez [GU SU FG]
 Pleurothyrium amapaense C.K. Allen [SU]
 Rhodostemonodaphne grandis (Mez) Rohwer [GU SU FG]
 Rhodostemonodaphne kunthiana (Nees) Rohwer [GU SU FG]
 Rhodostemonodaphne miranda (Sandw.) Rohwer [GU]
 Rhodostemonodaphne mirecolorata (C.K. Allen) Rohwer
 [GU]

LAURACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Acrodiclidium aubletii Kosterm. =Licaria guianensis
 Acrodiclidium canella (Meissn.) Mez =Licaria cannella
 Acrodiclidium cayennense (Meissn.) Mez =Licaria cannella
 Acrodiclidium debile Mez =Licaria debilis
 Acrodiclidium guianense Nees =Licaria polyphylla
 Acrodiclidium martinianum Mez =Licaria martiniana

Acrodielidium rigidum Kosterm. =*Licaria chrysophylla*
Aiouea demaricensis Kosterm. =*Aiouea guianensis*
Aiouea densiflora Nees =*Aiouea laevis*
Aiouea schomburgkii Meissn. =*Aiouea guianensis*
Aniba castanea C.K. Allen =*Aniba jenmani*
Aniba duckei Kosterm. =*Aniba rosaedora*
Aniba firmula (Nees & Mart.) Mez [not in Guianas]
Aniba gonggrijpii Kosterm. =*Aniba panurensis*
Aniba koumaroucapa Kosterm. =*Aniba megaphylla*
Aniba mas Kosterm. =*Aniba panurensis*
Aniba muca (Ruiz & Pav.) Mez [not in Guianas]
Aniba muelleriana Mez =*Aniba citrifolia*
Aniba muricana C.K. Allen =*Aniba williamsii*
Aniba ovalifolia Mez =*Aniba hypoglauca*
Aniba salicifolia (Nees) Mez =*Aniba guianensis*
Aniba sericea (Nees) Brooks =*Endlicheria sericea*
Aniba trinitatis (Meissn.) Mez =*Aniba citrifolia*
Cassytha americana Nees =*Cassytha filiformis*
Clinostemon maguireanum (Allen) Kurz =*Mezilaurus thoroflora*
Cryptocarya moschata Mart. [not in Guianas]
Cryptocarya mucronata (Poir.) Spreng. =*Ocotea mucronata*
Endlicheria impressa Mez =*Aiouea impressa*
Endlicheria melinonii Benoist =*Endlicheria multiflora*
Licaria appelli (Mez) Kosterm. =*Licaria guianensis*
Licaria cayennensis (Meissn.) Kosterm. =*Licaria cannella*
Licaria foveolata (Mez) Lemée =*Licaria martiniana*
Licaria maguireana C.K. Allen =*Mezilaurus thoroflora*
Licaria rigida (Kosterm.) Kosterm. =*Licaria chrysophylla*
Licaria simulans C.K. Allen =*Licaria vernicosa*
Licaria wilhelminensis C.K. Allen =*Licaria subbullata*
Mezilaurus wurdackiana C.K. Allen =*Mezilaurus lindaviana*
Misantega maguireana (Allen) Lundell =*Mezilaurus thoroflora*
Nectandra ambigua Meissn. =*Nectandra amazonum*
Nectandra angustifolia (Schrad.) Nees [not in Guianas]
Nectandra canescens Nees [not in Guianas]
Nectandra grandis (Mez) Kosterm. =*Rhodostemonodaphne grandis*
Nectandra guianensis Meissn. =*Nectandra sanguinea*
Nectandra kaburiensis Kosterm. =*Nectandra pearcei*
Nectandra kunthiana (Nees) Kosterm. =*Rhodostemonodaphne kunthiana*
Nectandra laurel Nees [not in Guianas]
Nectandra lucida Nees (1833) =*Endlicheria paniculata* (Spreng.) Macbr. [not in Guianas]
Nectandra lucida Nees (1836) =*Nectandra hihua*
Nectandra magnoliifolia Meissn. =*Nectandra canescens* Nees [not in Guianas]
Nectandra maguireana C.K. Allen [not in Guianas]
Nectandra miranda Sandw. =*Rhodostemonodaphne miranda*
Nectandra mollis (Kunth) Nees =*Nectandra reticulata*
Nectandra pallida Nees =*Nectandra amazonum*
Nectandra pichurim (Kunth) Mez [not in Guianas]
Nectandra pisi Miq. =*Nectandra globosa*
Nectandra praeclarata Sandw. =*Rhodostemonodaphne grandis*
Nectandra rubra (Mez) C.K. Allen =*Ocotea rubra*
Nectandra schomburgkii Meissn. =*Nectandra hihua*
Nectandra surinamensis Mez =*Nectandra cissiflora*
Nectandra viburnoides Meissn. [not in Guianas]
Ocotea abbreviata Schwacke & Mez [not in Guianas]
Ocotea acutangula (Miq.) Mez =*Ocotea leucoxylon*
Ocotea barcellensis (Meissn.) Mez =*Ocotea cymbarum*
Ocotea caudata (Nees) Mez =*Ocotea cernua* s.l.
Ocotea costulata (Nees) Mez =*Ocotea aciphylla*
Ocotea duotincta C.K. Allen =*Ocotea leucoxylon*

Ocotea endlicheriopsis Mez =*Endlicheria endlicheriopsis*
Ocotea fallax (Miq.) Mez =*Ocotea neesiana*
Ocotea finium C.K. Allen =*Ocotea aciphylla*
Ocotea firmula Mart. [nomen nudum] =*Aniba firmula* (Nees)
 Mez [not in Guianas]
Ocotea glaucina (Meissn.) Mez =*Ocotea notata* (Nees) Mez
 [not in Guianas]
Ocotea globifera Mez =*Ocotea splendens*
Ocotea indecora (Schott) Mez [not in Guianas]
Ocotea jenmanii Mez [nomen nudum]
Ocotea lasseriana C.K. Allen =*Ocotea leucoxylon*
Ocotea laxiflora (Meissn.) Mez =*Ocotea pauciflora*
Ocotea marowynensis (Miq.) Mez =*Ocotea cernua*
Ocotea martiniana (Nees) Mez =*Ocotea puberula*
Ocotea mirecolorata C.K. Allen =*Rhodostemonodaphne mirecolorata*
Ocotea opifera Mart. =*Ocotea longifolia*
Ocotea pendula (Poep.) Engl. [nomen nudum]
Ocotea persulcata C.K. Allen =*Ocotea leucoxylon*
Ocotea pubescens (Nees) Mez [not in Guianas]
Ocotea punctulata Mez =*Endlicheria punctulata*
Ocotea rhynchophylla (Meissn.) Mez =*Ocotea aciphylla*
Ocotea rodiei (Rob. Schomb.) Mez =*Chlorocardium rodiei*
Ocotea roraimae Mez =*Ocotea aciphylla*
Ocotea subalveolata C.K. Allen =*Ocotea schomburgkiana*
Ocotea subglabra Benoist =*Ocotea puberula*
Ocotea urophylla (Meissn.) Mez =*Ocotea cernua*
Ocotea vernicosa Mez =*Licaria vernicosa*
Ocotea wachenheimii Benoist =*Ocotea floribunda*
Persea coriacea Kosterm. [type based on mixed collection]
Phoebe cinnamomifolia (Kunth) Nees =*Cinnamomum cinnamomifolia*
Pleurothyrium cowaniana C.K. Allen =*Rhodostemonodaphne kunthiana*
Systemonodaphne geminiflora Mez =*Kubitzkia mezii*
Systemonodaphne mezii Kosterm. =*Kubitzkia mezii*

LECYTHIDACEAE

contributed by S.A. Mori & G.T. Prance (1992);
additions and corrections by S.A. Mori (1996)

REFERENCES:

- [for a more extensive bibliography, see Mori & Prance 1993]
- Eyma, P.J. 1934. Lecythidaceae. In A. Pulle, Flora of Suriname 3(1): 119-155.
- Mori, S.A. & collaborators. 1987. The Lecythidaceae of a lowland neotropical forest: La Fumée Mountain, French Guiana. Mem. New York Bot. Gard. 44: 1-190.
- Mori, S.A. & G.T. Prance. 1990. Lecythidaceae - part II. Flora Neotropica Monogr. 21(II): 1-373.
- Mori, S.A. & G.T. Prance. 1993. Lecythidaceae. In A.R.A. Görts-van Rijn, Flora of the Guianas (series A) 12: 1-144.

Prance, G.T. & S.A. Mori. 1979. Lecythidaceae
- part I. Flora Neotropica Monogr. 21(I): 1-270.

Bertholletia excelsa Humb. & Bonpl. [GU SU FG]
Corythophora amapaensis Pires ex Mori & Prance [FG]
Corythophora labriculata (Eyma) Mori & Prance [SU]
Corythophora rimosa W. Rodrigues subsp. rubra Mori [FG]
Couratari calycina Sandw. [GU FG]
Couratari gloriosa Sandw. [GU SU FG]
Couratari guianensis Aubl. emend. Prance [GU SU FG]
Couratari multiflora (J.E. Smith) Eyma [GU SU FG]
Couratari oblongifolia Ducke & Knuth [GU SU FG]
Couratari oligantha A.C. Smith [GU]
Couratari riparia Sandw. [GU]
Couratari sandwithii Prance [SU]
Couratari stellata A.C. Smith [GU SU FG]
Couroupita guianensis Aubl. [GU SU FG]
Eschweilera alata A.C. Smith [GU FG]
Eschweilera apiculata (Miers) A.C. Smith [SU FG]
Eschweilera boltenii Mori [SU]
Eschweilera chartaceifolia Mori [FG]
Eschweilera collina Eyma [GU SU FG]
Eschweilera congestiflora (Benoist) Eyma [GU? SU FG]
Eschweilera coriacea (A.P. DC.) Mori [GU SU FG]
Eschweilera decolorans Sandw. [GU SU FG]
Eschweilera eperuotorum Sandw. [GU SU]
Eschweilera fanshawei Sandw. [GU]
Eschweilera grandiflora (Aubl.) Sandw. [FG]
Eschweilera laevicarpa Mori [FG]
Eschweilera micrantha (Berg) Miers [GU SU FG]
Eschweilera parviflora (Aubl.) Miers [GU FG]
Eschweilera parvifolia Mart. ex A.P. DC. [GU]
Eschweilera pedicellata (Rich.) Mori [GU SU FG]
Eschweilera piresii Mori subsp. viridipetala Mori [FG]
Eschweilera potaroensis Sandw. [GU]
Eschweilera praeculta Sandw. [GU]
Eschweilera sagotiana Miers [GU SU FG]
Eschweilera simiorum (Benoist) Eyma [GU SU FG]
Eschweilera squamata Mori [SU FG]
Eschweilera subglandulosa (Steud. ex Berg) Miers [GU SU FG]
Eschweilera wachenheimii (Benoist) Sandw. [GU SU FG]
Gustavia augusta L. [GU SU FG]
Gustavia gigantophylla Sandw. [GU]
Gustavia hexapetalia (Aubl.) J.E. Smith [GU SU FG]
Gustavia poeppigiana Berg [GU]
Lecythis alutacea (A.C. Smith) Mori [GU SU FG]
Lecythis brancoensis (R. Knuth) Mori [GU]
Lecythis chartacea Berg [GU SU FG]
Lecythis confertiflora (A.C. Smith) Mori [GU SU FG]
Lecythis corrugata Poit. subsp. corrugata [GU SU FG]
Lecythis corrugata Poit. subsp. rosea (Spruce ex Berg) Mori [GU]
Lecythis holcogyne (Sandw.) Mori [GU SU FG]
Lecythis idatimon Aubl. [SU FG]
Lecythis persistens Sagot subsp. aurantiaca Mori [FG]
Lecythis persistens Sagot subsp. persistens [GU SU? FG]
Lecythis pneumatophora Mori [FG]
Lecythis poiteau Berg [SU FG]
Lecythis schomburgkii Berg [GU]
Lecythis zabucajo Aubl. [GU SU FG]

LECYTHIDACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Chytroma amara (Aubl.) Miers =Lecythis idatimon
Chytroma apiculata Miers =Eschweilera apiculata
Chytroma brancoensis Knuth =Lecythis brancoensis
Chytroma chartacea (Berg) Miers =Lecythis chartacea
Chytroma collina (Eyma) Knuth =Eschweilera collina
Chytroma congestiflora (Benoist) Knuth =Eschweilera congestiflora
Chytroma corrugata (Poit.) Nied. =Lecythis corrugata
Chytroma foetida Knuth =Lecythis poiteau
Chytroma holcogyne (Sandw.) Knuth =Lecythis holcogyne
Chytroma idatimon (Aubl.) Nied. =Lecythis idatimon
Chytroma labriculata (Eyma) Knuth =Corythophora labriculata
Chytroma laevicula (Miers) Knuth =Lecythis chartacea
Chytroma marawynensis (Berg) Miers =Lecythis chartacea
Chytroma perspicua Miers =Eschweilera pedicellata
Chytroma praecularia (Sandw.) Kunth =Eschweilera praecularia
Chytroma rubiflora Miers =Lecythis corrugata subsp. corrugata
Chytroma salebrosa (Berg) Miers =Lecythis corrugata subsp. corrugata
Chytroma schomburgkiana (Berg) Miers =Lecythis schomburgkii
Chytroma simiorum (Benoist) Knuth =Eschweilera simiorum
Chytroma simiorum (Benoist) Knuth var. latifolia (Eyma)
Knuth =Eschweilera simiorum
Couratari coriacea Mart. ex O. Berg =Couratari multiflora
Couratari fagifolia (Miq.) Eyma =Couratari multiflora
Couratari pulchra Sandw. =Couratari guianensis
Couratari reticulata A.C. Smith =Couratari stellata
Couroupita guianensis Aubl. var. surinamensis (Mart. ex Berg)
Eyma =Couroupita guianensis
Couroupita surinamensis Mart. ex Berg =Couroupita guianensis
Eschweilera alutacea A.C. Smith =Lecythis alutacea
Eschweilera amara (Aubl.) Nied. =Lecythis idatimon
Eschweilera chartacea (O. Berg) Eyma =Lecythis chartacea
Eschweilera conduplicata A.C. Smith =Lecythis corrugata
subsp. rosea
Eschweilera confertiflora A.C. Smith =Lecythis confertiflora
Eschweilera confusa (Benoist) Knuth [nomen nudum]
Eschweilera corrugata (Poit.) Miers =Lecythis corrugata
Eschweilera flaccida Miers =Eschweilera pedicellata
Eschweilera floribunda Eyma =Eschweilera micrantha
Eschweilera gracilipes (Sagot) Knuth =Eschweilera micrantha
Eschweilera grata Sandw. =Eschweilera parviflora
Eschweilera holcogyne Sandw. =Lecythis holcogyne
Eschweilera idatimon (Aubl.) Nied. =Lecythis idatimon
Eschweilera idatimonoidea (Berg) Miers =Eschweilera pedicellata
Eschweilera jenmanii Knuth =Lecythis corrugata subsp. corrugata
Eschweilera jucunda (Benoist) Knuth =Eschweilera sagotiana
Eschweilera labriculata Eyma =Corythophora labriculata
Eschweilera longipes (Poit.) Miers =Eschweilera pedicellata
Eschweilera lutea (Aubl.) Miers =Lecythis idatimon
Eschweilera macrophylla (Berg) Miers =Eschweilera pedicellata
Eschweilera marawynensis (Berg) Nied. =Lecythis chartacea

Eschweilera melinonis (Sagot) Knuth =*Eschweilera sagotiana*
Eschweilera montana A.C. Smith =*Eschweilera parviflora*
Eschweilera odora (Poepp.) Miers =*Eschweilera coriacea*
Eschweilera ovalis Knuth =*Lecythis persistens* subsp.
 persistens
Eschweilera pachycarpa Mart. [nomen nudum]
Eschweilera pallida Miers =*Eschweilera coriacea*
Eschweilera patrisii Knuth =*Lecythis corrugata* subsp.
 corrugata
Eschweilera persaudii Knuth =*Lecythis alutacea*
Eschweilera platycarpa (Poit.) Miers =*Eschweilera pedicellata*
Eschweilera poiteaui (Berg) Nied. =*Lecythis poiteaui*
Eschweilera retroflexa (Benoist) Knuth =*Eschweilera coriacea*
Eschweilera salebrosa (Berg) Nied. =*Lecythis corrugata* subsp.
 corrugata
Eschweilera schomburgkii (O. Berg) Nied. =*Lecythis*
 schomburgkii
Eschweilera simiorum (Benoist) Eyma var. *latifolia* Eyma
 =*Eschweilera simiorum*
Eschweilera tapuya (Benoist) Knuth =*Eschweilera sagotiana*
Grias aubletiana Miers =*Gustavia augusta*
Grias tetrapetala (Aubl.) Nied. =*Gustavia augusta*
Gustavia augusta L. var. *guianensis* Berg =*Gustavia augusta*
Gustavia augusta L. var. *verrucosa* Mart. ex Berg =*Gustavia*
 augusta
Gustavia fastuosa Willd. =*Gustavia hexapetala*
Gustavia fastuosa Willd. var. *angustispala* Berg =*Gustavia*
 hexapetala
Gustavia fastuosa Willd. var. *latispala* Berg =*Gustavia*
 hexapetala
Gustavia tetrapetala (Aubl.) A.P. DC. =*Gustavia augusta*
Gustavia urceolata Poit. =*Gustavia augusta*
Japarandiba augusta (L.) Kuntze =*Gustavia augusta*
Japarandiba fastuosa (Willd.) Kuntze =*Gustavia hexapetala*
Japarandiba hexapetala (Aubl.) Kuntze =*Gustavia hexapetala*
Jugastrum poiteaui (Berg) Miers =*Lecythis poiteaui*
Lecythis alba Mori [nomen nudum] =*Lecythis persistens*
 subsp. persistens
Lecythis amara Aubl. =*Lecythis idatimon*
Lecythis chartacea Berg var. *calyce* Sagot =*Lecythis*
 chartacea
Lecythis cognata Miers =*Lecythis corrugata* subsp. corrugata
Lecythis congestiflora Benoist =*Eschweilera congestiflora*
Lecythis crassinoda Miers =*Lecythis zabucajo*
Lecythis davisi Sandw. =*Lecythis zabucajo*
Lecythis davisi Sandw. var. *gracilipes* Eyma =*Lecythis*
 zabucajo
Lecythis gracilipes Sagot =*Eschweilera micrantha*
Lecythis grandiflora Aubl. =*Eschweilera grandiflora*
Lecythis jucunda Benoist =*Eschweilera sagotiana*
Lecythis laevicula Miers =*Lecythis chartacea*
Lecythis lutea Aubl. =*Lecythis idatimon*
Lecythis macrophylla Berg =*Eschweilera pedicellata*
Lecythis marawynensis Berg =*Lecythis chartacea*
Lecythis martinii Berg =*Lecythis corrugata* subsp. corrugata
Lecythis melinonis Sagot =*Eschweilera sagotiana*
Lecythis micrantha Berg =*Eschweilera micrantha*
Lecythis multiflora J.E. Smith =*Couratari multiflora*
Lecythis parviflora Aubl. =*Eschweilera parviflora*
Lecythis parviflora Sagot ex Miers =*Eschweilera sagotiana*
Lecythis platycarpa Poiteau =*Eschweilera pedicellata*
Lecythis racemiflora Sagot =*Lecythis poiteaui*
Lecythis retroflexa (Benoist) Knuth =*Eschweilera coriacea*
Lecythis rosea Spruce ex Berg =*Lecythis corrugata* subsp.
 rosea

Lecythis rubicunda Miers =*Lecythis corrugata* subsp.
 corrugata
Lecythis sagotiana (Miers) Sagot =*Eschweilera sagotiana*
Lecythis salebrosa Berg =*Lecythis corrugata* subsp. corrugata
Lecythis simiorum Benoist =*Eschweilera simiorum*
Lecythis subglandulosa Steud. ex Berg =*Eschweilera*
 subglandulosa
Lecythis tapuya Benoist =*Eschweilera sagotiana*
Lecythis tumefacta Miers =*Lecythis zabucajo*
Lecythis venusta Miers =*Lecythis corrugata* subsp. corrugata
Lecythis wachenheimii Benoist =*Eschweilera wachenheimii*
Lecythis wullschlaegeliana Berg =*Eschweilera pedicellata*
Pirigara hexapetala Aubl. =*Gustavia hexapetala*
Pirigara tetrapetala Aubl. =*Gustavia augusta*

LEMNACEAE

reviewed by R.A. DeFilipps (1996)

REFERENCES:

- Daubs, E.H. 1965. A monograph of Lemnaceae. III. Biol. Monogr. 34: 1-118.
 Hartog, C. den. & F. van der Plas. 1970. A synopsis of the Lemnaceae. Blumea 18: 355-368.
 Landolt, E. 1986-1987. The family of Lemnaceae - a monographic study. Veröff. Geobot. Inst. E.T.H. Stift. Rübel, Zürich 71: 1-566, 95: 1-638.

Lemna aequinoctialis Welwitsch [GU SU FG]
Lemna valdiviana Phil. [SU]
Spirodela intermedia W. Koch [SU]
Spirodela punctata (G. Mey.) Thompson [GU]
Wolffiella brasiliensis Weddell [SU]
Wolffiella lingulata (Hegelm.) Hegelm. [SU FG]
Wolffiella neotropicana Landolt [SU]
Wolffiella welwitschii (Hegelm.) Monod [GU SU FG]

LEMNACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Lemna gibba L. [not in Guianas]
Lemna minor L. [not in Guianas]
Lemna paucicostata Hegelm. =*Lemna aequinoctialis*
Lemna perpusilla Torrey [not in Guianas]
Lemna trinervis sensu Small, non (Austin) Small =*Lemna*
 aequinoctialis
Spirodela bipartita W. Koch =*Spirodela intermedia*
Spirodela polyrrhiza (L.) Schleid. [not in Guianas]
Wolffiopsis welwitschii (Hegelm.) den Hartog & van der Plas
 =*Wolffiella welwitschii*

LENTIBULARIACEAE

contributed by P. Taylor (1992); additions and corrections by P. Taylor (1996)

REFERENCES:

- Taylor, P. 1967. Lentibulariaceae. In B. Maguire & collaborators, Botany of the Guayana Highland part 7. Mem. New York Bot. Gard. 17(1): 1-439.
 Taylor, P. 1989. The genus Utricularia - a taxonomic monograph. Kew Bull. Add. Ser. XIV: 1-724.

Genlisea filiformis St. Hil. [GU SU FG]
Genlisea guianensis N.E. Brown [GU]
Genlisea pygmaea St. Hil. [GU SU FG]
Genlisea repens Benj. [GU SU]
Genlisea roraimensis N.E. Brown [GU]
Utricularia adpressa Salzm. ex St. Hil. & Girard [GU SU FG]
Utricularia alpina Jacq. [GU SU]
Utricularia amethystina Salzm. ex St. Hil. & Girard [GU SU FG]
Utricularia benjaminiiana Oliver [GU SU FG]
Utricularia breviscapa Wright ex Griseb. [GU]
Utricularia calycifida Benj. [GU SU]
Utricularia campbelliana Oliver [GU]
Utricularia choristotheca P. Taylor [SU FG]
Utricularia cucullata A. St. Hil. & Girard [GU SU FG]
Utricularia determinans P. Taylor [SU]
Utricularia erectiflora St. Hil. & Girard [GU SU]
Utricularia foliosa L. [GU SU FG]
Utricularia gibba L. [GU SU FG]
Utricularia guyanensis A. DC. [GU SU FG]
Utricularia hispida Lam. [GU SU FG]
Utricularia humboldtii Rob. Schomb. [GU]
Utricularia hydrocarpa Vahl [GU SU FG]
Utricularia jamesoniana Oliver [GU SU FG]
Utricularia juncea Vahl [GU SU FG]
Utricularia lloydii Merl [SU FG]
Utricularia longeciliata A. DC. [GU SU FG]
Utricularia myriocista St. Hil. & Girard [GU SU FG]
Utricularia nana St. Hil. & Girard [GU SU FG]
Utricularia olivacea Wright ex Griseb. [GU SU]
Utricularia pubescens J.E. Smith [GU FG]
Utricularia pusilla Vahl [GU SU FG]
Utricularia quelchii N.E. Brown [GU]
Utricularia sandwithii P. Taylor [GU SU]
Utricularia simulans Pilger [GU SU FG]
Utricularia subulata L. [GU SU FG]
Utricularia tenuissima Tutin [GU SU FG]
Utricularia trichophylla Spruce ex Oliver [GU SU FG]
Utricularia triloba Benj. [GU SU FG]
Utricularia viscosa Spruce ex Oliver [GU SU FG]

LENTIBULARIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Akentra inflata Benj. =*Utricularia benjaminiiana*
Biovularia olivacea (Wright) Kam. =*Utricularia olivacea*
Genlisea anfractuosa Tutin =*Genlisea filiformis*
Genlisea esmeraldae Steyermark. =*Genlisea pygmaea*
Genlisea nigrocaulis Steyermark. =*Genlisea pygmaea* + *Genlisea repens* [based on mixed collection]
Genlisea pulchella Tutin =*Genlisea repens*
Polypompholyx laciniata Benj. =*Utricularia simulans*
Utricularia alutacea Tutin =*Utricularia amethystina*
Utricularia angulosa Poir. =*Utricularia juncea*
Utricularia angustifolia Benj. =*Utricularia hispida*
Utricularia arenicola Tutin =*Utricularia nana*
Utricularia concinna N.E. Brown =*Utricularia jamesoniana*
Utricularia connellii N.E. Brown =*Utricularia pubescens*
Utricularia fimbriata Kunth [not in Guianas]
Utricularia flaccida A. DC. [not in Guianas]
Utricularia fockeana Miq. =*Utricularia hydrocarpa*
Utricularia guianensis Splitgerber ex De Vries =*Utricularia foliosa*
Utricularia hirtella St. Hil. & Girard =*Utricularia amethystina*
Utricularia inflata Walter [sensu stricto, not in Guianas]
Utricularia kaieteurensis Steyermark. =*Utricularia amethystina*
Utricularia leptantha Benj. =*Utricularia pusilla*
Utricularia magnifica L. =*Utricularia myriocista*
Utricularia maguirei Steyermark. =*Utricularia calycifida*
Utricularia muscosa Benj. =*Utricularia calycifida*
Utricularia obovata Miq. =*Utricularia amethystina*
Utricularia obtusa Swartz =*Utricularia gibba*
Utricularia oligosperma St. Hil. =*Utricularia foliosa*
Utricularia parkeriana A. DC. =*Utricularia gibba*
Utricularia peckii S.F. Blake =*Utricularia guyanensis*
Utricularia pectinata Splitgerber ex De Vries =*Utricularia longeciliata*
Utricularia peltata Spruce ex Oliver =*Utricularia pubescens*
Utricularia praelonga St. Hil. & Girard [not in Guianas]
Utricularia purpurea Walt. [not in Guianas]
Utricularia roraimensis N.E. Brown =*Utricularia amethystina*
Utricularia rubricaulis Tutin =*Utricularia guyanensis*
Utricularia sciaphila Tutin =*Utricularia pubescens*
Utricularia spatulata Splitgerber ex De Vries =*Utricularia amethystina*
Utricularia spatulifolia Pilger =*Utricularia amethystina*
Utricularia stricta G. Mey. =*Utricularia juncea*
Utricularia tenuifolia Benj. =*Utricularia gibba*
Utricularia tenuiscapa Pilger =*Utricularia subulata*

LILIACEAE

revised by J.K. Boggan (1996)

REFERENCES:

- Baker, J.G. 1888. Handbook of the Amaryllideae. London: George Bell & Sons.
 Boterensbrood, M.J.A. 1943. Amaryllidaceae. In A. Pulle, Flora of Suriname 1(1): 443-454.
 Cruden, R.W. 1991. A revision of Isidrogalvia: recognition for Ruiz & Pavon's genus. Syst. Bot. 16: 270-282.

- Killip, E.P. 1936. *Bomarea*, a genus of showy Andean plants. *Nat. Hort. Mag.* 15(2): 115-128.
- Maas, P.J.M. 1968. Amaryllidaceae (additions and corrections). In A. Pulle & J. Lanjouw, *Flora of Suriname* 1(2): 376.
- Martyn, E.B. 1936. Amaryllidaceae of British Guiana. *Herbertia* 3: 71.
- Sealy, J.R. 1954. Review of the genus *Hymenocallis*. *Kew Bull.* 1954: 201-240.
- Traub, H.P. & H.N. Moldenke. 1949. Amaryllidaceae: Tribe Amarylleae. American Plant Life Society.
- Uphof, J.C. Th. 1942. A review of the species of *Crinum*. *Herbertia* 9: 63-84.

- Alstroemeria* sp. [FG]
- Bomarea edulis* (Tussac) Herbert [GU SU]
- Crinum erubescens* L.f. ex Solander [GU SU FG]
- Curculigo scorzonerifolia* (Lam.) Baker [GU SU FG]
- Hippeastrum barbatum* Herbert [SU]
- Hippeastrum elegans* (Spreng.) H.E. Moore [GU]
- Hippeastrum puniceum* (Lam.) Kuntze [GU SU FG]
- Hippeastrum stylosum* Herbert [distribution described as "Guiana"]
- Hippeastrum vanleestenii* (Traub) H.E. Moore [SU]
[=Hippeastrum puniceum?]
- Hymenocallis caribaea* (L. emend. Ker-Gawl.) Herbert [GU SU FG] [cultivated or escaped from cultivation]
- Hymenocallis littoralis* (Jacq.) Salisb. [SU FG] [cultivated or escaped from cultivation]
- Hymenocallis tubiflora* Salisb. [GU SU FG]
- Hypoxis decumbens* L. [GU? SU? FG?] [most, if not all, records represent *Curculigo scorzonerifolia*]
- Isidrogalvia schomburgkiana* (Oliver) Cruden [GU]
- Nietneria corymbosa* Klotzsch & Rich. Schomb. [GU?] [Mt. Roraima]
- Nietneria paniculata* Steyermark [GU]
- Zephyranthes citrina* Baker [GU?] [type attributed to Guyana, possibly erroneously]
- Zephyranthes tubispatha* (Ker-Gawl.) Herbert [SU]

LILIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Amaryllis belladonna* L. [name incorrectly applied to *Hippeastrum puniceum*]
- Amaryllis belladonna* L. var. *barbata* (Herbert) Traub & Moldenke [=*Hippeastrum barbatum*]
- Amaryllis stylosa* (Herbert) Sweet =*Hippeastrum stylosum*
- Amaryllis vanleestenii* Traub =*Hippeastrum vanleestenii*
- Bomarea fuscata* Klotzsch ex Schomb. [nomen nudum]
- Bomarea guianensis* Kränzl. =*Bomarea edulis*
- Crinum commelynii* Jacq. =*Crinum erubescens*
- Crinum guianense* M. Roem. =*Crinum erubescens*
- Crinum lancei* Herb. ex Sweet =*Crinum erubescens*
- Crinum lindleyanum* Schult.f. ex Seub. =*Crinum erubescens*
- Echeandia* sp. [recorded from Guianas in error, but possibly to be expected]
- Hippeastrum equestre* (Ait.) Herbert =*Hippeastrum puniceum*
- Hippeastrum solandriflorum* Herbert =*Hippeastrum elegans*
- Hymenocallis guianensis* (Ker-Gawl.) Herbert =*Hymenocallis tubiflora*

- Hymenocallis obtusata* (Griseb.) Walp. =*Hymenocallis caribaea*
- Isidrogalvia guianensis* Klotzsch [nomen nudum]
=*Isidrogalvia schomburgkiana*
- Pancratium guianense* Ker-Gawl. =*Hymenocallis tubiflora*
- Tofieldia guianensis* (Klotzsch) Schulze [nomen nudum]
=*Isidrogalvia schomburgkiana*
- Tofieldia rupestris* Gleason =*Navia rupestris* (Gleason) Sandw. (Bromeliaceae)
- Tofieldia schomburgkiana* Oliver =*Isidrogalvia schomburgkiana*

LIMNOCHARITACEAE

contributed by R. Haynes & L.B. Holm-Nielsen (1992)

REFERENCES:

- Haynes, R.R. & L.B. Holm-Nielsen. 1992. Limnocharitaceae. *Flora Neotropica Monogr.* 56: 1-34.
- Jonker, F.P. 1943. Butomaceae. In A. Pulle, *Flora of Suriname* 1(1): 483-485.

- Hydrocleys nymphoides* (Humb. & Bonpl. ex Willd.) Buch. [GU SU FG?]
- Limnocharis flava* (L.) Buchenau [FG?] [record not verified, but to be expected in the Guianas]

LISSOCARPACEAE

- Lissocarpa benthamii* Baill. [GU]
Lissocarpa guianensis Gleason [GU]

LOASACEAE

- Mentzelia aspera* L. [FG?]

LOGANIACEAE

reviewed by A.J.M. Leeuwenberg (1996)

REFERENCES:

- Hurley, H.H. 1967. A taxonomic revision of the genus *Spigelia*. George Washington University, Washington, DC. [Unpublished Ph.D. thesis]
- Krukoff, B.A. & J. Monachino. 1942. The American species of *Strychnos*. *Brittonia* 4: 248-322. [See also the subsequent series of supplementary notes in various journals.]

- Leeuwenberg, A.J.M. 1961. The Loganiaceae of Africa II. A revision of *Mostuea* Didr. Meded. Landb. Wag. 61(4): 1-31.
- Leeuwenberg, A.J.M. 1969. Notes on American Loganiaceae. III. Revision of *Bonyunia* Rich. Schomb. Acta Bot. Neerl. 18(1): 152-158.
- Leeuwenberg, A.J.M. 1971. Notes on American Loganiaceae. V. Key to the genera. Acta Bot. Neerl. 20(5): 539-542.
- Leeuwenberg, A.J.M. 1975. The Loganiaceae of Africa XII. A revision of *Mitreola* L. Meded. Landb. Wag. 74(23): 1-28.
- Leeuwenberg, A.J.M. [ed.]. 1980. Loganiaceae. In Engler & Prantl, Die Natürlichen Pflanzenfamilien 28bI: 1-255.
- Raalte, M.H. van. 1932. Loganiaceae. In A. Pulle, Flora of Suriname 4(1): 103-110.
- Smith, L.B. 1960. Notes on South American phanerogams - III. Wrightia 2(2): 90-102.
- Uittien, H. 1937. Loganiaceae (additions and corrections). In A. Pulle, Flora of Suriname 4(1): 472-474.

- Antonia ovata* Pohl [GU SU FG]
Bonyunia minor N.E. Brown [GU]
Bonyunia superba Rich. Schomb. [GU] [Mt. Roraima]
Mitreola petiolata (J.F. Gmelin) Torrey & A. Gray [SU FG?]
Mostuea surinamensis Benth. [SU] [to be expected in FG]
Polypteronnum procumbens L. [SU?]
Potalia amara Aubl. [SU FG]
Spigelia anthelmia L. [GU SU FG]
Spigelia flemmingiana Cham. & Schlechtend. [GU]
Spigelia humilis Benth. [GU]
Spigelia multispica Steud. [GU SU FG]
Spigelia polystachya Klotzsch ex Prog. [GU]
Strychnos bredemeyeri (Schult.) Sprague & Sandw. [GU]
Strychnos castelnaeana Wedd. [FG?]
Strychnos cayennensis Kruckoff & Barneby [FG]
Strychnos cogens Benth. [GU SU FG]
Strychnos darienensis Seem. [GU]
Strychnos diaboli Sandw. [GU]
Strychnos divaricans Ducke [SU FG]
Strychnos erichsonii Rich. Schomb. ex Progel [GU SU FG]
Strychnos eugeniiifolia Monachino [SU FG]
Strychnos glabra Sagot ex Progel [GU SU FG]
Strychnos guianensis (Aubl.) Mart. [GU SU FG]
Strychnos hirsuta Spruce ex Benth. [GU FG]
Strychnos jobertiana Baill. [FG]
Strychnos medeola Sagot ex Progel [SU FG]
Strychnos melinoniana Baill. [GU SU FG]
Strychnos mitscherlichii Rich. Schomb. var. *mitscherlichii* [GU SU FG]
Strychnos oiapocensis Froes [SU FG]
Strychnos panurensis Sprague & Sandw. [FG]
Strychnos peckii B.L. Robinson [GU SU FG]
Strychnos ramentifera Ducke [SU FG?]
Strychnos rondeletioides Spruce ex Benth. [FG]
Strychnos subcordata Spruce ex Benth. [to be expected in FG]
Strychnos tomentosa Benth. [GU SU FG]
Strychnos toxifera Rob. Schomb. ex Benth. [GU SU FG]

LOGANIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Mostuea brasiliensis* Huber =*Mostuea surinamensis*
Rouhamon guianensis Aubl. =*Strychnos guianensis*
Spigelia guianensis (Aubl.) Lemée =*Montira guianensis*
 Aubl. [incertae sedis; excluded from *Spigelia* by Hurley]
Spigelia humboldtiana Cham. & Schlechtend. =*Spigelia scabra*
 Cham. & Schlechtend. [not in Guianas]
Spigelia schomburgkiana Benth. =*Spigelia flemmingiana*
Strychnos pedunculata (A. DC.) Benth. =*Strychnos*
bredemeyeri
Strychnos rouhamon Benth. =*Strychnos guianensis*
Strychnos solerederi Gilg =*Strychnos mitscherlichii* var.
mitscherlichii

LORANTHACEAE

contributed by J. Kuijt (1992)

REFERENCES:

- Krause, K. 1932. Loranthaceae. In A. Pulle, Flora of Suriname 1(1): 4-24.
- Kuijt, J. 1976. Revision of the genus *Oryctanthus*. Bot. Jahrb. Syst. 95: 478-534.
- Kuijt, J. 1985. The genus *Cladocolea*. J. Arn. Arb. 56: 265-335.
- Lindeman, J.C. & A.R.A. Göts-van Rijn. 1968. Loranthaceae (additions and corrections). In A. Pulle & J. Lanjouw, Flora of Suriname 1(2): 295-300.
- Rizzini, C.T. 1978. Loranthaceae. In B. Maguire & collaborators, Botany of the Guayana Highland part 10. Mem. New York Bot. Gard. 29: 23-36.
- Rizzini, C.T. 1982. Loranthaceae. In Z. Luces de Febres, Flora de Venezuela 4(2): 7-316.

- Cladocolea elliptica* Kuijt [SU]
Cladocolea micrantha (Eichl.) Kuijt [GU]
Cladocolea sandwithii (Maguire) Kuijt [GU]
Gaiadendron punctatum (Ruiz & Pav.) G. Don [GU]
Ixocactus clandestinus (Mart.) Kuijt [GU]
Oryctanthus alveolatus (Kunth) Kuijt [GU SU FG]
Oryctanthus florulentus (L.C. Rich.) Urb. [GU SU FG]
Oryctanthus occidentalis (L.) Eichl. subsp. *continentalis* Kuijt
 [GU SU]
Oryctanthus spicatus (Jacq.) Eichl. [GU]
Oryctina myrsinites (Eichl.) Kuijt [GU SU FG]
Phthirusa coactata A.C. Smith [GU]
Phthirusa disjectifolia (Rizzini) Kuijt [GU SU]
Phthirusa guyanensis Eichl. [GU SU FG]
Phthirusa monetaria Sandw. [GU]
Phthirusa nitens (Mart.) Eichl. [GU]
Phthirusa pycnostachya Eichl. [GU FG]
Phthirusa pyrifolia (Kunth) Eichl. [GU SU FG]
Phthirusa retroflexa (Ruiz & Pav.) Kuijt [FG]
Phthirusa rufa (Mart.) Eichl. [GU SU]
Phthirusa stelis (L.) Kuijt, comb. nov. ined. [GU SU FG]
Psittacanthus clusiifolius (Willd.) Eichl. [GU SU?]

Psittacanthus collum-cygni Eichl. [SU]
Psittacanthus cordatus (Hoffmanns.) Blume [GU FG]
Psittacanthus cucullaris (Lam.) Blume [GU? SU FG]
Psittacanthus lamprophyllus Eichl. [FG]
Psittacanthus lasianthus Sandw. [GU SU]
Psittacanthus melinonii (Tiegh.) Engl. [FG]
Psittacanthus peronopetalus Eichl. [FG]
Psittacanthus plagiophyllus Eichl. [GU SU FG]
Psittacanthus redactus Rizzini [FG]
Struthanthus concinnus Mart. [GU SU]
Struthanthus confertus Mart. [SU?]
Struthanthus dichotrianthus Eichl. [GU SU FG]
Struthanthus gracilis (Gleason) Steyermark & Maguire [GU]
Struthanthus marginatus (Desr.) Blume [GU]
Struthanthus syringifolius Mart. [GU SU FG]
Tripodanthus acutifolius (Ruiz & Pav.) Tiegh [to be expected in the Guianas]

LORANTHACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Cladocolea clandestina (Mart.) Kuijt =*Ixocactus clandestinus*
Furarium disjectifolium Rizzini =*Phthirusa disjectifolia*
Loranthus patrisii DC. =*Combretum* sp. (Combretaceae)
Oryctanthus botryostachys Eichl. =*Oryctanthus alveolatus*
Oryctanthus ruficaulis (Poepp. & Endl.) Eichl. =*Oryctanthus florulentus*
Phthirusa adunca (G. Mey.) Maguire =*Phthirusa stelis*
Phthirusa angulata Krause =*Phthirusa stelis*
Phthirusa myrsinoides Eichl. =*Oryctina myrsinoides*
Phthirusa pauciflora Eichl. =*Dendropemon pauciflorus* (Swartz) Tiegh. [not in Guianas]
Phthirusa phaeocladus Eichl. =*Phthirusa guyanensis*
Phthirusa sandwithii Maguire =*Cladocolea sandwithii*
Phthirusa savannarum Maguire =*Oryctina myrsinoides*
Phthirusa seitzii Krug & Urb. =*Phthirusa stelis*
Phthirusa squamulosa Klotzsch ex Eichl. =*Phthirusa rufa*
Phthirusa theobromae (Willd.) Eichl. =*Phthirusa stelis*
Psittacanthus cupulifer (Kunth) Eichler =*Psittacanthus cucullaris*
Struthanthus retroflexa (Ruiz & Pav.) Kuijt =*Phthirusa stelis*
Struthanthus squamulosus Klotzsch ex Eichl. =*Phthirusa rufa*
Struthanthus umbellatus Kuijt =*Phthirusa pycnostachya*

LYTHRACEAE

contributed by A. Lourteig (1992); additions and corrections by A. Lourteig (1996)

REFERENCES:

- Cook, C.D.K. 1979. A revision of the genus *Rotala*. *Boissiera* 29: 1-156.
 Graham, S.A. 1985. A revision of *Ammannia* in the western hemisphere. *J. Arnold Arb.* 56: 265-335.
 Jonker, F.P. 1941. Lythraceae. In A. Pulle, *Flora of Suriname* 3(1): 422-432.
 Lourteig, A. 1964. Lythraceae. *Austroamericanae, addenda et corrigenda*. *Sellowia* 16: 119-162.

Lourteig, A. 1986. Revision del genero *Lafoensia* Vandelli (Litraceas). *Mem. Soc. Cienc. Nat. La Salle* 45(123): 115-157.
 Lourteig, A. 1986. Revision de dos secciones del genero *Cuphea* P. Browne. *Phytologia* 60(1): 17-55.
 Lourteig, A. 1987. Lythraceae. *Austroamericanae, addenda et corrigenda II*. *Sellowia* 39: 15-48.

Ammannia auriculata Willd. [to be expected in the Guianas]
Ammannia coccinea Rottb. [to be expected in the Guianas]
Ammannia latifolia L. [FG]
Crenea maritima Aubl. [GU SU FG]
Cuphea anagalloidea St. Hil. [GU]
Cuphea antisiphilitica Kunth var. *acutifolia* Benth. [GU]
Cuphea antisiphilitica Kunth var. *antisiphilitica* [GU]
Cuphea blackii Lourteig [FG]
Cuphea carthagensis (Jacq.) Macbr. [SU FG]
Cuphea dactylophora Koehne [GU]
Cuphea melvillae Lindl. [GU FG]
Cuphea micrantha Kunth [GU]
Cuphea repens Koehne [to be expected in the Guianas]
Cuphea rigidula Benth. [GU]
Lafoensia vandelliana Cham. & Schlechtend. [to be expected in the Guianas]
Lagerstroemia speciosa (L.) Pers. [GU] [cultivated or escaped from cultivation]
Lawsonia inermis L. [GU SU]
Rotala mexicana Cham. & Schlechtend. [SU FG] [to be expected in GU]
Rotala ramosior (L.) Koehne [to be expected in the Guianas]

LYTHRACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Crenea surinamensis (L.f.) Koehne =*Crenea maritima*
Cuphea balsamona Cham. & Schlechtend. =*Cuphea carthagensis*
Cuphea gracilis Kunth [not in Guianas]
Cuphea mimuloides Cham. & Schlechtend. var. *guianensis* Koehne =*Cuphea anagalloidea*
Cuphea speciosa L. =*Cuphea melvillae*
Lafoensia pacari St. Hil. [not in Guianas]

MAGNOLIACEAE

REFERENCES:

- Lozano Contreras, G. 1994. *Dugandiodendron* y *Talauma* (Magnoliaceae) en el Neotrópico. Academia de Ciencias Exactas, Físicas y Naturales Colección Jorge Alvarez Lleras No. 3.
 Steyermark, J.A. 1951. Magnoliaceae. In *Botanical Exploration in Venezuela - I*. *Fieldiana Bot.* 28(1): 233-234.

Dugandiodendron ptaritepuianum (Steyermark) G. Lozano-C. [Mt. Roraima]

MAGNOLIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Magnolia ptaritepuiana* Steyermark = *Dugandiodendron ptaritepuianum*
Magnolia roraimae Steyermark = *Dugandiodendron ptaritepuianum*

MALPIGHIACEAE

reviewed by W.R. Anderson; *Stigmaphyllo* by C. Anderson (1992); additions and corrections by W.R. Anderson & C. Anderson (1996)

REFERENCES:

- Anderson, C. 1993. The identities of the sericeous-leaved species of *Stigmaphyllo* in the Amazon region. *Contr. Univ. Mich. Herb.* 19: 393-413.
 Anderson, W.R. 1981. Malpighiaceae. In B. Maguire & collaborators, Botany of the Guiana Highland part 11. *Mem. N.Y. Bot. Gard.* 32: 1-391.
 Anderson, W.R. 1990. The taxonomy of *Jubelina*. *Contr. Univ. Mich. Herb.* 17: 21-37.
 Anderson, W.R. 1993. Notes on Neotropical Malpighiaceae - IV. *Contr. Univ. Mich. Herb.* 19: 355-392.
 Anderson, W.R. 1994. New species of *Hiraea* from the Guianas and adjacent Brazil. *Brittonia* 46(2): 126-133.
 Gates, B. 1982. *Banisteriopsis*, *Diplopterys*. *Flora Neotropica Monogr.* 30: 1-237.
 Görtz-van Rijn, A.R.A. & M.J. Jansen-Jacobs. 1976. Malpighiaceae (additions and corrections). In J. Lanjouw & A.L. Stoffers, *Flora of Suriname* 2(2): 445-450.
 Jonker, F.P. 1939. Malpighiaceae (additions and corrections). In A. Pulle, *Flora of Suriname* 2(1): 478-480.
 Kostermans, A.J.G.H. 1936. Malpighiaceae. In A. Pulle, *Flora of Suriname* 2(1): 146-243.
 Niedenzu, F. 1928. Malpighiaceae. In A. Engler, *Das Pflanzenreich* IV. 141: 1-870.

Banisteriopsis cinerascens (Benth.) B. Gates [GU]
Banisteriopsis cristata (Griseb.) Cuatrec. [GU SU]
Banisteriopsis lucida (L.C. Rich.) Small [GU SU FG]
Banisteriopsis martiniana (Adr. Juss.) Cuatrec. var. *martiniana* [GU SU FG]
Banisteriopsis mathiasiae (W.R. Anderson) W.R. Anderson [GU]
Banisteriopsis muricata (Cav.) Cuatrec. [GU FG]
Banisteriopsis nummifera (Adr. Juss.) B. Gates [FG]
Banisteriopsis pulcherrima (Sandw.) B. Gates [GU]
Banisteriopsis schwannioides (Griseb.) B. Gates [FG]
Banisteriopsis wurdackii B. Gates [FG]
Blepharandra fimbriata B. MacBryde [GU]
Blepharandra hypoleuca (Benth.) Griseb. [GU]

- Bunchosia apiculata* Huber [FG]
Bunchosia argentea (Jacq.) DC. [GU SU? FG]
Bunchosia decussiflora W.R. Anderson [FG]
Bunchosia mollis Benth. [GU SU?]
Bunchosia polystachia (Andr.) DC. [FG]
Burdachia sphaeroarpa Adr. Juss. [GU]
Byrsinima aerugo Sagot [GU SU FG]
Byrsinima altissima DC. [FG]
Byrsinima arthropoda Adr. Juss. [GU]
Byrsinima chalcophylla Nied. var. *carraoana* (Steyermark.) W. Anderson [GU]
Byrsinima chalcophylla Nied. var. *chalcophylla* [GU]
Byrsinima christianeae W.R. Anderson [GU]
Byrsinima coccobifolia Kunth [GU SU?]
Byrsinima concinna Benth. [GU]
Byrsinima crassifolia (L.) Kunth [GU SU FG]
Byrsinima crispa Adr. Juss. [FG]
Byrsinima densa (Poir.) DC. [GU SU FG]
Byrsinima dubia W.R. Anderson [GU]
Byrsinima eugeniifolia Sandw. [GU SU]
Byrsinima euryphylla Pilger [SU]
Byrsinima fanshawei W.R. Anderson [GU]
Byrsinima gymnochalcycina Adr. Juss. [GU SU? FG?]
Byrsinima incarnata Sandw. [GU]
Byrsinima laevigata (Poir.) DC. [SU FG]
Byrsinima pachypoda W.R. Anderson [GU]
Byrsinima rubrobracteata W.R. Anderson [GU]
Byrsinima schomburgkiana Benth. [GU]
Byrsinima sericea DC. [FG]
Byrsinima spicata (Cav.) DC. [GU SU FG]
Byrsinima stipulacea Adr. Juss. [GU SU FG]
Byrsinima surinamensis W.R. Anderson [SU]
Byrsinima tillettii W.R. Anderson [GU]
Byrsinima verbascifolia (L.) DC. [GU SU FG]
Camarea affinis St. Hil. [GU SU]
Coleostachys genipifolia Adr. Juss. [FG]
Diplopterys pauciflora (G. Mey.) Nied. [GU FG]
Heteropterys biglandulosa Adr. Juss. [FG]
Heteropterys cristata Benth. [GU]
Heteropterys lassei W.R. Anderson [GU]
Heteropterys macradena (DC.) W. Anderson [GU SU? FG]
Heteropterys macrostachya Adr. Juss. [GU SU FG]
Heteropterys maguirei W.R. Anderson [GU]
Heteropterys mathewsana Adr. Juss. [SU]
Heteropterys multiflora (DC.) Hochr. [GU SU FG]
Heteropterys nervosa Adr. Juss. [GU SU FG]
Heteropterys oligantha W.R. Anderson [GU]
Heteropterys siderosa Cuatrec. [GU FG]
Heteropterys subhelicina Nied. [GU]
Hiraea adenophora Sandw. [GU]
Hiraea affinis Miq. [GU SU FG]
Hiraea fagifolia (DC.) Adr. Juss. [GU SU FG]
Hiraea faginea (Swartz) Nied. [GU SU FG]
Hiraea gracieana W.R. Anderson [SU FG]
Hiraea longipes W.R. Anderson [FG]
Hiraea longipilifera W.R. Anderson [GU]
Hiraea morii W.R. Anderson [FG]
Hiraea propinquia W.R. Anderson [SU FG]
Hiraea quapara (Aubl.) Sprague [FG]
Jubelina riparia Adr. Juss. [FG]
Jubelina rosea (Miq.) Nied. [SU FG]
Lophopterys euryptera Sandw. [GU]
Lophopterys splendens Adr. Juss. [FG]
Lophopterys surinamensis (Kosterm.) Sandw. [SU]
Mascagnia divaricata (Kunth) Nied. [SU? FG]

Mascagnia guianensis W.R. Anderson [GU SU FG]
Mascagnia macrodisca (Triana & Planch.) Nied. [GU SU]
Mascagnia microcarpa (Sandw.) W. Anderson [GU]
Mascagnia sepium (Adr. Juss.) Griseb. [GU SU FG]
Mascagnia sinemariensis (Aubl.) Griseb. [GU FG]
Mascagnia surinamensis (Kosterm.) W. Anderson [GU SU]
Mezia includens (Benth.) Cuatrec. [GU FG]
Pterandra guianensis W.R. Anderson [GU]
Pterandra sericea W.R. Anderson [GU]
Spachea elegans (G. Mey.) Adr. Juss. [GU SU FG]
Stigmaphyllon bannisterioides (L.) C. Anderson [GU SU FG]
Stigmaphyllon ciliatum (Lam.) Adr. Juss. [GU?]
Stigmaphyllon convolvulifolium Adr. Juss. [GU SU FG]
Stigmaphyllon palmatum (Cav.) Adr. Juss. [FG]
Stigmaphyllon puberum (L.C. Rich.) Adr. Juss. [GU SU FG]
Stigmaphyllon sinuatum (DC.) Adr. Juss. [GU SU FG]
Tetrapterys acutifolia Cav. [GU SU FG]
Tetrapterys calophylla Adr. Juss. [SU FG]
Tetrapterys crispa Adr. Juss. [GU SU FG]
Tetrapterys discolor (G. Mey.) DC. [GU SU FG]
Tetrapterys fimbripetala Adr. Juss. [GU SU FG?]
Tetrapterys maranhamensis Adr. Juss. [GU? SU?]
Tetrapterys megalantha W.R. Anderson [GU]
Tetrapterys mucronata Cav. [GU SU? FG]
Tetrapterys pusilla Steyermark. [GU]
Tetrapterys rhodoptera Oliver [GU]
Tetrapterys styloptera Adr. Juss. [GU SU FG]

MALPIGHIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Banisteria leptocarpa Benth. =*Banisteriopsis martiniana*
Banisteria lucida Rich. =*Banisteriopsis lucida*
Banisteria martiniana Adr. Juss. =*Banisteriopsis martiniana*
Banisteria quapara Aubl. =*Hiraea quapara*
Banisteria reticulata (Poir.) C. Robinson =*Heteropterys multiflora*
Banisteria sinemariensis Aubl. =*Mascagnia sinemariensis*
Banisteriopsis elegans (Triana & Planch.) Sandw. subsp.
 cordata (Nied.) Sandw. [not in Guianas]
Banisteriopsis gardneriana (Adr. Juss.) W. Anderson & B.
 Gates [reported from FG in error]
Brachypterys ovata (Cav.) Small =*Stigmaphyllon bannisterioides*
Bunchosia maritima (Vell.) Macbride [not in Guianas]
Bunchosia nitida (Jacq.) L.C. Rich. [not in Guianas]
Bunchosia tuberculata DC. [dubious name of uncertain status]
Byrsinima aubletii Kosterm. =*Byrsinima altissima*
Byrsinima bracteolaris Benth. =*Byrsinima concinna*
Byrsinima coriacea (Swartz) Kunth [not in Guianas]
Byrsinima coriacea (Swartz) Kunth var. spicata (Cav.) Nied.
 =*Byrsinima spicata*
Byrsinima cydoniifolia Adr. Juss. [not in Guianas]
Byrsinima discolor Pilger =*Byrsinima altissima*
Byrsinima obversa Miq. =*Byrsinima laevigata*
Byrsinima poeppigiana Adr. Juss. [not in Guianas]
Byrsinima rugosa Benth. =*Byrsinima stipulacea*
Diplopterys includens (Benth.) Nied. =*Mezia includens*
Diplopterys microcarpa Sandw. =*Mascagnia microcarpa*
Diplopterys riparia (Adr. Juss.) Nied. =*Jubelina riparia*
Diplopterys rosea (Miq.) Nied. =*Jubelina rosea*
Diplopterys spruceana (Nied.) Nied. =*Mascagnia bracteosa*
 Griseb. [not in Guianas]

Dolichopterys surinamensis Kosterm. =*Lophopterys surinamensis*
Heteropterys acutifolia Adr. Juss. =*Heteropterys orinocensis*
 (H.B.K.) Adr. Juss. [not in Guianas]
Heteropterys catoptera W.R. Anderson =*Heteropterys subhelicina*
Heteropterys reticulata (Poir.) Nied. =*Heteropterys multiflora*
Heteropterys suberosa Griseb. =*Heteropterys nervosa*
Hiraea chrysophylla Adr. Juss. =*Hiraea faginea*
Hiraea gaudichaudiana Adr. Juss. [not in Guianas]
Hiraea multiradiata Adr. Juss. =*Hiraea quapara*
Lophopterys splendens Adr. Juss. var. *obovata* Nied.
 =*Lophopterys euryptera*
Malpighia altissima Aubl. =*Byrsinima altissima*
Malpighia crassifolia Aubl. =*Byrsinima crassifolia*
Malpighia moureila Aubl. =*Byrsinima crassifolia*
Malpighia verbascifolia Aubl. =*Byrsinima verbascifolia*
Mascagnia anisopetala (Adr. Juss.) Griseb. [not in Guianas]
Mascagnia anisopetala (Adr. Juss.) Griseb. var. *macrodisca*
 (Triana & Planch.) Kosterm. =*Mascagnia macrodisca*
Mascagnia leucanthe Griseb. [not in Guianas]
Mascagnia multiglandulosa Nied. [not in Guianas]
Mascagnia multiglandulosa Nied. var. *surinamensis* Kosterm.
 =*Mascagnia surinamensis*
Mascagnia nitida (Kunth) Nied. [not in Guianas]
Mascagnia ovatifolia (Kunth) Griseb. [not in Guianas]
Mascagnia volubilis Nied. =*Mascagnia sinemariensis*
Stigmaphyllon angustilobum Adr. Juss. [not in Guianas]
Stigmaphyllon fulgens Adr. Juss. (nom. superfl.)
 =*Stigmaphyllon sinuatum*
Stigmaphyllon hypoleucum Miq. =*Stigmaphyllon sinuatum*
Stigmaphyllon latifolium Benth. =*Stigmaphyllon convolvulifolium*
Stigmaphyllon martianum Adr. Juss. =*Stigmaphyllon sinuatum*
Stigmaphyllon mathiasiae W.R. Anderson =*Banisteriopsis mathiasiae*
Stigmaphyllon ovatum (Cav.) Cuatrec. =*Stigmaphyllon bannisterioides*
Stigmaphyllon periplocifolium Adr. Juss. [not in Guianas]
Stigmaphyllon purpureum Benth. =*Stigmaphyllon sinuatum*
Stigmaphyllon sagittatum Adr. Juss. =*Stigmaphyllon palmatum*
Stigmaphyllon tiliifolium Nied. [not in Guianas]
Tetrapodenia glandifera Gleason =*Burdachia sphaerocarpa*
Tetrapterys includens Benth. =*Mezia includens*
Tetrapterys oleifolia (Benth.) Nied. [not in Guianas; type
 erroneously reported from GU]
Tetrapterys squarrosa (Griseb.) Griseb. =*Tetrapterys styloptera*

MALVACEAE

contributed by M.J. Jansen-Jacobs (1992);
 additions and corrections by M.J. Jansen-Jacobs & L.J. Dorr (1996)

REFERENCES:

- Clement, I.D. 1957. Studies in Sida. I. Contrib.
 Gray Herb. 180: 1-91.
 Jansen-Jacobs, M.J. 1986. Malvaceae (additions
 and corrections). In A.L. Stoffers & J.C.

- Lindeman, Flora of Suriname 3(1-2): 259-276.
- Kearney, T.H. 1957. A tentative key to the South American species of *Hibiscus* L. Leafl. W. Bot. 8(7): 161-168.
- Kearney, T.H. 1958. A tentative key to the South American species of *Pavonia* Cav. Leafl. W. Bot. 8(10): 225-248.
- Kearney, T.H. 1958. A tentative key to the South American species of *Sida* L. Leafl. W. Bot. 8(11): 249-270.
- Krapovickas, A. & C.L. Cristobal. 1965. Revisión del genero *Peltaea*. *Kurtziana* 2: 135-216.
- Uittien, H. 1932. Malvaceae. In A. Pulle, Flora of Suriname 3(1): 1-25.
- Uittien, H. 1941. Malvaceae (additions and corrections). In A. Pulle, Flora of Suriname 3(1): 433-435.
- Abelmoschus* spp. [GU SU FG] [cultivated]
- Abutilon indicum* (L.) Sweet [GU SU] [cultivated]
- Allosidastrum pyramidatum* (Desp. ex Cav.) Krapov., Fryxell & D.M. Bates [SU]
- Bastardia viscosa* (L.) Kunth [FG?] [introduced]
- Briquetia spicata* (Kunth) Fryxell [GU SU FG]
- Cienfuegiosia affinis* (Kunth) Hochr. [GU]
- Cienfuegiosia phlomidifolia* (St. Hil.) Garcke [GU]
- Gaya occidentalis* (L.) Sweet [GU]
- Gossypium barbadense* L. [GU SU FG] [cultivated only?]
- Gossypium hirsutum* L. [GU SU FG] [cultivated only?]
- Herissantia crispa* (L.) Brizicky [GU]
- Hibiscus bifurcatus* Cav. [GU SU FG]
- Hibiscus dimidiatus* Schrank [GU]
- Hibiscus furcellatus* Desr. [GU SU FG]
- Hibiscus guianensis* Aubl. [FG] [name of uncertain application]
- Hibiscus ingratius* Miq. [SU]
- Hibiscus mutabilis* L. [SU] [cultivated?]
- Hibiscus pernambucensis* Arruda [GU SU? FG] [=*Hibiscus tiliaceus*?]
- Hibiscus phoeniceus* Jacq. [GU FG] [cultivated?]
- Hibiscus pruriolifolius* F.G. Dietr. [GU?]
- Hibiscus radiatus* Cav. [GU SU] [cultivated]
- Hibiscus rosa-sinensis* L. [GU SU FG] [cultivated]
- Hibiscus sabdariffa* L. [GU SU FG] [cultivated]
- Hibiscus schizopetalus* (Dyer) Hook.f. [GU SU FG] [cultivated]
- Hibiscus sororius* L.f. [GU SU FG]
- Hibiscus striatus* Cav. var. *lambertianus* (Kunth) O. Blanch. [GU SU]
- Hibiscus tiliaceus* L. [GU SU FG] [see also *Hibiscus pernambucensis*]
- Hibiscus trilobus* Aubl. [FG] [name of uncertain application]
- Hibiscus varians* Splitg. [GU?]
- Hibiscus verbasciformis* Klotzsch ex Hochr. [GU SU FG]
- Malachra alceifolia* Jacq. var. *alceifolia* [GU FG]
- Malachra alceifolia* Jacq. var. *rotundifolia* (Schrank) Guerke [GU SU]
- Malachra fasciata* Jacq. [GU SU FG]
- Malachra radiata* (L.) L. [GU SU]
- Malvastrum coromandelianum* (L.) Garcke [GU FG]
- Pavonia angustifolia* Benth. [GU]
- Pavonia cancellata* (L.) Cav. [GU SU FG]
- Pavonia castanaefolia* St. Hil. & Naud. [GU SU FG]
- Pavonia flavispina* Miq. [FG?]
- Pavonia fruticosa* (Mill.) Fawcett & Rendle [GU SU FG]
- Pavonia gemimiflora* Moric. [GU]
- Pavonia paludicola* Nicolson [GU SU FG]
- Pavonia paniculata* Cav. [GU]
- Pavonia pectocalyx* Krapov. [FG]
- Pavonia schiedeana* Steud. [GU SU FG]
- Peltaea riedelii* (Guerke) Standl. [GU SU]
- Peltaea speciosa* (Kunth) Standl. [GU SU]
- Peltaea surumuensis* (Ulbr.) Krapov. & Cristóbal [possibly to be expected in the Guianas]
- Peltaea trinervis* (K. Presl) Krapov. & Cristóbal [GU SU]
- Sida acuta* Burm.f. [GU SU FG]
- Sida aggregata* K. Presl [GU]
- Sida ciliaris* L. [GU]
- Sida cordata* (Burm.f.) Borssum Waalkes [SU]
- Sida cordifolia* L. [GU SU FG]
- Sida glomerata* Cav. [GU SU FG]
- Sida linifolia* Cav. [GU SU FG]
- Sida rhombifolia* L. [GU SU FG]
- Sida serrata* Willd. [GU SU FG]
- Sida setosa* Mart. ex Colla [GU SU FG]
- Sida spinosa* L. [GU FG]
- Sida surumuensis* Ulbr. [GU]
- Sida urens* L. [GU SU FG]
- Sida viarum* St. Hil. [GU SU]
- Sidastrum micranthum* (St. Hil.) Fryxell [GU]
- Sidastrum quinquenervium* (Duch. ex Triana & Planch.) E.G. Baker [GU SU FG]
- Thespesia lampas* (Cav.) Dalz. & Gibbs. [SU] [cultivated]
- Thespesia populnea* (L.) Solander ex Correa [GU SU] [cultivated or escaped from cultivation]
- Urena lobata* L. [GU SU FG]
- Wissadula contracta* (Link) R.E. Fries [GU]
- Wissadula hirsuta* Presl [GU]
- Wissadula patens* (St. Hil.) Garcke [GU SU]
- Wissadula periplocifolia* (L.) K. Presl ex Thwaites [GU SU]

MALVACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Abutilon crispum* (L.) Medic. =*Herissantia crispa*
- Hibiscus abelmoschus* L. =*Abelmoschus moschatus* Medic. [cultivated]
- Hibiscus brasiliensis* L. [not in Guianas]
- Hibiscus elatus* Swartz =*Hibiscus tiliaceus*
- Hibiscus esculentus* L. =*Abelmoschus esculentus* (L.) Moench [cultivated]
- Hibiscus lambertianus* Kunth =*Hibiscus striatus* var. *lambertianus*
- Hibiscus lampas* Cav. =*Thespesia lampas*
- Hibiscus spathulatus* Garcke =*Hibiscus verbasciformis*
- Malachra alceifolia* Jacq. var. *fasciata* (Jacq.) A. Robyns =*Malachra fasciata*
- Malachra capitata* L. =*Malachra alceifolia*
- Pavonia juliana* Uittien =*Peltaea riedelii*
- Pavonia racemosa* Swartz [not in Guianas]
- Pavonia rosea* Schlechtend. =*Pavonia schiedeana*
- Pavonia sessiliflora* Kunth =*Peltaea sessiliflora* (Kunth) Standley [not in Guianas]
- Pavonia speciosa* Kunth =*Peltaea speciosa*
- Pavonia spicata* Cav. =*Pavonia paludicola*
- Pavonia spinifex* Cav. [not in Guianas]

Pavonia trinervis (K. Presl) A. Robyns =*Peltaea trinervis*
Pavonia typhalaea Cav. =*Pavonia fruticosa*
Pseudabutilon spicatum (Kunth) R.E. Fries =*Briquetia spicata*
Sida guianensis K. Schum. =*Sidastrum quinquenervium*
Sida micrantha St. Hil. =*Sidastrum micranthum*
Sida quinquenervia (Duch. ex Triana & Planch.) Baker
 =*Sidastrum quinquenervium*
Sida veronicifolia Lam. =*Sida cordata*
Urena reticulata Cav. =*Urena lobata*
Wissadula spicata (Kunth) K. Presl =*Briquetia spicata*

MARANTACEAE

contributed by H. Kennedy (1992)

REFERENCES:

- Andersson, L. 1977. The genus *Ischnosiphon*. *Opera Bot.* 43: 1-113.
 Andersson, L. 1986. Revision of *Maranta* subgen. *Maranta*. *Nord. J. Bot.* 6(6): 729-756.
 Andersson, L. & H. Kennedy. 1986. Four new species of *Calathea* from French Guiana. *Nordic J. Bot.* 6(4): 447-455.
 Hagberg, M. 1990. Two new species of *Monotagma* from the Venezuelan Guayana. *Ann. Missouri Bot. Gard.* 77(2): 421-424.
 Jonker-Verhoef, A.M.E. & F.P. Jonker. 1957. Marantaceae. In A. Pulle & J. Lanjouw, *Flora of Suriname* 1(2): 149-208.
 Kennedy, H. 1995. *Calathea maasiorum* (Marantaceae), a new species from French Guiana and Surinam. *Brittonia* 47(2): 156-159.

Calathea altissima (Poepp. & Endl.) Körn. [GU SU FG]
Calathea caspupo (Jacq.) Schult. [GU]
Calathea cataractum K. Schum. [GU]
Calathea comosa (L.f.) Lindl. [SU FG?]
Calathea cyclophora Baker [GU]
Calathea cylindrica (Roscoe) K. Schum. [FG]
Calathea densa (Koch) Regel [SU?]
Calathea dilabens L. Andersson & H. Kennedy [FG]
Calathea elliptica (Roscoe) K. Schum. [GU SU FG]
Calathea erecta L. Andersson & H. Kennedy [FG]
Calathea fragilis Gleason [GU SU]
Calathea grandis Petersen [GU SU FG]
Calathea granvillei L. Andersson & H. Kennedy [GU SU FG]
Calathea legrelleana (Linden) Regel [GU SU FG]
Calathea lutea (Aubl.) Schult. [GU SU FG]
Calathea maasiorum H. Kennedy [SU FG]
Calathea mansonis Körn. [SU FG]
Calathea micans (Mathieu) Körn. [GU SU FG]
Calathea microcephala (Poepp. & Endl.) Körn. [FG]
Calathea ovata (Nees & Mart.) Lindl. [SU? FG?]
Calathea polytricha Baker [GU]
Calathea propinqua (Poepp. & Endl.) Körn. [GU SU FG]
Calathea splendida (Verschaff. ex Lem.) Regel [FG]
Calathea squarrosa L. Andersson & H. Kennedy [SU FG]
Calathea variegata Linden ex Körn. [GU SU]
Calathea villosa Lindl. [GU SU FG]

Calathea zingiberina Körn. [GU SU FG]
Hylaeanthe hexantha (Poepp. & Endl.) Jonker & Jonker [SU FG]
Hylaeanthe polystachya (Pulle) Jonker-Verhoef & Jonker [SU FG?]
Hylaeanthe unilateralis (Poepp. & Endl.) Jonker & Jonker [SU FG]
Ischnosiphon aromatica (Aubl.) Körn. [GU SU FG]
Ischnosiphon bambusaceus (Poepp. & Endl.) Körn. [SU? FG?]
Ischnosiphon centricifolius L. Andersson [GU FG]
Ischnosiphon enigmaticus L. Andersson [GU FG]
Ischnosiphon foliosus Gleason [GU]
Ischnosiphon gracilis (Rudge) Körn. subsp. *gracilis* [SU FG]
Ischnosiphon gracilis (Rudge) Körn. subsp. *sandwithii* L. Andersson [GU]
Ischnosiphon leucophaeus (Poepp. & Endl.) Körn. subsp. *leucophaeus* [GU? SU FG]
Ischnosiphon longiflorus K. Schum. subsp. *angustifolius* L. Andersson [GU SU]
Ischnosiphon martianus Eichl. ex Petersen [SU FG]
Ischnosiphon obliquus (Rudge) Körn. [GU SU FG]
Ischnosiphon petiolatus (Rudge) L. Andersson [GU SU FG]
Ischnosiphon puberulus Loes. var. *scaber* (Petersen) L. Andersson [GU SU FG]
Ischnosiphon puberulus Loes. var. *verruculosus* (Macbride) L. Andersson [FG]
Ischnosiphon ursinus L. Andersson [FG]
Koernickanthe orbiculata (Körn.) L. Andersson [SU]
Maranta amplifolia K. Schum. [GU SU FG]
Maranta arundinacea Plumier ex L. [GU SU FG]
Maranta friedrichsthaliana Körn. [FG]
Maranta gibba J.E. Smith [GU SU]
Maranta humilis Aubl. [GU? SU FG]
Maranta protracta Miq. [GU SU]
Maranta ruiziana Körn. [GU FG]
Maranta rupicola L. Andersson [GU SU FG]
Monophyllanthe oligophylla K. Schum. [SU FG]
Monotagma contractum Huber [SU FG]
Monotagma exile Hagberg, sp. nov. ined. [FG]
Monotagma juruanum Loes. [FG]
Monotagma laxum (Poepp. & Endl.) K. Schum. [GU SU FG]
Monotagma ovatum Hagberg [GU]
Monotagma plurispicatum (Körn.) K. Schum. var. *plurispicatum* [GU? SU FG]
Monotagma secundum (Peters.) K. Schum. [GU SU]
Monotagma spicatum (Aubl.) Macbr. [GU SU FG]
Monotagma ulei Schum. ex Loes. [FG]
Monotagma vaginatum Hagberg [FG]
Myrsma cannifolia L.f. [GU SU FG?]
Stromanthe tonckat (Aubl.) Eichl. [SU FG]
Thalia geniculata L. [GU SU FG]

MARANTACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Calathea albicans Brongn. ex K. Schum. =*Calathea micans*
Calathea allouia (Aubl.) Lindl. =*Calathea legrelleana*
Calathea strobilifera (Miq.) Körn. =*Renealmia cernua*
 (Zingiberaceae)
Ischnosiphon surinamensis (Miq.) Körn. =*Ischnosiphon leucophaeus*
Ischnosiphon violaceus Pulle =*Ischnosiphon petiolatus*
Maranta allouia Aubl. =*Calathea legrelleana*

- Maranta divaricata* Roscoe [not in Guianas]
Maranta orbiculata (Körn.) K. Schum. =*Koernikanthe orbiculata*
Maranta strobilifera Miq. =*Renealmia cernua* (Zingiberaceae)
Monotagma exannulatum K. Schum. =*Monotagma laxum*
Monotagma guianense (Körn.) K. Schum. =*Monotagma plurispicatum*
Monotagma parkeri (Roscoe) K. Schum. =*Monotagma spicatum*
Monotagma parkeri (Roscoe) Schum. =*Monotagma spicatum*
Myrosma polystachya Pulle =*Hylaeanthus polystachya*
Phrynum strobiliferum (Miq.) K. Koch =*Renealmia cernua* (Zingiberaceae)
Saranthe urceolata Peters. =*Maranta humilis*
Thalia trichocalyx Gagnep. =*Thalia geniculata*

MARCGRAVIACEAE

reviewed by A.C. de Roon (1992); additions and corrections by A.C. de Roon & S. Dressler (1996)

REFERENCES:

- Bailey, I.W. 1922. The pollination of *Marcgravia*: a classical case of ornithophily? Amer. J. Bot. 9: 370-384.
 Lanjouw, J. & P.F. van Heerdt. 1941. Marcgraviaceae. In A. Pulle, Flora of Suriname 3(1): 373-385.

- Marcgravia coriacea* Vahl [GU SU FG]
Marcgravia magnibracteata Lanj. & van Heerdt [SU FG]
Marcgravia parviflora L.C. Rich. ex Wittm. [GU SU FG]
Marcgravia purpurea I.W. Bailey [GU]
Norantea guianensis Aubl. [GU SU FG]
Norantea pendula Lanj. & van Heerdt [GU SU FG]
Norantea tepuensis de Roon [GU]
Souroubea guianensis Aubl. subsp. *guianensis* [GU SU FG]

MARCGRAVIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Marcgravia cuyuniensis* I.W. Bailey =*Marcgravia coriacea*
Marcgravia dasystachya Gilg ex Ule [nomen nudum]
Marcgravia gracilis Sagot =*Marcgravia parviflora*
Marcgravia picta Willd. [dubious species]
Marcgravia roraimae Gilg ex Werderm. =*Marcgravia coriacea*
Marcgravia roraimensis Gilg ex Ule [nomen nudum]
Marcgravia umbellata L. [Guianan records misident.]

MAYACACEAE

contributed by A. Lourteig (1992); additions and corrections by A. Lourteig (1996)

REFERENCES:

- Lanjouw, J. 1938. Mayacaceae. In A. Pulle, Flora of Suriname 1(1): 249-251.
 Lourteig, A. 1952. Mayacaceae. Notul. Syst. 14: 234-248.
 Lourteig, A. 1971. Mayacaceae. In T. Lasser, Flora de Venezuela 3(1): 197-203.

- Mayaca fluviatilis* Aubl. [GU SU FG]
Mayaca longipes Mart. ex Seub. [GU SU FG]
Mayaca sellowiana Kunth [GU SU FG]

MAYACACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Mayaca aubletii* Michx. =*Mayaca fluviatilis*

MELASTOMATACEAE

contributed by J.J. Wurdack; Mouriri, Votomita by T. Morley (1992); reviewed by T. Morley (1996)

REFERENCES:

- [for a more extensive bibliography, see Wurdack et al. 1993]

- Gleason, H.A. 1932. A synopsis of the Melastomataceae of British Guiana. Brittonia 1: 127-184.
 Gleason, H.A. 1935. Melastomaceae. In A. Pulle, Flora of Suriname 3(1): 178-281.
 Görts-van Rijn, A.R.A. & M.J. Jansen-Jacobs. 1986. Melastomataceae (additions and corrections). In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 3(2): 356-429.
 Morley, T. 1976. Memecyleae (Melastomataceae). Flora Neotropica Monogr. 15: 1-295.
 Renner, S.S. 1989. Systematic studies in the Melastomataceae: *Bellucia*, *Loreya*, and *Macairea*. Mem. New York Bot. Gard. 50: 1-112.
 Wurdack, J.J. 1961. Melastomataceae. In B. Maguire, J.J. Wurdack, & collaborators, Botany of the Guayana Highland part IV. Mem. New York Bot. Gard. 10(4): 32-47.
 Wurdack, J.J. 1973. Melastomataceae. In T. Lasser, Flora de Venezuela 8: 1-819. [Mouriri & Votomita contributed by T. Morley]
 Wurdack, J.J., T. Morley, & S. Renner. 1993. Melastomataceae. In A.R.A. Görts-van Rijn, Flora of the Guianas (series A) 13: 1-424.

- Aciotis aequatorialis* Cogn. [GU SU FG]
Aciotis annua (DC.) Triana [GU SU FG]
Aciotis circaeifolia (Bonpl.) Triana [GU]
Aciotis dichotoma (Benth.) Cogn. [GU SU FG]

- Aciotis fragilis* (DC.) Cogn. [GU SU FG]
Aciotis laxa (DC.) Cogn. var. A [GU]
Aciotis laxa (DC.) Cogn. var. B [GU SU FG]
Aciotis laxa (DC.) Cogn. var. *kappleriana* (Naud.) Cogn. [GU SU FG]
Aciotis laxa (DC.) Cogn. var. *laxa* [GU SU FG]
Aciotis longifolia (DC.) Triana [FG]
Aciotis ornata (Miq.) Gleason [GU SU FG]
Aciotis purpurascens (Aubl.) Triana [GU SU FG]
Aciotis rubricaulis (DC.) Triana [SU FG]
Acisanthera bivalvis (Aubl.) Cogn. [GU SU FG]
Acisanthera crassipes (Naud.) Wurdack [GU FG]
Acisanthera hedyotidea (K. Presl) Triana [GU SU]
Acisanthera limnobios (DC.) Triana [GU SU]
Acisanthera nana Ule [GU]
Acisanthera rosulans Huber [SU FG]
Acisanthera tetraptera (Cogn.) Gleason [SU FG?]
Acisanthera uniflora (Vahl) Gleason [GU SU FG]
Adelobotrys adscendens (Swartz) Triana [GU SU FG]
Adelobotrys ayangannensis Wurdack [GU]
Adelobotrys ciliata (Naud.) Triana [GU? SU FG]
Adelobotrys monticola Gleason [SU]
Adelobotrys permixta Wurdack [GU]
Adelobotrys scandens (Aubl.) DC. [SU FG]
Adelobotrys spruceana Cogn. [FG]
Appendicularia thymifolia (Bonpl.) DC. [GU SU FG]
Bellucia grossularioides (L.) Triana [GU SU FG]
Bellucia pentamera Naud. [GU]
Boyonia ayangannae Wurdack [GU]
Chaetolepis anisandra Naud. [GU]
Clidemia anisophylla DC. [GU SU FG]
Clidemia aphanantha (Naud.) Sagot [FG]
Clidemia attenuata (Naud.) Cogn. [GU FG]
Clidemia ayangannensis Wurdack [GU]
Clidemia bullosa DC. [GU SU FG]
Clidemia buntingii Wurdack [GU]
Clidemia capitata Benth. [GU]
Clidemia capitellata (Bonpl.) D. Don var. *capitellata* [GU SU FG]
Clidemia capitellata (Bonpl.) D. Don var. *dependens* (D. Don Macbride [GU SU FG]
Clidemia charadrophylla Tutin [GU]
Clidemia conglomerata DC. [GU SU FG]
Clidemia debilis Crueger [reported and perhaps to be expected, but no material seen]
Clidemia dentata D. Don [GU SU FG]
Clidemia epibacterium DC. [GU]
Clidemia eiphytica (Triana) Cogn. [FG]
Clidemia granvillei Wurdack [FG]
Clidemia heptamera Wurdack [GU]
Clidemia hirta (L.) D. Don var. *elegans* (Aubl.) Griseb. [GU SU FG]
Clidemia hirta (L.) D. Don var. *hirta* [GU SU FG]
Clidemia involucrata DC. [GU SU FG]
Clidemia japurensis DC. var. *heterobasis* (DC.) Wurdack [GU SU FG]
Clidemia japurensis DC. var. *japurensis* [GU SU FG]
Clidemia kappleri Cogn. [GU SU]
Clidemia laevifolia Gleason [GU SU FG]
Clidemia micrantha Sagot [GU FG]
Clidemia microthyrsa R.O. Williams [GU SU FG]
Clidemia minutiflora (Triana) Cogn. [GU SU FG]
Clidemia novemnervia (DC.) Triana [GU SU]
Clidemia octona (Bonpl.) L.O. Williams subsp. *guayanensis* Wurdack [GU SU FG]
Clidemia ostentata Wurdack [GU]
Clidemia pakaraimae Wurdack [GU]
Clidemia petiolata DC. [SU FG]
Clidemia pustulata DC. [GU SU FG]
Clidemia pycnaster Tutin subsp. *pycnaster* [GU SU]
Clidemia pycnaster Tutin subsp. *robusta* Wurdack [GU SU]
Clidemia rubra (Aubl.) Mart. [GU SU FG]
Clidemia sandwithii Wurdack [GU]
Clidemia saulensis Wurdack [FG]
Clidemia septuplinervia Cogn. [SU FG]
Clidemia sericea D. Don [GU SU FG]
Clidemia silvicola Gleason [GU SU FG]
Clidemia stellipilis (Gleason) Wurdack [GU]
Clidemia strigillosa (Swartz) DC. [GU SU]
Clidemia tepuiensis Wurdack [GU]
Clidemia urceolata DC. [GU FG]
Clidemia venosa (Gleason) Wurdack [GU SU FG]
Comolia ayangannae Wurdack [GU]
Comolia latifolia (Aubl.) Cogn. [FG] [dubious species, no material found]
Comolia microphylla Benth. [GU SU FG]
Comolia smithii Wurdack [GU]
Comolia vernicosa (Benth.) Triana [GU SU]
Comolia villosa (Aubl.) Triana var. A [GU SU FG]
Comolia villosa (Aubl.) Triana var. B [GU SU FG]
Comolia villosa (Aubl.) Triana var. *villosa* [GU SU FG]
Desmoscelis villosa (Aubl.) Naud. [GU SU FG]
Ernestia blackii Brade & Markgr. [SU FG]
Ernestia cataractae Tutin [GU]
Ernestia confertiflora Wurdack [SU FG]
Ernestia glandulosa Gleason [GU SU? FG]
Ernestia granvillei Wurdack [SU FG]
Ernestia minor Gleason [SU]
Ernestia pullei Gleason [GU SU FG]
Ernestia rubra Pulle [SU FG]
Ernestia subglabra Wurdack [FG]
Graffenrieda caryophyllea Triana [GU]
Graffenrieda caudata Wurdack [GU]
Graffenrieda intermedia Triana [GU]
Graffenrieda irwinii Wurdack [GU]
Graffenrieda obliqua Triana [GU]
Graffenrieda sessilifolia Triana [GU]
Graffenrieda weddellii Naud. [GU]
Henriettea granulata Berg ex Triana [GU]
Henriettea maroniensis Sagot [GU SU FG]
Henriettea multiflora Naud. [GU SU FG]
Henriettea patrisiana DC. [GU SU FG]
Henriettea ramiflora (Swartz) DC. [GU SU FG]
Henriettea stellaris O. Berg ex Triana [GU SU FG]
Henriettea succosa (Aubl.) DC. [GU SU FG]
Henriettella caudata Gleason [GU SU FG]
Henriettella duckeana Hoehne [FG]
Henriettella flavesrens (Aubl.) Triana [SU FG]
Henriettella ininiensis Wurdack [FG]
Henriettella ovata Cogn. [GU]
Leandra agrestis (Aubl.) Raddi [FG]
Leandra chaetodon (DC.) Cogn. [GU]
Leandra clidemioidea (Naud.) Wurdack [GU FG]
Leandra cremersii Wurdack [FG]
Leandra cuneata (Mart.) Cogn. [GU]
Leandra divaricata (Naud.) Cogn. [GU SU FG]
Leandra edentula Gleason [GU]
Leandra lindeniana (Naud.) Cogn. [GU]
Leandra micrantha Wurdack [FG]
Leandra micropetala (Naud.) Cogn. [SU FG]

- Leandra paleacea Wurdack [SU FG]
 Leandra polyadema Ule [GU]
 Leandra procumbens Ule [GU]
 Leandra purpurea Gleason [GU FG]
 Leandra rufescens (DC.) Cogn. [GU SU FG]
 Leandra sanguinea Gleason subsp. *sanguinea* [GU]
 Leandra sanguinea Gleason subsp. *tepuiensis* Wurdack [GU
 SU]
 Leandra solenifera Cogn. [GU SU FG]
 Leandra verticillata (DC.) Cogn. [FG]
Loreya arborescens (Aubl.) DC. [GU SU? FG]
Loreya mespiloides Miq. [GU SU FG]
Loreya spruceana Benth. ex Triana [GU]
Loreya subrotundifolia (Wurdack) Renner [FG]
Macairea lasiophylla (Benth.) Wurdack [GU]
Macairea multinervia Benth. [GU]
Macairea pachyphylla Benth. [GU SU]
Macairea parvifolia Benth. [GU]
Macairea thrysiflora DC. [GU]
Macrocentrum anfractum Wurdack [GU]
Macrocentrum brevipedicellatum Wurdack [GU]
Macrocentrum cristatum (DC.) Triana var. *cristatum* [GU SU
 FG]
Macrocentrum cristatum (DC.) Triana var. *microphyllum*
 Cogn. [GU SU FG]
Macrocentrum cristatum (DC.) Triana var. *parviflorum* (DC.)
 Cogn. [GU SU FG]
Macrocentrum drosoroides Triana [GU]
Macrocentrum fasciculatum (DC.) Triana [GU SU FG]
Macrocentrum fruticosum Gleason [GU SU FG]
Macrocentrum gesneriaceum Sandw. [GU]
Macrocentrum gracile Wurdack [GU]
Macrocentrum latifolium Wurdack [FG]
Macrocentrum minus Gleason [GU]
Macrocentrum neblinae Wurdack [GU]
Macrocentrum parvulum Gleason [SU]
Macrocentrum repens (Gleason) Wurdack [GU]
Macrocentrum stipulaceum Wurdack [GU]
Macrocentrum vestitum Sandw. [GU FG]
Maguireanthus ayangannae Wurdack [GU]
Maieta guianensis Aubl. [GU SU FG]
Maieta poeppigii Mart. ex Cogn. [GU SU FG]
Marcetia taxifolia (St. Hil.) DC. [GU]
Meriania crassiramis (Naud.) Wurdack [GU]
Meriania sclerophylla (Naud.) Triana [GU]
Meriania urceolata Triana [GU]
Miconia acinodendron (L.) Sweet [GU SU FG]
Miconia acuminata (Steud.) Naud. [SU FG]
Miconia acutifolia Ule [GU]
Miconia affinis DC. [GU SU FG]
Miconia alata (Aubl.) DC. [GU SU FG]
Miconia albicans (Swartz) Triana [GU SU FG]
Miconia alborufescens Naud. [GU]
Miconia aliquantula Wurdack [SU FG]
Miconia alternans Naud. [GU SU FG]
Miconia amacurensis Wurdack [GU FG]
Miconia ampla Triana [GU SU FG]
Miconia apostachya (Bonpl.) DC. [GU SU FG]
Miconia argyrophylla DC. subsp. *argyrophylla* [GU SU FG]
Miconia argyrophylla DC. subsp. *gracilis* Wurdack [GU SU
 FG]
Miconia bracteata (DC.) Triana [GU SU FG]
Miconia brevipes Benth. [GU SU]
Miconia bubarina (D. Don) Naud. [GU]
Miconia cacatia (Aubl.) Renner [SU FG]
Miconia cacumina Wurdack [GU]
Miconia campestris (Benth.) Triana [GU SU]
Miconia centrodesma Naud. [GU SU? FG]
Miconia ceramicarpa (DC.) Cogn. var. *candolleana* Cogn.
 [FG]
Miconia ceramicarpa (DC.) Cogn. var. *ceramicarpa* [GU SU
 FG]
Miconia chrysophylla (Rich.) Urb. [GU SU FG]
Miconia ciliata (Rich.) DC. [GU SU FG]
Miconia cowanii Wurdack [perhaps to be expected in FG]
Miconia diaphanea Gleason [SU FG]
Miconia dispar Benth. [FG]
Miconia dodecandra (Desr.) Cogn. [GU SU]
Miconia egensis Cogn. [GU SU FG]
Miconia elata (Swartz) DC. [FG]
Miconia eriodonta DC. [FG]
Miconia fallax DC. [GU SU]
Miconia fanshawei Wurdack [GU]
Miconia fragilis Naud. [GU FG]
Miconia fragrans Cogn. [GU]
Miconia francavillana Cogn. [SU? FG]
Miconia gratissima Benth. ex Triana [GU SU FG]
Miconia holosericea (L.) DC. [GU SU FG]
Miconia hypoleuca (Benth.) Triana [GU SU FG]
Miconia ibaguensis (Bonpl.) Triana [GU SU]
Miconia kappleri Naud. [SU FG]
Miconia lappacea (DC.) Triana [SU FG]
Miconia lasseri Gleason [GU SU]
Miconia lateriflora Cogn. subsp. *lateriflora* [GU SU FG]
Miconia lateriflora Cogn. subsp. *monticellensis* Wurdack [GU
 SU]
Miconia lepidota DC. [GU SU FG]
Miconia longifolia (Aubl.) DC. [GU SU FG]
Miconia longispicata Triana [FG]
Miconia macrothyrsa Benth. [GU SU FG]
Miconia maguirei Gleason [GU]
Miconia marginata Triana [GU]
Miconia mariae Wurdack [GU]
Miconia matthaei Naud. [GU SU FG]
Miconia melinonis Naud. [FG]
Miconia minutiflora (Bonpl.) DC. [SU FG]
Miconia mirabilis (Aubl.) L.O. Williams [GU SU FG]
Miconia mutabilis (DC.) Triana [FG]
Miconia myriantha Benth. [GU SU FG]
Miconia navioensis Wurdack [perhaps to be expected in FG]
Miconia nervosa (Sm.) Triana [GU SU FG]
Miconia oldemanii Wurdack [FG]
Miconia phaeophylla Triana [GU SU FG]
Miconia pileata DC. [FG]
Miconia platypoda Gleason [SU]
Miconia plukanettii Naud. [GU SU FG]
Miconia poeppigii Triana [GU? SU FG]
Miconia polita Gleason [GU]
Miconia prasina (Swartz) DC. [GU SU FG]
Miconia pseudoaplostachya Cogn. [FG]
Miconia pubipetala Miq. [GU SU FG]
Miconia punctata (Desr.) D. Don [GU SU FG]
Miconia pyrifolia Naud. [GU SU FG?]
Miconia racemosa (Aubl.) DC. [GU SU FG]
Miconia radulaefolia (Benth.) Naud. [GU]
Miconia regelii Cogn. [GU FG?]
Miconia rhytidophylla Naud. [to be expected in GU, SU]
Miconia roraimensis Ule [GU]
Miconia rubiginosa (Bonpl.) DC. [GU SU]
Miconia rufescens (Aubl.) DC. [GU SU FG]

- Miconia ruficalyx Gleason [GU SU FG]
 Miconia rugosa Triana [GU SU]
 Miconia rupestris Ule [GU]
 Miconia sagotiana Cogn. [GU SU FG]
 Miconia sarmentosa Cogn. [SU FG]
 Miconia sastrei Wurdack [FG]
 Miconia serialis DC. [GU SU FG]
 Miconia serrulata (DC.) Naud. [GU SU FG]
 Miconia silicicola Gleason [GU]
 Miconia splendens (Swartz) Griseb. [GU SU FG]
 Miconia stenostachya DC. [GU SU]
 Miconia stephananthera Ule [GU SU FG?]
 Miconia superba Ule [GU]
 Miconia tetraspermooides Wurdack [GU SU FG]
 Miconia theaezans (Bonpl.) Cogn. [to be expected in GU]
 Miconia tillettii Wurdack [GU SU FG]
 Miconia tinifolia Naud. var. roraimensis Wurdack [GU]
 Miconia tomentosa (Rich.) D. Don ex DC. [GU SU FG]
 Miconia traillii Cogn. [GU SU FG]
 Miconia trimera Wurdack [SU FG]
 Miconia trinervia (Swartz) D. Don ex Loud. [FG]
 Miconia tschudioides Cogn. [SU FG]
 Microlicia benthamiana Triana ex Cogn. [GU]
 Monochaeum bonplandii (Kunth) Naud. [GU]
 Mouriri acutiflora Naud. [GU SU FG]
 Mouriri angulicosta Morley [SU FG]
 Mouriri brevipes Hook. [GU SU]
 Mouriri collocarpa Ducke [SU FG]
 Mouriri crassifolia Sagot [GU? SU FG]
 Mouriri duckeana Morley [GU SU FG]
 Mouriri dumetosa Cogn. [FG]
 Mouriri francavillana Cogn. [FG]
 Mouriri grandiflora DC. [GU SU FG]
 Mouriri guianensis Aubl. [GU SU FG]
 Mouriri huberi Cogn. [GU SU FG]
 Mouriri myrtifolia Spruce ex Triana [to be expected in GU]
 Mouriri nervosa Pilger [SU FG]
 Mouriri nigra (DC.) Morley [GU SU FG]
 Mouriri oligantha Pilger [FG]
 Mouriri sagotiana Triana [GU SU FG]
 Mouriri sideroxylon Sagot ex Triana [GU SU FG]
 Mouriri subumbellata Triana [FG]
 Mouriri vernicosa Naud. [GU SU FG]
 Mouriri viridicosta Morley [FG]
 Myriaspura egensis DC. [GU SU FG]
 Myrmidone macrosperma (Mart.) Mart. [GU]
 Nepsera aquatica (Aubl.) Naud. [GU SU FG]
 Ochthephilus repentinus Wurdack [GU]
 Ossaea coarctiflora Wurdack [FG]
 Ossaea quadriflora (Naud.) Wurdack [FG]
 Pachyloma coriaceum (DC.) [GU]
 Phainantha laxiflora (Triana) Gleason [GU]
 Phainantha maguirei Wurdack [GU]
 Phainantha myrteoloides Wurdack [to be expected in GU]
 Pterogastra divaricata (Bonpl.) Naud. [GU]
 Pterolepis glomerata (Rottb.) Miq. [GU SU FG]
 Pterolepis pumila (Bonpl.) Cogn. [GU FG]
 Pterolepis trichotoma (Rottb.) Cogn. [GU SU FG]
 Rhynchanthera dichotoma (Desr.) DC. [GU]
 Rhynchanthera grandiflora (Aubl.) DC. [GU SU FG]
 Rhynchanthera hispida Naud. [GU? SU]
 Rhynchanthera serrulata (L.C. Rich.) DC. [GU SU FG]
 Salpinga glandulosa (Gleason) Wurdack [to be expected in GU]
 Salpinga paleacea Wurdack [GU]
- Siphanthera cordifolia (Benth.) Gleason [GU]
 Siphanthera foliosa (Naud.) Wurdack [GU?]
 Siphanthera hostmannii Cogn. [GU SU]
 Tibouchina aspera Aubl. var. aspera [GU SU FG]
 Tibouchina aspera Aubl. var. asperrima Cogn. [GU SU FG]
 Tibouchina fraterna N.E. Brown [GU]
 Tibouchina geitneriana (Schlechtend.) Cogn. [GU]
 Tibouchina gracilis (Bonpl.) Cogn. [GU]
 Tibouchina multiflora (Gardn.) Cogn. [FG]
 Tococa aristata Benth. [GU SU FG?]
 Tococa desiliens Gleason [GU]
 Tococa erythrophylla (Ule) Wurdack [GU]
 Tococa guianensis Aubl. [GU SU FG]
 Tococa nitens (Benth.) Triana [GU]
 Tococa subciliata (DC.) Triana [GU]
 Topoeba ferruginea Gleason [perhaps to be expected in GU]
 Topoeba parasitica Aubl. [SU FG]
 Trysophyton merumense Wurdack [GU]
 Votomita guianensis Aubl. [GU SU FG]
 Votomita sp. aff. monadelpha (Ducke) Morley [SU]

MELASTOMATACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Aciotis acutiflora (Mart.) Triana [not in Guianas]
 Aciotis cordata Macb. [not in Guianas]
 Aciotis dichotoma (Benth.) Cogn. var. anomala (Miq.) Cogn.
 =Aciotis dichotoma
 Aciotis discolor D. Don =Aciotis purpurascens
 Aciotis dysophylla (Benth.) Triana =Aciotis annua
 Aciotis fragilis (DC.) Cogn. var. lancifolia Cogn. =Aciotis fragilis
 Aciotis herbacea Cogn. =Aciotis ornata
 Aciotis indecora (Bonpl.) Triana var. glabrescens Cogn.
 =Aciotis laxa var. A
 Aciotis indecora (Bonpl.) Triana var. sagotiana Cogn.
 =Aciotis laxa var. B
 Aciotis purpurascens (Aubl.) Triana var. pellucida (DC.) Cogn. =Aciotis purpurascens
 Acisanthera beccabunga (Mart. ex Naud.) Triana =Acisanthera bivalvis
 Acisanthera boissieriana Cogn. =Acisanthera hedyotidea
 Acisanthera brevifolia (DC.) Griseb. =Acisanthera bivalvis
 Acisanthera gracilis Ule =Acisanthera crassipes
 Acisanthera inundata (DC.) Triana [not in Guianas]
 Acisanthera inundata (DC.) Triana var. pusilla Cogn.
 =Acisanthera limnobios
 Acisanthera lasiophylla (Benth.) Gleason =Macairea lasiophylla
 Acisanthera recurva (L.C. Rich.) Griseb. =Acisanthera uniflora
 Acisanthera trivalvis (Aubl.) Cogn. =Acisanthera bivalvis
 Adelobotrys guianensis (DC.) Gleason =Adelobotrys adscendens
 Adelobotrys laxiflora Triana =Phainantha laxiflora
 Adelobotrys monticola Gleason subsp. occidentalis Wurdack
 =Adelobotrys monticola
 Apatitia blakeoides Desv. =Bellucia grossularioides
 Arthrostemma glomeratum (Rottb.) Cham. =Pterolepis glomerata
 Arthrostemma ladanoides (Rich.) DC. =Pterolepis trichotoma
 Arthrostemma latifolium Don [dubious species, type not found]
 Arthrostemma villosum (Aubl.) DC. =Comolia villosa

- Bellucia arborescens* (Aubl.) Baill. =*Loreya arborescens*
Bellucia aubletii Naud. =*Bellucia grossularioides*
Bellucia cacatian (Aubl.) Sagot =*Miconia cacatian*
Bellucia hostmannii Naud. =*Bellucia grossularioides*
Bellucia mespilooides (Miq.) Macbr. =*Loreya mespilooides*
Bellucia nervosa Raf. =*Bellucia grossularioides*
Bellucia quinquenervia (Aubl.) Karst. =*Bellucia grossularioides*
Bellucia subrotundifolia Wurdack =*Loreya subrotundifolia*
Blakea cacatian (Aubl.) D. Don ex DC. =*Miconia cacatian*
Blakea quinquenervia Aubl. =*Bellucia grossularioides*
Blakea triplinervia L.f. =*Bellucia grossularioides*
Brachypremna petiolata Gleason =*Ernestia pullei*
Capitellaria benthamii Naud. =*Clidemia capitata*
Centronia crassiramis (Naud.) Triana =*Meriania crassiramis*
Chaenopleura fulva (Rich.) Griseb. =*Miconia chrysophylla*
Chaenopleura hypoleuca Benth. =*Miconia hypoleuca*
Chaenopleura longifolia (Aubl.) Griseb. =*Miconia longifolia*
Chaetogastra callichæta Benth. =*Pterolepis glomerata*
Chaetogastra glomerata (Rottb.) Benth. =*Pterolepis glomerata*
Chaetogastra hypericoides DC. =*Desmoscelis villosa*
Chaetogastra lasiophylla Benth. =*Macairea lasiophylla*
Charianthus spp. [Caribbean, none in Guianas]
Chitonia fothergilla (Desr.) D. Don
Clidemia affinis (Naud.) Cogn. =*Clidemia pustulata*
Clidemia agrestis (Aubl.) D. Don =*Leandra agrestis*
Clidemia benthamiana Miq. =*Clidemia hirta* var. *hirta*
Clidemia berbiceana DC. =*Miconia acinodendron*
Clidemia biformis Gleason =*Clidemia anisophylla*
Clidemia bonplandii Cogn. =*Clidemia debilis*
Clidemia bracteata DC. =*Miconia bracteata*
Clidemia campestris Benth. =*Miconia campestris*
Clidemia candelleana Cogn. =*Clidemia bullosa*
Clidemia coccinea DC. =*Miconia ceramicarpa* var. *ceramicarpa*
Clidemia coriacea (Naud.) Cogn. =*Clidemia tepuiensis*
Clidemia depauperata DC. =*Leandra agrestis*
Clidemia dependens D. Don =*Clidemia capitellata* var. *dependens*
Clidemia divaricata Naud. =*Leandra divaricata*
Clidemia drosera Sagot =*Clidemia micrantha?*
Clidemia elegans (Aubl.) D. Don =*Clidemia hirta* var. *elegans*
Clidemia glabrata Steud. =*Miconia ibaguensis*
Clidemia heterocarpa Naud. =*Clidemia japorensis* var. *japorensis*
Clidemia lappacea DC. =*Miconia lappacea*
Clidemia maculata Benth. =*Miconia ibaguensis*
Clidemia miconioides Benth. =*Miconia ibaguensis*
Clidemia mutabilis DC. =*Miconia mutabilis*
Clidemia novemnervia (DC.) Triana var. *affinis* (Naud.) Wurdack =*Clidemia pustulata*
Clidemia petiolata DC. var. *angustifolia* Cogn. =*Clidemia petiolata*
Clidemia petiolata DC. var. *colorata* Cogn. =*Clidemia petiolata*
Clidemia radulaefolia Benth. =*Miconia radulaefolia*
Clidemia rariflora Benth. =*Clidemia bullosa*
Clidemia rhamnifolia Naud. var. *macrodon* Naud. =*Leandra divaricata*
Clidemia rubra (Aubl.) Mart. var. *biacuta* (Naud.) Cogn. =*Clidemia sericea*
Clidemia smithii Gleason =*Clidemia laevifolia* x *Clidemia hirta?*
Clidemia spicata (Aubl.) DC. =*Clidemia capitellata* var. *dependens*
- Clidemia surinamensis* Miq. =*Clidemia novemnervia*
Clidemia tiliifolia DC. =*Clidemia hirta* var. *tiliifolia* (DC.) Macbr. [not in Guianas]
Clidemia trichodes DC. =*Miconia bracteata*
Clidemia tristis (Naud.) Sagot =*Miconia bracteata*
Clidemia umbonata DC. =*Clidemia strigillosa*
Clidemia violacea DC. =*Miconia ceramicarpa* var. *ceramicarpa*
Comolia angustifolia Gleason =*Comolia villosa* var. A
Comolia hirtella Naud. =*Comolia villosa* var. *villosa*
Comolia kuhlmannii Hoehne =*Comolia villosa* var. A
Comolia lythrarioides (Steud.) Naud. =*Comolia villosa* var. B
Comolia neglecta Cogn. =*Comolia villosa* var. A
Comolia purpurea Miq. =*Comolia villosa* var. *villosa*
Comolia surinamensis Miq. =*Comolia villosa* var. B
Comolia tetraptera Cogn. =*Acisanthera tetraptera*
Comolia veronicaefolia Benth. =*Comolia villosa* var. A
Conostegia acuminata Steud. =*Miconia acuminata*
Conostegia icosandra (Sw.) Urb. [not in Guianas]
Conostegia petiolata Gleason =*Conostegia montana* (Sw.) DC. [not in Guianas]
Copedesma nitens Gleason =*Miconia ruficalyx*
Coryphadenia abnormis (Naud.) Morley =*Votomita guianensis*
Davya ciliata Naud. =*Adelobotrys ciliata*
Davya crassiramis Naud. =*Meriania crassiramis*
Davya guianensis DC. =*Adelobotrys ascendens*
Davya scandens (Aubl.) Naud. =*Adelobotrys scandens*
Davya sclerophylla Naud. =*Meriania sclerophylla*
Decaraphe floribunda Miq. =*Miconia acinodendron*
Decaraphe fockeana Miq. =*Miconia acinodendron*
Decaraphe hostmannii Steud. =*Miconia serrulata*
Diolena repens Gleason =*Macrocentrum repens*
Diplochita florida DC. =*Miconia mirabilis*
Diplochita fothergilla (Desr.) DC. =*Miconia mirabilis*
Diplochita leucocephala DC. =*Miconia serrulata*
Diplochita mucronata (Desr.) DC. =*Miconia holosericea*
Diplochita parviflora Benth. =*Miconia pubipetala*
Diplochita serrulata DC. var. *latifolia* DC. =*Miconia serrulata*
Diplochita tomentosa (Rich.) Griseb. =*Miconia tomentosa*
Fothergilla guianensis Aubl. =*Miconia mirabilis*
Fothergilla mirabilis Aubl. =*Miconia mirabilis*
Graffenrieda ovalifolia Naud. =*Graffenrieda weddellii*
Graffenrieda stenopetala Ule =*Graffenrieda intermedia*
Hartigia barbigera (DC.) Miq. =*Miconia ciliata*
Hartigia oblongifolia Miq. =*Miconia racemosa*
Hartigia spectabilis Miq. =*Miconia racemosa*
Henriettea succosa (Aubl.) DC. var. *guianensis* Gleason =*Henriettea ramiflora*
Henriettea succosa (Aubl.) DC. var. *kappleriana* Steud. ex Naud. =*Henriettea succosa*
Henriettea surinamensis Miq. =*Henriettea ramiflora*
Henriettea trinervia Naud. =*Henriettea ramiflora*
Henriettella longistyla Ule =*Henriettella ovata*
Henriettella patrisiana (DC.) Naud. =*Henriettea patrisiana*
Henriettella venosa Gleason =*Clidemia venosa*
Jucunda tomentosa (Rich.) Benth. =*Miconia tomentosa*
Lasiandra tibouchina (Desr.) Naud. =*Tibouchina aspera* var. *aspera*
Leandra anisophylla (DC.) Cogn. =*Clidemia anisophylla*
Leandra longicoma Cogn. [not in Guianas]
Leandra montana Gleason =*Aciotis laxa* var. *kappleriana*
Leandra pulverulenta (DC.) Cogn. =*Miconia aliquantula*
Leandra rhamnifolia (Naud.) Cogn. var. *macrodon* (Naud.) Cogn. =*Leandra divaricata*

- Leandra rufescens* (DC.) Cogn. var. *asperiuscula* (DC.) Cogn.
= *Leandra rufescens*
- Leandra scabra* DC. = *Leandra melastomoides* Raddi [not in Guianas]
- Leiostegia vernicosa* Benth. = *Comolia vernicosa*
- Loreya acutifolia* O. Berg ex Triana = *Loreya arborescens*
- Loreya flavescens* (Aubl.) Naud. = *Henrietella flavescens*
- Macairea aspera* N.E. Brown = *Macairea thyrsiflora*
- Macairea calvescens* Naud. = *Macairea pachyphylla*
- Macrocentrum montanum* Gleason = *Macrocentrum cristatum*
var. *microphyllum*
- Maieta dispar* Miq. = *Maieta guianensis*
- Meisneria cordifolia* Benth. = *Siphanthera cordifolia*
- Meisneria microliciooides* Naud. = *Siphanthera cordifolia*
- Melastoma agrestis* Aubl. = *Leandra agrestis*
- Melastoma alata* Aubl. = *Miconia alata*
- Melastoma aquatica* Aubl. = *Nepsera aquatica*
- Melastoma arborescens* Aubl. = *Loreya arborescens*
- Melastoma aromatica* Vahl = *Tibouchina aspera* var. *aspera*
- Melastoma bivalvis* Aubl. = *Acisanthera bivalvis*
- Melastoma brunnea* Vahl = *Henriettea succosa*
- Melastoma cacatin* Aubl. = *Miconia cacatin* (Aubl.) Renner
- Melastoma chrysophylla* Rich. = *Miconia chrysophylla*
- Melastoma ciliata* Rich. = *Miconia ciliata*
- Melastoma diffusa* Desr. = *Acisanthera uniflora*
- Melastoma elegans* Aubl. = *Clidemia hirta* var. *elegans*
- Melastoma flavescens* Aubl. = *Henrietella flavescens*
- Melastoma fothergilla* Desr. = *Miconia mirabilis*
- Melastoma fulva* Rich. = *Miconia chrysophylla*
- Melastoma grandiflora* Aubl. = *Rhynchanthera grandiflora*
- Melastoma holosericea* L. = *Miconia holosericea*
- Melastoma laevigata* Aubl. = *Miconia prasina*
- Melastoma longifolia* Aubl. = *Miconia longifolia*
- Melastoma maieta* Desr. = *Maieta guianensis*
- Melastoma mucronata* Desr. = *Miconia holosericea*
- Melastoma parviflora* Aubl. = *Miconia prasina*
- Melastoma physophora* Vahl = *Tococa guianensis*
- Melastoma pleurocarpum* E. Mey. = *Miconia acinodendron*
- Melastoma purpurascens* Aubl. = *Aciotis purpurascens*
- Melastoma purpurea* Willd. = *Aciotis purpurascens*
- Melastoma racemosa* Aubl. = *Miconia racemosa*
- Melastoma rubra* Aubl. = *Clidemia rubra*
- Melastoma rufescens* Aubl. = *Miconia rufescens*
- Melastoma scandens* Aubl. = *Adelobotrys scandens*
- Melastoma spicata* Aubl. = *Clidemia capitellata* var. *dependens*
- Melastoma succosa* Aubl. = *Henriettea succosa*
- Melastoma tamonea* Sw. = *Miconia mirabilis*
- Melastoma tibouchina* Desr. = *Tibouchina aspera* var. *aspera*
- Melastoma tocoo* Desr. = *Tococa guianensis*
- Melastoma tormentosa* Rich. = *Miconia tormentosa*
- Melastoma trivalvis* Aubl. = *Acisanthera bivalvis*
- Melastoma villosa* Aubl. = *Desmoscelis villosa*
- Meliandra monadelpha* (Ducke) Morley = *Votomita monadelpha*
- Miconia agrestis* (Aubl.) Baill. = *Leandra agrestis*
- Miconia argyrophylla* DC. var. *attenuata* Cogn. = *Miconia argyrophylla* subsp. *argyrophylla*
- Miconia attenuata* DC. = *Miconia prasina*
- Miconia attenuata* DC. var. *subquintuplinervia* DC. = *Miconia prasina*
- Miconia axilliflora* Naud. = *Miconia acuminata*
- Miconia barbigera* DC. = *Miconia ciliata*
- Miconia berbiceana* (DC.) Naud. = *Miconia acinodendron*
- Miconia bracteolaris* Naud. = *Miconia eriodonta*
- Miconia bracteolaris* Naud. var. *cardiophora* Naud. = *Miconia eriodonta*
- Miconia ceramicarpa* (DC.) Cogn. var. *navioensis* Wurdack
= *Miconia ceramicarpa* var. *candolleana*
- Miconia ceramicarpa* (DC.) Cogn. var. *violacea* (DC.) Cogn.
= *Miconia ceramicarpa* var. *ceramicarpa*
- Miconia chamissonis* Naud. [not in Guianas]
- Miconia clidemiooides* Steud. = *Miconia acinodendron*
- Miconia cristulata* Naud. = *Miconia prasina*
- Miconia demerarensis* Gleason = *Miconia bracteata*
- Miconia disparilis* (Standl.) R.O. Williams = *Miconia lateriflora*
- Miconia eriodonta* DC. var. *oblongifolia* DC. = *Miconia eriodonta*
- Miconia eriophora* Miq. = *Miconia ibaguensis*
- Miconia eriopoda* Benth. = *Miconia acinodendron*
- Miconia erythrophylla* Ule = *Tococa erythrophylla*
- Miconia erythropila* Steud. = *Miconia ceramicarpa* var. *ceramicarpa*
- Miconia florida* (DC.) Naud. = *Miconia mirabilis*
- Miconia fockeana* Miq. = *Miconia nervosa*
- Miconia fothergilla* (Desr.) Naud. = *Miconia mirabilis*
- Miconia fulva* (Rich.) DC. = *Miconia chrysophylla*
- Miconia fulva* (Rich.) DC. var. *angustifolia* Cogn. = *Miconia chrysophylla*
- Miconia fulva* (Rich.) DC. var. *aubletiana* (Naud.) Cogn.
= *Miconia chrysophylla*
- Miconia globuliflora* (Rich.) Cham. [not in Guianas]
- Miconia guianensis* (Aubl.) Cogn. = *Miconia mirabilis*
- Miconia heterochroa* Miq. = *Miconia albicans*
- Miconia holosericea* (L.) DC. var. *mucronata* (Desr.) Cogn.
= *Miconia holosericea*
- Miconia holosericea* (L.) DC. var. *subquintuplinervia* Cogn.
= *Miconia holosericea*
- Miconia hypargyrea* Miq. = *Miconia stenostachya*
- Miconia ibaguensis* (Bonpl.) Triana var. *glabrata* (Steud.)
Cogn. = *Miconia ibaguensis*
- Miconia iodopila* Steud. = *Miconia ceramicarpa* var. *ceramicarpa*
- Miconia laevigata* (L.) DC. [not in Guianas]
- Miconia leschenaultiana* (Naud.) Sagot = *Miconia ceramicarpa* var. *ceramicarpa*
- Miconia leucocephala* (DC.) Naud. = *Miconia serrulata*
- Miconia longifolia* (Aubl.) DC. var. *aubletiana* Naud.
= *Miconia chrysophylla*
- Miconia longistyla* Steud. = *Miconia argyrophylla* subsp. *argyrophylla*
- Miconia macrophylla* Steud. = *Miconia prasina*
- Miconia macrophylla* (D. Don) Triana var. *hostmannii* (Steud.)
Cogn. = *Miconia serrulata*
- Miconia macrophylla* (D. Don) Triana var. *latifolia* (DC.)
Cogn. = *Miconia serrulata*
- Miconia macrophylla* (D. Don) Triana var. *leucocephala* (DC.)
Cogn. = *Miconia serrulata*
- Miconia miquelianae* Naud. = *Miconia acinodendron*
- Miconia mucronata* (Desr.) Naud. = *Miconia holosericea*
- Miconia mucronulata* Ule = *Miconia prasina*
- Miconia naudiniana* Miq. = *Miconia lepidota*
- Miconia nemoralis* Naud. = *Miconia prasina*
- Miconia nitens* Benth. = *Tococa nitens*
- Miconia panicularis* Gleason = *Miconia egensis*
- Miconia parviflora* (Benth.) Cogn. = *Miconia pubipetala*
- Miconia plebeia* Naud. = *Miconia brevipes*
- Miconia plumosa* Gleason = *Miconia rugosa*

- Miconia prasina* (Sw.) DC. var. *attenuata* (DC.) Cogn.
= *Miconia prasina*
- Miconia pterophora* Miq. = *Miconia alata*
- Miconia pteropoda* Benth. = *Miconia prasina*
- Miconia purpurascens* (Aubl.) DC. = *Aciotis purpurascens*
- Miconia racemosa* (Aubl.) DC. var. *barbigera* (DC.) Cogn.
= *Miconia ciliata*
- Miconia racemosa* (Aubl.) DC. var. *ciliata* (Rich.) Griseb.
= *Miconia ciliata*
- Miconia revoluta* Benth. = *Miconia prasina*
- Miconia robusta* (Sagot) Cogn. = *Miconia tschudiyoides*
- Miconia rufescens* (Aubl.) DC. var. *grandifolia* Cogn.
= *Miconia rufescens*
- Miconia spondylantha* DC. = *Miconia nervosa*
- Miconia spondylantha* DC. var. *leschenaultiana* Naud.
= *Miconia ceramicarpa* var. *ceramicarpa*
- Miconia surinamensis* Gleason = *Miconia poeppigii*
- Miconia tomentella* Cogn. = *Miconia serialis*
- Miconia trichodes* (DC.) Triana = *Miconia bracteata*
- Miconia verticilliflora* Steud. ex Naud. = *Miconia pubipetala*
- Miconia virgulata* Gleason = *Miconia ciliata*
- Microlicia bivalvis* (Aubl.) DC. = *Acisanthera bivalvis*
- Microlicia brevifolia* DC. = *Acisanthera bivalvis*
- Microlicia bryanthoides* Oliver = *Microlicia benthamiana*
- Microlicia recurva* (Rich.) DC. = *Acisanthera uniflora*
- Mouriri abnormis* Naud. = *Votomita guianensis*
- Mouriri acutiflora* Naud. var. *amblyodon* Naud. = *Mouriri acutiflora*
- Mouriri acutiflora* Naud. var. *oligantha* Gleason = *Mouriri collocarpa*
- Mouriri anomala* Pulle = *Mouriri crassifolia*
- Mouriri pendulifolia* Cogn. = *Mouriri acutiflora*
- Mouriri plasschaertii* Pulle = *Mouriri nigra*
- Mouriri polyantha* Miq. = *Mouriri guianensis*
- Mouriri princeps* Naud. = *Mouriri grandiflora*
- Myriaspore decipiens* Naud. = *Myriaspore egensis*
- Myriaspore surinamensis* Steud. = *Myriaspore egensis*
- Noterophila beccabunga* Mart. ex Naud. = *Acisanthera bivalvis*
- Noterophila brevifolia* (DC.) Naud. = *Acisanthera bivalvis*
- Noterophila pusilla* Naud. = *Acisanthera limnobios*
- Onoconia calcarata* Naud. = *Acisanthera crassipes*
- Onoconia crassipes* Naud. = *Acisanthera crassipes*
- Onoconia pauciflora* Naud. = *Acisanthera crassipes*
- Osbeckia glomerata* (Rottb.) DC. = *Pterolepis glomerata*
- Ossaea duckeana* Hoehne = *Clidemia epibacterium*
- Ossaea epibacterium* (DC.) Triana = *Clidemia epibacterium*
- Ossaea flavescens* (Aubl.) DC. = *Henriettella flavescens*
- Oxymeris agrestis* (Aubl.) Triana = *Leandra agrestis*
- Oxymeris anisophylla* (DC.) Triana = *Clidemia anisophylla*
- Oxymeris asperiuscula* (DC.) Triana = *Leandra rufescens*
- Oxymeris pulverulenta* (DC.) Triana = *Miconia aliquantula*
- Oxymeris rufescens* (DC.) Triana = *Leandra rufescens*
- Petaloma mouriri* Sw. = *Mouriri guianensis*
- Platycentrum clidemioides* Naud. = *Leandra clidemioides*
- Pleroma tibouchinum* (Desr.) Triana = *Tibouchina aspera* var.
aspera
- Poteranthera calcarata* (Naud.) Triana = *Acisanthera crassipes*
- Poteranthera crassipes* (Naud.) Triana = *Acisanthera crassipes*
- Poteranthera pauciflora* (Naud.) Triana = *Acisanthera crassipes*
- Pterolepis hispida* (Rich.) Gleason = *Pterolepis trichotoma*
- Pterolepis hostmannii* Steud. = *Pterolepis glomerata*
- Pterolepis ladanooides* (Rich.) Triana = *Pterolepis trichotoma*
- Pterolepis lasiophylla* (Benth.) Triana = *Macairea lasiophylla*
- Pterolepis pumila* (Bonpl.) Cogn. var. *procera* Cogn.
= *Pterolepis pumila*
- Pterolepis pusilla* Miq. = *Pterolepis trichotoma*
- Rhexia aquatica* (Aubl.) Sw. = *Nepsera aquatica*
- Rhexia aspera* (Aubl.) Willd. = *Tibouchina aspera* var. *aspera*
- Rhexia bicornis* Rottb. = *Acisanthera uniflora*
- Rhexia bivalvis* (Aubl.) Vahl = *Acisanthera bivalvis*
- Rhexia glomerata* Rottb. = *Pterolepis glomerata*
- Rhexia hispida* Rich. = *Pterolepis trichotoma*
- Rhexia hypericoides* Willd. = *Desmoscelis villosa*
- Rhexia ladanoides* Rich. = *Pterolepis trichotoma*
- Rhexia latifolia* Aubl. = *Comolia latifolia*
- Rhexia recurva* Rich. = *Acisanthera uniflora*
- Rhexia serrulata* Rich. = *Rhynchanthera serrulata*
- Rhexia strigosa* Willd. ex Spreng. = *Pterolepis trichotoma*
- Rhexia thymifolia* Bonpl. = *Appendicularia thymifolia*
- Rhexia trichotoma* Rottb. = *Pterolepis trichotoma*
- Rhexia trivalvis* (Aubl.) Vahl = *Acisanthera bivalvis*
- Rhexia villosa* Aubl. = *Comolia villosa*
- Rhexia villosissima* Rich. = *Desmoscelis villosa*
- Rhynchanthera acuminata* Benth. = *Rhynchanthera grandiflora*
- Rhynchanthera acuminata* Benth. var. *sublaevis* Cogn.
= *Rhynchanthera grandiflora*
- Rhynchanthera adenophora* Miq. = *Acisanthera uniflora*
- Rhynchanthera ambigua* Naud. = *Rhynchanthera grandiflora*
- Rhynchanthera betulifolia* Cogn. = *Rhynchanthera grandiflora*
- Rhynchanthera grandiflora* (Aubl.) DC. var. *microphylla*
Naud. = *Rhynchanthera grandiflora*
- Rhynchanthera intermedia* Ule = *Rhynchanthera grandiflora*
- Rhynchanthera latifolia* Cogn. [not in Guianas]
- Rhynchanthera microphylla* Gleason = *Rhynchanthera grandiflora*
- Rhynchanthera modesta* Naud. = *Rhynchanthera serrulata*
- Rhynchanthera parviflora* Naud. = *Rhynchanthera serrulata*
- Rhynchanthera virgata* Wurdack = *Rhynchanthera hispida*
- Sagraea aphanantha* (Naud.) Triana = *Clidemia aphanantha*
- Sagraea capitata* (Benth.) Triana = *Clidemia capitata*
- Sagraea cognata* Steud. = *Clidemia rubra*
- Sagraea coriacea* (Naud.) Triana = *Clidemia tepuiensis*
- Sagraea petiolata* (DC.) Triana = *Clidemia petiolata*
- Sagraea rubra* (Aubl.) Triana = *Clidemia rubra*
- Salpinga cristata* DC. = *Macrocentrum cristatum*
- Salpinga fasciculata* DC. = *Macrocentrum fasciculatum*
- Salpinga parviflora* DC. = *Macrocentrum cristatum* var.
parviflorum
- Sarmentaria decora* Naud. = *Adelobotrys ascendens?*
- Siphanthera capitata* Gleason = *Siphanthera hostmannii*
- Siphanthera jenmanii* Gleason = *Siphanthera cordifolia*
- Siphanthera microlciooides* (Naud.) Cogn. = *Siphanthera cordifolia*
- Siphanthera paraensis* Huber = *Siphanthera hostmannii*
- Siphantheropsis williamii* Brade = *Macairea lasiophylla*
- Spennera anomala* Miq. = *Aciotis dichotoma*
- Spennera aquatica* (Aubl.) Mart. ex DC. = *Nepsera aquatica*
- Spennera dichotoma* Benth. = *Aciotis dichotoma*
- Spennera fragilis* DC. = *Aciotis fragilis*
- Spennera grandifolia* Miq. = *Aciotis purpurascens*
- Spennera hydrophila* Miq. = *Nepsera aquatica*
- Spennera kappleriana* Naud. = *Aciotis laxa* var. *kappleriana*
- Spennera laxa* DC. = *Aciotis laxa*
- Spennera longifolia* DC. = *Aciotis longifolia*
- Spennera ornata* Miq. = *Aciotis ornata*
- Spennera pellucida* DC. = *Aciotis purpurascens*

Spennera quintuplinervia Miq. =*Clidemia japurensis* var.
japurensis
Spennera tetraptera Miq. =*Aciotis annua*
Staphidiastrum aphananthum Naud. =*Clidemia aphanantha*
Staphidiastrum attenuatum Naud. =*Clidemia attenuata*
Staphidiastrum cognatum (Steud.) Naud. =*Clidemia rubra*
Staphidiastrum coriaceum Naud. =*Clidemia tepuiensis*
Staphidiastrum pulverulentum (DC.) Naud. =*Miconia aliquantula*
Staphidiastrum rubrum (Aubl.) Naud. =*Clidemia rubra*
Staphidiastrum rubrum (Aubl.) Naud. var. *biacutum* Naud.
 =*Clidemia sericea*
Staphidium affine Naud. =*Clidemia pustulata*
Staphidium agreste (Aubl.) Naud. =*Leandra agrestis*
Staphidium benthamianum (Miq.) Naud. =*Clidemia hirta* var.
hirta
Staphidium bracteosum Naud. =*Clidemia capitellata* var.
dependens
Staphidium conglomeratum (DC.) Naud. =*Clidemia conglomerata*
Staphidium elegans (Aubl.) Naud. =*Clidemia hirta* var.
elegans
Staphidium glabratum (Steud.) Naud. =*Miconia ibaguensis*
Staphidium hostmannii Naud. =*Clidemia dentata*
Staphidium involucratum (DC.) Naud. =*Clidemia involucrata*
Staphidium lappaceum (DC.) Naud. =*Miconia lappacea*
Staphidium mutabile (DC.) Naud. =*Miconia mutabilis*
Staphidium petiolatum (DC.) Naud. =*Clidemia petiolata*
Staphidium spicatum (Aubl.) Naud. =*Clidemia capitellata* var.
dependens
Staphidium triste Naud. =*Miconia bracteata*
Tamonea guianensis Aubl. =*Miconia mirabilis*
Tetrameris trivalvis Naud. =*Macairea multinervia*
Tetrameris villosa (Aubl.) Naud. =*Comolia villosa*
Tetrazygia discolor (L.) DC. [not in Guianas]
Tibouchina lasiophylla (Benth.) Cogn. =*Macairea lasiophylla*
Tibouchina multinervia (Benth.) Baill. =*Macairea multinervia*
Tibouchina pseudomollis Gleason =*Tibouchina geitneriana*
Tococa castrata Naud. =*Tococa subciliata*
Tococa maieta D. Don =*Maieta guianensis*
Tococa roreimi Benth. =*Tococa guianensis*
Tococa subnuda Benth. =*Tococa subciliata*
Topoea "guianensis Aubl. [invalid name from herbarium
 records, = *Topoea parasitica*]
Topoea cuspidata Gleason =*Topoea parasitica*
Tschudya asperiuscula DC. =*Leandra rufescens*
Tschudya berbiceana (DC.) Griseb. =*Miconia acinodendron*
Tschudya pulverulenta DC. =*Miconia aliquantula*
Tschudya robusta Sagot =*Miconia tschudyoidea*
Tschudya rufescens DC. =*Leandra rufescens*
Tschudya spondylantha (DC.) Griseb. =*Miconia nervosa*
Tschudya verticillata DC. =*Leandra verticillata*
Uranthera hostmannii Naud. =*Acisanthera uniflora*
Uranthera recurva (Rich.) Naud. =*Acisanthera uniflora*
Webera quinquenervia (Aubl.) G.F. Gmel. =*Bellucia grossularioides*

MELIACEAE

REFERENCES:

- Pennington, T.D., B.T. Styles, & D.A.H. Taylor.
 1981. Meliaceae. Flora Neotropica Monogr.
 28: 1-470.
 Pennington, T.D. & A.R.A. Görts-van Rijn.
 1984. Meliaceae. In A.L. Stoffers & J.C.
 Lindeman, Flora of Suriname 5(1): 519-569.

Azadirachta indica Adr. Juss. [cultivated, naturalized]
Cabralea canjerana (Vell.) Mart. subsp. *canjerana* [GU FG?]
Carapa guianensis Aubl. [GU SU FG]
Carapa procera A. DC. [GU? SU FG]
Cedrela odorata L. [GU SU FG]
Guarea carinata Ducke [SU FG]
Guarea cinnamomea Harms [FG?]
Guarea costata Adr. Juss. [SU FG]
Guarea glabra Vahl [GU SU FG?]
Guarea gomma Pulle [GU? SU FG]
Guarea grandifolia A. DC. [GU SU FG]
Guarea guidonia (L.) Sleumer [GU SU FG]
Guarea kunthiana Adr. Juss. [GU SU FG]
Guarea macrophylla Vahl subsp. *pachycarpa* (C. DC.)
 Pennington [SU? FG]
Guarea macrophylla Vahl subsp. *pendulispica* (C. DC.)
 Pennington [GU]
Guarea michel-moddei Pennington & Mori [FG]
Guarea pubescens (L.C. Rich.) Adr. Juss. subsp. *pubescens*
 [GU SU FG]
Guarea pubescens (L.C. Rich.) Adr. Juss. subsp. *pubiflora*
 (Adr. Juss.) Pennington [SU FG?]
Guarea scabra Adr. Juss. [GU SU FG]
Guarea silvatica C. DC. [GU? SU FG]
Guarea truncifolia C. DC. [GU]
Melia azedarach L. [cultivated, naturalized]
Swietenia macrophylla King [FG]
Trichilia cipo (Adr. Juss.) C. DC. [GU SU? FG]
Trichilia elegans Adr. Juss. [GU]
Trichilia euneura C. DC. [GU? SU FG]
Trichilia lecointei Ducke [GU]
Trichilia lepidota Mart. subsp. *leucastera* (Sandw.) Pennington
 [GU SU]
Trichilia martiana C. DC. [GU? SU FG]
Trichilia mazanensis Macbr. [to be expected in the Guianas]
Trichilia micrantha Benth. [GU SU FG]
Trichilia micropetala Pennington [FG]
Trichilia moschata Swartz [GU]
Trichilia pallida Swartz [GU SU FG]
Trichilia pleeana (Adr. Juss.) C. DC. [GU]
Trichilia quadrijuga Kunth subsp. *quadrijuga* [GU SU FG]
Trichilia rubra C. DC. [GU]
Trichilia schomburgkii C. DC. subsp. *schomburgkii* [GU SU
 FG]
Trichilia septentrionalis C. DC. [GU SU FG]
Trichilia surinamensis (Miq.) C. DC. [GU SU FG]
Trichilia surumuensis C. DC. [GU]

MELIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Carapa surinamensis* Miq. =*Carapa procera*
Cedrela guianensis Adr. Juss. =*Cedrela odorata*
Granatum surinamensis (Miq.) O. Kuntze =*Carapa procera*
Guarea affinis Adr. Juss. =*Guarea pubescens* subsp. *pubescens*

Guarea aubletii Adr. Juss. =*Guarea guidonea*
Guarea concinna Sandw. =*Guarea pubescens* subsp. *pubescens*
Guarea davisi Sandw. =*Guarea pubescens* subsp. *pubescens*
Guarea guara (Jacq.) P.G. Wilson =*Guarea guidonia*
Guarea pallida C. DC. =*Guarea pubescens*
Guarea pedicellata C. DC. =*Guarea silvatica*
Guarea pubiflora Adr. Juss. =*Guarea pubescens* subsp.
 pubiflora [this subspecies doubtfully in Guianas]
Guarea richardiana Adr. Juss. =*Guarea pubescens* subsp.
 pubescens
Guarea schomburgkii C. DC. =*Guarea glabra*
Guarea surinamensis Miq. ex C. DC. [nomen nudum] =*Guarea*
 guidonia
Guarea trichilioides L. =*Guarea guidonia*
Moschoxylum propinquum Miq. =*Trichilia quadrijuga*
Portesia echinocarpa de Vriese =*Trichilia pallida*
Trichilia acariaeantha Harms =*Trichilia micrantha*
Trichilia alternans C. DC. =*Trichilia surinamensis*
Trichilia brachystachya Klotzsch ex C. DC. =*Trichilia pallida*
Trichilia compacta A.C. Smith =*Trichilia quadrijuga* subsp.
 quadrijuga
Trichilia cuneifolia Pulle =*Trichilia schomburgkii*
Trichilia davisi Sandw. =*Trichilia pallida*
Trichilia echinocarpa (de Vriese) Walp. =*Trichilia pallida*
Trichilia fuscescens Radlk. =*Trichilia martiana*
Trichilia guianensis Klotzsch ex C. DC. =*Trichilia rubra*
Trichilia leucastera Sandw. =*Trichilia lepidota* subsp.
 leucastera
Trichilia maynasiana C. DC. =*Trichilia surinamensis*
Trichilia poeppigii C. DC. =*Trichilia schomburgkii*
Trichilia propinqua (Miq.) C. DC. =*Trichilia quadrijuga* subsp.
 quadrijuga
Trichilia roraimana C. DC. =*Trichilia micrantha*
Trichilia smithii C. DC. =*Trichilia pleeana*
Trichilia stelligera Radlk. =*Trichilia euneura*
Trichilia subsessilifolia C. DC. =*Trichilia schomburgkii*
Trichilia trinitensis Adr. Juss. =*Trichilia pallida*

MENDONCIACEAE

reviewed by D. Wasshausen (1992); reviewed by
D. Wasshausen (1996)

REFERENCES:

- Bremekamp, C.E.B. 1938. Acanthaceae. In A. Pulle, Flora of Suriname 4(2): 166-252.
 Wasshausen, D.C. 1989. New species of
Mendoncia from the Venezuelan Guayana.
Ann. Missouri Bot. Gard. 76: 1118-1124.

Mendoncia aspera (Ruiz & Pav.) Nees [GU SU FG]
Mendoncia bivalvis (L.f.) Merr. [GU SU FG]
Mendoncia crenata Lindau [FG]
Mendoncia glabra (Poepp. & Endl.) Nees [GU FG]
Mendoncia hoffmannseggiana Nees [GU SU FG]
Mendoncia squamuligera Nees [GU SU FG]

MENDONCIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Mendoncia perrottetiana Nees =*Mendoncia bivalvis*

Mendoncia schomburgkiana Nees =*Mendoncia*
 hoffmannseggiana

MENISPERMACEAE

contributed by P. Hiepko (1992); additions and
corrections by P. Hiepko (1996)

REFERENCES:

- Diels, L. 1934. Menispermaceae. In A. Pulle,
 Flora of Suriname 2(1): 123-131.
 Barneby, R.C. 1970. Revision of Neotropical
 Menispermaceae tribe Tinosporae. Mem.
 New York Bot. Gard. 20(2): 81-158.
 Barneby, R.C. & B.A. Krukoff. 1971.
 Supplementary notes in American
 Menispermaceae. VIII. A generic survey of
 the American Triclisiae and
 Anomospermeae. Mem. New York Bot.
 Gard. 22(2): 1-89.
 Jansen-Jacobs, M.J. 1976. Menispermaceae
 (additions and corrections). In J. Lanjouw &
 A.L. Stoffers, Flora of Suriname 2(2): 430-
 440.
 Jonker, F.P. 1939. Menispermaceae (additions
 and corrections). In A. Pulle, Flora of
 Suriname 2(1): 476-477.
 Krukoff, B.A. & R.C. Barneby. 1938. Studies of
 American Menispermaceae, with special
 reference to species used in preparation of
 arrow-poisons. Brittonia 3: 1-74. [See also
 numerous articles by R.C. Barneby, B.A.
 Krukoff, and H.N. Moldenke in a series of
 papers published from 1941 through 1971 in
 Bull. Torrey Bot. Club and Mem. New York
 Bot. Gard.]

Abuta barbata Miers [GU SU FG]
Abuta bullata Moldenke [GU FG]
Abuta candollei Triana & Planch. [GU SU FG]
Abuta grandifolia (Mart.) Sandw. [GU SU FG]
Abuta grisebachii Triana & Planch. [FG?]
Abuta imene (Mart.) Eichl. [GU SU FG]
Abuta obovata Diels [GU SU FG]
Abuta rufescens Aubl. [GU SU FG]
Abuta sandwithiana Krukoff & Barneby [SU FG]
Abuta solimoesensis Krukoff & Barneby [FG]
Anomospermum chloranthum Diels subsp. *chloranthum* [FG]
Anomospermum chloranthum Diels subsp. *confusum* Krukoff
 & Barneby [FG]
Anomospermum grandifolium Eichl. [GU]
Anomospermum steyermarkii Krukoff & Barneby [FG]
Borismene japurensis (Mart.) Barneby [SU?]
Caryomene foveolata Barneby & Krukoff [SU]
Caryomene glaucescens (Moldenke) Barneby & Krukoff [FG]
Caryomene olivascens Barneby & Krukoff [FG]
Cissampelos andromorpha DC. [GU SU FG]

Cissampelos fasciculata Benth. [GU SU FG?]
Cissampelos ovalifolia DC. [GU SU]
Cissampelos pareira L. [GU SU]
Curarea candicans (L.C. Rich.) Barneby & Krukoff [GU SU FG]
Disciphania moriorum Barneby, sp. nov. ined. [FG]
Disciphania unilateralis Barneby [FG]
Elephantomene eburnea Barneby & Krukoff [SU FG]
Hyperbaena domingensis (DC.) Benth. [GU SU FG]
Odontocarya tamoides (DC.) Miers var. *canescens* (Miers) Barneby [GU SU]
Odontocarya tamoides (DC.) Miers var. *tamoides* [GU FG?]
Odontocarya wullschlaegelii (Eichl.) Barneby [GU SU FG]
Orthomene prancei Barneby & Krukoff [FG]
Orthomene schomburgkii (Miers) Barneby & Krukoff [GU SU FG]
Orthomene verruculosa (Krukoff & Barneby) Barneby & Krukoff [FG]
Sciadotenia cayennensis Benth. [GU SU FG]
Sciadotenia duckei Moldenke [FG]
Sciadotenia eichleriana Moldenke [FG]
Sciadotenia sagotiana (Eichl.) Diels [GU SU FG]
Telitoxicum duckei (Diels) Moldenke [FG]
Telitoxicum inopinatum Moldenke [GU SU FG]
Telitoxicum krukovi Moldenke [SU]
Telitoxicum minutiflorum (Diels) Moldenke [FG?]

MENISPERMACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Abuta amara Aubl. =*Aristolochia amara* (Aristolochiaceae)
Abuta concolor Poepp. & Endl. =*Abuta grandifolia*
Abuta klugii Moldenke =*Abuta imene*
Abuta macrocarpa Moldenke =*Anomospermum grandifolium*
Abuta pullei Diels =*Curarea candicans*
Abuta splendida Krukoff & Moldenke =*Abuta rufescens*
Abuta tomentosa Sagot =*Sciadotaenia sagotiana*
Abuta umbellata Sagot =*Sciadotenia cayennensis*
Anomospermum schomburgkii Miers =*Orthomene schomburgkii*
Chondrodendron candidans (L.C. Rich.) Sandw. =*Curarea candidans*
Odontocarya paupera (Griseb.) Diels =*Odontocarya tamoides* var. *canescens*
Sciadotenia candidans Diels =*Curarea candidans*
Somphoxylon wullschlaegelii Eichl. =*Odontocarya wullschlaegelii*

MENYANTHACEAE

REFERENCES:

Jonker, F.P. 1936. Menyanthaceae. In A. Pulle, Flora of Suriname 4(1): 428-430.

Nymphoides humboldtianum (Kunth) Kuntze [GU SU FG]
[=*Nymphoides indica* (L.) Kuntze]

MENYANTHACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Nymphoides indica (L.) Kuntze subsp. *occidentalis* A. Raynal
= *Nymphoides humboldtianum*

MIMOSACEAE

contributed by R.C. Barneby & J. Grimes; *Inga* by O. Poncy (1992); additions and corrections by R.C. Barneby & J. Grimes; *Inga* by O. Poncy (1996)

REFERENCES:

- Barneby, R.C. 1991. *Sensitiae Censitiae. A description of the genus Mimosa (Mimosaceae) in the New World.* Mem. New York Bot. Gard. 65: 1-835.
 Barneby, R.C. & J. Grimes (in press). Mimosaceae. In A.R.A. Görts-van Rijn, Flora of the Guianas (series A).
 Cowan, R.S. 1961. Leguminosae. In B. Maguire, J.J. Wurdack, & collaborators, *Botany of the Guayana Highland part IV.* Mem. New York Bot. Gard. 10(4): 65-87.
 Hopkins, H.C.F. 1986. Parkia. *Flora Neotropica Monogr.* 43: 1-123.
 Jansen-Jacobs, M.J. 1976. Mimosaceae (additions and corrections). In J. Lanjouw & A.L. Stoffers, *Flora of Suriname* 2(2): 611-653.
 Kleinhoonte, A. 1940. Mimosaceae. In A. Pulle, *Flora of Suriname* 2(2): 258-331.
 Polhill, R.M. & P.H. Raven [ed.]. 1981. *Advances in Legume Systematics.* Royal Botanical Garden, Kew, England.
 Poncy, O. 1985. Le genre *Inga* (Léguminoseuses, Mimosoideae) en Guyane française. Systématique, morphologie des formes juvéniles, écologie. *Mém. Mus. Natl. Hist. Nat. (n.s.), Sér. B* 31: 1-153.
 Poncy, O. 1991. Le genre *Inga* dans les Guyanes: notes phytogeographiques. *C.R. Soc. Biogéogr.* 67(2): 95-111.
 Poncy, O. 1991. Deux nouvelles espèces de *Inga* (Mimosaceae) et notes nomenclaturales et taxonomiques sur trois autres espèces. *Bull. Mus. natl. Hist. nat., Paris, sér. 4, 13, sect. B, Adansonia*, 3-4: 147-154.

Abarema barbouriana (Standl.) Barneby & Grimes, comb. nov. ined. var. *arenaria* (Ducke) Barneby & Grimes, comb. & stat. nov. ined [GU]
Abarema barbouriana (Standl.) Barneby & Grimes, comb. nov. ined. var. *barbouriana* [GU FG]
Abarema commutata Barneby & Grimes, sp. nov. ined. [GU SU]
Abarema curvicarpa (Irwin) Barneby & Grimes var. *curvicarpa* [GU FG]
Abarema ferruginea (Benth.) Pittier [GU?]
Abarema floribunda (Spruce ex Benth.) Barneby & Grimes, comb. ined. [GU?]
Abarema gallorum Barneby & Grimes, sp. nov. ined. [FG]

- Abarema jupunba* (Willd.) Britton & Killip var. *jupunba* [FG]
Abarema jupunba (Willd.) Britton & Killip var. *trapezifolia* (Vahl) Barneby & Grimes, comb. nov. ined. [GU SU FG]
Abarema laeta (Poepp. & Endl.) Barneby & Grimes, comb. ined. [SU FG]
Abarema longipedunculata (Irwin) Barneby & Grimes [to be expected in GU]
Abarema mataybifolia (Sandw.) Barneby & Grimes, comb. nov. ined. [GU FG]
Acacia alemquerensis Huber [to be expected in the Guianas]
Acacia articulata Ducke [SU]
Acacia farnesiana (L.) Willd. [GU SU FG]
Acacia floribunda (Spruce ex Benth.) Barneby & Grimes [GU]
Acacia macracantha Willd. [GU FG] [introduced]
Acacia polyphylla DC. [GU]
Acacia tenuifolia (L.) Willd. var. *producta* Grimes [SU FG]
Acacia tenuifolia (L.) Willd. var. *tenuifolia* [GU SU FG]
Adenanthera pavonina L. [SU] [cultivated, naturalized]
Albizia barinensis Cardenas [GU]
Albizia glabripetala (Irwin) G.P. Lewis & P.E. Owen [GU]
Albizia lebbek (L.) Benth. [GU SU FG] [cultivated, naturalized]
Albizia niopoides (Spruce ex Benth.) Burkart [GU]
Albizia subdimidiata (Splitg.) Barneby & Grimes, comb. nov. ined. var. *minor* Barneby & Grimes, var. nov. ined. [GU]
Albizia subdimidiata (Splitg.) Barneby & Grimes, comb. nov. ined. var. *subdimidiata* [GU SU]
Anadenanthera peregrina (L.) Speg. [GU SU FG]
[naturalized?]
Balizia pedicellaris (DC.) Barneby & Grimes, gen. & comb. nov. ined. [GU SU FG]
Calliandra calothrysus Meisn. [cultivated, perhaps escaping]
Calliandra coriacea (Willd.) Benth. [GU SU] [to be expected in FG]
Calliandra glomerulata Karsten [GU]
Calliandra hymenaeodes (Pers.) Benth. [GU SU FG]
Calliandra rigida Benth. [GU]
Calliandra riparia Pittier [GU]
Calliandra stipulacea Benth. [GU]
Calliandra surinamensis Benth. [GU SU FG]
Calliandra tenuiflora Benth. [GU SU FG]
Calliandra trinervia Benth. [FG]
Cedrelinga cateniformis (Ducke) Ducke [SU FG]
Chloroleucon acaciooides (Ducke) Barneby & Grimes, comb. nov. ined. [SU FG]
Desmanthus pernambucanus (L.) Thell. [GU SU]
Desmanthus virgatus (L.) Willd. [GU SU] [to be expected in FG]
Dichrostachys glomerata (Forsk.) Chiov. [FG] [naturalized]
Entada polypyilla Benth. [GU SU FG]
Entada polystachya (L.) DC. [GU SU FG]
Enterolobium cyclocarpum (Jacq.) Griseb. [GU SU?] [GU SU FG]
Enterolobium oldemanii Barneby & Grimes, sp. nov. ined. [FG]
Enterolobium schomburgkii (Benth.) Benth. [GU SU FG]
Hydrochorea corymbosa (A. Rich.) Barneby & Grimes, gen. & comb. ined. [GU SU FG]
Hydrochorea gonggrijpii (Klein.) Barneby & Grimes, gen. & comb. ined. [GU SU FG?]
Inga acreana Harms [SU FG]
Inga acrocephala Steud. [GU SU FG]
Inga alata Benoist [GU FG]
Inga alba (Swartz) Willd. [GU SU FG]
Inga auristellae Harms [GU SU FG]
Inga bourgoni (Aubl.) DC. [GU SU FG]
- Inga brachystachys* Ducke [SU FG]
Inga bracteosa Benth. [GU SU FG]
Inga brevipes Benth. [GU]
Inga calanthoides Amsh. [SU]
Inga capitata Desv. [GU SU FG]
Inga cayennensis Sagot ex Benth. [GU SU FG]
Inga cinnamomea Spruce ex Benth. [SU]
Inga crassiflora Ducke [FG]
Inga cylindrica Mart. [FG]
Inga disticha Benth. [GU SU FG]
Inga edulis (Vell.) Mart. [GU SU FG]
Inga fanchoniana O. Poncy [GU? FG]
Inga fastuosa (N.J. Jacq.) Willd. [GU FG]
Inga flagelliformis Mart. [FG]
Inga graciliflora Benth. [GU SU FG]
Inga gracilifolia Ducke [GU FG]
Inga heterophylla Willd. [GU SU FG]
Inga huberi Ducke [SU FG]
Inga ingoides (L.C. Rich.) Willd. [GU SU FG]
Inga java Pittier [GU FG]
Inga jemmanii Sandw. [GU FG]
Inga lateriflora Miq. [GU SU FG]
Inga laurina (Swartz) Willd. [GU]
Inga leiocalycina Benth. [GU SU FG]
Inga leptingoides Amsh. [SU]
Inga lomatophylla (Benth.) Pitt. [GU FG]
Inga longipedunculata Ducke [FG]
Inga meissneriana Miq. [GU SU FG]
Inga melinonis Sagot [GU FG]
Inga nobilis Willd. [GU SU FG]
Inga nubium Poncy [FG]
Inga nuda Salzm. ex Benth. [GU SU FG]
Inga paraensis Ducke [FG]
Inga pedunculata Ducke [FG]
Inga pezizifera Benth. [GU SU FG]
Inga pilosula (L.C. Rich.) Macbride [GU SU FG]
Inga poeppigiana Benth. [FG]
Inga retinocarpa Poncy [FG]
Inga rhynchocalyx Sandw. [GU FG]
Inga rubiginosa (L.C. Rich.) DC. [GU SU FG]
Inga sarmentosa Glaz. ex Harms [GU SU FG]
Inga semialata (Vell.) Mart. [GU SU FG]
Inga sertulifera DC. [GU SU FG]
Inga splendens Willd. [GU SU FG]
Inga stenocalyx Spruce ex Benth. [GU FG]
Inga stenoptera Benth. [GU]
Inga stipularis DC. [GU SU FG]
Inga thibaudiana DC. [GU SU FG]
Inga tubaeformis Benoist [FG]
Inga umbellifera (Vahl) Steud. ex DC. [GU SU FG]
Inga virgultosa (Vahl) Desv. [SU FG]
Leucaena leucocephala (Lam.) de Wit [GU SU FG]
[cultivated, naturalized]
Lysiloma bahamensis Benth. [FG] [introduced, dubiously persisting]
Macrosamanea kegelii (Meisn.) Klein. [SU FG]
Macrosamanea pubiramea (Steud.) Barneby & Grimes, comb. nov. ined. [GU SU FG]
Mimosa annularis Benth. var. *odora* Barneby [GU SU FG]
Mimosa annularis Benth. var. *xinguensis* (Ducke) Barneby [FG]
Mimosa bimucronata (DC.) Kuntze [cultivated or escaped from cultivation]
Mimosa camporum Benth. [GU SU FG?]
Mimosa casta L. [FG] [possibly introduced]

- Mimosa debilis* Humb. & Bonpl. ex Willd. [GU? SU FG]
Mimosa diplotricha C. Wright ex Sauv. [GU SU FG]
Mimosa dormiens Humb. & Bonpl. ex Willd. [GU] [record unconfirmed, but to be expected]
Mimosa guilandinae (DC.) Barneby var. *duckei* (Huber) Barneby [SU FG]
Mimosa guilandinae (DC.) Barneby var. *guilandinae* [FG]
Mimosa invisa Mart. ex Colla var. *spiciflora* (Karst.) Barneby [GU SU?]
Mimosa microcephala Humb. & Bonpl. ex Willd. var. *cataractae* (Ducke) Barneby [SU FG]
Mimosa microcephala Humb. & Bonpl. ex Willd. var. *lumaria* Barneby [GU FG?]
Mimosa myriadenia (Benth.) Benth. var. *dispersa* Barneby [SU FG]
Mimosa myriadenia (Benth.) Benth. var. *myriadenia* [GU SU FG]
Mimosa pigra L. [GU SU FG]
Mimosa polydactyla Humb. & Bonpl. ex Willd. [GU SU FG]
Mimosa pudica L. var. *hispida* Brenan [GU SU]
Mimosa pudica L. var. *pastoris* Barneby [GU]
Mimosa pudica L. var. *tetrandra* (Humb. & Bonpl. ex Willd.) DC. [GU SU FG]
Mimosa pudica L. var. *unijuga* (Walp. & Duchaiss.) Griseb. [GU SU FG]
Mimosa quadrivalvis L. var. *leptocarpa* (DC.) Barneby [GU FG]
Mimosa rufescens Benth. [GU] [to be expected in SU, FG]
Mimosa schomburgkii Benth. [GU FG]
Mimosa schrankioides Benth. var. *sagotiana* (Benth.) Barneby [FG]
Mimosa schrankioides Benth. var. *schrankioides* [GU]
Mimosa somnians Humb. & Bonpl. ex Willd. var. *somnians* [GU FG]
Mimosa somnians Humb. & Bonpl. ex Willd. var. *viscida* (Willd.) Barneby [FG]
Mimosa surumuensis Harms [GU]
Neptunia natans (L.f.) Druce [GU SU FG] [to be expected in FG]
Neptunia plena (L.) Benth. [GU SU FG]
Parkia decussata Ducke [FG]
Parkia gigantocarpa Ducke [GU]
Parkia igneflora Ducke [GU]
Parkia nitida Miq. [GU SU FG]
Parkia pendula (Willd.) Benth. ex Walpers [GU SU FG]
Parkia reticulata Ducke [FG]
Parkia ulei (Harms) Kuhlmann var. *surinamensis* Kleinh. [GU SU FG]
Parkia velutina Benoist [SU FG] [to be expected in GU]
Pentaclethra macroloba (Willd.) Kuntze [GU SU FG]
Piptadenia floribunda Kleinh. [SU FG]
Piptadenia imatacae Barneby [to be expected in GU]
Piptadenia leucoxylon Barneby & Grimes [GU]
Piptadenia moniliformis Benth. [to be expected in the Guianas]
Piptadenia uaupensis Spruce ex Benth. [FG?]
Pithecellobium dulce (Roxb.) Benth. [GU SU? FG]
[cultivated, naturalized]
Pithecellobium roseum (Vahl) Barneby & Grimes, comb. nov. ined. [GU]
Pithecellobium unguis-cati (L.) Benth. [GU FG] [cultivated, naturalized]
Plathymenia reticulata Benth. [SU]
Pseudopiptadenia psilostachya (DC.) Lewis & M.P. Lima [GU SU FG]
- Pseudopiptadenia suaveolens* (Miq.) Grimes [GU SU FG]
Samanea inopinata (Harms) Barneby & Grimes [GU]
Samanea saman (Jacq.) Merrill [GU] [cultivated, perhaps escaping]
Stryphnodendron guianense (Aubl.) Benth. [GU SU FG]
Stryphnodendron moricolor Barneby & Grimes [GU FG]
Stryphnodendron polystachyum (Miq.) Kleinh. [GU SU FG]
Stryphnodendron pulcherrimum (Willd.) Hochr. [GU SU FG]
Zapoteca portoricensis (Jacq.) H. Hern. subsp. *flavida* (Urb.) H. Hern. [GU] [specimens not seen, but to be expected]
Zygia ampla (Benth.) Pittier [GU]
Zygia cataractae (Kunth) L. Rico [GU SU FG]
Zygia collina (Sandw.) Barneby & Grimes, comb. nov. ined. [GU]
Zygia eperuetorum (Sandw.) Barneby & Grimes, comb. nov. ined. [GU]
Zygia inaequalis (Humb. & Bonpl. ex Willd.) Pittier [GU SU FG]
Zygia inundata (Ducke) H. de Lima [FG]
Zygia juruana (Harms) L. Rico [GU]
Zygia latifolia (L.) Fawcett & Rendle var. *lasiopus* (Benth.) Barneby & Grimes, stat. nov. ined. [GU SU FG]
Zygia latifolia (L.) Fawcett & Rendle var. *latifolia* [GU SU? FG?]
Zygia palustris Barneby & Grimes, sp. nov. ined. [GU]
Zygia potaroensis Barneby & Grimes, sp. nov. ined. [GU]
Zygia racemosa (Ducke) Barneby & Grimes, comb. nov. ined. [GU SU FG]
Zygia sabatieri Barneby & Grimes, sp. nov. ined. [FG]
Zygia tetragona Barneby & Grimes, sp. nov. ined. [FG]
Zygia unifoliolata (Benth.) Pittier [to be expected in GU]

MIMOSACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Abrema claviflora* (Spruce) Kleinh. [not in Guianas]
Abrema racemosa (Ducke) Kleinh. =*Zygia racemosa*
Acacia chrysanthia DC. [name of uncertain application, type not located]
Acacia glandulosa (Vahl) DC. [nomen nudum]
Acacia ouyrarema DC. [nomen nudum]
Acacia paniculata Willd. =*Acacia tenuifolia*
Acuan virgatum (L.) Medic. =*Desmanthus virgatus*
Albizia carieba (Urban) Britton & Rose =*Albizia niopoides*
Albizia corymbosa (A. Rich.) G.P. Lewis & P.E. Owen =*Hydrochorea corymbosa*
Albizia inopinata (Harms) G.P. Lewis =*Samanea inopinata*
Anneslia calothrysus (Meissn.) Kleinh. =*Calliandra calothrysus*
Anneslia fasciculata (Willd.) Kleinh. =*Calliandra surinamensis*
Anneslia tergemina (L.) Britton & Rose =*Calliandra tergemina* [not in Guianas]
Arthrosamanea corymbosa (A. Rich.) Kleinh. =*Hydrochorea corymbosa*
Arthrosamanea gonggrijpii (Kleinh.) Kleinh. =*Hydrochorea gonggrijpii*
Arthrosamanea multiflora (Kunth) Kleinh. [sensu Kleinh. =*Albizia subdimidiata*]
Arthrosamanea pullei (Kleinh.) Kleinh. =*Hydrochorea gonggrijpii*
Calliandra anthoniae Grimes =*Calliandra coriacea*
Calliandra pakaramensis Cowan =*Calliandra rigida*
Calliandra patrisii Sagot =*Calliandra hymenaeodes?*
Calliandra tergemina (L.) Benth. [not in Guianas]

- Entada gigas Fawc. & Rendle [not in Guianas]
 Enterolobium racemosum Ducke [apparently a nomen nudum]
Inga acuminata Benth. [material identified as *I. rhynchocalyx*]
Inga aggregata G. Don =*Inga alba*
Inga angustifolia Willd. [not in Guianas]
Inga commewijnensis Miq. =*Inga nuda*
Inga conglomerata Benoist =*Inga nobilis*
Inga coriacea (Pers.) Desv. =*Inga sertulifera*
Inga crevauxii Sagot =*Inga disticha*
Inga dysantha Benth. =*Inga cayennensis*
Inga fagifolia (L.) Willd. ex Benth. =*Inga laurina*
Inga longiflora Spruce ex Benth. [not in Guianas]
Inga marginata Willd. =*Inga semialata*
Inga myriantha Poepp. & Endl. =*Inga umbellifera*
Inga nitida Willd. =*Inga pilosula*
Inga panurensis Spruce ex Benth. [not in Guianas]
Inga perrottetii Sagot =*Inga nuda*
Inga pilosiuscula Desv. =*Inga pilosula*
Inga prieurei Sagot =*Inga nuda*
Inga ricardorum Bernardi & Spichiger [material identified as
 Inga java]
Inga scabriuscula Benth. =*Inga edulis*
Inga sciadion Steud. =*Inga umbellifera*
Inga setifera DC. =*Inga pilosula*
Inga speciosa Spruce ex Benth. =*Inga lomatophylla*
Inga spuria Humb. & Bonpl. [not in Guianas]
Inga strigillosa Spruce ex Benth. =*Inga leiocalycina*
Inga urnifera Kleinh. =*Inga pezizifera*
Inga velutina (Poir.) Willd. [not in Guianas]
Klugiodendron laetum (Benth.) Britton & Killip =*Abarema*
laeta
Leucaena glauca (L.) Benth. [not in Guianas]
Macrosamanea discolor (Humb. & Bonpl.) Britt. & Rose ex
 Britt. & Killip [not in Guianas]
Macrosamanea pedicellaris (DC.) Kleinh. =*Balizia pedicellaris*
Marmaroxylon collinum (Sandw.) L. Rico =*Zygia collina*
Marmaroxylon eperuetorum (Sandw.) L. Rico =*Zygia*
eperuetorum
Marmaroxylon racemosum (Ducke) Killip ex Record =*Zygia*
racemosa
Mimosa acacioides Benth. =*Anadenanthera peregrina* (L.)
 Speg. [cultivated]
Mimosa asperata L. [not in Guianas]
Mimosa bourgonii Aubl. =*Inga bourgonii*
Mimosa ceratonia L. [not in Guianas]
Mimosa farnesiana L. =*Acacia farnesiana*
Mimosa guianensis Aubl. =*Stryphnodendron guianense*
Mimosa micracantha Benth. =*Mimosa rufescens*
Mimosa obovata Benth. =*Mimosa laticifera* Rizzini & Mattos
 Filho [not in Guianas]
Mimosa paniculata Benth. =*Mimosa annularis* var. *odora*
Mimosa pellita Humb. & Bonpl. ex Willd. =*Mimosa pigra*
Mimosa plumaeifolia Kleinh. =*Mimosa microcephala* var.
cataractae
Mimosa sagotiana Benth. =*Mimosa schrankioides* var.
sagotiana
Mimosa viva L. [not in Guianas]
Mimosa xinguensis Ducke =*Mimosa annularis* var. *xinguensis*
Neptunia oleracea Lour. =*Neptunia natans*
Neptunia prostrata (Lam.) Baill. =*Neptunia natans*
Newtonia psilostachya (DC.) Brenan =*Pseudopiptadenia*
psilostachya
Newtonia suaveolens (Miq.) Brenan =*Pseudopiptadenia*
suaveolens
Parkia oppositifolia Spruce ex Benth. =*Parkia nitida*
- Pentaclethra filamentosa* Benth. =*Pentaclethra macroloba*
Piptadenia polystachya Miq. =*Stryphnodendron polystachyum*
Piptadenia psilostachya (DC.) Benth. =*Pseudopiptadenia*
psilostachya
Piptadenia suaveolens Miq. =*Pseudopiptadenia suaveolens*
Pithecellobium acacioides Ducke =*Chloroleucon acacioides*
Pithecellobium adiantifolium (Kunth) Benth. =*Macrosamanea*
discolor [not in Guianas]
Pithecellobium arenarium Ducke =*Abarema barbouriana* var.
arenaria
Pithecellobium barbourianum Standl. =*Abarema barbouriana*
 var. *barbouriana*
Pithecellobium basijugum Ducke =*Zygia basijuga* (Ducke)
 Barneby & Grimes [not in Guianas]
Pithecellobium cauliflorum (Willd.) Mart. =*Zygia latifolia*
Pithecellobium collinum Sandw. =*Zygia collina*
Pithecellobium corymbosum (A. Rich.) Benth. =*Hydrochorea*
corymbosa
Pithecellobium curvicarpum Irwin =*Abarema curvicarpa*
Pithecellobium elegans Ducke =*Balizia elegans* (Ducke)
 Barneby & Grimes [not in Guianas]
Pithecellobium eperuetorum Sandw. =*Zygia eperuetorum*
Pithecellobium fanshawei Sandw. =*Abarema barbouriana*
Pithecellobium forfex (Kunth) Benth. =*Pithecellobium roseum*
Pithecellobium glomeratum (DC.) Benth. =*Zygia cataractae*
Pithecellobium gonggrijpii Kleinh. =*Hydrochorea gonggrijpii*
Pithecellobium huberi Ducke =*Zygia latifolia*
Pithecellobium inaequale (Humb. & Bonpl. ex Willd.) Benth.
 =*Zygia inaequalis*
Pithecellobium jupunba (Willd.) Urb. =*Abarema jupunba*
Pithecellobium kegelii Meissn. =*Macrosamanea kegelii*
Pithecellobium laetum Benth. =*Abarema laeta*
Pithecellobium lanceolatum Benth. [not in Guianas]
Pithecellobium lasiopus Benth. =*Zygia latifolia* var. *lasiopus*
Pithecellobium latifolium (L.) Benth. =*Zygia latifolia* var.
latifolia
Pithecellobium mangense (Jacq.) Macbride =*Chloroleucon*
mangense (Jacq.) Britton & Rose [not in Guianas]
Pithecellobium mataybifolium Sandw. =*Abarema mataybifolia*
Pithecellobium multiflorum (Kunth) Benth. =*Arthrosamanea*
multiflora?[sensu Bentham, =*Albizia subdimidiata*]
Pithecellobium niopoides (Benth.) Spruce ex Benth. =*Albizia*
niopoides
Pithecellobium pedicellare (DC.) Benth. =*Balizia pedicellaris*
Pithecellobium polycephalum Benth. =*Albizia polycephala*
 [not in Guianas]
Pithecellobium pullei Kleinh. =*Hydrochorea gonggrijpii*
Pithecellobium racemosum Ducke =*Zygia racemosa*
Pithecellobium trapezifolium (Vahl) Benth. =*Abarema*
jupunba var. *trapezifolia*
Pithecellobium villiferum Ducke =*Abarema villifera* (Ducke)
 Barneby & Grimes [not in Guianas]
Samanea polycephala (Benth.) Pittier =*Albizia polycephala*
 [not in Guianas]

Schrankia leptocarpa DC. =*Mimosa quadrivalvis* var.
leptocarpa
Stryphnodendron angustum Benth. =*Stryphnodendron pulcherrimum*
Stryphnodendron flammatum Kleinh. =*Dimorphandra* sp.?
Stryphnodendron melinonis Sagot =*Stryphnodendron pulcherrimum*
Stryphnodendron purpureum Ducke =*Stryphnodendron guianense*
Zygia cauliflora (Mart.) Killip ex Record =*Zygia latifolia*
Zygia glomerata (DC.) Pittier =*Zygia cataractae*
Zygia trunciflorum (Ducke) L. Rico =*Zygia juruana*

MOLLUGINACEAE

reviewed by R.A. DeFilipps (1996)

REFERENCES:

- Burger, W. 1983. Aizoaceae. In W. Burger, *Flora Costaricensis*. *Fieldiana Bot.* (n.s.) 13: 199-212.
Eyma, P.J. 1934. Aizoaceae. In A. Pulle, *Flora of Suriname* 1(1): 158-161.
Nevling, L Jr. 1961. Aizoaceae. In R.E. Woodson Jr., R.W. Schery, & collaborators, *Flora of Panama*. *Ann. Missouri Bot. Gard.* 48(1): 80-85.

Glinus radiatus (Ruiz & Pav.) Rohrb. [GU FG]
Mollugo verticillata L. [GU SU FG]
Trianthema portulacastrum L. [pan-tropical weed, to be expected]

MONIMIACEAE

reviewed by S. Renner (1996)

REFERENCES:

- Jansen-Jacobs, M.J. 1976. Monimiaceae (additions and corrections). In J. Lanjouw & A.L. Stoffers, *Flora of Suriname* 2(2): 425-426.
Lanjouw, J. 1939. Monimiaceae (additions and corrections). In A. Pulle, *Flora of Suriname* 2(1): 471-472.
Peixoto, A.L. 1987. Nota sobre as espécies de *Mollinedia* (Monimiaceae, Monimioideae) das Guianas. *Bradea* 4(41): 331-336.
Perkins, J. & E. Gilg. 1901. Monimiaceae. In A. Engler, *Das Pflanzenreich* IV(101): 1-122.
Petter, H.F.M. 1932. Monimiaceae. In A. Pulle, *Flora of Suriname* 2(1): 107-112.
Steyermark, J.A. 1951. Monimiaceae. In *Botanical Exploration in Venezuela - I*. *Fieldiana Bot.* 28(1): 235-236.

Mollinedia grazielae A.L. Peixoto [GU SU]
Mollinedia laurina Tul. [GU SU FG]
Mollinedia ptariensis Steyermark. [GU]
Mollinedia roraimensis Steyermark. [GU]
Siparuna cristata (Poepp. & Endl.) A. DC. [FG]
Siparuna cuspidata (Tul.) A. DC. [GU SU FG]
Siparuna decipiens (Tul.) A. DC. [GU SU FG]
Siparuna guianensis Aubl. [GU SU FG]
Siparuna pachyantha A.C. Smith [FG]
Siparuna sprucei A. DC. [GU SU FG]
Siparuna surinamensis Lanj. [GU SU]

MONIMIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Citriosma amazonica (Mart.) A. DC. =*Siparuna sprucei*
Citriosma cristata Poepp. & Endl. =*Siparuna cristata*
Citriosma cuspidata Tul. =*Siparuna cuspidata*
Citriosma decipiens Tul. =*Siparuna decipiens*
Citriosma guianensis (Aubl.) Tul. =*Siparuna guianensis*
Conuleum guianense A. Rich. =*Siparuna decipiens*
Siparuna amazonica (Mart.) A. DC. =*Siparuna sprucei*
Siparuna argyrochrysea Perk. =*Siparuna cuspidata*
Siparuna emarginata Cowan =*Siparuna pachyantha*

MORACEAE

contributed by C.C. Berg (1992); additions and corrections by C.C. Berg (1996)

REFERENCES:

- Berg, C.C. 1972. Olmedieae and Brosimeae (Moraceae). *Flora Neotropica Monogr.* 7: 1-229.
Berg, C.C. 1992. Moraceae. In A.R.A. Görts-van Rijn, *Flora of the Guianas* (series A) 11: 10-92.
Berg, C.C. & R.W.A.P. Akkermans. 1985. Studies on the flora of the Guianas 14. New taxa and combinations in *Sorocea* and a key to its species. *Proc. Kon. Ned. Akad. Wet. ser. C*, 88(4): 381-394.
Berg, C.C. & G.P. DeWolf. 1975. Moraceae. In J. Lanjouw & A.L. Stoffers, *Flora of Suriname* 5(1): 173-265.
Berg, C.C., M. Vásquez Avila, & F. Kooy. 1984. *Ficus* species of Brazilian Amazonia and the Guianas. *Acta Amaz.* 14(1/2) suppl.: 159-194.
Lindeman, J.C. 1984. Moraceae (additions and corrections). In A.L. Stoffers & J.C. Lindeman, *Flora of Suriname* 5(1): 652-654.

Bagassa guianensis Aubl. [GU SU FG]
Batocarpus amazonicus (Ducke) Fosb. [FG]
Brosimum acutifolium Huber subsp. *acutifolium* [SU FG]
Brosimum acutifolium Huber subsp. *obovatum* (Ducke) C.C. Berg [GU FG]
Brosimum alicastrum Swartz subsp. *bolivarensis* (Pitt.) C.C. Berg [GU]

Brosimum guianense (Aubl.) Huber [GU SU FG]
Brosimum lactescens (S. Moore) C.C. Berg [GU SU FG]
Brosimum parinarioides Ducke subsp. *parinarioides* [GU SU FG]
Brosimum rubescens Taub. [GU SU FG]
Brosimum utile (Kunth) Pitt. subsp. *ovatifolium* (Ducke) C.C. Berg [GU? SU? FG]
Clarisia ilicifolia (Spreng.) Lanj. & Rossberg [GU SU FG]
Clarisia racemosa Ruiz & Pav. [SU]
Dorstenia brasiliensis Lam. [FG]
Dorstenia cayapia Vell. subsp. *asaroides* (Hook.) C.C. Berg
 [to be expected in SU]
Dorstenia contrajerva L. [to be expected in GU]
Ficus albert-smithii Standl. [GU SU FG]
Ficus amazonica (Miq.) Miq. [GU SU FG]
Ficus americana Aubl. [GU]
Ficus blepharophylla Vazquez Avila [Mt. Roraima]
Ficus broadwayi Urb. [GU SU FG]
Ficus caballina Standl. [GU SU FG]
Ficus catappifolia Kunth & Bouché [GU SU FG]
Ficus cremersii C.C. Berg [FG]
Ficus donnell-smithii Standl. [FG]
Ficus eximia Schott [GU]
Ficus gomelleira Kunth & Bouché [GU SU FG]
Ficus greiffiana Dugand [GU FG]
Ficus guianensis Desv. ex Hamilton [GU SU FG]
Ficus hebetifolia Dugand [FG]
Ficus insipida Willd. subsp. *scabra* C.C. Berg [GU SU FG]
Ficus krukovii Standl. [SU FG]
Ficus leiophylla C.C. Berg [SU FG]
Ficus malacocarpa Standl. [GU SU FG]
Ficus maroniensis Benoist [GU SU FG]
Ficus matthewsii (Miq.) Miq. [GU SU]
Ficus matiziana Dugand [FG] [to be expected in GU]
Ficus maxima Mill. [GU SU FG]
Ficus nymphaeifolia Mill. [GU SU FG]
Ficus padifolia Kunth [GU]
Ficus padifolia Kunth [GU?]
Ficus pakkensis Standl. [GU SU FG]
Ficus paludica Standl. [GU SU FG]
Ficus panurensis Standl. [GU SU FG]
Ficus paraensis (Miq.) Miq. [GU SU FG]
Ficus pertusa L.f. [GU SU FG]
Ficus piresiana Vazquez Avila & C.C. Berg [FG]
Ficus pulchella Schott [FG?]
Ficus roraimensis C.C. Berg [FG?]
Ficus schumacheri (Liebm.) Griseb. [GU SU FG]
Ficus subapiculata (Miq.) Miq. [GU? SU? FG]
Ficus tepuensis C.C. Berg & Simonis [to be expected in GU]
Ficus trigona L.f. [GU SU FG]
Ficus trigonata L. [GU?]
Helicostylis pedunculata Benoist [SU FG]
Helicostylis tomentosa (Poepp. & Endl.) Rusby [GU SU FG]
Maclura tinctoria (L.) G. Don ex Steud. subsp. *tinctoria* [GU]
Maquira calophylla (Poepp. & Endl.) C.C. Berg [FG]
Maquira guianensis Aubl. [GU SU FG]
Maquira sclerophylla (Ducke) C.C. Berg [GU SU FG]
Naucleopsis glabra Spruce ex Pitt. [SU FG]
Naucleopsis guianensis (Mildbr.) C.C. Berg [GU SU FG]
Naucleopsis ulei (Warb.) Ducke subsp. *ulei* [to be expected in FG]
Perebea guianensis Aubl. subsp. *guianensis* [SU FG]
Perebea mollis (Poepp. & Endl.) Huber subsp. *mollis* [SU]
Perebea mollis (Poepp. & Endl.) Huber subsp. *rubra* (Trécul)
 C.C. Berg [SU FG]

Poulsenia sp. [FG]
Pseudolmedia laevigata Trécul [GU FG]
Pseudolmedia laevis (Ruiz & Pav.) Macbr. [GU SU FG]
Sorocea hirtella Mildbr. subsp. *oligotricha* Akkermans & C.C. Berg [GU SU]
Sorocea muriculata Miq. subsp. *muriculata* [GU? SU]
Sorocea muriculata Miq. subsp. *uaupensis* (Baill.) C.C. Berg [SU FG]
Sorocea sprucei (Baill.) Macbr. subsp. *sprucei* [GU]
Trymatococcus oligandrus (Benoist) Lanj. [GU SU FG]
Trymatococcus paraensis Ducke [GU SU FG]

MORACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Acanthosphaera amara (Ducke) Ducke =*Naucleopsis ulei*
Alicastrum guianense (Aubl.) Kuntze =*Brosimum guianense*
Aliteria sagotii Benoist =*Clarisia ilicifolia*
Anonocarpus amazonicus Ducke =*Batocarpus amazonicus*
Bagassa sagotiana Bureau ex Benth. & J.D. Hook. =*Bagassa guianensis*
Bagassa tiliifolia (W. Hamilton) Benoist =*Bagassa guianensis*
Brosimopsis acutifolia (Huber) Ducke =*Brosimum acutifolium*
Brosimopsis obovata Ducke =*Brosimum acutifolium* subsp. *obovatum*
Brosimum angustifolium Ducke =*Brosimum rubescens*
Brosimum Aubletii Poepp. & Endl. =*Brosimum guianense*
Brosimum bolivarensis (Pitt.) Romero =*Brosimum alicastrum* subsp. *bolivarensis*
Brosimum discolor Schott =*Brosimum guianense*
Brosimum lanciferum Ducke =*Brosimum rubescens*
Brosimum lemeei (Benoist) Lemée =*Brosimum guianense*
Brosimum ovatifolium Ducke =*Brosimum utile* subsp. *ovatifolium*
Brosimum paraense Huber =*Brosimum rubescens*
Brosimum rigidum Ducke =*Brosimum utile* subsp. *ovatifolium*
Brosimum rotundatum Standl. =*Brosimum guianense*
Brosimum velutinum (S.F. Blake) Ducke =*Brosimum guianense*
Chlorophora tinctoria (L.) Gaudichaud =*Maclura tinctoria*
Clarisia ilicifolia (Spreng.) Lanj. & Rossberg var. *cuyunensis* (Lanj.) Lanj. & Rossman =*Clarisia ilicifolia*
Clarisia ilicifolia (Spreng.) Lanj. & Rossberg var. *guianensis* (Lanj.) Lanj. & Rossberg =*Clarisia ilicifolia*
Clarisia strepitans (Allemao) Lanj. var. *cuyunensis* Lanj. =*Clarisia ilicifolia*
Clarisia strepitans (Allemao) Lanj. var. *guianensis* Lanj. =*Clarisia ilicifolia*
Ferolia guianensis Aubl. =*Brosimum rubescens*
Ficus acarouaniensis Benoist =*Ficus gomelleira*
Ficus anguina Benoist =*Ficus nymphaeifolia*
Ficus angustifolia (Miq.) Miq. =*Ficus amazonica*
Ficus arctocarpa Standl. =*Ficus panurensis*
Ficus arukensis Standl. =*Ficus paraensis*
Ficus citrifolia Mill. [sensu stricto, not in Guianas]
Ficus clusiifolia Schott =*Ficus guianensis*
Ficus ernestiana Pittier [sensu stricto, not in Guianas]
Ficus erratica Standl. =*Ficus guianensis*
Ficus erythrosticta (Miq.) Miq. =*Ficus pertusa*
Ficus fagifolia (Miq.) Miq. =*Ficus trigona*
Ficus fanshawei Standl. =*Ficus trigona*

Ficus gardneriana (Miq.) Miq. =*Ficus obtusifolia* Kunth [not in Guianas]
Ficus gigantea Kunth =*Ficus citrifolia* [not in Guianas]
Ficus glaucescens (Liebm.) Miq. =*Ficus maxima*
Ficus gleasonii Standl. =*Ficus mathewisia*
Ficus hartii Warb. =*Ficus trigonata*
Ficus kanukensis Standl. =*Ficus pertusa*
Ficus lanjouwii DeWolf =*Ficus maroniensis*
Ficus leucosticta (Miq.) Miq. =*Ficus paludica*
Ficus longifolia Schott [sensu stricto, not in Guianas]
Ficus maguirei Standl. =*Ficus panurensis*
Ficus manicariorum Standl. =*Ficus paludica*
Ficus martinii Miq. =*Ficus guianensis*
Ficus mensalis Standl. =*Ficus guianensis*
Ficus obtusifolia Kunth [not in Guianas]
Ficus pallida Vahl [not in Guianas]
Ficus parkeri Miq. =*Ficus maxima*
Ficus parkeriana (Miq.) Sandw. =*Ficus guianensis*
Ficus perforata L. =*Ficus americana*
Ficus prinoidea Humb. & Bonpl. ex Willd. =*Ficus pallida* Vahl
[not in Guianas]
Ficus radula Humb. & Bonpl. ex Willd. =*Ficus maxima*
Ficus ramiflora Standl. =*Ficus caballina*
Ficus rolanderi (Liebm.) Miq. =*Ficus pertusa*
Ficus savannarum Standl. =*Ficus broadwayi*
Ficus surinamensis Miq. =*Ficus amazonica*
Ficus thelephora Benoist =*Ficus paraensis*
Ficus velutina Willd. [not in Guianas]
Ficus vulpina Benoist =*Ficus trigona*
Greeneina affinis (Miq.) Kuntze =*Helicostylis tomentosa*
Helicostylis affinis Steud. ex Miq. =*Helicostylis tomentosa*
Helicostylis bolivarensis Pitt. =*Brosimum alicastrum* subsp.
bolivarensis
Helicostylis poeppigiana (Mart.) Trécul =*Helicostylis*
tomentosa
Lanessania oligandra Benoist =*Trymatococcus oligandrus*
Laurea tiliifolia Gaudichaud =*Bagassa guianensis*
Naucleopsis amara Ducke =*Naucleopsis ulei* subsp. *ulei*
Noyera mollis (Poepp. & Endl.) Ducke =*Perebea mollis*
Noyera rubra Trécul =*Perebea mollis* subsp. *rubra*
Ogcodeia amara (Ducke) Ducke =*Naucleopsis ulei* subsp. *ulei*
Ogcodeia glabra (Spruce ex Pitt.) Mildbr. =*Naucleopsis glabra*
Ogcodeia guianensis Mildbr. =*Naucleopsis guianensis*
Olmedia asperula Standl. =*Helicostylis tomentosa*
Olmedia guianensis (Aubl.) Trécul =*Maquira guianensis*
Olmedia maquira Steud. =*Maquira guianensis*
Olmedia mollis Poepp. & Endl. =*Perebea mollis*
Olmedioperebea sclerophylla Ducke =*Maquira sclerophylla*
Perebea laurifolia Trécul =*Maquira guianensis*
Perebea lecointei Huber =*Perebea mollis* subsp. *mollis*
Perebea paraensis Huber =*Perebea mollis* subsp. *mollis*
Perebea xinguana Standl. =*Maquira sclerophylla*
Pharmacosycea guyanensis Miq. =*Ficus maxima*
Pharmacosycea parkeriana Miq. =*Ficus guianensis*
Piratinera acutifolia (Huber) Pitt. =*Brosimum acutifolium*
Piratinera guianensis Aubl. =*Brosimum guianense*
Piratinera lancifera (Ducke) Benoist =*Brosimum rubescens*
Piratinera lemeei Benoist =*Brosimum guianense*
Piratinera paraensis (Huber) Benoist =*Brosimum rubescens*
Piratinera scabridula S.F. Blake =*Brosimum guianense*
Piratinera velutina S.F. Blake =*Brosimum guianense*
Pseudolmedia sagotii Benoist =*Pseudolmedia laevis*
Sorocea dentata Huber =*Sorocea muriculata* subsp. *muriculata*
Sorocea guayanensis W. Burger =*Sorocea muriculata* subsp.
uaupensis

Trymatococcus amazonicus Poepp. & Endl. [not in Guianas]
Urostigma angustifolium Miq. =*Ficus amazonica*
Urostigma erythrostictum Miq. =*Ficus pertusa*
Urostigma fagifolium Miq. =*Ficus trigona*
Urostigma leucostictum Miq. =*Ficus paludica*
Urostigma paraense Miq. =*Ficus paraensis*
Urostigma rolanderi Liebm. =*Ficus pertusa*
Urostigma schumacheri Liebm. =*Ficus schumacheri*

MORINGACEAE

[Old World family, one species widely cultivated]

REFERENCES:

Stoffers, A.L. 1984. Moringaceae. In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 5(1): 570-572.

Moringa oleifera Lam. [cultivated]

MUSACEAE

[s.s., Old World family, cultivated in Guianas]

Musa spp. [cultivated]

MUSACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Musa humilis Aubl. =*Heliconia psittacorum*

MYOPORACEAE

REFERENCES:

Lanjouw, J. 1938. Myoporaceae. In A. Pulle, Flora of Suriname 4(2): 255-256.

Bontia daphnoides L. [GU SU FG] [cultivated; dubiously native or naturalized]

MYRISTICACEAE

contributed by W.A. Rodrigues (1992)

REFERENCES:

- Jansen-Jacobs, M.J. 1976. Myristicaceae (additions and corrections). In J. Lanjouw & A.L. Stoffers, Flora of Suriname 2(2): 427-429.
- Ooststroom, S.J. van. 1934. Myristicaceae. In A. Pulle, Flora of Suriname 2(1): 113-122.
- Ooststroom, S.J. van. 1939. Myristicaceae (additions and corrections). In A. Pulle, Flora of Suriname 2(1): 473-475.
- Rodrigues, W.A. 1980. Revisão taxonômica das espécies de *Virola Aublet* do Brasil. Acta Amaz. 10(1) suppl. 1-127.
- Smith, A.C. & R.P. Wodehouse. 1937. The American species of Myristicaceae. Brittonia 2(5): 393-510.

- Compsoneura ulei* Warb. [GU FG]
Iryanthera hostmannii (Benth.) Warb. [GU SU FG]
Iryanthera juruensis Warb. [GU SU FG]
Iryanthera lancifolia Ducke [GU SU]
Iryanthera macrophylla (Benth.) Warb. [GU]
Iryanthera paraensis Huber [GU SU FG]
Iryanthera sagotiana (Benth.) Warb. [GU SU FG]
Iryanthera tessmannii Markgr. [SU FG?]
Iryanthera ulei Warb. [GU]
Osteophloeum platyspermum (Spruce ex A. DC.) Warb. [GU FG]
Virola calophylla Warb. [GU SU]
Virola elongata (Benth.) Warb. [GU]
Virola michelii Heckel [GU SU FG]
Virola multicostata Ducke [FG]
Virola sebifera Aubl. [GU SU FG]
Virola surinamensis (Rolander) Warb. [GU SU FG]
Virola venosa (Benth.) Warb. [SU]

MYRISTICACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Myristica platysperma* Spruce ex A. DC. =*Osteophloeum platyspermum*
Virola melinonii (Benoist) A.C. Smith =*Virola michelii*
Virola mycetis Pulle =*Virola sebifera* p.p., *Virola surinamensis* p.p.

MYRSINACEAE

reviewed by J.J. Pipoly (1992); reviewed by J.J. Pipoly (1996)

REFERENCES:

- Agostini, G. 1980. Una nueva clasificación del género *Cybianthus* (Myrsinaceae). Acta Biol. Venez. 10: 129-185.
- Bottelier, H.P. 1936. Myrsinaceae. In A. Pulle, Flora of Suriname 4(1): 431-442.
- Pipoly, J.J. 1983. Contributions toward a monograph of *Cybianthus*, III: a revision of subgenus *Laxiflorus*. Brittonia 35(1): 61-80.

- Pipoly, J.J. 1992. The genus *Cybianthus* subgenus *Conomorpha* in Guayana. Ann. Missouri Bot. Gard. 79(4): 908-957.

- Ardisia elliptica* Thunb. [GU]
Ardisia guianensis (Aubl.) Mez [GU SU FG]
Ardisia semicrenata Mart. [FG?]
Cybianthus amplius (Mez) Agostini [GU FG]
Cybianthus apiculatus (Steyermark) Agostini [GU]
Cybianthus duidae (Gleason & Moldenke) Agostini [GU]
Cybianthus fabiolae Pipoly [GU]
Cybianthus fulvopulverulentus (Mez) Agostini subsp. *fulvopulverulentus* [GU SU]
Cybianthus fulvopulverulentus (Mez) Agostini subsp. *magnoliifolius* (Mez) Pipoly [GU SU FG]
Cybianthus fuscus Mart. [SU]
Cybianthus gardneri (A. DC.) Agostini [FG]
Cybianthus grandifolius (Mez) Agostini [GU FG]
Cybianthus guianensis (A. DC.) Miq. subsp. *guianensis* [GU FG]
Cybianthus guianensis (A. DC.) Miq. subsp. *pseudoicacoreus* (A. DC.) Agostini [GU SU FG]
Cybianthus lepidotus (Gleason) Agostini [GU?]
Cybianthus leprieurii Agostini [FG]
Cybianthus lineatus (Benth.) Pipoly [GU]
Cybianthus microbotrys A. DC. [SU FG]
Cybianthus multidenticulatus Pipoly, sp. nov. ined. [GU]
Cybianthus pakaraimea Pipoly, sp. nov. ined. [GU]
Cybianthus potiae Mez [GU FG] [=Cybianthus microbotrys?]
Cybianthus prieurii A. DC. [GU FG]
Cybianthus ptariensis (Steyermark) Pipoly [GU]
Cybianthus punctatus (Mez) Agostini [GU]
Cybianthus quelchii (N.E. Brown) Agostini [GU]
Cybianthus roraimae (Mez) Agostini [GU]
Cybianthus spicatus (Kunth) Agostini [GU]
Cybianthus surinamensis (Spreng.f.) Agostini [GU SU]
Cybianthus venezuelanus Mez [GU SU FG]
Myrsine coriacea (Sw.) Roem. & Schult. [GU]
Myrsine guianensis (Aubl.) Kuntze [GU SU FG]
Myrsine maguireana Pipoly [GU]
Myrsine minima (Steyermark) Pipoly [Mt. Roraima]
Myrsine nitida (Mez) Pipoly [GU]
Myrsine roraimensis (A.C. Smith) Pipoly [GU]
Stylogyne depauperata Mez [FG]
Stylogyne kappleri Mez [SU FG]
Stylogyne lasseri (Lundell) Pipoly [GU]
Stylogyne latifolia A.C. Smith [GU]
Stylogyne longifolia (Mart. ex Miq.) Mez [GU SU FG]
Stylogyne micans Mez [GU FG]
Stylogyne micrantha (Kunth) Mez [FG]
Stylogyne schomburgkiana (DC.) Mez [GU FG]
Stylogyne spruceana Mez [SU]
Stylogyne surinamensis (Miq.) Mez [GU SU FG]

MYRSINACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Ardisia acuminata* Willd. [not in Guianas]
Ardisia quelchii N.E. Brown =*Cybianthus quelchii*
Ardisia surinamensis Miq. =*Stylogyne surinamensis*
Conomorpha apiculata Steyermark =*Cybianthus apiculatus*

Conomorpha fulvopulverulenta Mez =*Cybianthus fulvopulverulentus*
Conomorpha magnoliifolia Mez =*Cybianthus fulvopulverulentus* subsp. *magnoliifolius*
Conomorpha multipunctata (A. DC.) Miq. =*Cybianthus guianensis* subsp. *pseudoiacoreus*
Conomorpha peruviana DC. var. *guianensis* (A. DC.) Mez =*Cybianthus guianensis* subsp. *guianensis*
Conomorpha ptariensis Steyerl. =*Cybianthus ptariensis*
Conomorpha rigida Mez =*Cybianthus fulvopulverulentus*
Conomorpha sessilis A.C. Smith =*Cybianthus punctatus*
Cybianthus brownii Gleason =*Cybianthus venezuelanus*
Cybianthus comatus Mez =*Cybianthus prieurii*
Cybianthus gracillimus (Warm.) Mez [not in Guianas]
Cybianthus multipunctatus A. DC. =*Cybianthus guianensis* subsp. *pseudoiacoreus*
Cybianthus nitidus Miq. [not in Guianas]
Cybianthus resinosus Mez [not in Guianas]
Cybianthus viridiflorus A.C. Smith =*Cybianthus prieurii*
Grammadenia lineata Benth. =*Cybianthus lineatus*
Iacorea acuminata (Willd.) Lundell =*Ardisia acuminata* Willd. [not in Guianas]
Iacorea guianensis Aubl. =*Ardisia guianensis*
Myrsine resinosa (A.C. Smith) Pipoly [not in Guianas]
Myrsine schomburgkiana Miq. =*Elaeoluma schomburgkiana* (Sapotaceae)
Rapanea guianensis Aubl. =*Myrsine guianensis*
Rapanea nitida Mez =*Myrsine nitida*
Rapanea roraimensis A.C. Smith =*Myrsine roraimensis*
Stylogyne turbacensis Mez [not in Guianas]
Weigeltia grandifolia Mez =*Cybianthus grandifolius*
Weigeltia microbotrys (DC.) Mez =*Cybianthus microbotrys*
Weigeltia parviflora Mez =*Cybianthus leprieurii*
Weigeltia potiae Mez =*Cybianthus potiae*
Weigeltia surinamensis (Spreng.f.) Mez =*Cybianthus surinamensis*

MYRTACEAE

contributed by B. Holst & P. Hiepko (1992)

REFERENCES:

- Amshoff, G.J.H. 1951. Myrtaceae. In A. Pulle, Flora of Suriname 3(2): 56-158.
 Kawasaki, M.L. & B.K. Holst. 1994. New species and a new combination in Myrtaceae from northeastern South America. Brittonia 46(2): 137-143.
 Landrum, L.R. 1986. Campomanesia, Pimenta, Blepharocalyx, Legrandia, Acca, Myrrhinium, and Luma. Flora Neotropica Monogr. 45: 1-178.
 McVaugh, R. 1958. Myrtaceae (Calyptanthes and Marlirea). In B. Maguire, J.J. Wurdack, & collaborators, Botany of the Guayana Highland part 3. Mem. New York Bot. Gard. 10(1): 1-156.
 McVaugh, R. 1969. Myrtaceae. In B. Maguire & collaborators, Botany of the Guayana Highland part 8. Mem. New York Bot. Gard. 18(2): 1-290.
 Sobral, M. 1993. Sinopse de Myrciaria. Napaea 9: 13-41.
 Blepharocalyx eggersii (Kiaerskov) Landrum [GU]
Calycolpus cochleatus McVaugh [GU]
Calycolpus goetheanus (Mart. ex DC.) O. Berg [GU SU FG]
Calycolpus revolutus (Schauer) O. Berg [GU SU FG]
Calycolpus roraimensis Steyerl. [GU]
Calycolpus surinamensis McVaugh [GU SU]
Calycorectes batavorum McVaugh [SU]
Calycorectes bergii Sandw. [GU SU FG]
Calycorectes grandifolius O. Berg [SU FG]
Calycorectes maximus McVaugh [SU]
Calyptanthes amshoffae McVaugh [SU FG]
Calyptanthes bracteata M.L. Kawasaki & B. Holst [FG]
Calyptanthes fasciculata O. Berg [GU SU FG]
Calyptanthes lepida McVaugh [FG]
Calyptanthes lucida Mart. ex DC. [SU FG]
Calyptanthes ovoidea McVaugh [GU]
Calyptanthes pulchella DC. [GU SU]
Calyptanthes pullei Burret ex Amsh. [GU SU]
Calyptanthes smithii McVaugh [GU]
Calyptanthes speciosa Sagot var. *speciosa* [SU FG]
Calyptanthes spicata Amsh. [SU]
Calyptanthes vexata McVaugh [GU]
Campomanesia aromatica (Aubl.) Griseb. [GU SU FG]
Campomanesia grandiflora (Aubl.) Sagot [GU SU FG]
Eugenia albicans (O. Berg) Urb. [SU FG]
Eugenia amshoffae McVaugh [GU]
Eugenia anastomosans DC. [GU SU FG]
Eugenia arawakorum Sandw. [GU]
Eugenia armeniaca Sagot [GU FG]
Eugenia biflora (L.) DC. [GU SU FG]
Eugenia brownsbergii Amsh. [SU FG]
Eugenia chrysophyllum Poir. [SU FG]
Eugenia citrifolia Poir. [SU FG]
Eugenia coffeifolia DC. [GU SU FG]
Eugenia conjuncta Amsh. [GU]
Eugenia cowanii McVaugh [GU SU FG]
Eugenia cucullata Amsh. [GU SU FG]
Eugenia cupulata Amsh. var. *cupulata* [SU FG]
Eugenia denigrata McVaugh [FG]
Eugenia egenis DC. [GU SU FG?]
Eugenia essequibensis Sandw. [GU]
Eugenia eurycheila O. Berg [GU]
Eugenia exaltata Rich. ex O. Berg [FG]
Eugenia excelsa O. Berg [GU SU FG]
Eugenia feijoi O. Berg [GU SU FG]
Eugenia ferreireana O. Berg [GU SU FG]
Eugenia flavescens DC. [GU SU FG]
Eugenia florida DC. [GU SU FG]
Eugenia foetida Pers. [FG] [unverified name]
Eugenia gomesiana O. Berg [GU SU]
Eugenia gongylocarpa M.L. Kawasaki & B. Holst [FG]
Eugenia griseiflora McVaugh [SU]
Eugenia incanescens Benth. [GU]
Eugenia kaieteurensis Amsh. [GU]
Eugenia lambertiana DC. var. *hispidula* McVaugh [SU]
Eugenia lambertiana DC. var. *lambertiana* [GU SU FG]
Eugenia latifolia Aubl. [GU SU FG]
Eugenia ligustrina (Swartz) Willd. var. *hebecarpa* Amsh. [GU SU]
Eugenia ligustrina (Swartz) Willd. var. *ligustrina* [GU]

- Eugenia luciae Amsh. [GU SU FG]
 Eugenia macrocalyx (Rusby) McVaugh [GU SU FG]
 Eugenia marowynensis Miq. [SU FG]
 Eugenia minus McVaugh [GU FG]
 Eugenia minuscula McVaugh [SU]
 Eugenia monticola (Swartz) DC. var. latifolia Krug & Urb.
 [GU]
 Eugenia monticola (Swartz) DC. var. racemosa Amsh. [GU?
 SU FG?]
 Eugenia muricata DC. [SU FG]
 Eugenia omissa McVaugh [GU SU FG]
 Eugenia patens Poir. [FG]
 Eugenia patrisii Vahl [GU SU FG]
 Eugenia polystachya Rich. [GU FG]
 Eugenia polystachyoides Amsh. [GU SU]
 Eugenia producta DC. [FG]
 Eugenia pseudopsisidium Jacq. [GU SU FG]
 Eugenia punicifolia (Kunth) DC. [GU SU FG]
 Eugenia quadriovulata Amsh. [GU SU]
 Eugenia ramiflora Desv. var. montana Amsh. [SU]
 Eugenia ramiflora Desv. var. ramiflora [SU FG]
 Eugenia sigillata McVaugh [GU]
 Eugenia tafelbergica Amsh. [GU SU]
 Eugenia tapacumensis O. Berg [GU SU FG]
 Eugenia tetramera (McVaugh) M.L. Kawasaki & B. Holst
 [GU SU FG]
 Eugenia trinervia Vahl [GU? FG]
 Eugenia undulata Aubl. [SU FG]
 Eugenia uniflora L. [SU] [cultivated; naturalized?]
 Eugenia wullschlaegeliana Amsh. [SU FG]
 Marlierea biptera Amsh. [SU]
 Marlierea buxifolia Amsh. [GU]
 Marlierea cuprea Amsh. [GU]
 Marlierea ferruginea (Poir.) McVaugh [GU SU FG]
 Marlierea guildingiana (Griseb.) Krug & Urb. [GU]
 Marlierea karuaiensis (Steyermark.) McVaugh [GU]
 Marlierea ligustrina McVaugh [GU?]
 Marlierea lituatinervia (O. Berg) McVaugh [GU]
 Marlierea macrophylla Amsh. [GU]
 Marlierea montana (Aubl.) Amsh. [GU SU FG]
 Marlierea multiglomerata Amsh. [SU FG]
 Marlierea salticola Amsh. [GU]
 Marlierea schomburgkiana O. Berg [GU SU]
 Marlierea summa McVaugh [GU]
 Marlierea umbraticola (Kunth) O. Berg [FG]
 Marlierea vicina McVaugh [GU]
 Melaleuca leucadendron L. [SU FG?] [cultivated;
 naturalized?]
 Melaleuca quinquenervia (Cav.) S.T. Blake [FG] [cultivated;
 naturalized?]
 Myrcia albidotomentosa (Amsh.) McVaugh [GU SU]
 Myrcia amazonica DC. [GU SU FG]
 Myrcia bolivarensis (Steyermark.) McVaugh [GU]
 Myrcia bracteata (L.C. Rich.) DC. [GU SU FG]
 Myrcia calycampa Amsh. [GU SU FG?]
 Myrcia citrifolia (Aubl.) Urb. [GU SU FG]
 Myrcia clausa McVaugh [to be expected in GU]
 Myrcia coumetae (Aubl.) DC. [SU FG]
 Myrcia cuprea (O. Berg) Kiaerskou [SU FG]
 Myrcia decorticans DC. [GU SU FG]
 Myrcia deflexa (Poir.) DC. [GU SU FG]
 Myrcia ehrenbergiana (O. Berg) McVaugh [GU]
 Myrcia exploratoris McVaugh [GU]
 Myrcia extranea McVaugh [GU]
 Myrcia fallax (L.C. Rich.) DC. [GU SU FG]
- Myrcia fenestrata DC. [FG]
 Myrcia fenzliana O. Berg [GU]
 Myrcia gigas McVaugh [FG]
 Myrcia gonini McVaugh [SU]
 Myrcia graciliflora Sagot [GU SU FG]
 Myrcia grandis McVaugh [GU]
 Myrcia guianensis (Aubl.) DC. var. guianensis [GU SU FG]
 Myrcia imperfecta McVaugh [GU]
 Myrcia inaequiloba (DC.) Legrand [GU SU FG]
 Myrcia magnoliifolia DC. [GU SU FG]
 Myrcia minutiflora Sagot [GU SU FG]
 Myrcia multiflora (Lam.) DC. [GU SU FG]
 Myrcia myriantha McVaugh [GU]
 Myrcia nigrescens DC. [GU]
 Myrcia nubicola McVaugh [GU]
 Myrcia paivae O. Berg [GU SU]
 Myrcia pistrinalis McVaugh [SU]
 Myrcia platyclada DC. [GU SU FG]
 Myrcia porphyrea McVaugh [GU]
 Myrcia pyrifolia (Hamilton) Nied. [GU SU FG]
 Myrcia quitarensis (Benth.) Sagot [GU]
 Myrcia rotundata (Amsh.) McVaugh var. rotundata [GU]
 Myrcia rufipila McVaugh [GU SU FG]
 Myrcia rupestris M.L. Kawasaki & B. Holst [FG]
 Myrcia saxatilis (Amsh.) McVaugh [SU FG]
 Myrcia servata McVaugh [GU SU FG]
 Myrcia sororopanensis Steyermark. [GU]
 Myrcia speciosa (Amsh.) McVaugh [GU]
 Myrcia splendens (Swartz) DC. [GU SU FG]
 Myrcia subobliqua (Benth.) Nied. [GU SU]
 Myrcia subsessilis O. Berg [FG]
 Myrcia sylvatica (G. Mey.) DC. [GU SU FG]
 Myrcia tafelbergica Amsh. [GU SU]
 Myrcia tomentosa (Aubl.) DC. [GU SU FG]
 Myrcianthes prodigiosa McVaugh [GU SU]
 Myrciaria amazonica O. Berg [GU? SU FG]
 Myrciaria cordata O. Berg [GU]
 Myrciaria dubia (Kunth) McVaugh [GU]
 Myrciaria floribunda (West ex Willd.) O. Berg [GU SU FG]
 Myrciaria vismiifolia (Benth.) O. Berg [GU SU FG]
 Plinia costata Amsh. [GU SU]
 Plinia pinnata L. [GU? SU?]
 Pseudanamomis umbellulifera (Kunth) Kausel [GU]
 Psidium acutangulum Mart. ex DC. [GU SU]
 Psidium densicomum DC. [GU]
 Psidium grandifolium Mart. ex DC. [SU]
 Psidium guajava L. [GU SU FG] [cultivated, naturalized]
 Psidium guineense Swartz [GU SU FG]
 Psidium larotteeum Camb. [GU]
 Psidium persoonii McVaugh [GU SU FG]
 Psidium salutare (Kunth) O. Berg [GU SU]
 Psidium sartorianum (O. Berg) Nied. [GU SU FG]
 Psidium striatum DC. [GU SU]
 Psidium submetrale McVaugh [GU]
 Siphoneugena dussii (Krug & Urb.) Proença var. salicifolia
 (McVaugh) Proença [to be expected in GU]
 Siphoneugena dussii (Krug & Urb.) Proença var. dussii [GU
 SU]
 Syzygium cumini (L.) Skeels [GU SU] [cultivated;
 naturalized?]
 Syzygium jambos (L.) Alston [GU SU FG] [cultivated,
 frequently escaping]
 Ugni myricoides (Kunth) O. Berg [GU]

MYRTACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Aulomyrcia divaricata O. Berg =*Myrcia rufipila*
Aulomyrcia grandiflora O. Berg [not in Guianas]
Aulomyrcia hostmanniana O. Berg =*Myrcia amazonica*
Aulomyrcia obtusa (Schauer) O. Berg =*Myrcia guianensis*
Aulomyrcia schaueriana (Miq.) Amsh. =*Myrcia graciliflora*
Aulomyrcia spp. =*Myrcia* spp.
Aulomyrcia tetramera Amsh. =*Myrcia decorticans*?
Aulomyrcia triflora O. Berg =*Myrcia citrifolia*
Calycolpus chnoiphylloides Riley =*Calycolpus revolutus*
Calycolpus glaber (Benth.) O. Berg =*Calycolpus goetheanus*
Calycolpus pyrifer Riley =*Calycolpus revolutus*
Calyptranthes apoda McVaugh, nom. illeg. =*Calyptranthes vexata*
Campomanesia tetramera McVaugh =*Eugenia tetramera*
Catinga aromatica Aubl. =*Eugenia feijoi*
Catinga moschata Aubl. =*Calycorectes bergii*
Eugenia adenocalyx DC. =*Eugenia citrifolia*
Eugenia atropunctata Steud. =*Eugenia florida*
Eugenia benthamii O. Berg =*Eugenia punicifolia*
Eugenia brachybotrya DC. =*Mouriri guianensis*
 (Melastomataceae)
Eugenia comete Aubl. =*Myrcia coumetii*
Eugenia compacta O. Berg =*Eugenia pseudopsidium*
Eugenia coriacea O. Berg =*Eugenia polystachyoidea*
Eugenia cryptadenia Amsh. var. *gracilis* Amsh. =*Eugenia cowanii*
Eugenia cumini L. =*Syzygium cumini*
Eugenia fasciculiflora O. Berg =*Eugenia feijoi*
Eugenia guianensis Aubl. =*Myrcia guianensis*
Eugenia jambos L. =*Syzygium jambos*
Eugenia mini Aubl. =*Eugenia biflora*
Eugenia montana Aubl. =*Marlierea montana*
Eugenia prosoneura O. Berg =*Eugenia gomesiana*
Eugenia protracta Steud. =*Myrciaria floribunda*
Eugenia psidioides DC. =*Eugenia pseudopsidium*
Eugenia punicifolia (Kunth) DC. var. *brachypoda* (DC.) Kr. & Urb. =*Eugenia ramiflora*
Eugenia pyrifolia Hamilton =*Myrcia pyrifolia*
Eugenia racemifera Sagot =*Eugenia florida*
Eugenia roraimana O. Berg =*Eugenia tapacumensis*
Eugenia schomburgkii Benth. =*Eugenia lambertiana*
Eugenia sinemariensis Aubl. =*Eugenia* sp.[name of uncertain application]
Eugenia tomentosa Aubl. =*Myrcia tomentosa*
Eugenia wentii Amsh. =*Eugenia macrocalyx*
Krugia ferruginea (Poir.) Urb. =*Marlierea ferruginea*
Marlierea dussii Krug & Urb. ex Urb. =*Siphoneugena dussii*
Marlierea gleasonii McVaugh =*Myrcia decorticans*
Myrcia berberis DC. =*Myrcia fallax*
Myrcia divaricata Berg =*Myrcia rufipila*
Myrcia grandiflora (O. Berg) Lemée =*Aulomyrcia grandiflora* [not in Guianas]
Myrcia hostmanniana Kierak =*Myrcia amazonica*
Myrcia kegeliana O. Berg =*Myrcia fallax*
Myrcia obtusa Schauer =*Myrcia guianensis*
Myrcia paniculata (Jacq.) Krug & Urb. =*Myrcia citrifolia*
Myrcia schomburgkiana O. Berg =*Myrcia servata*
Myrcia tetramera Amsh. =*Myrcia decorticans*?
Myrciaria nitida (Benth.) O. Berg =*Myrcia inaequiloba*
Myrciaria verticillata O. Berg =*Myrciaria floribunda*

Myrtus umbellata Desv. ex Hamilton =*Mouriri guianensis*
 (Melastomataceae)
Plinia dussii (Krug & Urb.) Urb. =*Siphoneugena dussii*
Psidium aquaticum Benth. =*Psidium striatum*
Psidium araca Raddi =*Psidium guineense*
Psidium aromaticum Aubl. =*Campomanesia aromatica*
Psidium benthamianum O. Berg =*Psidium guineense*
Psidium grandiflorum Aubl. =*Campomanesia grandiflora*
Psidium guianense sensu Amshoff, not Persoon =*Psidium persoonii*
Psidium guyanense Persoon =*Psidium guineense*
Psidium ovatifolium O. Berg var. *glabrum* Amsh. =*Psidium densicomum*
Psidium parviflorum Benth. =*Psidium striatum*
Psidium quinquedentatum Amsh. =*Psidium sartorianum*?
Siphoneugena densiflora O. Berg [not in Guianas]

NAJADACEAE

reviewed by R. Haynes & L.B. Holm-Nielsen
(1992)

REFERENCES:

Lowden, R.M. 1986. Taxonomy of the genus *Najas* in the Neotropics. *Aquatic Bot.* 24: 147-184.

Najas guadalupensis (Spreng.) Magnus [FG?]
Najas microcarpa K. Schum. [FG] [to be expected in GU, SU]

NAJADACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Najas conferta (A. Brown) A. Brown [not in Guianas]
Najas marina L. [widespread, perhaps to be expected]
Najas microdon A. Brown =*Najas guadalupensis*
Najas wrightiana A. Brown [as circumscribed by Lowden, not in Guianas]

NELUMBONACEAE

REFERENCES:

Cramer, J. 1979. *Nelumbonaceae*. In A.L. Stoffers & J.C. Lindeman, *Flora of Suriname* 5(1): 390-392.

Nelumbo nucifera Gaertn. [GU SU FG?] [cultivated, naturalized]

NYCTAGINACEAE

revised by R.A. DeFilipps (1996)

REFERENCES:

DeFilipps, R.A. & S.L. Maina (in press).
Nyctaginaceae. In A.R.A. Görts-van Rijn,
 Flora of the Guianas (series A).
 Steyermark, J.A. 1987. *Nyctaginaceae*. In Flora
 of the Venezuelan Guayana - III. Ann.
 Missouri Bot. Gard. 74(3): 614-635.
 Standley, P.C. 1931. The Nyctaginaceae of
 northwestern South America. Field Mus. Bot.
 11: 73-114.

Boerhavia diffusa L. [GU SU FG]
Bouganvillea spp. [several species cultivated]
Guapira cuspidata (Heimerl) Lundell [GU SU]
Guapira eggersiana (Heimerl) Lundell [GU SU FG]
Guapira kanukuensis (Standl.) Lundell [GU]
Guapira salicifolia (Heimerl) Lundell [GU SU FG]
Mirabilis jalapa L. [GU SU FG] [cultivated, escaping and
 naturalized]
Neea constricta Spruce ex Schmidt [GU FG]
Neea floribunda Poepp. & Endl. [GU SU FG]
Neea mollis Spruce ex Schmidt [GU FG]
Neea ovalifolia Spruce ex Schmidt [GU SU FG]
Neea spruceana Heimerl [GU FG]
Pisonia macranthocarpa (Donn. Sm.) Donn. Sm. [GU]

NYCTAGINACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Boerhavia caribaea Jacq. =*Boerhavia diffusa*
Boerhavia coccinea Mill. =*Boerhavia diffusa*
Boerhavia paniculata L. Rich. =*Boerhavia diffusa*
Boerhavia surinamensis Miq. =*Boerhavia diffusa*
Guapira fragrans (Dum.-Cours.) Little [not in Guianas]
Guapira glabra (Heimerl) Steyermark. =*Guapira eggersiana*
Guapira graciliflora sensu Mennega et al. (1988), non (Mart.)
 Lundell =*Guapira salicifolia*
Guapira guianensis Aubl. =*Guapira eggersiana?*
Guapira heimeriana (Standl.) Lundell =*Guapira salicifolia*
Guapira olfersiana (Link, Klotzsch & Otto) Lundell [not in
 Guianas]
Guapira pacurero (Kunth) Little [not in Guianas]
Guapira riedeliana (Fisch. ex Heimerl) Lundell [not in
 Guianas]
Guapira schomburgkiana (Heimerl) Lundell =*Guapira*
 cuspidata
Neea cauliflora Heimerl =*Neea floribunda*
Neea nigricans (Sw.) Heimerl [not in Guianas]
Neea tristis Heimerl [not in Guianas]
Pisonia aculeata L. var. *macranthocarpa* Donn. Sm. =*Pisonia*
 macranthocarpa
Pisonia albiflora Heimerl =*Guapira salicifolia*
Pisonia cuspidata Heimerl =*Guapira cuspidata*
Pisonia eggersiana Heimerl =*Guapira eggersiana*
Pisonia glabra Heimerl =*Guapira eggersiana*
Pisonia guianensis (Aubl.) Howard =*Guapira eggersiana?*
Pisonia inermis Jacq. =*Guapira fragrans* [not in Guianas]
Pisonia nitida Mart. ex Schmidt =*Guapira eggersiana*
Pisonia olfersiana sensu Maguire (1948), non Link, Klotzsch
 & Otto =*Guapira eggersiana*
Pisonia pacurero sensu Pulle (1906), non Kunth =*Guapira*
 eggersiana
Pisonia salicifolia Heimerl =*Guapira salicifolia*
Pisonia schomburgkiana Heimerl =*Guapira cuspidata*

Torrubia cuspidata (Heimerl) Standl. =*Guapira cuspidata*
Torrubia heimeriana Standl. =*Guapira salicifolia*
Torrubia kanukuensis Standl. =*Guapira kanukuensis*
Torrubia laurina Standl. =*Guapira eggersiana*
Torrubia olfersiana (Link, Klotzsch, & Otto) Standl. [not in
 Guianas]
Torrubia salicifolia (Heimerl) Standl. =*Guapira salicifolia*
Torrubia schomburgkiana (Heimerl) Standl. =*Guapira*
 cuspidata

NYMPHAEACEAE

additions and corrections by J.H. Wiersema
 (1996)

REFERENCES:

- Conard, H.S. 1905. The Waterlilies: A
 Monograph of the Genus *Nymphaea*.
 Carnegie Institution of Washington.
 Cramer, J. 1979. Nymphaeaceae. In A.L.
 Stoffers & J.C. Lindeman, Flora of Suriname
 5(1): 370-384.
 Wiersema, J.H. 1987. A monograph of
Nymphaea subgenus *Hydrocallis*. Syst. Bot.
 Monogr. 16: 1-112.

Nymphaea amazonum Mart. & Zucc. subsp. *amazonum* [GU
 SU FG]
Nymphaea ampla (Salisb.) DC. [GU SU]
Nymphaea conardii Wiersema [GU]
Nymphaea gardneriana Planch. [GU]
Nymphaea glandulifera Rodschied [GU SU FG]
Nymphaea jamesoniana Planch. [GU]
Nymphaea lotus L. [GU] [cultivated, naturalized]
Nymphaea odorata Solander [GU SU]
Nymphaea rubra Roxb. ex Salisb. [GU SU] [cultivated,
 naturalized]
Nymphaea rudgeana G. Mey. [GU SU FG]
Nymphaea tenerinervia Caspary [to be expected in GU]
Victoria amazonica (Poepp.) Sowerby [GU]

NYMPHAEACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Castalia spp. =*Nymphaea* spp.
Nymphaea blanda G. Mey. =*Nymphaea glandulifera*
Nymphaea odorata Solander var. *gigantea* Tricker
 =*Nymphaea odorata*
Nymphaea parkeriana Lehm. =*Nymphaea odorata*
Victoria regia Lindl. =*Victoria amazonica*

OCHNACEAE

contributed by C. Sastre (1992)

REFERENCES:

SPERMATOPHYTA: Nyctaginaceae - Ochnaceae

- Allorge, L. & C. Sastre. 1990. Distribution géographique dans les Guyanes, d'Apocynaceae et d'Ochnaceae. Essai de mise en évidence de centres de spéciation. C.R. Soc. Biogeogr. 67(2): 77-94.
- Dwyer, J.D. 1943. The taxa of the monogeneric tribe Elvasieae (Ochnaceae). Bull. Torrey Bot. Club 70: 42-49.
- Dwyer, J.D. 1945. The taxonomy of the genus *Sauvagesia* (Ochnaceae). Bull. Torrey Bot. Club 72(6): 521-540.
- Maguire, B., & J.J. Wurdack. 1961. Ochnaceae. In Botany of the Guayana Highland part IV. Mem. New York Bot. Gard. 10(4): 6-21.
- Maguire, B. & J.A. Steyermark. 1989. Ouratea in Guayana and adjacent Amazonian hylaea. In B. Maguire & collaborators, Botany of the Guayana Highland part XIII. Mem. New York Bot. Gard. 51: 56-102.
- Sastre, C. 1971. Distribution géographique des espèces de *Sauvagesia* L. C.R. Soc. Biogéogr. 421: 47-59.
- Sastre, C. 1984. Etude sur le genre *Sauvagesia* L. en Guyane française. Saussurea 15: 111-118.
- Sastre, C. 1986. Studies on the Flora of the Guianas 23. Cinq espèces nouvelles d'*Ouratea* Aublet (Ochnaceae) des Guyanes. Bull. Mus. Natl. Hist. ser. 4, 8, sect. B, Adansonia 4: 413-422.
- Sastre, C. 1987. Studies on the Flora of the Guianas 30. Considérations phytogéographiques sur les Ochnacées guyanaises. C.R. Soc. Biog. 63(3): 89-97.
- Sastre, C. 1988. Synopsis generis *Ouratea* Aubl. Bull. Mus. natn. Hist. nat. Paris, sér. 4, 10, sect. B, Adansonia 1: 47-67.
- Sastre, C. 1991. Duae novae species *Ourateae* (Ochnaceae) in Guianis collectae. Studies on the Flora of the Guianas. 59. Candollea 46(2): 395-398.
- Sastre, C. 1994. Three new taxa of *Ouratea* (Ochnaceae) from South America. Brittonia 46(4): 309-313.
- Sastre, C. 1995. Novelties in the Neotropical genus *Ouratea* Aublet (Ochnaceae). Novon 5(2): 193-200.
- Wehlburg, C. 1937. Ochnaceae. In A. Pulle, Flora of Suriname 3(1): 328-341.
- Adenanthe bicarpellata Maguire, Steyermark. & Wurdack [GU]
- Cespedesia spathulata (Ruiz & Pav.) Planch. [GU]
- Elvasia brevipedicellata Ule [GU]
- Elvasia elvasioides (Planch.) Gilg [GU SU FG]
- Elvasia essequibensis Engl. [GU SU]
- Elvasia macrostipularis Sastre & Lescure [FG]
- Elvasia quinqueloba Spruce ex Engl. [GU]
- Elvasia sphaerocarpa Cowan [GU]
- Ouratea acuminata (DC.) Engl. [GU?]
- Ouratea angulata Tiegh. [GU? SU FG]
- Ouratea attenuata Tiegh. [GU]
- Ouratea bipartita Sastre [GU]
- Ouratea candollei (Planch.) Tiegh. [SU FG]
- Ouratea cardioisperma (Lam.) Engl. [GU? SU FG]
- Ouratea castaneifolia (DC.) Engl. [GU SU]
- Ouratea cataractarum Sandw. [GU]
- Ouratea cerebroidea Sastre [GU FG]
- Ouratea cernuiflora Sandw. [GU]
- Ouratea crenata (Spruce) Tiegh. [GU]
- Ouratea decagyna Maguire [GU? SU FG]
- Ouratea engleri Tiegh. [FG]
- Ouratea erecta Sastre [SU FG]
- Ouratea fasciculata Maguire & Steyermark. [GU]
- Ouratea ferruginea Engl. [GU FG]
- Ouratea francinae Sastre [FG]
- Ouratea frontium Sleumer [GU]
- Ouratea gigantophylla (Ehrhard) Engl. [SU]
- Ouratea gillyana (Dwyer) Sandw. & Maguire [GU]
- Ouratea guianensis Aubl. [GU SU FG]
- Ouratea guildingii (Planch.) Urb. [GU]
- Ouratea impressa (Tiegh.) Lemée [FG]
- Ouratea leblondii (Tiegh.) Lemée [GU SU FG]
- Ouratea leprieurii Tiegh. [FG]
- Ouratea longifolia (Lam.) Engl. [GU FG]
- Ouratea maasorum Sastre [GU]
- Ouratea macrocarpa Sastre [GU SU FG]
- Ouratea mazarunensis A.C. Smith & Dwyer [GU]
- Ouratea melinonii (Tiegh.) Lemée [SU FG]
- Ouratea occultinervis Sastre [SU FG]
- Ouratea olivaeformis (St. Hil.) Engl. [GU] [unverified name]
- Ouratea pendula (Poepp.) Engl. [SU FG]
- Ouratea pseudotatei Maguire & Steyermark. [GU]
- Ouratea rigida Engl. [GU]
- Ouratea riparia Sleumer [SU FG]
- Ouratea roraimae Engl. [GU]
- Ouratea rupununiensis Engl. [GU]
- Ouratea sagotii (Tiegh.) Lemée [GU SU FG]
- Ouratea saülensis Sastre [FG]
- Ouratea schomburgkii (Planch.) Engl. [GU SU]
- Ouratea scottii Sastre subsp. scottii [GU SU FG]
- Ouratea sculpta (Tiegh.) Sastre [GU SU FG]
- Ouratea soderstromii Sastre [GU]
- Ouratea spruceana Engl. [GU SU?]
- Ouratea superba Engl. [GU SU]
- Ouratea tatei Gleason [GU]
- Ouratea timehriensis Sastre [GU]
- Ouratea vaccinioides (St. Hil. & Tul.) Engl. [GU?]
- Ouratea verruculosa Engl. [FG]
- Poecilandra pumila Steyermark. [GU]
- Poecilandra retusa Tul. [GU]
- Sauvagesia aliciae Sastre subsp. aratayensis Sastre [FG]
- Sauvagesia amoena Ule [GU?]
- Sauvagesia angustifolia Ule [GU SU]
- Sauvagesia deficiens A.C. Smith [GU] [unverified name]
- Sauvagesia elata Benth. [GU SU? FG]
- Sauvagesia erecta L. subsp. erecta [GU SU FG]
- Sauvagesia guianensis (Eichl.) Sastre [GU]
- Sauvagesia imthurniana (Oliver) Dwyer [GU]
- Sauvagesia longifolia Eichl. [GU]
- Sauvagesia longipes Steyermark. [GU]
- Sauvagesia pulchella Planch. [GU SU]
- Sauvagesia ramosissima Spruce ex Eichl. [SU FG]
- Sauvagesia roraimensis Ule [GU SU]
- Sauvagesia rubiginosa St. Hil. [GU SU FG]
- Sauvagesia sprengelii St. Hil. [GU SU FG]
- Sauvagesia tafelbergensis Sastre [SU FG]
- Sauvagesia tenella Lam. [GU SU FG]

OCHNACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Cespedesia amazonica Huber =*Cespedesia spathulata*
Elvasia calophyllea DC. [not in Guianas]
Elvasia hostmannia Planch. =*Elvasia elvasioides*
Elvasia sagoti (Tiegh.) Lemée =*Elvasia elvasioides*
Elvasia schomburgkii Tiegh. =*Elvasia calophyllea* DC. [not in Guianas]
Gomphia candollei Planch. =*Ouratea candollei*
Gomphia surinamensis Planch. =*Ouratea cardiosperma*
Kaieteurea gillyana Dwyer =*Ouratea gillyana*
Leitgebia imthurniana Oliver =*Sauvagesia imthurniana*
Ouratea discophora Ducke [not in Guianas]
Ouratea integrifolia (DC.) Sagot [nomen nudum]
Ouratea polygyna Engl. [not in Guianas]
Ouratea racemiformis Ule =*Ouratea schomburgkii*
Ouratea surinamensis (Planch.) Wehlburg =*Ouratea cardiosperma*
Roraimanthus imthurnianus (Oliver) Gleason =*Sauvagesia imthurniana*
Sauvagesia adima Aubl. =*Sauvagesia erecta*
Sauvagesia erecta Aubl., non L. =*Sauvagesia sprengelii*
Sauvagesia kappleri Miq. =*Sauvagesia sprengelii*
Sauvagesia salicifolia Ging. =*Sauvagesia erecta*
Sauvagesia smithiana Dwyer =*Sauvagesia roraimensis*
Sauvagesia surinamensis Miq. =*Sauvagesia rubiginosa*

OLACACEAE

contributed by P. Hiepko (1992)

REFERENCES:

- Amshoff, G.J.H. 1938. Olacaceae. In A. Pulle, Flora of Suriname 1(1): 262-272.
 Hiepko, P. 1993. Olacaceae. In A.R.A. Görtz-van Rijn, Flora of the Guianas (series A) 14: 3-35.
 Sleumer, H.O. 1984. Olacaceae. Flora Neotropica Monogr. 38: 1-159.

Aptandra liriosmoides Spruce ex Miers [GU]
Cathedra acuminata (Benth.) Miers [GU FG]
Chaunochiton kappleri (Sagot ex Engl.) Ducke [GU SU FG]
Dulacia crassa (Monachino) Sleumer [GU]
Dulacia guianensis (Engl.) Kuntze [GU SU FG]
Dulacia redmondii Steyermark. [GU]
Heisteria barbata Cuatrec. [FG]
Heisteria cauliflora J.E. Smith [GU SU FG]
Heisteria densifrons Engl. [GU SU FG]
Heisteria maguirei Sleumer [GU]
Heisteria ovata Benth. [GU SU FG]
Heisteria scandens Ducke [GU SU FG]
Maburea trinervis P. Maas [GU]
Minquartia guianensis Aubl. [GU SU FG]
Ptychopetalum olacoides Benth. [GU SU FG]
Schoepfia lucida Pulle [SU]
Ximenia americana L. var. *americana* [GU SU FG]

OLACACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Cathedra guianensis Sandw. =*Cathedra acuminata*
Chaunochiton tubicinum (Poepp.) Lemée =*Aptandra tubicina* [not in Guianas]
Dulacia inopiflora (Miers) Kuntze [not in Guianas]
Heisteria coccinea Jacq. [not in Guianas]
Heisteria kappleri Sagot ex Engler =*Chaunochiton kappleri*
Heisteria microcalyx Sagot =*Heisteria densifrons*
Heisteria surinamensis Amsh. =*Heisteria ovata*
Heymassoli inermis Aubl. =*Ximenia americana*
Heymassoli spinosa Aubl. =*Ximenia americana*
Liriosma crassa Monachino =*Dulacia crassa*
Liriosma guianensis Engl. =*Dulacia guianensis*
Liriosma inopiflora Miers =*Dulacia inopiflora* [not in Guianas]
Olax schomburgkii Klotzsch [nomen nudum] =*Dulacia guianensis*
Secretaria lanthacea Muell. Arg. =*Minquartia guianensis*

OLEACEAE

REFERENCES:

- Green, P.S. 1994. A revision of Chionanthus in S. America and the description of *Priogymnanthus*, gen. nov. Kew Bull. 49(2): 261-286.
 Stearn, W.T. 1976. Union of Chionanthus and Linociera. Ann. Missouri Bot. Gard. 63: 355-357.

Chionanthus guianensis (Aubl.) Pers. [FG]
Jasminum spp. [cultivated, perhaps escaping]

OLEACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Chionanthus guianensis (Aubl.) Stearn, comb. superfl.
Chionanthus mayepea Vahl =*Chionanthus guianensis*
Chionanthus tetrandra Vahl =*Chionanthus guianensis*
Linociera tetrandra (Vahl) Roem. & Schult. =*Chionanthus guianensis*
Mayepea guianensis Aubl. =*Chionanthus guianensis*

ONAGRACEAE

reviewed by E.M. Zardini & P.H. Raven (1992); reviewed by E.M. Zardini (1996)

REFERENCES:

- Jonker, F.P. 1942. Oenotheraceae. In A. Pulle, Flora of Suriname 3(2): 13-34.

Zardini, E.M. & P.H. Raven. 1991. Onagraceae.
In A.R.A. Görts-van Rijn, Flora of the
Guianas (series A) 10: 1-44.

Ludwigia affinis (DC.) Hara [GU SU FG]
Ludwigia decurrens Walter [GU SU FG]
Ludwigia dodecandra (DC.) Zardini & Raven [GU FG]
Ludwigia elegans (Camb.) Hara [SU]
Ludwigia erecta (L.) Hara [GU SU FG]
Ludwigia foliobracteolata (Munz) Hara [GU FG]
Ludwigia helminthoriza (Mart.) Hara [GU SU]
Ludwigia hyssopifolia (G. Don) Exell [GU SU FG]
Ludwigia inclinata (L.f.) Gómez [GU SU]
Ludwigia latifolia (Benth.) Hara [GU SU FG]
Ludwigia leptocarpa (Nutt.) Hara [GU SU FG]
Ludwigia mexiae (Munz) Hara [SU]
Ludwigia nervosa (Poir.) Hara [GU SU FG]
Ludwigia octovalvis (Jacq.) Raven [GU SU FG]
Ludwigia rigida (Miq.) Sandw. [GU SU]
Ludwigia sedoides (Humb. & Bonpl.) Hara [GU]
Ludwigia torulosa (Arnott) Hara [GU SU FG]

ONAGRACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Jussiaea affinis DC. =Ludwigia affinis
Jussiaea affinis DC. var. dodecandra (DC.) Munz =Ludwigia dodecandra
Jussiaea affinis DC. var. multiflora Jonker =Ludwigia affinis
Jussiaea aluligera Miq. =Ludwigia leptocarpa
Jussiaea decurrens (Walt.) DC. =Ludwigia decurrens
Jussiaea dodecandra DC. =Ludwigia dodecandra
Jussiaea elegans Camb. =Ludwigia elegans
Jussiaea erecta L. =Ludwigia erecta
Jussiaea erecta L. var. sebana DC. =Ludwigia erecta
Jussiaea foliobracteolata Munz =Ludwigia foliobracteolata
Jussiaea helminthoriza Mart. =Ludwigia helminthoriza
Jussiaea hexamera Miq. =Ludwigia affinis
Jussiaea inclinata L.f. =Ludwigia inclinata
Jussiaea latifolia Benth. =Ludwigia latifolia
Jussiaea leptocarpa Nutt. =Ludwigia leptocarpa
Jussiaea leptocarpa Nutt. var. aluligera (Miq.) Jonker
=Ludwigia leptocarpa
Jussiaea leptocarpa Nutt. var. meyeriana (Kuntze) Munz
=Ludwigia leptocarpa
Jussiaea linifolia Vahl =Ludwigia hyssopifolia
Jussiaea mexiae Munz =Ludwigia mexiae
Jussiaea micrantha Kunze =Ludwigia hyssopifolia
Jussiaea nervosa Poir. =Ludwigia nervosa
Jussiaea octonervia Lam. =Ludwigia octovalvis
Jussiaea palustris G. Mey. =Ludwigia decurrens
Jussiaea pterophora Miq. =Ludwigia decurrens
Jussiaea rigida Miq. =Ludwigia rigida
Jussiaea suffruticosa L. =Ludwigia octovalvis
Jussiaea surinamensis Miq. =Ludwigia leptocarpa
Jussiaea torulosa Arnott =Ludwigia torulosa
Jussiaea variabilis G. Mey. var. affinis (DC.) O. Kuntze
=Ludwigia affinis
Jussiaea variabilis G. Mey. var. meyeriana Kuntze =Ludwigia leptocarpa
Ludwigia affinis (DC.) Hara var. dodecandra (DC.) Munz
=Ludwigia dodecandra
Ludwigia micrantha (Kunze) Hara =Ludwigia hyssopifolia

Oocarpon torulosum (Arnott) Urb. =Ludwigia torulosa

OPILIACEAE

contributed by P. Hiepko (1992)

REFERENCES:

Hiepko, P. 1993. Opiliaceae. In A.R.A. Görts-van Rijn, Flora of the Guianas (series A) 14: 36-39.

Agonandra brasiliensis Miers ex Benth. [GU]
Agonandra silvatica Ducke [GU SU FG]

ORCHIDACEAE

contributed by E.A. Christenson & J.K. Boggan;
Acineta, Braemia, Catasetum, Coryanthes,
Gongora, Houlletia, Kegeliella, Mormodes,
Paphinia, Peristeria, Polycycnis, Sievekingia,
& Stanhopea by R. Jenny; Dichaea by J.
Folsom; Encyclia & Epidendrum by E.
Hagsater; Habenaria by J. Renz (1992);
additions and corrections by E.A. Christenson
& J.K. Boggan, reviewed by M.C.M.
Werkhoven & M.E. Medley (1996)

REFERENCES:

Cremers, G., M. Hoff, D. Barthelemy, E.A.
Christenson, Ly. & L. Leneveu, & Ch. & Cl.
Pawlowski. 1992. Inventaire taxonomique
des plantes de la Guyane française II - les
Orchidacées. Mus. Nat. Hist. Nat., Coll. Patr.
Nat. (Sér. Patr. Génétique) 7: 1-144.
Dunsterville, G.C.K. & L.A. Garay. 1959-1976.
Venezuelan Orchids Illustrated. 6 vol.
Foldats, E. 1970. Orchidaceae. In T. Lasser,
Flora de Venezuela.
Renz, J. 1992. The genus Habenaria in the
Guianas. Candollea 47: 483-512.
Schweinfurth, C. 1967. Orchidaceae of the
Guayana Highland. Mem. New York Bot.
Gard. 14(3): 69-214.
Szlachetko, D.L. & Y. Veyret. 1994. Two new
species of Spiranthinae (Orchidaceae) from
French Guyana. Fragm. Flor. Geobot. 39(2):
471-474.
Werkhoven, M.C.M. 1986. Orchids of
Suriname. Uitgeversmaatschappij:
Paramaribo, Suriname.

Acacallis fimbriata (Rchb.f.) Schlechter [GU SU]
Acineta alticola C. Schweinf. [GU?]
Acineta superba (Kunth) Rchb.f. [SU]
Ada keiliana (Rchb.f. ex Lindl.) N.H. Wms. [GU]
Aganisia pulchella Lindl. [GU SU FG]

- Aspasia variegata* Lindl. [GU SU FG]
Aspidogyne foliosa (Poep. & Endl.) Garay [GU SU FG]
Aspidogyne longicornu (Cogn.) Garay [GU SU]
Aspidogyne multifoliata (Schweinf.) Garay [GU]
Aspidogyne pumila (Cogn.) Garay [GU SU]
Baskervillea venezuelana Garay & Dunsterv. [GU]
Batemannia armillata Rchb.f. [SU]
Batemannia colleyi Lindl. [GU SU FG]
Batemannia lepida Rchb.f. [SU]
Beloglottis costaricensis (Rchb.f.) Schlechter [SU]
Bifrenaria longicornis Lindl. [GU SU FG]
Bletia altilamellata Garay [GU]
Bletia purpurea (Lam.) DC. [SU? FG]
Bollea hemixantha Rchb.f. [GU FG?]
Bollea violacea (Lindl.) Rchb.f. [GU SU FG]
Brachionidium brevicaudatum Rolfe [GU]
Brachystele guyanensis (Lindl.) Schlechter [GU SU FG]
Braemia vittata (Lindl.) Jenny [GU SU? FG]
Brassavola cucullata R. Brown [GU SU FG]
Brassavola gardneri Cogn. [SU? FG]
Brassavola martiana Lindl. [GU SU FG]
Brassavola nodosa (L.) Lindl. [GU FG?]
Brassia angusta Lindl. [GU]
Brassia bidens Lindl. [GU]
Brassia caudata (L.) Lindl. [GU SU FG]
Brassia chloroleuca Barb. Rodr. [GU FG]
Brassia huebneri Schlechter [FG]
Brassia lanceana Lindl. [GU SU FG]
Brassia lawrenceana Lindl. [GU SU FG]
Brassia macrostachya Lindl. [GU SU]
Brassia neglecta Rchb.f. [GU]
Brassia pumila Lindl. [GU FG]
Brassia villosa Lindl. [GU]
Brassia wageneri Rchb.f. [GU]
Bulbophyllum bracteolatum Lindl. [GU SU FG]
Bulbophyllum exaltatum Lindl. [GU]
Bulbophyllum geraense Rchb.f. [GU]
Bulbophyllum oerstedii (Rchb.f.) Hemsl. [SU FG]
Bulbophyllum pachyrachis (A. Rich.) Griseb. [FG]
Bulbophyllum quadrisetum Lindl. [SU FG]
Bulbophyllum roraimense Rolfe [GU FG]
Bulbophyllum setigerum Lindl. [GU]
Caluera surinamensis Dodson & R.O. Determann [SU]
Caluera vulpina Dodson & R.O. Determann [FG]
Campylocentrum fasciola (Lindl.) Cogn. [GU SU FG]
Campylocentrum micranthum (Lindl.) Rolfe [GU SU FG]
Campylocentrum pachyrrizum (Rchb.f.) Rolfe [SU? FG]
Campylocentrum poeppigii (Rchb.f.) Rolfe [GU]
Campylocentrum steyermarkii Foldats [GU]
Catasetum barbatum (Lindl.) Lindl. var. barbatum [GU SU FG]
Catasetum barbatum (Lindl.) Lindl. var. spinosum Rolfe [FG?]
Catasetum bicallosum Cogn. [GU?]
Catasetum bicolor Klotzsch [GU?]
Catasetum callosum Lindl. [GU] [var. callosum?]
Catasetum callosum Lindl. var. carunculatum Mansf. [GU SU? FG]
Catasetum comosum Cogn. [GU?]
Catasetum cristatum Lindl. [GU SU]
Catasetum deltoideum (Lindl.) Mutel [GU SU FG?]
Catasetum discolor (Lindl.) Lindl. [GU SU FG]
Catasetum ferox Kraenzl. [GU?]
Catasetum gnomus Linden & Rchb.f. [GU?]
Catasetum longifolium Lindl. [GU SU FG]
Catasetum luridum (Link) Lindl. [GU]
- Catasetum macrocarpum* L.C. Rich. ex Kunth [GU SU FG]
Catasetum ochraceum Lindl. [GU?]
Catasetum pileatum Rchb.f. [GU?]
Catasetum planiceps Lindl. [GU SU FG?]
Catasetum poriferum Schomb. ex Lindl. [GU]
Catasetum saccatum Lindl. [GU]
Catasetum thompsonii Dodson [GU]
Catasetum xdundervillei Romero & Carnevali [GU?]
Catasetum xguianense Jenny & Romero [GU SU? FG]
Catasetum xroseo-album (Hook.) Lindl. [GU SU FG?]
Catasetum xtapiroiceps Rchb.f. [GU? FG?]
Catasetum xwendlingeri Foldats [GU]
Cattleya jenmannii Rolfe [GU]
Cattleya lawrenceana Rchb.f. [GU]
Cattleya violacea (Kunth) Rolfe [GU FG]
Caularthon bicornutum (Hook.) Raf. [GU SU]
Chamelophyton kegelii (Rchb.f.) Garay [SU]
Chaubardia surinamensis Rchb.f. [GU SU FG]
Chaubardiella tigrina (Garay & Dunsterv.) Garay [GU SU FG]
Cheiradenia cuspidata Lindl. [GU SU FG]
Cleistes grandiflora (Aubl.) Schlechter [GU FG]
Cleistes moritzii (Rchb.f.) Garay & Dunsterv. [GU]
Cleistes paludosa Rchb.f. [SU FG]
Cleistes parviflora Lindl. [GU SU?]
Cleistes rosea Lindl. [GU SU FG]
Cleistes tenuis (Rchb.f. ex Griseb.) Schlechter [GU SU FG]
Cleistes unifoliata (Schweinf.) Carnevali & Ramirez [SU]
Clowesia warscewiczii (Lindl. & Paxt.) Dodson [GU? SU?]
Cochleanthes guianensis Laf., Gerl. & Sengh. [GU SU FG]
Comparertia falcata Poepp. & Endl. [FG]
Coryanthes macrantha (Hook.) Hook. [GU SU FG]
Coryanthes maculata Hook. [GU FG]
Coryanthes punctata Beer [GU] [=Coryanthes speciosa var. punctata (Beer) Gerlach]
Coryanthes speciosa (Hook.) Hook. [GU SU FG]
Corymborkis sp. [GU?]
Cranichis diphylla Swartz [SU]
Cranichis sp. [SU FG]
Cryptarrhena guatemalensis Schlechter [GU SU FG]
Cryptarrhena kegelii Rchb.f. [GU SU FG]
Cryptocentrum sp. nov. [GU] [Cryptocentrum peruvianum auct., Cryptocentrum gracillimum auctt.]
Cyclopogon bifidus (Ridl.) Schlechter [GU]
Cyclopogon elatus (Swartz) Schlechter [SU]
Cyclopogon olivaceus (Rolfe) Schlechter [GU SU FG]
Cynoches chlorochilon Klotzsch [GU? SU? FG]
Cynoches haagii Barb. Rodr. [SU FG]
Cynoches loddigesii Lindl. [GU SU FG]
Cyrtopodium andersonii (Lamb.) R. Brown [GU SU FG]
Cyrtopodium cristatum Lindl. [GU SU FG]
Cyrtopodium intermedium Brade [SU]
Cyrtopodium paniculatum (Ruiz & Pav.) Garay [GU SU FG]
Cyrtopodium parviflorum Lindl. [GU SU FG]
Degranvillea dermoptera R.O. Determann [FG]
Dichaea angustifolia H.G. Jones [GU]
Dichaea brevicaulis Cogn. [FG?]
Dichaea bryophila Rchb.f. [FG?]
Dichaea camaridioides Schlechter [GU?] [Mt. Roraima]
Dichaea cornuta S. Moore [SU]
Dichaea histrio Rchb.f. [GU? SU?]
Dichaea hookeri Garay & Sweet [GU SU FG]
Dichaea kegelii Rchb.f. [GU SU FG?]
Dichaea morrisii Fawc. & Rendle [GU?]
Dichaea ochracea Lindl. [GU]
Dichaea pendula (Aubl.) Cogn. [GU FG]

- Dichaea picta Rchb.f. [GU SU FG]
 Dichaea rendlei Gleason [GU SU FG]
 Dichaea sp. cf. trulla Rchb.f. [GU SU FG]
 Dichaea splitgerberi Rchb.f. [GU SU FG]
 Dichaea trulla Rchb.f. [GU SU FG?]
 Dichaea weigeltii Rchb.f. [GU SU]
Dimerandra elegans (Focke) Siegerist [GU SU FG]
Dimerandra emarginata (Mey.) Hoehne [GU SU FG]
Duckeela alticola C. Schweinf. [to be expected in GU]
Elleanthus brasiliensis (Lindl.) Rchb.f. [FG]
Elleanthus caravata (Aubl.) Rchb.f. [GU SU FG]
Elleanthus cephalotus Garay & Sweet [GU SU FG]
Elleanthus crinipes Rchb.f. [FG]
Elleanthus furfuraceus (Lindl.) Rchb.f. [GU SU?]
Elleanthus graminifolius (Barb. Rodr.) Loijntnant [GU SU FG]
Elleanthus trilobatus Ames & Schweinf. [GU]
Eloyella panamensis (Dressler) Dodson [GU]
Eltroplectris calcarata (Swartz) Garay & Sweet [SU]
Encyclia aemula (Lindl.) Carnevali & Ramirez [GU SU FG]
Encyclia calamaria (Lindl.) Pabst [GU SU FG]
Encyclia chloroleuca (W.J. Hook.) Neum. [GU SU]
Encyclia coelestis (L.) Lemée [GU SU? FG]
Encyclia conchichila (Barb. Rodr.) Porto & Braude [GU]
Encyclia cordigera (Kunth) Dressler [GU FG]
Encyclia dichroma (Lindl.) Schlechter [SU]
Encyclia diurna (Jacq.) Schlechter [GU SU FG]
Encyclia granitica (Lindl.) Schlechter [GU SU FG]
Encyclia guianensis Carnevali & G. Romero [GU]
Encyclia ionosoma (Lindl.) Schlechter [GU SU? FG]
Encyclia latipetala (C. Schweinf.) Pabst [GU SU?]
Encyclia longifolia Barb. Rodr. [SU?]
Encyclia odoratissima (Lindl.) Schlechter [GU FG]
Encyclia pachyantha (Lindl.) Hoehne [GU FG]
Encyclia picta (Lindl.) Hoehne [GU]
Encyclia pygmaea (W.J. Hook.) Dressler [GU SU FG]
Encyclia tarumana Schlechter [FG]
Encyclia tigrina (Lind. ex Lindl.) Carnevali & Ramírez [GU]
Encyclia vespa (Vell.) Dressler [GU SU FG]
Epidendrum anceps Jacq. [GU SU FG]
Epidendrum apaganum Mansf. [SU]
Epidendrum bakrense Hagsater & Cremers, sp. nov. ined. [FG]
Epidendrum calanthum Rchb.f. [GU]
Epidendrum carpophorum Barb. Rodr. [GU SU FG]
Epidendrum churunense Garay & Dunsterv. [GU]
Epidendrum ciliare L. [GU SU FG]
Epidendrum compressum Griseb. [GU SU FG]
Epidendrum cooperianum Batem. [GU]
Epidendrum coronatum Ruiz & Pav. [SU]
Epidendrum cristatum Ruiz & Pav. [GU SU]
Epidendrum dendrobioides Thunb. [GU]
Epidendrum densiflorum Hook. [GU SU FG]
Epidendrum difforme Jacq. [GU SU FG]
Epidendrum diffusum Swartz var. depauperatum Cogn. [SU]
 [=Epidendrum compressum?]
Epidendrum dipus Lindl. [FG]
Epidendrum ecostatum Pabst [GU FG]
Epidendrum elongatum Jacq. [GU]
Epidendrum flexuosum Mey. [GU SU FG]
Epidendrum geminiflorum Kunth [SU]
Epidendrum gracillimum Lindl. [SU?]
Epidendrum gramineum Lindl. [SU?]
Epidendrum gratissimum (Rchb.f.) Hagsater [GU]
Epidendrum ibaguense Kunth [GU SU? FG]
Epidendrum imitans Schlechter [GU FG]
Epidendrum imthurnii Ridl. [GU FG]
- Epidendrum isomerum Schlechter [GU]
Epidendrum latilabre Lindl. [GU SU? FG]
Epidendrum longicolle Lindl. [GU]
Epidendrum macrocarpum (L.C. Rich.) Garay, comb. nov.
 ined. [GU SU FG]
Epidendrum microphyllum Lindl. [GU SU FG]
Epidendrum miserrimum Rchb.f. [GU SU]
Epidendrum nocturnum Jacq. [GU SU FG]
Epidendrum nutans Swartz [SU]
Epidendrum oldemanii Christenson [FG]
Epidendrum orchidiflorum Salzm. ex Lindl. [GU]
Epidendrum paniculatum Ruiz & Pav. [GU SU FG]
 [=Epidendrum densiflorum?]
Epidendrum patens Swartz [GU?]
Epidendrum prostratum (Lindl.) Cogn. [GU]
Epidendrum purpurascens Focke [GU SU FG]
Epidendrum ramosum Jacq. [GU SU FG]
Epidendrum revertianum (Stehle) Hagsater [GU]
Epidendrum rigidum Jacq. [GU SU FG]
Epidendrum rostratum Garay & Dunsterv. [FG]
Epidendrum saxatile Lindl. [GU]
Epidendrum schlechterianum Ames [GU SU]
Epidendrum sculptum Rchb.f. var. *linearifolium* Rchb.f. [SU]
Epidendrum sculptum Rchb.f. var. *sculptum* [GU SU FG]
Epidendrum smaragdinum Lindl. [GU SU FG]
Epidendrum stiliferum Dressler [SU?]
Epidendrum strobiliferum Rchb.f. [GU SU FG]
Epidendrum strobilooides Garay & Dunsterv. [GU SU FG]
Epidendrum tenuifolium Lindl. [GU]
Epidendrum tridens Poepp. & Endl. [GU SU]
Epidendrum unguiculatum (Schweinf.) Garay & Dunsterv.
 [SU FG]
Epidendrum violascens Ridl. [GU]
Epidendrum viviparum Lindl. [GU FG?]
Epistephium amplexicaule Poepp. & Endl. [GU]
Epistephium duckei Huber [GU]
Epistephium ellipticum L.O. Williams & Summerh. [GU]
Epistephium lucidum Cogn. [GU]
Epistephium parviflorum Lindl. [GU SU FG]
Epistephium sclerophyllum Lindl. [SU?]
Epistephium subrepens Hoehne [GU]
Eriopsis biloba Lindl. [GU SU FG]
Eriopsis sceptrum Rchb.f. & Warsc. [SU?]
Erythrodess hirtella (Swartz) Fawc. & Rendle [GU SU? FG]
Erythrodess major (Presl) Ames [GU SU]
Erythrodess pumila (Cogn.) Pabst [SU]
Eulophia alta (L.) Fawc. & Rendle [GU SU FG]
Galeandra baueri Lindl. var. *baueri* [FG]
Galeandra baueri Lindl. var. *lutea* Wats. [FG]
Galeandra beyrichii Rchb.f. [to be expected in the Guianas]
Galeandra devoniana Schomb. ex Lindl. [GU]
Galeandra dives Rchb.f. [GU SU FG]
Galeandra lagoensis Rchb.f. & Warm. [SU]
Galeandra stylomisantha (Vell.) Hoehne [GU SU FG]
Galeottia burkei (Rchb.f.) Dressler & Christenson [GU SU?]
Galeottia jorisiana (Rolle) Dressler & Christenson [GU]
Gomphichis adnata (Ridl.) Schlechter [GU] [=Gomphichis
 viscosa?]
Gomphichis viscosa (Rchb.f.) Schlechter [GU]
Gongora atropurpurea W.J. Hook. [GU SU FG]
Gongora histrionica Rchb.f. [GU? SU FG?]
Gongora maculata Lindl. [GU FG?]
Gongora nigrita Lindl. [GU SU?]
Gongora pleiochroma Rchb.f. [GU FG]
Govenia utricularia (Swartz) Lindl. [SU?]

- Habenaria abortiens Lindl. [FG?]
 Habenaria alata Hook. [SU?]
 Habenaria alterosula Snuverink & Westra [SU FG]
 Habenaria amalfitana Lehm. & Kraenzl. [GU] [Mt. Roraima]
 Habenaria amambayensis Schlechter [GU FG]
 Habenaria ayangannensis Renz [GU]
 Habenaria caldensis Kraenzl. [GU SU FG?]
 Habenaria dusenii Schlechter [SU? FG]
 Habenaria entomantha (Llave & Lex.) Lindl. [GU SU FG?]
 Habenaria ernestii Schlechter [GU]
 Habenaria heptadactyla Rchb.f. [GU SU]
 Habenaria lehmanniana Kraenzl. [GU FG]
 Habenaria leprieurii Rchb.f. [GU SU FG]
 Habenaria longicauda Hook. subsp. *ecalcarata* Snuverink & Westra [GU SU FG]
 Habenaria longicauda Hook. subsp. *longicauda* [SU]
 Habenaria macilenta (Lindl.) Rchb.f. [GU SU FG]
 Habenaria monorrhiza (Swartz) Rchb.f. [to be expected in the Guianas]
 Habenaria montis-wilhelminae Renz [SU]
 Habenaria obtusa Lindl. [GU SU FG?]
 Habenaria odontopetala Rchb.f. [GU]
 Habenaria parvidens Lindl. [SU?]
 Habenaria parviflora Lindl. [GU SU? FG?]
 Habenaria platydactyla Kraenzl. [GU SU FG]
 Habenaria pratensis (Lindl.) Rchb.f. var. *parviflora* Cogn. [GU? SU FG]
 Habenaria quinqueseta (Michx.) A. Eaton [GU SU? FG?]
 Habenaria repens Nuttall [GU SU FG]
 Habenaria rodeiensis Barb. Rodr. [GU FG]
 Habenaria rodriquezii Cogn. [FG]
 Habenaria roraimensis Rolfe [GU] [Mt. Roraima]
 Habenaria santensis Barb. Rodr. [SU?]
 Habenaria schomburgkii Lindl. ex Benth. [GU SU]
 Habenaria setacea Lindl. [GU FG]
 Habenaria seticauda Lindl. ex Benth. [GU FG]
 Habenaria sprucei Cogn. [GU SU FG]
 Habenaria trifida Kunth [GU SU FG]
 Hexisea bidentata Lindl. [GU SU? FG]
 Hexisea imbricata (Lindl.) Rchb.f. [GU SU]
 Houlletia odoratissima Linden ex Lindl. & Paxt. [GU SU?]
 Houlletia roraimensis Rolfe [GU]
 Huntleya lucida (Rolfe) Rolfe [GU]
 Huntleya meleagris Lindl. [GU]
 Huntleya sessiliflora Batem. ex Lindl. [GU]
 Ionopsis satyrioides (Swartz) Rchb.f. [GU SU FG]
 Ionopsis utricularioides (Swartz) Lindl. [GU SU FG]
 Isochilus linearis (Jacq.) R. Brown [GU SU FG]
 Jacquinella globosa (Jacq.) Schlechter [GU SU FG]
 Jacquinella leucomelana (Rchb.f.) Schlechter [GU]
 Jacquinella steyermarkii Carnevali & Dressler [GU]
 Jacquinella teretifolia (Swartz) Britt. & Wils. [GU SU FG]
 Kefersteinia lafontainei Senghas & Gerlach [SU FG]
 Kegeliella houtteana (Rchb.f.) L.O. Williams [SU FG]
 Koellensteinia carraoënsis Garay & Dunsterv. [SU FG]
 Koellensteinia eburnea (Barb. Rodr.) Schlechter [GU SU]
 Koellensteinia graminea (Lindl.) Rchb.f. [GU SU FG]
 Koellensteinia hyacinthoides Schlechter [SU? FG?]
 Koellensteinia kellneriana Rchb.f. [GU SU FG]
 Koellensteinia tricolor (Lindl.) Rchb.f. [GU]
 Lepanthes helicocephala Rchb.f. [GU SU FG]
 Lepanthes ruscifolia Rchb.f. [SU FG]
 Lepanthopsis floripecten (Rchb.f.) Ames [GU FG]
 Leucohyle mutica (Rchb.f. & Wullschl.) Schlechter [SU]
 Leucohyle subulata (Sw.) Schlechter [GU]
- Ligeophila clavigera (Rchb.f.) Garay [GU SU FG]
 Ligeophila juruensis (Hoehne) Garay [SU]
 Ligeophila petersiana (Cogn.) Garay [SU FG]
 Ligeophila rosea (Lindl.) Garay [SU?]
 Ligeophila stigmatoptera (Rchb.f.) Garay [SU]
 Liparis jamaicensis Griseb. [GU]
 Liparis nervosa (Thunb.) Lindl. [GU? SU FG]
 Lockhartia biserra (L.C. Rich.) Christenson & Garay, comb. nov. ined. [GU]
 Lockhartia imbricata (Lam.) Hoehne [GU SU FG]
 Lockhartia latilabris C. Schweinf. [GU]
 Lockhartia parthenocomos Rchb.f. [GU]
 Lycaste macrophylla (Poepp. & Endl.) Lindl. [SU FG]
 Lyroglossa grisebachii (Cogn.) Schlechter [GU SU FG]
 Macradenia loxoglossis H. Focke & Rchb.f. ex Rchb.f. [SU]
 Macradenia lutescens R. Brown [GU SU FG]
 Macroclinium mirabile (Schweinf.) Dodson [GU SU]
 Macroclinium wulsschlaegelianum (Focke) Dodson [GU SU FG]
 Malaxis excavata (Lindl.) O. Ktze. [SU FG]
 Malaxis maguirei C. Schweinf. [GU SU]
 Malaxis umbellifera Swartz [GU]
 Masdevallia cuprea Lindl. [SU FG]
 Masdevallia guianensis Lindl. [GU SU FG]
 Masdevallia infracta Lindl. [SU]
 Masdevallia minutula Lindl. [GU SU FG]
 Masdevallia norae Luer [SU FG]
 Masdevallia picturata Rchb.f. [GU]
 Maxillaria acutiflora Lindl. [GU FG]
 Maxillaria alba (Hook.) Lindl. [GU SU FG]
 Maxillaria attenuata Ames & Schweinf. [SU]
 Maxillaria auyantepuiensis Foldats [GU SU]
 Maxillaria bolivarensis Schweinf. [GU]
 Maxillaria brachybulbon Schlechter [GU FG]
 Maxillaria brunnea Linden & Rchb.f. [GU SU FG]
 Maxillaria caespitifica Rchb.f. [GU SU FG]
 Maxillaria camaridii Rchb.f. [GU SU FG]
 Maxillaria candida Lodd. ex Lindl. [GU]
 Maxillaria chlorantha Lindl. [GU]
 Maxillaria christobalensis Rchb.f. [GU SU FG]
 Maxillaria connelli Rolfe [GU]
 Maxillaria crassifolia (Lindl.) Rchb.f. [GU FG]
 Maxillaria desvauxiana Rchb.f. [GU SU FG]
 Maxillaria discolor (Lodd. ex Lindl.) Rchb.f. [GU SU FG]
 Maxillaria grobyoides Garay & Dunsterv. [GU]
 Maxillaria imbricata Barb. Rodr. [GU]
 Maxillaria jenischiana (Rchb.f.) Schweinf. [GU SU]
 Maxillaria kegelii Rchb.f. [SU FG]
 Maxillaria lasallei Foldats [GU]
 Maxillaria leucaimata Barb. Rodr. [FG]
 Maxillaria liparophylla Summerh. [GU]
 Maxillaria mapiriensis (Kraenzl.) L.O. Williams [GU SU]
 Maxillaria melina Lindl. [GU]
 Maxillaria nasuta Rchb.f. [GU]
 Maxillaria pannieri Foldats [GU]
 Maxillaria parkeri Hook. [GU SU FG]
 Maxillaria parviflora (Poepp. & Endl.) Garay [GU SU FG]
 Maxillaria pauciflora Barb. Rodr. [GU]
 Maxillaria pendens Pabst [GU]
 Maxillaria ponerantha Rchb.f. [SU FG]
 Maxillaria porrecta Lindl. [GU FG]
 Maxillaria prolifera Ruiz & Pav. [SU]
 Maxillaria pterocarpa Barb. Rodr. [GU]
 Maxillaria pumila Hook. [GU]
 Maxillaria quelchii Rolfe [GU SU]

- Maxillaria ramosa Ruiz & Pav. [SU FG]
 Maxillaria reichenheimiana Endres & Rchb.f. [GU SU FG]
 Maxillaria rufescens Lindl. [GU SU FG]
 Maxillaria setigera Lindl. [GU SU?]
 Maxillaria splendens Poepp. & Endl. [SU FG]
 Maxillaria stenophylla Rchb.f. [GU SU FG]
 Maxillaria superflua Rchb.f. [GU SU FG]
 Maxillaria tarumaensis Hoehne [GU SU?]
 Maxillaria trinitatis Ames [GU FG]
 Maxillaria uncata Lindl. [GU SU FG]
 Maxillaria villosa (Barb. Rodr.) Cogn. [GU SU FG]
 Maxillaria violaceopunctata Rchb.f. [GU SU FG]
 Maxillaria xylobiiflora Schlechter [GU SU]
 Mesadenella cuspidata (Lindl.) Garay [GU SU]
 Mormodes atropurpurea Lindl. [GU?]
 Mormodes buccinator Lindl. [SU FG]
 Mormodes igneum Lindl. & Paxton [FG]
 Mormodes vernixioidea Pabst [GU? SU]
 Mormodes vernixium Rchb.f. [GU?]
 Myoxanthus aspasicensis (Rchb.f.) Luer [GU]
 Myoxanthus octomeriae (Schlechter) Luer [GU]
 Myoxanthus parahybunensis (Barb. Rodr.) Luer [GU SU]
 Myoxanthus parviliabius (Schweinf.) Luer [GU SU]
 Myoxanthus simplicicaulis (Schweinf.) Luer [GU]
 Myoxanthus trachychlamys (Schlechter) Luer [GU SU]
 Nidema ottonis (Rchb.f.) Britt. & Millsp. [GU]
 Notylia angustifolia Cogn. [FG]
 Notylia aromatica Barker ex Lindl. [GU SU FG]
 Notylia bungerothii Rchb.f. [GU]
 Notylia durandiana Cogn. [SU]
 Notylia fragrans Wullschl. ex H. Focke [GU SU FG?]
 Notylia laxa Rchb.f. [SU]
 Notylia micrantha Lindl. [GU]
 Notylia microchila Cogn. [GU]
 Notylia peruviana (Schlechter) C. Schweinf. [FG]
 Notylia rhombilabia Schweinf. [GU]
 Notylia sagittifera (Kunth) Link, Klotzsch, & Otto [GU SU FG]
 Notylia yauaperiensis Barb. Rodr. [FG]
 Octomeria amazonica Pabst [FG]
 Octomeria brevifolia Cogn. [GU SU FG]
 Octomeria complanata C. Schweinf. [GU]
 Octomeria connellii Rolfe [GU]
 Octomeria deltoghlossa Garay [GU SU FG]
 Octomeria erosilabia Schweinf. [GU]
 Octomeria exigua C. Schweinf. [GU] [var. exigua?]
 Octomeria exigua C. Schweinf. var. elata C. Schweinf. [GU]
 Octomeria filifolia Schweinf. [GU]
 Octomeria flaviflora C. Schweinf. [GU]
 Octomeria graminifolia R. Brown [FG]
 Octomeria integrilabia Schweinf. [GU]
 Octomeria minor Schweinf. [GU SU]
 Octomeria monticola Schweinf. [GU]
 Octomeria oxychela Barb. Rodr. [GU]
 Octomeria parvifolia Rolfe [GU]
 Octomeria parvula Schweinf. [GU]
 Octomeria petulans Rchb.f. [FG]
 Octomeria sarthouae Luer [FG]
 Octomeria surinamensis Focke [GU SU FG]
 Odontoglossum naevium Lindl. & Paxt. [GU]
 Oeceoclades maculata (Lindl.) Lindl. [GU SU FG]
 Oliveriana egregia Rchb.f. [GU]
 Oncidium baueri Lindl. [GU SU FG]
 Oncidium cebolleta (Jacq.) Swartz [GU SU FG]
 Oncidium heteranthum Poepp. & Endl. [SU]
- Oncidium lanceanum Lindl. [GU SU FG]
 Oncidium luridum Lindl. [GU FG]
 Oncidium nanum Lindl. [GU FG]
 Oncidium nigratum Lindl. & Paxt. [GU]
 Oncidium orthostates Ridl. [GU]
 Oncidium pirarense Rchb.f. [GU]
 Oncidium tenellum Fr. Gerard [FG]
 Orleansia amazonica Barb. Rodr. [GU SU FG]
 Ornithocephalus bicornis Lindl. [GU SU FG]
 Ornithocephalus bonplandii Rchb.f. [SU]
 Ornithocephalus ciliatus Lindl. [GU SU FG]
 Ornithocephalus dasyrhizus Kraenzl. [FG?]
 Ornithocephalus gladiatus Hook. [GU SU FG]
 Ornithocephalus kruegeri Rchb.f. [SU FG]
 Otostylis lepida (Linden & Rchb.f.) Schlechter [GU SU]
 Palmorchis guianensis (Schlechter) Schweinf. & Correll [GU SU]
 Palmorchis kuhlmannii (Schlechter) L.O. Williams [SU]
 Palmorchis lobulata (Mansf.) Schweinf. & Corr. [FG]
 Palmorchis pabstii Veyret [FG]
 Palmorchis prospectorum Veyret [SU FG]
 Palmorchis pubescens Barb. Rodr. [GU FG]
 Palmorchis trilobulata L.O. Williams [SU]
 Paphinia cristata (Lindl.) Lindl. [GU SU FG]
 Paphinia lindeniana Rchb.f. [GU?]
 Pelexia callifera (C. Schweinf.) Garay [SU FG]
 Pelexia delicatula Szlachetko & Veyret [FG]
 Pelexia goninensis (Pulle) Schlechter [GU SU FG]
 Pelexia laxa (Poepp. & Endl.) Lindl. [SU?]
 Peristeria cerina Lindl. [GU]
 Peristeria guttata Knowles & Westcott [GU SU FG]
 Peristeria pendula W.J. Hook. [GU SU FG]
 Peristeria rossiana Rchb.f. [GU? SU]
 Peristeria selligera Rchb.f. [GU]
 Phragmipedium klotzscheanum (Rchb.f.) Rolfe [GU]
 Phragmipedium lindleyanum (Schomb.) Rolfe [GU SU FG]
 Platystele ovalifolia (H. Focke) Garay & Dunsterv. [GU SU FG]
 Platystele stenostachya (Rchb.f.) Garay [SU]
 Platythelys maculata (Hook.) Garay [SU FG]
 Plectrophora cultrifolia (Barb. Rodr.) Cogn. [FG]
 Plectrophora iridifolia H. Focke [GU SU FG]
 Pleurothallis arachnopsis H.G. Jones [GU]
 Pleurothallis archidiaconi Ames [GU SU FG]
 Pleurothallis aristata W.J. Hook. [GU SU FG]
 Pleurothallis barboselloides Schlechter [SU]
 Pleurothallis barbulata Lindl. [GU SU FG]
 Pleurothallis barthelemyi Luer [FG]
 Pleurothallis biglandulosa Schlechter [FG]
 Pleurothallis brevipes H. Focke [GU SU FG]
 Pleurothallis breviscapa Schweinf. [GU FG]
 Pleurothallis cabellensis Rchb.f. [FG]
 Pleurothallis ciliolata Schlechter [GU SU FG]
 Pleurothallis consimilis Ames [GU SU FG]
 Pleurothallis corniculata (Swartz) Lindl. [GU]
 Pleurothallis curviflora H.G. Jones [GU]
 Pleurothallis determinans Luer [GU SU]
 Pleurothallis discoidea Lindl. [SU FG]
 Pleurothallis ephemera Lindl. [SU FG]
 Pleurothallis erinacea Rchb.f. [GU SU?]
 Pleurothallis exigua Cogn. [GU]
 Pleurothallis fockei Lindl. [GU SU]
 Pleurothallis glandulosa Ames [GU SU FG]
 Pleurothallis grobyi J. Bateman ex Lindl. [GU SU FG]
 Pleurothallis hitchcockii Ames [GU]

- Pleurothallis hymenantha Lindl. [GU]
 Pleurothallis imraei Lindl. [GU SU]
 Pleurothallis kegelii Rchb.f. [SU]
 Pleurothallis lanceana Lodd. [GU SU FG]
 Pleurothallis lancipetala (Karst.) Schlechter [GU]
 Pleurothallis loranthophylla Rchb.f. [GU]
 Pleurothallis minima Schweinf. [GU]
 Pleurothallis miqueliana (H. Focke) Lindl. [GU SU]
 Pleurothallis monophylla (W.J. Hook.) Fawc. & Rendle [GU]
 Pleurothallis moritzii Rchb.f. [GU] [Mt. Roraima]
 Pleurothallis nanifolia Foldats [FG?]
 Pleurothallis obovata (Lindl.) Lindl. [GU]
 Pleurothallis omoglossa Luer [FG]
 Pleurothallis picta Lindl. [GU SU FG]
 Pleurothallis polygonoides Griseb. [GU SU FG]
 Pleurothallis pruinosa Lindl. [GU SU FG]
 Pleurothallis pubescens Lindl. [SU FG]
 Pleurothallis revoluta (Ruiz & Pav.) Garay [SU]
 Pleurothallis rhombipetala Rolfe [GU]
 Pleurothallis ruscifolia (Jacq.) R. Brown [GU SU FG]
 Pleurothallis sclerophylla Lindl. [GU SU? FG]
 Pleurothallis secunda Poepp. & Endl. [FG]
 Pleurothallis semperflorens Lindl. [GU SU FG]
 Pleurothallis seriata Lindl. [GU SU FG]
 Pleurothallis spiculifera Lindl. [GU SU FG]
 Pleurothallis stenocardium Schlechter [GU]
 Pleurothallis stenopetala Lodd. ex Lindl. [GU] [=Pleurothallis
 sclerophylla?]
 Pleurothallis suspensa Luer [GU SU FG]
 Pleurothallis testaefolia (Swartz) Lindl. [SU?]
 Pleurothallis tridentata Klotzsch [GU]
 Pleurothallis uniflora Lindl. [GU SU FG]
 Pleurothallis yauaperiensis Barb. Rodr. [SU]
 Polycycnis surinamensis C. Schweinf. [GU SU]
 Polystachya concreta (Jacq.) Garay & Sweet [GU SU FG]
 Polystachya d'agremondiana Kraenzl. [SU] [dubious species]
 Polystachya foliosa (Hook.) Rchb.f. [GU SU FG]
 Polystachya stenophylla Schlechter [GU SU FG]
 Ponthieva diptera Lind. & Rchb.f. [GU]
 Ponthieva ovatilabia Schweinf. [GU]
 Prescottia carnosa C. Schweinf. [GU] [Mt. Roraima]
 Prescottia oligantha (Sw.) Lindl. [GU]
 Prescottia stachyodes (Swartz) Lindl. [GU SU FG]
 Psilocilus macrophyllus (Lindl.) Ames [GU]
 Psilocilus physurifolius (Rchb.f.) Lojntant [GU]
 Psychopsis kramerianum (Rchb.f.) H.G. Jones [SU]
 Psychopsis papilio (Lindl.) H.G. Jones [SU FG]
 Psychopsis versteegianum (Pulle) Luckel & Braem [SU]
 Psygmorchis glossomystax (Rchb.f.) Dodson & Dressler [GU
 SU FG]
 Psygmorchis pumilio (Rchb.f.) Dodson & Dressler [SU FG]
 Psygmorchis pusilla (L.) Dodson & Dressler [GU SU FG]
 Quekettia jenmanii Rchb.f. [GU]
 Quekettia microscopica Lindl. [GU SU FG]
 Quekettia papillosa Garay [SU]
 Quekettia vermeuleniana R.O. Determann [GU SU]
 Reichenbachanthus reflexus (Lindl.) Brade [GU SU FG]
 Rodriguezia candida (Lindl.) Rchb.f. [SU FG]
 Rodriguezia cinnabarinia H.G. Jones [GU]
 Rodriguezia flava Garay & Dunsterv. [GU SU]
 Rodriguezia lanceolata Ruiz & Pav. [GU SU FG]
 Rodriguezia luteola N.E. Brown [GU]
 Rudolfiella aurantiaca (Lindl.) Hoehne [GU SU FG]
 Rudolfiella bicornaria (Rchb.f.) Hoehne [SU]
 Saccola hassleri (Cogn.) Garay [SU]
 Saccola lanceolata (Aubl.) Garay [GU SU FG]
 Sarcoglottis acaulis (J.E. Smith) Schlechter [GU SU FG]
 Sarcoglottis amazonica Pabst [SU FG]
 Sarcoglottis aphylla (Ridl.) Schlechter [GU]
 Sarcoglottis degranvillei Szlachetko & Veyret [FG]
 Sarcoglottis grandiflora (Hook.) Klotzsch [GU SU FG?]
 Sarcoglottis metallica (Rolfe) Schlechter [GU]
 Sarcoglottis rupestris (Lindl.) Barb. Rodr. [SU]
 Sarcoglottis sagittata (Rchb.f. & Warm.) Schlechter [FG]
 Sarcoglottis simplex (Griseb.) Schlechter [GU]
 Sarcoglottis stergiosii Carnevali & I. Ramírez [GU]
 Scaphosepalum breve (Rchb.f.) Rolfe [GU]
 Scaphyglottis bifida (Rchb.f.) Schweinf. [SU FG]
 Scaphyglottis dunstervillei (Garay) Foldats [SU]
 Scaphyglottis felskyi (Rchb.f.) Schlechter [SU]
 Scaphyglottis fusiformis (Griseb.) Schultes [GU SU FG]
 Scaphyglottis graminifolia (Ruiz & Pav.) Poepp. & Endl. [GU
 FG]
 Scaphyglottis grandiflora Ames & Schweinf. [GU]
 Scaphyglottis lindeniana (A. Rich. & Gal.) L.O. Williams [GU
 SU]
 Scaphyglottis modesta (Rchb.f.) Schlechter [GU SU FG]
 Scaphyglottis ochroleuca Schlechter [SU FG]
 Scaphyglottis prolifera Cogn. [GU SU FG]
 Scaphyglottis propinquia Schweinf. [SU]
 Scaphyglottis sickii Pabst [GU SU FG]
 Scaphyglottis stellata Lodd. ex Lindl. [GU SU FG]
 Scaphyglottis violacea Lindl. [GU SU FG]
 Scelochilus ecalcaratus Determann [FG]
 Schlimgnia alpina Rchb.f. & Warsc. [GU]
 Schomburgkia crispa Lindl. [GU? SU? FG?] [most (all?)
 records in Guianas =S. marginata]
 Schomburgkia gloriosa Rchb.f. [GU SU?]
 Schomburgkia marginata Lindl. [GU SU FG]
 Schomburgkia rosea Linden ex Lindl. [GU]
 Scuticaria hadwenii Hort. ex Planch. var. dodgsoni (B.S.
 Wms.) Stein [GU]
 Scuticaria steelei (Hook.) Lindl. [GU SU FG]
 Selenipedium palmifolium (Lindl.) Rchb.f. [GU SU FG]
 Selenipedium steyermarkii Foldats [GU]
 Sievekingia jenmanii Rchb.f. [GU SU? FG]
 Sigmatostalix amazonica Schlechter [SU FG]
 Sobralia crocea (Poepp. & Endl.) Rchb.f. [SU?]
 Sobralia fimbriata Poepp. & Endl. [SU FG]
 Sobralia fragrans Lindl. [GU SU FG]
 Sobralia infundibuligera Garay & Dunsterv. [GU]
 Sobralia liliastrum Lindl. [GU SU? FG]
 Sobralia macrophylla Rchb.f. [GU SU FG]
 Sobralia oliva-estevae Carnevali & Ramirez [GU]
 Sobralia sclerophylla Lindl. [FG]
 Sobralia sessilis Lindl. [GU SU FG]
 Sobralia stenophylla Lindl. [GU SU? FG?]
 Sobralia suaveolens Rchb.f. [GU SU FG]
 Sobralia valida Rolfe [GU]
 Sobralia violacea Linden ex Lindl. [SU?]
 Sobralia yauaperyensis Barb. Rodr. [FG]
 Solenidium lunatum (Lindl.) Kraenzl. [GU]
 Spiranthes tenuis Lindl. [GU SU FG]
 Spiranthes torta (Thunb.) Garay & Sweet [FG?]
 Stanhopea candida Barb. Rodr. [GU?]
 Stanhopea grandiflora (Lodd.) Lindl. [GU SU FG]
 Stelis aprica Lindl. [GU SU]
 Stelis argentata Lindl. [GU SU FG]
 Stelis cuprea Lindl. [FG] [dubious record]
 Stelis grandiflora Lindl. [GU]

Stelis guianensis Rolfe [GU FG]
Stelis intermedia Poepp. & Endl. [GU SU]
Stelis muscifera Lindl. [GU]
Stelis ophioglossoides Swartz [SU? FG]
Stelis papaquerensis Rchb.f. [SU? FG]
Stelis parperva Schweinf. [GU]
Stelis pygmaea Cogn. [FG]
Stelis santiagoensis Mansf. [GU FG]
Stelis schomburgkii Fawc. & Rendle [GU]
Stelis tristyla Lindl. [GU SU]
Stelis zonata Rchb.f. [GU] [=*Stelis muscifera*?]
Stenia pallida Lindl. [GU]
Teuscheria dodsonii Dresssl. [SU?]
Trichocentrum fuscum Lindl. [SU FG]
Trichocentrum purpureum Lindl. ex Rchb.f. [GU]
Trichocentrum recurvum Lindl. [GU SU]
Trichopilia wageneri Rchb.f. [GU SU]
Trichosalpinx ciliaris (Lindl.) Luer [GU SU FG]
Trichosalpinx egleri (Pabst) Luer [GU SU FG]
Trichosalpinx foliata (Griseb.) Luer [SU]
Trichosalpinx memor (Rchb.f.) Luer [GU SU]
Trichosalpinx orbicularis (Lindl.) Luer [GU SU FG]
Trichosalpinx roraimensis (Rolfe) Luer [GU]
Trigonidium acuminatum Batem. [GU SU FG]
Trigonidium egertonianum Batem. ex Lindl. [GU]
Trigonidium macranthum Barb. Rodr. [GU]
Trigonidium obtusum Lindl. [GU SU? FG]
Triphora amazonica Schlechter [GU SU? FG]
Triphora surinamensis (Lindl. ex Benth.) Britton [GU SU FG]
Trisetella triglochin (Rchb.f.) Luer [SU FG]
Trizeuxis falcata Lindl. [GU]
Uleiorchis ulei (Cogn.) Handro [GU FG]
Vanilla acuta Rolfe [GU SU FG]
Vanilla appendiculata Rolfe [GU]
Vanilla barrereum Veyret & Szlachetko [FG]
Vanilla bicolor Lindl. [GU SU FG]
Vanilla chamissonis Klotzsch [FG]
Vanilla cristato-callosa Hoehne [GU]
Vanilla fimbriata Rolfe [GU]
Vanilla grandiflora Lindl. [GU SU FG?]
Vanilla guianensis Splitg. [SU] [name of uncertain application; =*V. mexicana*?]
Vanilla hostmanni Rolfe [SU]
Vanilla latisegments Ames & Schweinf. [GU]
Vanilla leprleurii R. Portères [FG]
Vanilla marowynensis Pulle [SU]
Vanilla mexicana P. Mill. [GU SU FG]
Vanilla odorata Presl [FG]
Vanilla ovata Rolfe [GU? FG]
Vanilla palmarum Lindl. [GU SU FG]
Vanilla planifolia G. Jackson [GU SU]
Vanilla porteresiana Veyret & Szlachetko [FG]
Vanilla surinamensis Rchb.f. [SU]
Wullschlaegelia calcarata Benth. [GU SU FG]
Xerorchis amazonica Schlechter [SU]
Xerorchis trichorhiza (Kraenzl.) Garay [GU FG]
Xylobium chapadense (Barb. Rodr.) Cogn. [GU]
Xylobium colleyi (Batem.) Rolfe [GU SU?]
Xylobium foveatum (Lindl.) Nichols. [GU SU FG]
Xylobium pallidiflorum (Hook.) Nichols. [SU]
Xylobium palmifolium (Swartz) Benth. ex Fawc. [GU]
Xylobium steyermarkii Foldats [GU]
Xylobium variegatum (Ruiz & Pav.) Garay & Dunsterv. [SU FG]
Zygosepalm kegelii (Rchb.f.) Rchb.f. [SU]

Zygosepalm labiosum (L.C. Rich.) Schweinf. [GU SU FG]
Zygosepalm lindeniae (Rolfe) Garay & Dunsterv. [FG]
Zygosepalm tatei (Ames & Schweinf.) Garay & Dunsterv. [GU]
Zygostates sp. nov. [SU]

ORCHIDACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Aganisia fimbriata Rchb.f. =*Aeacallis fimbriata*
Angraecum fasciola Lindl. =*Campylocentrum fasciola*
Aulzia ciliaris (L.) Salisb. =*Epidendrum ciliare*
Bifrenaria aurantiaca Lindl. =*Rudolfiella aurantiaca*
Bifrenaria bicornaria Rchb.f. =*Rudolfiella bicornaria*
Bifrenaria sabulosa Barb. Rodr. =*Bifrenaria longicornis*
Bletia verecunda R. Brown =*Bletia purpurea*
Bollea guyanensis Klotzsch [nomen nudum]
Bonatea macilenta (Lindl.) Rchb.f. =*Habenaria macilenta*
Brassavola angustata Lindl. =*Brassavola martiana*
Brassavola surinamensis Focke =*Brassavola martiana*
Brassia attenuata H.G. Jones =*Brassia chloroleuca*
Brassia verrucosa Auctt., non Lindl. =*Brassia* spp.
Burlingtonia candida Lindl. =*Rodriguezia candida*
Campylocentrum burchellii Cogn. [not in Guianas]
Catasetum discolor (Lindl.) Lindl. var. *roseo-album* (Hook.) Mansf. =*Catasetum xroseo-album*
Catasetum fuliginosum Lindl. =*Catasetum callosum* var. *carunculatum*?
Cattleya pumila Schomb. =*Cattleya lawrenceana*
Cattleya schomburgkii Lodd. ex Lindl. =*Cattleya violacea*
Cattleya superba Schomb. ex Lindl. =*Cattleya violacea*
Chaubardia tigrina Garay & Dunsterv. =*Chaubardiella tigrina*
Cheiradenia imthurnii Cogn. =*Cheiradenia cuspidata*
Cladobium violaceum Lindl. =*Scaphyglottis violacea*
Cochleanthes amazonica (Rchb.f.) Schultes & Garay [not in Guianas]
Cochleanthes flabelliformis (Swartz) Schultes & Garay [not in Guianas]
Cryptarrhena acrensis Schlechter =*Cryptarrhena guatemalensis*
Cryptarrhena ghillanyi Pabst =*Cryptarrhena guatemalensis*
Cryptarrhena lunata Auctt., non R. Brown =*Cryptarrhena kegelii*
Cyclopogon stictophyllum Schlechter =*Cyclopogon olivaceus*
Cypripedium klotzscheanum Rchb.f. ex Schomb. =*Phragmipedium klotzscheanum*
Cypripedium lindleyanum Schomb. =*Phragmipedium lindleyanum*
Cypripedium palmifolium Lindl. =*Selenipedium palmifolium*
Cypripedium schomburgkianum Klotzsch ex Schomb. =*Phragmipedium klotzscheanum*
Cyrtopera longifolia Rchb.f. =*Eulophia alta*
Cyrtopodium glutiniferum Raddl. [dubious in Guianas]
Cyrtopodium punctatum Lindl. [dubious in Guianas]
Diacrium bicornutum Benth. =*Caularthon bicornutum*
Dichaea anchoraelabia Schweinf. [Peruvian taxon, unlikely in Guianan flora]
Dichaea brachypoda Rchb.f. [Costa Rican taxon, name widely misapplied]
Dichaea graminoides (Swartz) Lindl. [name (mis?) applied to *D. rendlei* in Guianas]
Dichaea muricata (Swartz) Lindl. [rejected name]
Dichaea trinitensis Gleason =*Dichaea picta*
Dicrypta discolor Lodd. ex Lindl. =*Maxillaria discolor*
Dimerandra isthmii Schlechter =*Dimerandra elegans*

- Dimerandra stenopetala Auctt., non (Hook.) Schlechter
=Dimerandra spp. [name widely misapplied]
- Diothonea gratissima Rchb.f. =Epidendrum gratissimum
- Elleanthus linifolius Auctt., non K. Presl =Elleanthus
graminifolius
- Elleanthus strobilifer (Poepp. & Endl.) Rchb.f. [not in
Guianas]
- Encyclia abbreviata Auctt., non (Schlechter) Dressl. =Encyclia
calamaria
- Encyclia atropurpurea Schlechter =Encyclia cordigera
- Encyclia ciliaris (L.) Lemée =Epidendrum ciliare
- Encyclia crassilabia (Poepp. & Endl.) Lemée =Encyclia vespa
- Encyclia fragrans (Swartz) Lemée var. aemula (Lindl.)
Dressler =Encyclia aemula
- Encyclia oncidioides (Lindl.) Schlechter [not in Guianas]
- Encyclia palacea (Rchb.f.) Lemée =Nidema boothii [not in
Guianas]
- Encyclia selligera (Batem. ex Lindl.) Schlechter [not in
Guianas]
- Epidendropsis violascens (Ridl.) Garay & Dunsterv.
=Epidendrum violascens
- Epidendrum aemulum Lindl. =Encyclia aemula
- Epidendrum alsum Ridl. =Epidendrum dendrobioides
- Epidendrum bicornutum Hook. =Caularthon bicornutum
- Epidendrum bifidum Aubl. [not in Guianas]
- Epidendrum boothii L. Will. =Nidema boothii [not in Guianas]
- Epidendrum caespitosum Barb. Rodr. =Epidendrum
orchidiflorum
- Epidendrum chloroleucum W.J. Hook. =Encyclia chloroleuca
- Epidendrum clavatum Lindl. =Epidendrum purpurascens
- Epidendrum cochleatum L. =Encyclia cochleata
- Epidendrum coriifolium Lindl. [all material probably referable
to E. imitans in Guianas]
- Epidendrum decipiens Auctt., non Lindl. =Epidendrum
ibaguense
- Epidendrum diurnum (Jacq.) Cogn. =Encyclia diurna
- Epidendrum durum Lindl. =Epidendrum dendrobioides
- Epidendrum floribundum Kunth =Epidendrum densiflorum
- Epidendrum florijugum Barb. Rodr. =Epidendrum sculptum
- Epidendrum fragrans Swartz =Encyclia fragrans [in Guianas,
=Encyclia aemula]
- Epidendrum fulgens Brongn. =Epidendrum ibaguense?
- Epidendrum fuscatum Sm. =Epidendrum anceps
- Epidendrum globosum Jacq. =Jacquinia globosa
- Epidendrum graniticum Lindl. =Encyclia granitica
- Epidendrum huebneri Schlechter =Epidendrum orchidiflorum
- Epidendrum ibaguense Kunth var. schomburgkii (Lindl.)
Schweinf. =Epidendrum macrocarpum
- Epidendrum imatophyllum Lindl. =Epidendrum flexuosum
- Epidendrum imbricatum Lam. =Lockhartia imbricata
- Epidendrum incisum Vell. =Epidendrum macrocarpum
- Epidendrum ionosmum Lindl. =Encyclia ionosma
- Epidendrum labiosum L.C. Rich. =Zygosepalum labiosum
- Epidendrum latifolium (Lindl.) Garay & Sweet =Epidendrum
carpophorum
- Epidendrum latipetalum C. Schweinf. =Encyclia latipetala
- Epidendrum maculatum Aubl. =Oncidium luridum
- Epidendrum montigenum Ridl. =Epidendrum dendrobioides
- Epidendrum nocturnum Jacq. var. latifolium Lindl.
=Epidendrum carpophorum
- Epidendrum nocturnum Jacq. var. minus Cogn. =Epidendrum
longicolle
- Epidendrum nocturnum Jacq. var. tumuc-humaciense Veyret
=Epidendrum tridens
- Epidendrum odoratissimum Lindl. =Encyclia odoratissima
- Epidendrum oncidiooides Lindl. =Encyclia oncidiooides (Lindl.)
Schlechter [not in Guianas]
- Epidendrum pachyanthum Lindl. =Encyclia pachyantha
- Epidendrum pictum Lindl. =Encyclia picta
- Epidendrum pusillum L. =Psygmorchis pusilla
- Epidendrum raniferum Auctt., non Lindl. =Epidendrum
cristatum
- Epidendrum rectopedunculatum C. Schweinf. =Epidendrum
orchidiflorum
- Epidendrum schomburgkii Lindl. =Epidendrum macrocarpum
- Epidendrum secundum Auctt., non Jacq. =Epidendrum anceps
- Epidendrum spruceanum Lindl. =Epidendrum nocturnum
- Epidendrum stenopetalum Hook. =Dimerandra stenopetala
[name misapplied]
- Epidendrum ulei Schlechter =Epidendrum imthurnii
- Epidendrum variegatum Hook. =Encyclia vespa
- Eriopsis schomburgkii (Rchb.f.) Rchb.f. =Eriopsis biloba
- Erythrodes petersiana (Cogn.) Ames =Ligeophila petersiana
- Erythrodes plantaginea (L.) Fawc. & Rendle [dubiously in
Guianas]
- Erythrodes santensis (Kraenzl.) C. Schweinf. =Ligeophila
juruensis
- Fractiunguis reflexa Schlechter =Reichenbachanthus reflexus
- Galeandra juncea Lindl. =Galeandra stylomisantha
- Galeandra montana Barb. Rodr. =Galeandra lagoensis
Reichb.f. & Warm. [dubious in Guianas]
- Gongora macrantha Hook. =Coryanthes macrantha
- Gongora quinquenervis Ruiz & Pav. [not in Guianas]
- Goodyera guyanensis Lindl. =Brachystele guyanensis
- Habenaria amazonica Schlechter =Habenaria platydactyla
- Habenaria culmiformis Schlechter =Habenaria leprieuri
- Habenaria demerarensis Rchb.f. ex Schomb. =Habenaria
parviflora
- Habenaria fastor Auctt., non Warming =Habenaria longicauda
- Habenaria goyazensis Cogn. [as circumscribed by Renz, not in
Guianas]
- Habenaria leaoana Schlechter =Habenaria sprucei
- Habenaria macroceratilis Willd. =Habenaria quinqueseta
- Habenaria moritzii Ridl. =Habenaria entomantha
- Habenaria muelleriana Cogn. =Habenaria macilenta
- Habenaria pauciflora (Lindl.) Rchb.f. =Habenaria trifida
- Habenaria savannensis Renz =Habenaria amalfitana
- Habenaria staminodiata Schlechter =Habenaria macilenta
- Hexadesmia fusiformis Griseb. =Scaphyglottis fusiformis
- Hexisea reflexa (Lindl.) Rchb.f. ex Griseb.
=Reichenbachanthus reflexus
- Houletia vittata Lindl. =Braemia vittata
- Humboldtia ciliata (Knowl. & Westc.) Kuntze =Pleurothallis
lanceana
- Humboldtia fockei (Lindl.) Kuntze =Pleurothallis fockei
- Humboldtia grobyi (Lindl.) Kuntze =Pleurothallis grobyi
- Humboldtia miquelianae (Focke) Kuntze =Pleurothallis
miquelianae
- Humboldtia pruinosa (Lindl.) Kuntze =Pleurothallis pruinosa
- Huntleya violacea Lindl. =Bollea violacea
- Ionopsis paniculata Lindl. =Ionopsis utricularioides
- Ionopsis teres Lindl. =Ionopsis satyrioides
- Iochilus elegans Focke =Dimerandra elegans
- Kefersteinia pusilla Auctt., non (Schweinf.) Schweinf.
=Kefersteinia lafontanei
- Kegelia houteana Rchb.f. =Kegelia houteana
- Laelia crispa (Lindl.) Lemée =Schomburgkia crispa
- Laelia marginata (Lindl.) L.O. Williams =Schomburgkia
marginata

- Lanium microphyllum* (Lindl.) Benth. =*Epidendrum microphyllum*
Lanium subulatum Rolfe =*Epidendrum stiliferum*
Limodorum grandiflorum Aubl. =*Cleistes grandiflora*
Limodorum lanceolatum Aubl. =*Sacoila lanceolata*
Limodorum pendulum Aubl. =*Dichaea pendula*
Lindleyella aurantiaca (Lindl.) Schlechter =*Rudolfiella aurantiaca*
Liparis elliptica (Rchb.f.) Rchb.f., non Wight =*Liparis jamaicensis*
Liparis kappleri (Rchb.f.) Rchb.f. =*Liparis nervosa*
Liparis vexillifera (Llave & Lex.) Cogn. [not in Guianas]
Lockhartia elegans Hook. =*Lockhartia imbricata*
Lockhartia micrantha Rchb.f. [not in Guianas]
Lockhartia weigeltii Rchb.f. =*Lockhartia imbricata*
Lycomormium minus Kraenzl. =*Peristeria cerina*
Macradenia surinamensis Rchb.f. & Wullschl. =*Macradenia lutescens*
Macradenia triandra Lindl. =*Macradenia lutescens*
Masdevallia brevis Rchb.f. =*Scaphosepalum breve*
Masdevallia cayennensis Rchb.f. =*Masdevallia cuprea*
Masdevallia guttulata Auct., non Rchb.f. =*Masdevallia norae*
Masdevallia huebneri Schlechter =*Trisetella triglochin*
Masdevallia surinamensis Focke =*Masdevallia minuta*
Maxillaria conferta (Griseb.) Schweinf. ex Leon =*Maxillaria parviflora*
Maxillaria foveata Lindl. =*Xylobium foveatum*
Maxillaria graminea Lindl. =*Koellensteinia graminea*
Maxillaria nana Hook. =*Maxillaria uncuta*
Maxillaria ringens Rchb.f. =*Maxillaria brunnea*
Maxillaria steelei Hook. =*Scuticaria steelei*
Maxillaria variabilis Auctt., non J. Bateman ex Lindl.
 = *Maxillaria caespitifica*
Maxillaria vestita (Swartz) Lemée =*Maxillaria parviflora*
Menadenium kegelii (Rchb.f.) Cogn. =*Zygosepalum kegelii*
Menadenium labiosum (L.C. Rich.) Cogn. =*Zygosepalum labiosum*
Mendoncella burkei (Rchb.f.) Garay =*Galeottia burkei*
Mesadenella esmeraldae (Lindl. & Rchb.f.) Pabst & Garay
 = *Mesadenella cuspidata*
Monanthus discolor Lindl. =*Catasetum discolor*
Myanthus barbatus Lindl. =*Catasetum barbatum*
Myanthus deltoideus Lindl. =*Catasetum deltoideum*
Nanodes discolor Lindl. =*Epidendrum schlechterianum*
Neobartlettia guianensis Schlechter =*Palmorchis guianensis*
Neolehmannia apagana (Mansf.) Garay & Dunsterv.
 = *Epidendrum apaganum*
Nidema boothii (Lindl.) Schlechter [not in Guianas]
Notylia amesiana Smith & Harris =*Notylia microchila*
Notylia bicolor Lindl. =*Macroclinium bicolor* (Lindl.) Dodson [not in Guianas]
Notylia mirabilis Schweinf. =*Macroclinium mirabile*
Notylia wullschlaegeriana Focke =*Macroclinium wullschlaegerianum*
Octomeria grandiflora Lindl. [not in Guianas]
Octomeria pusilla Lindl. [not in Guianas]
Oncidium altissimum Auctt., non (Jacq.) Swartz =*Oncidium baueri*
Oncidium emarginatum Mey. =*Dimerandra emarginata*
Oncidium glossomystax Rchb.f. =*Psygmorechis glossomystax*
Oncidium guianense (Aubl.) Garay [not in Guianas]
Oncidium kappleri Rchb.f. =*Oncidium baueri*
Oncidium lunatum Lindl. =*Solenidium lunatum*
Oncidium maculatum Urb. =*Oncidium luridum*
Oncidium papilio Lindl. =*Psychopsis papilio*
Oncidium pusillum (L.) Rchb.f. =*Psygmorechis pusilla*
Oncidium ultrajectinum Pulle =*Oncidium cebolleta*
Oncidium versteegianum Pulle =*Psychopsis versteegianum*
Ophrys guianensis Aubl. =*Oncidium guianense* (Aubl.) Garay
 [not in Guianas]
Ophrys peruviana Aubl. =*Spiranthes torta*
Ornithocephalus avicula Rchb.f. =*Ornithocephalus kruegeri*
Ornithocephalus falcatus Focke =*Ornithocephalus gladiatus*
Otosytilis brachystalix (Rchb.f.) Schlechter =*Otosytilis lepida*
Paphiopedilum klotzscheanum Pfitz. =*Phragmipedium klotzscheanum*
Paphiopedilum lindleyanum Pfitz. =*Phragmipedium lindleyanum*
Pelexia aphylla Ridl. =*Sarcoglossa aphylla*
Peristeria aspersa Rolfe =*Peristeria rossiana*
Pilumna wageneri Rchb.f. =*Trichopilia wageneri*
Pleurothallis acuminata Focke =*Pleurothallis semperflorens*
Pleurothallis acutissima Lindl. =*Pleurothallis spiculifera*
Pleurothallis blaisdelli S. Wats. =*Trichosalpinx blaisdelli* (Wats.) Luer [not in Guianas]
Pleurothallis ciliaris (Lindl.) L.O. Williams =*Trichosalpinx ciliaris*
Pleurothallis ciliata Knowl. & Westc. =*Pleurothallis lanceana*
Pleurothallis diffusiflora Schweinf. =*Pleurothallis seriata*
Pleurothallis leptopetala Cogn. =*Pleurothallis discoidea*
Pleurothallis longirostris Focke =*Pleurothallis ephemera*
Pleurothallis marginalis Rchb.f. =*Pleurothallis grobyi*
Pleurothallis memor Rchb.f. =*Trichosalpinx memor*
Pleurothallis monocardia Auctt., non Rchb.f. =*Pleurothallis archidiaconi*
Pleurothallis orbicularis (Lindl.) Lindl. =*Trichosalpinx orbicularis*
Pleurothallis ovalifolia Rchb.f. =*Platystele ovalifolia*
Pleurothallis parvilabia Schweinf. =*Myoxanthus parvilabius*
Pleurothallis peduncularis Lindl. =*Myoxanthus parahybunensis*
Pleurothallis penduliflora Auctt., non Kraenzl. =*Pleurothallis suspensa*
Pleurothallis pertenuis Schweinf. =*Pleurothallis glandulosa*
Pleurothallis roraimensis Rolfe =*Trichosalpinx roraimensis*
Pleurothallis striata Focke =*Pleurothallis uniflora*
Pleurothallis tricarinata Focke =*Pleurothallis fockei*
Pleurothallis villosa Knowl. & Westc. [in Guianas,
 = *Trichosalpinx egleri*]
Pleurothallis vittariifolia Schlechter =*Pleurothallis glandulosa*
Pogonia grandiflora Rchb.f. =*Cleistes grandiflora*
Pogonia macrophylla Lindl. =*Psilochilus macrophyllus*
Pogonia paludosa (Rchb.f.) Rchb.f. =*Cleistes paludosa*
Pogonia parviflora (Lindl.) Rchb.f. =*Cleistes parviflora*
Pogonia physurifolia Rchb.f. =*Psilochilus physurifolius*
Pogonia rosea (Lindl.) Rchb.f. =*Cleistes rosea*
Pogonia surinamensis Lindl. =*Triphora surinamensis*
Pogonia tenuis Rchb.f. =*Cleistes tenuis*
Pogonia triflora Steyermark. =*Cleistes moritzii*
Pogonia unifoliata Schweinf. =*Cleistes unifoliata*
Polystachya estrellensis Rchb.f.
Polystachya geraensis Barb. Rodr.
Polystachya luteola (Swartz) Hook. =*Polystachya concreta*
Polystachya minuta Britt.

Polystachya nana Poepp. & Endl.
Ponera felskii Rchb.f. =*Scaphyglottis felskyi*
Pseuderopsis schomburgkii Rchb.f. =*Eriopsis biloba*
Restrepia kegelii Rchb.f. =*Chamelophytion kegelii*
Rodriguezia secunda Kunth =*Rodriguezia lanceolata*
Sarcoglossa maasorum Pabst =*Sarcoglossa metallica*
Scaphosepalum ochthodes Pfitz. [not in Guianas]
Scaphyglottis amethystina (Rchb.f.) Schlechter =*Scaphyglottis stellata*
Scaphyglottis cuneata Schlechter =*Scaphyglottis prolifera*
Scaphyglottis reflexa Lindl. =*Reichenbachanthus reflexus*
Schlechterella aurantiaca (Lindl.) Hoehne =*Rudolfiella aurantiaca*
Selenipedium lindleyanum Rchb.f. =*Phragmipedium lindleyanum*
Selenipedium schomburgkianum Rchb.f. =*Phragmipedium klotzscheanum*
Serapias caravata Aubl. =*Elleanthus caravata*
Specklinia miquelianiana Focke =*Pleurothallis miquelianiana*
Specklinia orbicularis Lindl. =*Trichosalpinx orbicularis*
Spiranthes acaulis (J.E. Smith) Cogn. =*Sarcoglossa acaulis*
Spiranthes aphylla (Ridl.) Cogn. =*Sarcoglossa aphylla*
Spiranthes bifida Ridl. =*Cyclopogon bifidus*
Spiranthes callifera Schweinf. =*Pelexia callifera*
Spiranthes elata (Swartz) L.C. Rich. =*Cyclopogon elatus*
Spiranthes goninensis (Pulle) Schweinf. =*Pelexia goninensis*
Spiranthes grisebachii Cogn. =*Lyroglossa grisebachii*
Spiranthes guianensis (Lindl.) Cogn. =*Brachystele guyanensis*
Spiranthes lanceolata (Aubl.) Leon =*Sacoila lanceolata*
Spiranthes metallica Rolfe =*Sarcoglossa metallica*
Spiranthes quinqueloba (Poir.) Urb. =*Spiranthes torta*
Stanhopea eburnea Lindl. =*Stanhopea grandiflora*
Stelis drosophila Barb. Rodr. =*Stelis intermedia*
Stelis flavidula Focke =*Pleurothallis pruinosa*
Stelis foliosa W.J. Hook. =*Polystachya foliosa*
Stenoptera adnata Ridl. =*Gomphichis adnata*
Stenorhynchos goninensis Pulle =*Pelexia goninensis*
Stenorhynchos lanceolatum (Aubl.) L.C. Rich. ex Spreng.
 =Sacoila lanceolata
Sturmia kappleri Rchb.f. =*Liparis nervosa*
Trichocentrum cornucopiae Linden & Rchb.f. =*Trichocentrum fuscum*
Trichopilia fragrans Auctt., non (Lindl.) Rchb.f. =*Trichopilia wageneri*
Trichopilia mutica Rchb.f. & Wullschl. =*Leucohyle mutica*
Trichosalpinx blaisdelli Auctt., non (Wats.) Luer
 = *Trichosalpinx egleri*
Trigonidium tenue Lodd. ex Lindl. =*Trigonidium acuminatum*
Trisetella huebneri (Schlechter) Luer =*Trisetella triglochin*
Vanilla aromatica Swartz =*Vanilla mexicana*
Vanilla ensifolia Rolfe =*Vanilla odorata*
Vanilla inodora Schiede =*Vanilla mexicana*
Vanilla pompona Auctt., non Schiede =*Vanilla grandiflora*
Vanilla wrightii Rchb.f. =*Vanilla bicolor*
Wullschlaegelia aphylla (Swartz) Rchb.f. [not in Guianas]
Wullschlaegelia ulei Cogn. =*Uleiorchis ulei*
Zygopetalum brachystalix Rchb.f. =*Ototylis lepida*
Zygopetalum burkei Rchb.f. =*Galeottia burkei*
Zygopetalum kegelii Rchb.f. =*Zygosepalum kegelii*
Zygopetalum rostratum Hook. =*Zygosepalum labiosum*
Zygopetalum tricolor Lindl. =*Koellensteinia tricolor*

OXALIDACEAE

contributed by A. Lourteig (1992); additions and corrections by A. Lourteig (1996)

REFERENCES:

- Hammel, B.E. & N.A. Zamora. 1993. *Ruptiliocarpon* (Lepidobotryaceae): a new arborescent genus and tropical American link to Africa, with a reconsideration of the family. *Novon* 3(4): 408-417.
- Jonker, F.P. 1942. Oxalidaceae. In A. Pulle, *Flora of Suriname* 3(2): 44-55.
- Lourteig, A. 1980. Oxalidaceae. In R.E. Woodson, Jr., R.W. Schery, & collaborators, *Flora of Panama*. Ann. Missouri Bot. Gard. 67: 823-850.
- Lourteig, A. 1994. *Oxalis* L. subgénero *Thamnoxys* (Endl.) Reiche emend. Lourt. *Bradea* 7(1): 1-199.

Oxalis barrelieri L. [GU SU FG]
Oxalis corniculata L. [GU SU FG] [naturalized]
Oxalis debilis Kunth var. *corymbosa* (DC.) Lourteig [GU]
Oxalis frutescens L. [GU SU FG]
Oxalis juriensis Diels [GU SU FG]
Oxalis mucronulata Norlind [GU]
Ruptiliocarpon sp. aff. *caracolita* Hammel & Zamora [SU]
 [referred to segregate family Lepidobotryaceae by Hammel & Zamora]

OXALIDACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Acetosella schomburgkiana (Prog.) Kuntze =*Oxalis frutescens*
Oxalis amazonica Prog. =*Oxalis barrelieri*
Oxalis schomburgkiana Prog. =*Oxalis frutescens*
Oxalis schomburgkiana Prog. var. *lasiocarpa* Prog. =*Oxalis frutescens*
Oxalis schomburgkiana Prog. var. *leiocarpa* Prog. =*Oxalis frutescens*
Oxalis sepium St. Hil. [not in Guianas]

PAPAVERACEAE

contributed by R.W. Kiger (1992)

REFERENCES:

- Stoffers, A.L. 1979. Papaveraceae. In A.L. Stoffers & J.C. Lindeman, *Flora of Suriname* 5(1): 331-334.

Argemone mexicana L. [SU FG] [cultivated, naturalized]

PASSIFLORACEAE

reviewed by C. Feuillet (1992); reviewed by C. Feuillet (1996)

REFERENCES:

- Escobar, L.K. 1994. Two new species and a key to Passiflora subg. Astrophea. *Syst. Bot.* 19(2): 203-210.
 Feuillet, C. 1986. Deux Passifloraceae nouvelles et quelques espèces rares en Guyane française. *Candollea* 41: 173-178.
 Feuillet, C. 1989. Diversity and distribution on Guianan Passifloraceae. In L.B. Holm-Nielsen, I.C. Nielsen & H. Balslev, *Tropical Forests, Botanical Dynamics, Speciation and Diversity*. Academic Press, London.
 Feuillet, C. 1994. Two new species of Passiflora (Passifloraceae) from French Guiana. *Novon* 4(3): 236-241.
 Feuillet, C. & G. Cremers. 1984. Passifloraceae nouvelles ou méconnues de Guyane française. *Proc. Kon. Ned. Akad. Wet. ser. C*, 87: 377-386.
 Killip, E.P. 1937. Passifloraceae. In A. Pulle, *Flora of Suriname* 3(1): 306-327.
 Killip, E.P. 1938. The American species of Passifloraceae. *Publ. Field Mus. Nat. Hist., Bot. Ser.*, 19: 1-613.

- Ancistrothyrsus* sp. cf. *tessmannii* Harms [GU FG]
Dilkea johannessii Barb. Rodr. [FG]
Dilkea wallisii Masters [FG]
Mitostemma glaziovii Masters [GU]
Mitostemma jenmanii Masters [GU]
Passiflora acuminata DC. [GU FG]
Passiflora amoena Escobar [FG]
Passiflora auriculata Kunth [GU SU FG]
Passiflora candida (Poepp. & Endl.) Masters [SU FG]
Passiflora capparidifolia Killip [GU]
Passiflora cardonae Killip [GU]
Passiflora ceratocarpa F. Silveira [GU]
Passiflora cirrhiflora Juss. [GU SU FG]
Passiflora citrifolia (Juss.) Masters [FG]
Passiflora coccinea Aubl. [GU SU FG]
Passiflora coriacea Juss. [GU]
Passiflora costata Masters [GU SU FG]
Passiflora crenata Feuillet & Cremers [FG]
Passiflora deficiens Mast. [GU]
Passiflora exura Feuillet [FG]
Passiflora fanchonae Feuillet [FG]
Passiflora foetida L. var. *foetida* [GU SU FG]
Passiflora foetida L. var. *hispida* (DC.) Killip ex Gleason [GU SU FG]
Passiflora foetida L. var. *moritziana* (Planch.) Killip [SU FG]
Passiflora fuchsii Hemsley [GU SU]
Passiflora garckeana Masters [GU SU FG]
Passiflora glandulosa Cav. [GU SU FG]
Passiflora kawensis Feuillet [FG]
Passiflora laurifolia L. [GU SU FG]
Passiflora leptopoda Harms [GU SU]
Passiflora longiracemosa Ducke [GU]

- Passiflora maguirei* Killip [GU]
Passiflora misera Kunth [GU SU FG]
Passiflora nitida Kunth [GU SU FG]
Passiflora ovata Martin ex DC. [FG]
Passiflora pachyantha Killip [GU]
Passiflora pedata L. [GU SU]
Passiflora picturata Ker-Gawler [SU]
Passiflora plumosa Feuillet & Cremers [FG]
Passiflora quadrangularis L. [FG] [cultivated or escaped from cultivation]
Passiflora quadriglandulosa Rodsch. [GU]
Passiflora quelchii N.E. Brown [GU]
Passiflora retipetala Mast. [GU SU]
Passiflora riparia Mast. [GU]
Passiflora rubra L. [FG]
Passiflora rufostipulata Feuillet [FG]
Passiflora sclerophylla Harms [GU]
Passiflora securiculata Masters [GU]
Passiflora serrato-digitata L. [GU SU FG]
Passiflora spicata Mast. [GU]
Passiflora spinosa (Poepp. & Endl.) Mast. [GU]
Passiflora stipulata Aubl. [FG]
Passiflora trialata Feuillet & MacDougal, sp. nov. ined. [FG]
Passiflora tuberosa Jacq. [GU]
Passiflora variolata Poepp. & Endl. [FG?] [records probably represent a new species]
Passiflora vespertilio L. [GU SU FG]

PASSIFLORACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Passiflora capsularis* L. [not in Guianas]
Passiflora lonchophora Harms =*Passiflora retipetala*
Passiflora maliformis L. [not in Guianas]
Passiflora murucuia L. [not in Guianas]
Passiflora rotundifolia L. [not in Guianas]
Passiflora serratifolia L. [not in Guianas]
Passiflora suberosa L. [not in Guianas]

PEDALIACEAE

REFERENCES:

- Eselting, G.P. van. 1929. A preliminary study of the unicorn plants (Martyniaceae). *N.Y. State Ag. Expt. Sta. (Geneva) Tech. Bull.* 149: 1-41.
 Pulle, A. 1932. Pedaliaceae. In A. Pulle, *Flora of Suriname* 4(1): 111-112.
 Seegeler, C.J.P. 1989. *Sesamum orientale* L. (Pedaliaceae): sesame's correct name. *Taxon* 38(4): 656-659.

- Craniolaria annua* L. [GU] [to be expected in SU]
Sesamum orientale L. [GU SU FG] [cultivated & escaping]

PEDALIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Sesamum indicum L. =*Sesamum orientale*

PERIDISCACEAE

REFERENCES:

Sandwith, N.Y. 1962. Contributions to the flora of tropical America: LXIX. A new genus of Peridiscaceae. *Kew Bull.* 15: 467-471.

Whittonia guianensis Sandw. [GU]

PHYTOLACCACEAE

reviewed by R.A. DeFilipps (1996)

REFERENCES:

- Burger, W. 1983. Phytolaccaceae. In W. Burger, *Flora Costaricensis*. *Fieldiana Bot.* (n.s.) 13: 199-212.
 Raeder, K. 1961. Phytolaccaceae. In R.E. Woodson Jr., R.W. Schery, & collaborators, *Flora of Panama*. *Ann. Missouri Bot. Gard.* 48(1): 66-79.
 Rohwer, J. 1982. A taxonomic revision of the genera *Seguieria* Loefl. and *Gallesia* Casar. *Mitt. Bot. Staats. München* 18: 231-288.
 Stoffers, A.L. 1957. Phytolaccaceae. In A. Pulle & J. Lanjouw, *Flora of Suriname* 1(2): 209-217.
 Walter, H. 1909. Phytolaccaceae. In A. Engler, *Das Pflanzenreich* 4(83): 1-154.

- Microtea debilis* Swartz [GU SU FG]
Microtea maypurensis (Kunth) G. Don [GU SU]
Petiveria alliacea L. [GU SU FG]
Phytolacca rivinoides Kunth & Bouché [GU SU FG]
Phytolacca thyrsiflora Fenzl ex Schmidt [GU FG]
Rivina humilis L. [GU SU FG]
Seguieria americana L. [GU SU FG]
Seguieria macrophylla Benth. [GU FG?]
Trichostigma octandra (L.) H. Walter [GU FG?]

PHYTOLACCACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Phytolacca americana* L. [not in Guianas]
Seguieria foliosa Benth. =*Seguieria americana*

PINACEAE

contributed by D. Stevenson (1992)

REFERENCES:

Stevenson, D. & T. Zanoni. 1991. Pinaceae. In A.R.A. Görts-van Rijn, *Flora of the Guianas* (series A) 9: 19-22.

Pinus caribaea Morelet [GU SU FG] [cultivated, naturalized]

PIPERACEAE

reviewed by A.R.A. Görts-van Rijn (1996)

REFERENCES:

- Kramer, K.U. & A.R.A. Görts-van Rijn. 1968. Piperaceae (additions and corrections). In A. Pulle & J. Lanjouw, *Flora of Suriname* 1(2): 415-421.
 Steyermark, J.A. 1984. Piperaceae. *Flora de Venezuela* II(2): 1-619.
 Tebbs, M.C. 1989. Revision of Piper in the New World. 1. Review of characters and taxonomy of Piper section *Macrostachys*. *Bull. Brit. Mus. Nat. Hist. (Bot.)* 19: 117-158.
 Tebbs, M.C. 1990. Revision of Piper in the New World. 2. The taxonomy of Piper section *Churumayu*. *Bull. Brit. Mus. Nat. Hist. (Bot.)* 20(2): 193-236.
 Tebbs, M.C. 1993. Revision of Piper in the New World. 3. The taxonomy of Piper sections *Lepianthes* and *Radula*. *Bull. Nat. Hist. Mus.* 23(1): 1-50.
 Trelease, W. & T.G. Yuncker. 1950. The Piperaceae of Northern South America. Urbana, Illinois: University of Illinois Press.
 Yuncker, T.G. 1957. Piperaceae. In A. Pulle & J. Lanjouw, *Flora of Suriname* 1(2): 218-290.
 Yuncker, T.G. 1972. The Piperaceae of Brazil. *Hoehnea* 2: 19-366.

- Peperomia acuminata* Ruiz & Pav. [GU?] [Mt. Roraima]
Peperomia alata Ruiz & Pav. [GU SU FG?]
Peperomia angustata Kunth [GU FG]
Peperomia blanda (Jacq.) Kunth [GU? SU]
Peperomia circinnata Link [SU?]
Peperomia delascioi Steyermark. [GU?] [Mt. Roraima]
Peperomia distachya (L.) A. Dietr. [SU FG] [to be expected in GU]
Peperomia duidana Trel. ex Gleason [GU]
Peperomia elongata Kunth var. *elongata* [GU SU FG]
Peperomia elongata Kunth var. *guianensis* Yunck. [GU FG]
Peperomia elongata Kunth var. *piliramea* Trel. & Yunck. [GU SU]
Peperomia emarginella (Swartz) C. DC. [GU FG]
Peperomia galloides Kunth [Mt. Roraima]
Peperomia glabella (Swartz) A. Dietr. var. *glabella* [GU SU FG]
Peperomia glabella (Swartz) A. Dietr. var. *nervulosa* (C. DC.) Yunck. [GU SU FG]
Peperomia lancifolia Hook. [GU]
Peperomia longemucronata C.DC. [Mt. Roraima]

- Peperomia macrostachya* (Vahl) A. Dietr. var. *macrostachya* [GU SU FG]
Peperomia macrostachya (Vahl) A. Dietr. var. *nematostachya* (Link) Trel. & Yunck. [GU FG]
Peperomia magnoliifolia (Jacq.) A. Dietr. [GU SU]
Peperomia maguirei Yunck. [SU FG]
Peperomia obtusifolia (L.) A. Dietr. var. *obtusifolia* [GU SU FG]
Peperomia ouabiana C. DC. var. *ouabiana* [GU SU FG]
Peperomia pellucida (L.) Kunth [GU SU FG]
Peperomia pernambucensis Miq. [GU FG]
Peperomia purpurinervis C. DC. [GU?] [Mt. Roraima]
Peperomia quadrangularis (Thompson) A. Dietr. [GU SU FG]
Peperomia rotundata Kunth var. *trinervula* (C. DC.) Steyermark. [Mt. Roraima]
Peperomia rotundifolia (L.) Kunth var. *rotundifolia* [GU SU FG]
Peperomia schomburgkii C. DC. [GU]
Peperomia serpens (Swartz) J. C. Loudon [GU SU FG]
Peperomia tenella (Swartz) A. Dietr. var. *tenella* [GU?] [Mt. Roraima]
Peperomia tetraphylla (G. Forst.) Hook. & Arn. [GU?]
Peperomia transparens Miq. [SU FG]
Piper adenandrum (Miq.) C. DC. [GU SU FG]
Piper aduncum L. [GU SU FG]
Piper aequale Vahl [GU SU FG]
Piper alatabaccum Trel. & Yunck. [GU SU FG]
Piper amalago L. var. *medium* (Jacq.) Yunck. [GU SU]
Piper amapense Yunck. [GU? FG]
Piper amplexenticaule Trel. & Yunck. [FG]
Piper amplum Kunth [FG]
Piper angustifolium Lam. [FG]
Piper anonifolium (Kunth) C. DC. var. *anonifolium* [GU SU FG]
Piper anonifolium (Kunth) C. DC. var. *parkerianum* (C. DC.) Steyermark. [GU]
Piper arboreum Aubl. var. *arboreum* [GU SU FG] [subsp. *arboreum*]
Piper arboreum Aubl. var. *hirtellum* Yunck. [GU SU FG] [subsp. *arboreum*]
Piper arboreum Aubl. subsp. *tuberculatum* (Jacq.) Tebbs [GU SU FG]
Piper augustum Rudge var. *augustum* [GU SU FG]
Piper augustum Rudge var. *pubinerve* Trel. & Yunck. [GU FG]
Piper auritum Kunth [SU FG]
Piper avellatum (Miq.) C. DC. var. *angustifolium* Trel. & Yunck. [SU]
Piper avellatum (Miq.) C. DC. var. *avellatum* [GU SU FG]
Piper bartlingianum (Miq.) C. DC. [GU SU FG]
Piper bolivaranum Yunck. [GU]
Piper brownsbergense Yunck. [SU FG]
Piper cernuum Vell. var. *cernuum* [FG]
Piper consanguineum Kunth [GU SU FG]
Piper coruscans Kunth [GU FG]
Piper crassinervium Kunth [FG]
Piper cyrtopodon (Miq.) C. DC. [GU SU FG]
Piper demeraranum (Miq.) C. DC. [GU SU FG]
Piper dilatatum L. C. Rich. [GU SU FG]
Piper divaricatum G. Mey. [GU SU FG]
Piper dumosum Rudge [GU SU FG]
Piper eucalyptifolium Rudge [GU FG]
Piper fanshawei Yunck. [GU]
Piper flexicaule (Miq.) C. DC. [GU]
Piper foveolatum C. DC. [SU FG] [to be expected in GU]
- Piper fuligineum* Kunth [SU FG]
Piper gabrielianum (Miq.) C. DC. [FG]
Piper glabrescens (Miq.) C. DC. var. *caparonum* (C. DC.) Yunck. [GU]
Piper glabrescens (Miq.) C. DC. var. *glabrescens* [GU SU]
Piper guianense (Klotzsch) C. DC. [GU FG?]
Piper hirtilimbum Trel. & Yunck. [GU]
Piper hispidum Swartz [GU SU FG]
Piper hostmannianum (Miq.) C. DC. [GU SU FG]
Piper humistratum Görtz & K. U. Kramer [SU FG]
Piper inaequale C. DC. [FG]
Piper insigne (Kunth) C. DC. [GU SU FG]
Piper kappleri C. DC. [GU SU FG]
Piper kegelianum (Miq.) C. DC. [GU SU FG]
Piper kegelii C. DC. [SU]
Piper laevigatum Kunth [FG?]
Piper marginatum Jacq. [GU SU FG]
Piper microstachyum Vahl [FG] [=Piper angustifolium?]
Piper modestum (Miq.) C. DC. [FG] [insufficiently known taxon]
Piper nematanthera (Miq.) C. DC. var. *nematanthera* [GU SU FG]
Piper nematanthera (Miq.) C. DC. var. *sagotii* (C. DC.) Trel. & Yunck. [FG]
Piper nigrispicum C. DC. [FG]
Piper nigrum L. [cultivated, perhaps escaping]
Piper obliquum Ruiz & Pav. [GU SU FG]
Piper oblongifolium (Klotzsch) C. DC. var. *glabrum* C. DC. [GU]
Piper oblongifolium (Klotzsch) C. DC. var. *oblongifolium* [GU SU FG]
Piper paramaribense C. DC. [SU FG]
Piper pedunculare (Miq.) C. DC., comb. illeg. [GU] [taxon without valid combination in Piper]
Piper perstipulare Steyermark. [GU]
Piper piscatorum Trel. & Yunck. [GU FG]
Piper pseudoglabrescens Trel. & Yunck. [GU]
Piper pulleanum Yunck. [GU SU FG]
Piper reticulatum L. [GU SU FG]
Piper rudgeanum (Miq.) C. DC. [SU FG?]
Piper rupununianum Trel. & Yunck. [GU]
Piper salicifolium Vahl [SU]
Piper schiedeanum Steud. [GU? SU?]
Piper subciliatum C. DC. [FG]
Piper tectoniifolium Kunth [FG]
Piper trichoneuron (Miq.) C. DC. [GU SU FG]
Piper wachenheimii Trel. [GU SU FG]
Pothomorphe peltata (L.) Miq. [GU SU FG] [=Piper peltatum] [=Lepianthes peltata]

PIPERACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Artanthe peduncularis* Miq. =Piper pedunculare
Artanthe schomburgkii Klotzsch =Piper pedunculare
Lepianthes peltata (L.) Raf. =Pothomorphe peltata
Peperomia angulata Kunth =Peperomia quadrangularis
Peperomia caulibarbis Miq. =Peperomia glabella var. *glabella*
Peperomia glabella (Swartz) A. Dietr. var. *melanostigma* (Miq.) Dahlst. =Peperomia glabella var. *nervulosa*
Peperomia lanjouwii Yunck. =Peperomia rotundifolia
Peperomia longifolia C. DC. =Peperomia pernambucensis
Peperomia myosuroides A. Dietr. =Peperomia macrostachya var. *macrostachya*

Peperomia myriocarpa Miq. =*Peperomia elongata* var. *elongata*
Peperomia nematostachya Link =*Peperomia macrostachya* var.
 nematostachya
Peperomia nummularifolia Kunth =*Peperomia rotundifolia*
 var. *rotundifolia*
Peperomia paniculata Regel =*Peperomia pernambucensis*
Peperomia parkeriana Miq. =*Peperomia macrostachya* var.
 macrostachya
Peperomia reflexa (L.f.) A. Dietr., nom illeg., non Kunth
 =*Peperomia tetraphylla*
Peperomia surinamensis C. DC. =*Peperomia elongata* var.
 elongata
Peperomia tafelbergensis Yunck. =*Peperomia ouabianae* var.
 ouabianae
Peperomia trifolia (L.) A. Dietr. [not in Guianas]
Piper acarouanyanum C. DC. =*Piper avellananum*
Piper adenophorum C. DC. =*Piper dumosum*
Piper affine C. DC. =*Piper paramaribense*
Piper amplexens (Miq.) C. DC. =*Piper fuligineum*
Piper angremondii DC. =*Piper hispidum*
Piper asperifolium Rich. =*Piper hispidum*
Piper benoistii Trel. ex Lemée [apparently a nomen nudum]
Piper brachystachyum C. DC. =*Piper eucalyptifolium*
Piper caracasanum Bredem. =*Piper obliquum*
Piper carniconnectivum C. DC. [not in Guianas]
Piper citrifolium Lam. =*Piper anonifolium* var. *anonifolium*
Piper citrifolium Lam. var. *parkerianum* (C. DC.) Trel. &
 Yunck. =*Piper anonifolium* var. *parkerianum*
Piper colubrinum Link =*Piper divaricatum*
Piper corylifolium Kunth =*Piper dilatatum*
Piper crassum Vell. =*Piper divaricatum*
Piper demeraranum (Miq.) C. DC. var. *rubescens* (C. DC.)
 Trel. & Yunck. =*Piper demeraranum*
Piper deminutum Yunck. =*Piper bolivarum*
Piper diospyrifolium Kunth [not in Guianas]
Piper flexuosum Rudge =*Piper flexicaule*
Piper fulgidum Yunck. [not in Guianas]
Piper geayi Trel. ex Lemée [apparently a nomen nudum]
Piper geniculatum Sw. =*Piper arboreum*
Piper glabellum (Miq.) C. DC. =*Piper divaricatum*
Piper gleasonii Yunck. =*Piper trichoneuron*
Piper godebertianum Trel. ex Lemée [apparently a nomen
 nudum]
Piper hirsutum Swartz =*Piper hispidum*
Piper hohenackeri C. DC. =*Piper anonifolium*
Piper insipiens Trel. & Yunck. =*Piper divaricatum*
Piper lapathifolium Steud. [not in Guianas]
Piper lenormandianum C. DC. =*Piper kappleri*
Piper leprieurii Pulle =*Piper consanguineum*
Piper maguirei Yunck. =*Piper paramaribense*, syn. nov. ined.
Piper marowianum C. DC. =*Piper kappleri*
Piper marowynense C. DC. =*Piper avellananum*
Piper medium Jacq. =*Piper amalago* var. *medium*
Piper miquelianum C. DC. =*Piper eucalyptifolium*, syn. nov. ined.
Piper mollipilosum C. DC. [not in Guianas]
Piper moraballianum Trel. =*Piper avellananum*
Piper nitidum Vahl =*Piper divaricatum*
Piper orenocanum C. DC. =*Piper coruscans* [=*Piper coruscans*
 var. *membranaceum* (C. DC.) Steyermark?]
Piper orenocanum C. DC. var. *korioaboense* Trel. & Yunck.
 =*Piper coruscans*
Piper parakegelianum Sagot ex Lemée [apparently a nomen
 nudum]
Piper parkerianum (Miq.) C. DC. =*Piper anonifolium* var.
 parkerianum

Piper peltatum L. =*Pothomorphe peltata*
Piper piresii Yunck. [not in Guianas]
Piper poiteanum Kunth =*Piper foveolatum*
Piper pseudomarowynense Trel. ex Lemée [apparently a
 nomen nudum]
Piper purpurascens Desf.
Piper rhododendrifolium Kunth =*Piper anonifolium*
Piper rhynchostachyum C. DC. =*Piper eucalyptifolium*
Piper romboutsii Yunck. =*Piper divaricatum*, syn. nov. ined.
Piper rubescens C. DC. =*Piper demeraranum* var. *rubescens*
Piper rugosum Vahl =*Piper anonifolium*
Piper sagoti C. DC. =*Piper nematanthera* var. *sagoti*
Piper saramaccanum Yunck. =*Piper obliquum*
Piper scabrum Swartz =*Piper hispidum*
Piper submelanostictum C. DC. var. *amelanostictum* Yunck.
 =*Piper obliquum*
Piper submelanostictum C. DC. var. *submelanostictum* =*Piper*
 obliquum
Piper tiliifolium W. Hamilton =*Bagassa guianensis*
 (Moraceae)
Piper trigonum C. DC. [not in Guianas]
Piper tuberculatum Jacq. =*Piper arboreum* subsp. *tuberculatum*
Piper warakabacoura (Miq.) C. DC. =*Piper bartlingianum*
Quebitea guianensis Aubl. =*Piper humistratum*

PLANTAGINACEAE

REFERENCES:

- D'Arcy, W.G. 1971. Plantaginaceae. In R.E. Woodson, Jr., R.W. Schery, & collaborators, Flora of Panama. Ann. Missouri Bot. Gard. 58(3): 363-369.
- Lanjouw, J. 1938. Plantaginaceae. In A. Pulle, Flora of Suriname 4(2): 253-254.

Plantago lanceolata L. [FG] [introduced]
Plantago major L. [GU SU FG] [introduced]

PLUMBAGINACEAE

contributed by J.L. Luteyn (1992)

Plumbago auriculata Lam. [widely cultivated, perhaps
 escaping]
Plumbago scandens L. [GU? SU FG]

POACEAE

reviewed by E.J. Judziewicz (1992); additions
 and corrections by E.J. Judziewicz (1996)

SPERMATOPHYTA: Piperaceae - Poaceae

REFERENCES:

- [for a more extensive bibliography, see
Judziewicz 1990]
- Amshoff, G.J.H. & J.T. Henrard. 1943.
Gramineae. In A. Pulle, Flora of Suriname
1(1): 273-442.
- Cremers, G. & M. Hoff. 1993. Inventaire
taxonomique des plantes de la Guyane
française III - les Cyperaceae et les Poaceae.
Mus. Nat. Hist. Nat., Coll. Patr. Nat. (Sér.
Patr. Génétique) 11: 1-213.
- Hitchcock, A.S. 1922. Grasses of British
Guiana. Contr. U.S. Natl. Herb. 22: 443-514.
- Judziewicz, E. 1990. Poaceae. In A.R.A. Görtz-
van Rijn, Flora of the Guianas (series A) 8: 1-
725.
- Lindeman, J.C. & A.R.A. Görtz-van Rijn. 1968.
Gramineae (additions and corrections). In A.
Pulle & J. Lanjouw, Flora of Suriname 1(2):
343-375.
- Swallen, J. 1948. Gramineae. In B. Maguire et
al., Plant explorations in Guiana in 1944,
chiefly to the Tafelberg and the Kaieteur
Plateau - I. Bull. Torrey Bot. Club 75: 81-91.

- Acroceras macrum Stapf [GU SU] [naturalized]
Acroceras zizanioides (Kunth) Dandy [GU SU FG]
[naturalized]
Aegopodon cenchroides Humb. & Bonpl. ex Willd. [Mt.
Roraima]
Andropogon angustatus (J. Presl) Steud. [GU SU]
Andropogon bicornis L. [GU SU FG]
Andropogon fastigiatus Swartz [GU]
Andropogon gayanus Kunth [SU] [cultivated, naturalized]
Andropogon glomeratus (Well.) BSP [GU?]
Andropogon leucostachyus Kunth [GU SU FG]
Andropogon selloanus (Hack.) Hack. [GU SU FG]
Andropogon virgatus Desv. [GU SU FG]
Anthephora hermaphrodita (L.) Kuntze [FG]
Arberella flaccida (Doell) Soderstrom & Calderón [SU FG]
Aristida capillacea Lam. [GU SU FG]
Aristida longifolia Trin. [GU]
Aristida recurvata Kunth [GU SU]
Aristida riparia Trin. [SU]
Aristida setifolia Kunth [GU SU]
Aristida torta (Nees) Kunth [GU SU FG]
Arthrostylidium scandens McClure [GU SU]
Arthrostylidium venezuelae (Steud.) McClure [GU]
Arundinella hispida (Willd.) Kuntze [GU SU FG]
Arundo donax L. [SU FG?] [cultivated and naturalized]
Aulonemia deflexa (N.E. Brown) McClure [GU]
Aulonemia nitida Judziewicz, sp. nov. ined. [GU]
Axonopus anceps (Mez) Hitchc. [GU SU]
Axonopus aureus P. Beauv. [GU SU FG]
Axonopus canescens (Nees) Pilg. [GU SU FG]
Axonopus capillaris (Lam.) Chase [GU SU FG]
Axonopus caulescens (Mez) Henr. [GU]
Axonopus chrysoblepharis (Lag.) Chase [FG]
Axonopus chrysostachyus (Schrad.) Pilg. [SU]
Axonopus compressus (Swartz) P. Beauv. [GU SU FG]
Axonopus eminens (Nees) G.A. Black [SU]

- Axonopus equitans Hitchc. & Chase [GU SU FG]
Axonopus fissifolius (Raddi) Kuhlm. [GU]
Axonopus flabelliformis Swallen [GU SU FG]
Axonopus leptostachyus (Flüggé) Hitchc. [GU SU FG]
Axonopus longispicus (Doell) Kuhlm. [GU SU FG]
Axonopus oiapocensis G.A. Black [FG]
Axonopus passourae G.A. Black [FG]
Axonopus pubivaginatus Henr. [GU SU FG]
Axonopus purpusii (Mez) Chase [GU SU FG]
Axonopus ramosus Swallen [SU FG] [to be expected in GU]
Axonopus senescens (Doell) Henr. [FG]
Axonopus surinamensis (Steud.) Henr. [GU SU FG]
Bothriochloa bladhii (Retz.) S.T. Blake [GU SU] [naturalized]
Bouteloua americana (L.) Lams.-Scribn. [GU?] [introduced?
no recent collections]
Brachiaria fasciculata (Swartz) Parodi [GU SU FG]
Brachiaria mollis (Swartz) Parodi [GU FG]
Brachiaria mutica (Forssk.) Stapf [GU SU FG] [naturalized]
Brachiaria plantaginea (Link) Hitchc. [FG]
Cenchrus brownii Roem. & Schult. [GU SU FG]
Cenchrus echinatus L. [GU SU FG]
Chloris barbata Swartz [GU SU FG]
Chloris dandyana C.D. Adams [GU]
Chloris radiata (L.) Swartz [GU SU FG]
Chusquea linearis N.E. Brown [GU]
Coelochlois aurita (Steud.) A. Camus [GU SU FG]
Coix lacryma-jobi L. [GU SU FG] [cultivated, naturalized]
Cortaderia roraimensis (N.E. Brown) Pilg. [GU]
Cryptochloa capillata (Trin.) Soderstrom [FG]
Ctenium cirrosum (Nees) Kunth [SU]
Cymbopogon citratus (DC.) Stapf [GU SU FG] [cultivated,
naturalized]
Cynodon dactylon (L.) Pers. [GU SU FG]
Dactyloctenium aegyptium (L.) Willd. [GU SU FG]
Dichanthium annulatum (Forssk.) Stapf [GU] [cultivated,
naturalized]
Dichanthium aristatum (Poir.) Hubb. [GU] [cultivated,
naturalized]
Digitaria ciliaris (Retz.) Koeler [GU SU FG]
Digitaria decumbens Stent [GU SU] [cultivated, naturalized]
Digitaria fragilis (Steud.) Luces [GU]
Digitaria fuscescens (J. Presl) Henr. [GU SU FG] [naturalized]
Digitaria horizontalis Willd. [GU SU FG]
Digitaria insularis (L.) Mez ex Ekman [GU SU FG]
Digitaria lanuginosa (Nees) Henr. [GU FG]
Digitaria laxa (A. Spreng.) Parodi [GU SU FG]
Digitaria longiflora (Retz) Pers. [GU SU] [naturalized?]
Digitaria nuda Schumach. [GU FG] [naturalized?]
Digitaria setigera Roth ex Roem. & Schult. [GU SU FG]
[naturalized]
Digitaria swazilandensis Stent [SU] [cultivated, naturalized]
Digitaria tenuis (Nees) Henr. [GU]
Digitaria venezuelae Henr. [SU FG]
Digitaria violascens Link [GU SU FG] [cultivated,
naturalized]
Echinochloa colonia (L.) Link [GU SU FG]
Echinochloa crus-pavonis (Kunth) Schult. [GU SU FG]
Echinochloa polystachya (Kunth) Hitchc. [GU SU FG]
Echinochloa pyramidalis (Lam.) Hitchc. & Chase [FG]
[cultivated, naturalized]
Echinolaena inflexa (Poir.) Chase [GU SU FG]
Eleusine indica (L.) Gaertn. [GU SU FG] [naturalized]
Elyonorus muticus (Spreng.) Kuntze [GU SU FG]
Eragrostis acutiflora (Kunth) Nees [GU FG]
Eragrostis airoides Nees [to be expected in GU]

SPERMATOPHYTA: Poaceae

- Eragrostis amabilis* (L.) Wight & Arnott [GU SU FG]
[naturalized]
- Eragrostis ciliaris* (L.) R. Brown [GU SU FG] [naturalized]
- Eragrostis guianensis* Hitchc. [GU]
- Eragrostis hypnoides* (Lam.) Britton, Sterns, & Poggenb. [GU SU FG]
- Eragrostis japonica* (Thunb.) Trin. [GU] [naturalized]
- Eragrostis maypurensis* (Kunth) Steud. [GU SU FG]
- Eragrostis pilosa* (L.) P. Beauv. [GU FG] [naturalized]
- Eragrostis plurinodis* Swallen ex Luces [GU]
- Eragrostis polytricha* Nees [GU]
- Eragrostis refracta* (Elliott) Lams.-Scribn. [SU]
- Eragrostis riobrancensis* Judziewicz & P. Peterson [GU]
- Eragrostis scaligera* Salzm. ex Steud. [FG]
- Eragrostis secundiflora* J. Presl [GU] [to be expected in SU]
- Eragrostis tephrosanthos* Schult. [GU SU FG]
- Eragrostis unioloides* (Retz.) Nees [GU SU FG] [naturalized]
- Eriochloa polystachya* Kunth [GU SU FG]
- Eriochloa procera* (Retz.) Hubb. [GU SU] [naturalized]
- Eriochloa punctata* (L.) W. Hamilton [GU SU FG]
- Eriochrysis cayennensis* P. Beauv. [GU SU FG]
- Froesiochloa boutelouoides* G.A. Black [FG]
- Guadua angustifolia* Kunth [GU]
- Guadua glomerata* Munro [GU FG]
- Guadua latifolia* (Humb. & Bonpl.) Kunth [GU SU FG]
- Guadua macrostachya* Rupr. [FG] [to be expected in SU]
- Guadua paniculata* Munro [to be expected in GU]
- Guadua superba* Huber [GU SU]
- Gymnopogon foliosus* (Willd.) Nees [GU SU FG]
- Gymnopogon spicatus* (Spreng.) Kuntze [GU]
- Gynerium sagittatum* (Aubl.) P. Beauv. [GU SU FG]
- Hackelochloa granularis* (L.) Kuntze [GU SU FG]
[naturalized]
- Hemarthria altissima* (Poir.) Stapf & Hubb. [GU FG]
[naturalized]
- Heteropogon contortus* (L.) P. Beauv. ex Roem. & Schult.
[GU]
- Heteropogon melanocarpus* (Elliott) Elliott ex Benth. [FG] [to
be expected in GU]
- Homolepis aturensis* (Kunth) Chase [FG] [naturalized?]
- Homolepis glutinosa* (Swartz) Zuloaga & Soderstrom [GU]
- Homolepis isocalycia* (G. Mey.) Chase [GU SU FG]
- Hymenachne amplexicaulis* (Rudge) Nees [GU SU FG]
- Hymenachne donacifolia* (Raddi) Chase [GU SU FG]
- Hyparrhenia bracteata* (Willd.) Stapf [GU SU]
- Hyparrhenia rufa* (Nees) Stapf [GU SU FG] [cultivated,
naturalized]
- Ichnanthus breviscrobis* Doell [GU SU FG]
- Ichnanthus calvescens* (Nees) Doell [GU SU]
- Ichnanthus dasycoleus* Tutin [GU SU]
- Ichnanthus hoffmannseggii* (Roem. & Schult.) Doell [FG]
- Ichnanthus leiocarpus* (Spreng.) Kunth [GU SU FG]
- Ichnanthus nemoralis* (Schrad.) Hitchc. & Chase [GU SU FG]
- Ichnanthus pallens* (Swartz) Munro ex Benth. [GU SU FG]
- Ichnanthus panicoides* P. Beauv. [GU SU FG]
- Ichnanthus ruprechtii* Doell [GU SU FG]
- Ichnanthus tenuis* (J. Presl) Hitchc. & Chase [GU SU FG]
- Imperata brasiliensis* Trin. [GU SU FG]
- Imperata contracta* (Kunth) Hitchc. [GU SU FG]
- Isachne ligulata* Swallen [GU]
- Isachne polygonoides* (Lam.) Doell [GU SU FG]
- Ischaemum guianense* Kunth ex Hack. [GU SU FG]
- Ischaemum indicum* (Houtt.) Merrill [GU SU] [cultivated,
naturalized]
- Ischaemum rugosum* Salisb. [GU SU FG] [naturalized]
- Ischaemum timorense* Kunth [GU SU] [cultivated, naturalized]
- Ixophorus unisetus* (J. Presl) Schlechtend. [cultivated but to be
expected in GU]
- Lasiacis anomala* Hitchc. [GU SU]
- Lasiacis ligulata* Hitchc. & Chase [GU SU FG]
- Lasiacis nigra* Davidse [GU]
- Lasiacis procerrima* (Hack.) Hitchc. [GU]
- Lasiacis sorghoidea* (Desv.) Hitchc. & Chase [GU SU FG]
- Leersia hexandra* Swartz [GU SU FG]
- Leersia ligularis* Trin. [to be expected in GU]
- Leptochloa filiformis* (Lam.) P. Beauv. [GU]
- Leptochloa scabra* Nees [GU SU FG]
- Leptochloa virgata* (L.) P. Beauv. [GU SU FG]
- Leptocoryphium lanatum* (Kunth) Nees [GU SU FG]
- Lithachne pauciflora* (Swartz) P. Beauv. [FG] [to be expected
in GU]
- Luziola bahiensis* (Steud.) Hitchc. [GU SU FG]
- Luziola subintegra* Swallen [GU SU FG]
- Melinis minutiflora* P. Beauv. [GU SU] [cultivated,
naturalized]
- Merostachys* sp. aff. *retrorsa* McClure [GU]
- Mesosetum cayennense* Steud. [SU FG]
- Mesosetum chaseae* Luces [GU]
- Mesosetum loliforme* (Steud.) Chase [GU SU FG]
- Mesosetum rotboellioides* (Kunth) Hitchc. [GU SU]
- Microchloa indica* (L.f.) P. Beauv. [introduced species to be
expected in GU]
- Myriocladus distantiflorus* Swallen [GU] [other species of this
genus to be expected as well]
- Neurolepis angusta* Swallen [to be expected in GU]
- Olyra caudata* Trin. [GU SU FG]
- Olyra ciliatifolia* Raddi [GU FG]
- Olyra ecaudata* Doell [GU SU FG]
- Olyra latifolia* L. [GU SU FG]
- Olyra longifolia* Kunth [GU SU FG]
- Olyra micrantha* Kunth [GU SU FG]
- Olyra obliquifolia* Steud. [SU FG]
- Oplismenus hirtellus* (L.) P. Beauv. [GU SU FG]
- Orthoclada laxa* (Rich.) P. Beauv. [GU SU FG]
- Oryza grandiglumis* (Doell) Prodöhl [FG]
- Oryza latifolia* Desv. [GU SU FG]
- Oryza rufipogon* Griff. [GU SU FG] [naturalized]
- Oryza sativa* L. [cultivated, occasionally escaping]
- Otachyrium succisum* (Swallen) Sendulsky & Soderstrom [GU
SU FG]
- Otachyrium versicolor* (Doell) Henr. [GU]
- Panicum aequivaginatum* Swallen [GU]
- Panicum altum* Hitchc. & Chase [GU]
- Panicum arctum* Swallen [SU FG]
- Panicum bergii* Arechav. [GU]
- Panicum caricoides* Nees [GU SU FG]
- Panicum cayennense* Lam. [SU FG]
- Panicum chnoodes* Trin. [GU]
- Panicum cordovense* E. Fourn. [FG] [to be expected in GU]
- Panicum cyanescens* Nees [GU SU FG]
- Panicum dichotomiflorum* Michx. [GU SU FG]
- Panicum discrepans* Doell [GU FG]
- Panicum elephantipes* Nees [GU SU FG]
- Panicum eligulatum* N.E. Brown [GU]
- Panicum grande* Hitchc. & Chase [GU SU FG]
- Panicum granuliferum* Kunth [GU]
- Panicum hirsutum* Swartz [GU]
- Panicum hirtum* Lam. [GU SU FG]
- Panicum hylaeicum* Mez [GU SU FG]
- Panicum laxum* Swartz [GU SU FG]

- Panicum maximum* Jacq. [GU SU FG] [naturalized]
Panicum mertensii Roth [GU SU FG]
Panicum micranthum Kunth [GU SU FG]
Panicum miliaceum L. [GU FG] [cultivated; naturalized?]
Panicum millegrana Poir. [GU SU FG]
Panicum nervosum Lam. [GU SU FG]
Panicum olyroides Kunth [GU SU FG]
Panicum pandum Swallen [GU]
Panicum pantrichum Hack. [FG] [to be expected in GU]
Panicum parvifolium Lam. [GU SU FG]
Panicum pilosum Swartz [GU SU FG]
Panicum polycomum Trin. [GU SU FG]
Panicum polygonatum Schrad. [GU FG]
Panicum pycnoclados Tutin [GU SU]
Panicum pyrularium Hitchc. & Chase [SU FG]
Panicum rivale Swallen [GU SU FG]
Panicum rudgei Roem. & Schult. [GU SU FG]
Panicum scabridum Doell [GU SU FG]
Panicum schwackeanum Mez [GU SU FG]
Panicum sciurotoides Zuloaga & Morrone [GU FG]
Panicum sellowii Nees [GU]
Panicum stenodes Griseb. [GU SU FG]
Panicum stoloniferum Poir. [GU SU FG]
Panicum telmatum Swallen [to be expected in GU]
Panicum trichanthum Nees [GU SU FG]
Panicum trichocladum Hack. ex K. Schum. [SU] [naturalized]
Panicum trichoides Swartz [GU SU FG]
Panicum vinaceum Swallen [to be expected in GU]
Pappophorum pappiferum (Lam.) Kuntze [GU] [naturalized]
Paratheria prostrata Griseb. [GU FG]
Pariana campestris Aubl. [GU? SU FG]
Pariana radiciflora Sagot ex Doell [GU SU FG]
Parodiolyra lateralis (J. Presl) Soderstrom & Zuloaga [GU SU]
Parodiolyra luetzelburgii (Pilg.) Soderstrom & Zuloaga [GU SU FG]
Paspalidium geminatum (Forssk.) Stapf [GU SU FG]
Paspalum albidulum Henr. [SU]
Paspalum altsonii Chase [GU SU]
Paspalum ammodes Trin. [GU]
Paspalum arenarium Schrad. [GU SU FG]
Paspalum arundinaceum Poir. [FG]
Paspalum bifidifolium Soderstrom [GU]
Paspalum boscianum Flüggé [GU SU FG]
Paspalum carinatum Humb. & Bonpl. ex Flüggé [GU SU]
Paspalum cinerascens (Doell) Burman & Bastos [SU FG]
Paspalum clavuliferum C. Wright [GU]
Paspalum conjugatum Berg. [GU SU FG]
Paspalum conspersum Schrad. [GU SU]
Paspalum convexum Humb. & Bonpl. ex Flüggé [GU SU FG]
Paspalum corcovadense Raddi [GU]
Paspalum coryphaeum Trin. [GU SU FG]
Paspalum decumbens Swartz [GU SU FG]
Paspalum delicatum Swallen [FG]
Paspalum densum Poir. [GU SU FG]
Paspalum dilatatum Poir. [GU SU] [cultivated, naturalized]
Paspalum distichum L. [GU SU FG?]
Paspalum fasciculatum Willd. [SU FG] [cultivated; naturalized]
Paspalum fimbriatum Kunth [GU?] [introduced, no recent collections]
Paspalum gardnerianum Nees [GU SU FG]
Paspalum goeldii Swallen [GU SU FG]
Paspalum hyalinum Nees [GU SU]
Paspalum lacustre Swallen [records erroneous, but perhaps to be expected]
- Paspalum lanciflorum* Trin. [GU SU]
Paspalum laxum Lam. [FG]
Paspalum lineare Trin. [GU]
Paspalum loefgrenii Ekman [GU]
Paspalum maculosum Trin. [GU SU]
Paspalum maritimum Trin. [GU SU FG]
Paspalum melanospermum Desv. ex Poir. [GU SU FG]
Paspalum millegiana Schrad. [GU SU FG]
Paspalum morichalense Davidse, Zuloaga & Filgueiras [SU] [specimens previously identified as *Paspalum lacustre*]
Paspalum multicaule Poir. [GU SU FG]
Paspalum multinervium A.G. Burman [FG]
Paspalum notatum Flüggé [GU SU FG]
Paspalum nudatum Luces [GU SU]
Paspalum nutans Lam. [GU SU FG]
Paspalum oligostachyum Salzm. ex Steud. [SU FG]
Paspalum orbiculatum Poir. [GU SU FG]
Paspalum paniculatum L. [GU SU FG]
Paspalum parviflorum Rhode ex Flüggé [SU FG]
Paspalum pectinatum Nees [GU SU]
Paspalum petilum Chase [GU]
Paspalum pictum Ekman [GU]
Paspalum pilosum Lam. [GU SU FG]
Paspalum plicatulum Michx. [GU SU FG]
Paspalum pulchellum Kunth [GU SU FG]
Paspalum pumilum Nees [GU SU FG]
Paspalum repens Berg. [GU SU FG]
Paspalum riparium Nees [GU SU FG]
Paspalum scrobiculatum L. [SU FG] [cultivated; naturalized?]
Paspalum serpentinum Hochst. [GU SU FG]
Paspalum setiglume Chase [GU]
Paspalum stellatum Humb. & Bonpl. [to be expected in GU]
Paspalum subciliatum Chase [GU FG]
Paspalum trinii Swallen [GU]
Paspalum vaginatum Swartz [GU SU FG]
Paspalum virgatum L. [GU SU FG]
Paspalum wrightii Hitchc. & Chase [GU]
Pennisetum ciliare (L.) Link [GU] [cultivated; naturalized?]
Pennisetum polystachion (L.) Schult. [GU FG]
Pennisetum purpureum Schumach. [GU FG] [cultivated, naturalized]
Pharus lappulaceus Aubl. [GU SU FG]
Pharus latifolius L. [GU SU FG]
Pharus parvifolius Nash subsp. *elongatus* Judziewicz [GU]
Pharus parvifolius Nash subsp. *parvifolius* [GU SU FG]
Pharus virescens Doell [GU SU FG]
Phragmites australis (Cav.) Trin. ex Steud. [GU SU FG]
Piresia goeldii Swallen [SU FG]
Piresia macrophylla Soderstrom [FG]
Piresia sympodica (Doell) Swallen [GU SU FG]
Pseudechinolaena polystachya (Kunth) Stapf [GU]
Raddia guianensis (Brongn.) Hitchc. [FG] [to be expected in SU]
Raddiella esenbeckii (Steud.) Calderón & Soderstrom [GU SU FG]
Raddiella kaieteurana Soderstrom [GU SU]
Raddiella potaroensis Soderstrom [GU]
Rehia nervata (Swallen) Fijten [GU SU FG]
Reimarocholoa aberrans (Doell) Chase [FG]
Reimarocholoa acuta (Flüggé) Hitchc. [GU SU FG]
Rhipidocladum racemiflorum (Steud.) McClure [GU? SU]
Rhipidocladum sibilans Davidse, Judziewicz, & L.G. Clark [Mt. Roraima]
Rhipidocladum sp. aff. *maxonii* (Hitchc.) McClure [GU]
Rhynchelytrum repens (Willd.) Hubb. [GU] [naturalized]

Rhytachne gonzalezii Davidse [SU]
 Rhytachne guianensis (Hitchc.) W.D. Clayton [GU SU]
 Rottboellia cochinchinensis (Lour.) W.D. Clayton [SU FG]
 [naturalized]
 Saccharum asperum (Nees) Steud. [to be expected in GU]
 Saccharum trinii (Hack.) Renvoieze [GU SU]
 Sacciolepis angustissima (Steud.) Kuhlm. [GU SU FG]
 Sacciolepis indica (L.) Chase [GU] [naturalized?]
 Sacciolepis myuros (Lam.) Chase [GU SU FG]
 Sacciolepis otachyrioides Judziewicz [GU]
 Sacciolepis striata (L.) Nash [GU SU FG]
 Sacciolepis vilvoidea (Trin.) Chase [GU SU FG]
 Schizachyrium brevifolium (Swartz) Nees ex Büse [GU SU?
 FG]
 Schizachyrium condensatum (Kunth) Nees [GU SU FG]
 Schizachyrium maclaudii (Jacques-Félix) S.T. Blake [GU SU
 FG]
 Schizachyrium sanguineum (Retz.) Alston [GU SU FG]
 Schizachyrium tenerum Nees [GU]
 Setaria barbata (Lam.) Kunth [FG] [naturalized]
 Setaria italica (L.) P. Beauv. [FG] [naturalized?]
 Setaria magna Griseb. [SU FG]
 Setaria parviflora (Poir.) Kerguelen [GU SU FG]
 Setaria poiretiana (Schult.) Kunth [GU SU FG]
 Setaria setosa (Swartz) P. Beauv. [FG] [naturalized?]
 Setaria tenax (Rich.) Desv. [GU SU FG]
 Setaria vulpiseta (Lam.) Roem. & Schult. [GU SU FG]
 Sorghastrum setosum (Griseb.) Hitchc. [GU FG]
 Sorghastrum stipoides (Kunth) Nash [GU SU FG]
 Sorghum bicolor (L.) Moench [GU SU FG] [cultivated,
 sparingly naturalized]
 Sorghum halepense (L.) Pers. [GU FG] [cultivated,
 naturalized]
 Spartina alterniflora Loisel. [GU SU FG]
 Spheneria kegelii (K. Muell. berol.) Pilg. [GU SU]
 Sporobolus ciliatus J. Presl [GU SU FG]
 Sporobolus cubensis Hitchc. [GU SU FG]
 Sporobolus jacquemontii Kunth [GU SU FG]
 Sporobolus pyramidatus (Lam.) Hitchc. [SU FG]
 Sporobolus temomairensis Judziewicz & P. Peterson [SU]
 Sporobolus tenuissimus (Schrank) Kunze [GU SU FG]
 Sporobolus virginicus (L.) Kunth [GU SU FG]
 Steirachne barbata (Trin.) Renvoieze [GU]
 Stenotaphrum secundatum (Walt.) Kunze [GU SU FG]
 Streptochaeta spicata Schrad. ex Nees [to be expected in GU]
 Streptogyna americana Hubb. [GU SU FG]
 Streptostachys asperifolia Desv. [GU SU FG]
 Thrasya achlyosiphila Soderstrom [GU]
 Thrasya axillaris (Swallen) A.G. Burman [SU] [to be expected
 in GU]
 Thrasya granitica A.G. Burman [SU]
 Thrasya petrosa (Trin.) Chase [GU SU]
 Thrasya robusta Hitchc. & Chase [SU FG]
 Thrasya scandens (Tutin) Soderstrom ex A.G. Burm. [GU SU
 FG]
 Thrasya trinitensis Mez [GU]
 Trachypogon spicatus (L.f.) Kuntze [GU SU FG]
 Tridens flaccidus (Doell) Parodi [GU]
 Tripogon spicatus (Nees) Ekman [to be expected in GU]
 Tripsacum andersonii J.R. Gray [GU SU FG] [introduced]
 Tripsacum australae Cutler & E.S. Anderson [GU SU FG]
 Tripsacum dactyloides (L.) L. [GU SU FG]
 Urochloa reptans (L.) Stapf [GU FG] [naturalized]
 Vetiveria zizanioides (L.) Nash [GU SU FG] [cultivated;
 naturalized?]

Zea luxurians (E.A. Durand & Aschers.) Bird [FG] [cultivated
 or escaped from cultivation]

POACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Agrostis littoralis Lam. =Sporobolus virginicus
 Agrostis villosa Rchb. ex A. Spreng. =Sporobolus ciliatus
 Anatherum zizanioides (L.) Hitchc. & Chase =Vetiveria
 zizanioides
 Andropogon brevifolius Sw. =Schizachyrium brevifolium
 Andropogon dactyloides Steud. =Trachypogon spicatus
 Andropogon nodosus (Willmet) Nash =Dichanthium
 aristatum
 Andropogon sorghum (L.) Brot. =Sorghum bicolor
 Andropogon squarrosus non L.f., sensu Pulle =Vetiveria
 zizanioides
 Apluda zeugites non L., sensu Aublet =Ichnanthus pallens
 Aristida elegans Rudge =Aristida capillacea
 Aristida tincta Trin. & Rupr. =Aristida torta
 Arthrostylidium capillifolium Griseb. =Arthrostylidium
 farctum [West Indian species, not in Guianas]
 Arthrostylidium farctum (Aubl.) Soderstrom & Lourteig [West
 Indian species, not in Guianas]
 Arthrostylidium schomburgkii (Benn.) Munro [not in Guianas]
 Arunda farcta Aubl. =Arthrostylidium farctum [West Indian
 species, not in Guianas]
 Arundinaria deflexa N.E. Brown =Aulonemia deflexa
 Arundinaria schomburgkii Benn. =Arthrostylidium
 schomburgkii [not in Guianas]
 Arundo roraimensis N.E. Brown =Cortaderia roraimensis
 Axonopus "perpusillus Swallen" [invalid name, error for
 Axonopus purpurellus Swallen]
 Axonopus affinis non Chase, sensu Lindeman & Görts-van
 Rijn =Axonopus purpusii
 Axonopus attenuatus non (J. Presl) Hitchc., sensu Hitchcock
 =Axonopus flabelliformis
 Axonopus caracarayensis Black & Fróes =Axonopus anceps
 Axonopus caulescens non (Mez) Henr., sensu Swallen
 =Axonopus ramosus
 Axonopus chrysites (Steud.) Kuhlm. =Axonopus aureus
 Axonopus erectus Swallen =Axonopus anceps
 Axonopus fissifolius non (Raddi) Kuhlm. sensu Amsh. &
 Henr. =Axonopus purpusii
 Axonopus flabelliformis Swallen var. camporum G.A. Black
 =Axonopus flabelliformis
 Axonopus flabelliformis Swallen var. decipiens G.A. Black
 =Axonopus flabelliformis
 Axonopus fockei (Mez) Henr. =Axonopus surinamensis
 Axonopus fockei non (Mez) Henr., sensu Amsh. & Henr.
 =Axonopus equitans
 Axonopus gentilis Henr. =Axonopus eminens
 Axonopus hitchcockii G.A. Black =Axonopus longispicus
 Axonopus kaietukensis Swallen =Axonopus flabelliformis
 Axonopus leptostachys non (Flüggé) Hitchc. sensu
 Hitchcock =Axonopus longispicus
 Axonopus maguirei G.A. Black [not in Guianas]
 Axonopus pruinosis Henr. =Axonopus anceps
 Axonopus pulcher (Nees) Kuhlm. =Axonopus canescens
 Axonopus purpurellus Swallen =Axonopus flabelliformis
 Axonopus scoparius (Flüggé) Hitchc. sensu Hitchcock
 =Axonopus pubivaginatus
 Axonopus stragulus Chase =Axonopus fissifolius

- Axonopus stragulus non Chase, sensu Amsh. & Henr.
=Axonopus ramosus
- Bambusa macrostachya (Rupr.) McClure =Guadua macrostachya
- Bambusa surinamensis Rupr. =Bambusa vulgaris Schrad. ex J.C. Wendl. [cultivated]
- Bothriochloa ischaemum non (L.) Keng, sensu Hitchcock
=Bothriochloa bladhii
- Bothriochloa pertusa non (L.) Willd., sensu Hitchcock
=Bothriochloa bladhii
- Brachiaria purpurascens (Raddi) Henr. =Brachiaria mollis
- Bulbulus nervatus Swallen =Rehia nervata
- Capriola dactylon (L.) Kuntze =Cynodon dactylon
- Cenchrus dactylolepis Steud. =Cenchrus brownii
- Cenchrus inflexus Poir. =Echinolaena inflexa
- Cenchrus marginalis Rudge =Echinolaena inflexa
- Cenchrus viridis Spreng. =Cenchrus brownii
- Chaetochloa geniculata (Lam.) Millsp. & Chase =Setaria parviflora
- Chaetochloa poiretiana (Schult.) Hitchc. =Setaria poiretiana
- Chaetochloa tenax (Rich.) Hitchc. =Setaria tenax
- Chloris inflata Link =Chloris barbata
- Chloris polydactyla (L.) Sw. =Chloris dandyana
- Cryptochloa concinna non (J.D. Hook.) Swallen, sensu Swallen =Piresia goeldii
- Cymbopogon bracteatus (Willd.) Hitchc. =Hyparrhenia bracteata
- Digitaria adscendens (Kunth) Henrard =Digitaria ciliaris
- Digitaria argillacea non (Hitchc. & Chase) Fern., sensu Swallen =Digitaria fragilis
- Digitaria malacophylla (Hitchc.) Henr. =Digitaria lanuginosa
- Digitaria microbachne (J. Presl) Henr. =Digitaria setigera
- Digitaria sanguinalis non (L.) Scop., sensu Lemée =Digitaria ciliaris
- Elyonurus adustus (Trin.) Ekman =Elyonurus muticus
- Eragrostis bahiensis non Schrad. ex Schult., sensu Lemée
=Eragrostiss scaligera
- Eragrostis capillaris non (L.) Nees, sensu Lemée =Eragrostis pilosa
- Eragrostis fragilis Swallen =Eragrostis polytricha
- Eragrostis glomerata (Walt.) L.H. Dewey =Eragrostis japonica
- Eragrostis mexicana Auctt., non (Lag.) Link. =Eragrostis pilosa
- Eragrostis poaeoides non P. Beauv., sensu Pulle =Eragrostis tephrosanthos
- Eragrostis reptans sensu Auctt., non (Michx.) Nees
=Eragrostis hypnoides
- Eragrostis rufescens Schrad. ex Schult. var. laurentiana
Benoist =Eragrostis scaligera
- Erianthus saccharoides Michx. var. trinii Hack. =Saccharum trinii
- Erianthus trinii (Hack.) Hack. =Saccharum trinii
- Eriochloa kunthii G. Mey. =Eriochloa punctata
- Eriochloa ramosa (Retz.) Kuntze =Eriochloa procera
- Eriochloa subglabra (Nash) Hitchc. =Eriochloa polystachya
- Euchlaena luxurians E.A. Durand & Aschers. =Zea luxurians
- Guadua dioica Steud. =Guadua macrostachya
- Guadua tagoara non (Nees) Kunth, sensu Pulle =Guadua latifolia
- Helopus cognatus Steud. =Eriochloa punctata
- Helopus kunthii (G. Mey.) Trin. ex Steud. =Eriochloa punctata
- Holcus sorghum L. =Sorghum bicolor
- Holcus sorghum L. var. sudanensis (Piper) Hitchc. =Sorghum halapense
- Homalocenchrus hexandrus (Sw.) Kuntze =Leersia hexandra
- Hymenachne auriculata (Spreng.) Chase =Hymenachne donacifolia
- Hypogynium virgatum (Desv.) Dandy =Andropogon virgatus
- Ichnanthus acuminatus Swallen =Ichnanthus calvescens
- Ichnanthus amplius Swallen =Ichnanthus calvescens
- Ichnanthus areolatus K.E. Rogers =Ichnanthus pallens
- Ichnanthus axillaris (Nees) Hitchc. & Chase =Ichnanthus pallens
- Ichnanthus candicans non (Nees) Doell, sensu Lemée
=Ichnanthus tenuis
- Ichnanthus candicans (Nees) Doell var. virescens Doell
=Ichnanthus tenuis
- Ichnanthus confertus K.E. Rogers =Ichnanthus pallens
- Ichnanthus hitchcockii K.E. Rogers =Ichnanthus pallens
- Ichnanthus ichnodes (Griseb.) Hitchc. & Chase =Ichnanthus calvescens
- Ichnanthus nemorosus (Sw.) Doell [not in Guianas]
- Ichnanthus pallidus Swallen =Ichnanthus calvescens
- Ichnanthus petiolatus (Nees) Doell var. lanceolatus Doell
=Ichnanthus nemoralis
- Ichnanthus riedelii non (Trin.) Doell., sensu Hitchcock
=Ichnanthus nemoralis
- Imperata arundinacea Cirillo var. americana Anderss.
=Imperata brasiliensis
- Imperata caudata (G. Mey.) Trin. =Imperata contracta
- Imperata flexuosa Swallen =Imperata contracta
- Ischaemum ciliare Retz. =Ischaemum indicum
- Ischaemum guianense Kunth ex Hack. var. schomburgkii
Hack. =Ischaemum guianense
- Lasiacis divaricata non (L.) Hitchc., sensu Amshoff & Henrard
=Lasiacis ligulata
- Lasiacis latifolium non L., sensu Pulle =Lasiacis ligulata
- Leptochloa domingensis (Jacq.) Trin. =Leptochloa virgata
- Leptochloa mutica Steud. =Leptochloa virgata
- Leptochloa virgata (L.) P. Beauv. var. mutica (Steud.) Doell
=Leptochloa virgata
- Leptostachys domingensis G. Mey. =Leptochloa virgata
- Leptostachys filiformis G. Mey. =Leptochloa filiformis
- Leptostachys virgata G. Mey. =Leptochloa virgata
- Luziola spruceana Auctt., non Benth. ex Doell =Luziola subintegra
- Manisuris granularis (L.) Naezén =Hackelochloa granularis
- Manisuris guianensis Hitchc. =Rhytachne guianensis
- Mesosetum elongatum Mez =Mesosetum loliiforme
- Mesosetum tenuifolium Swallen =Mesosetum loliiforme
- Olyra cordifolia Kunth =Olyra latifolia
- Olyra dimidiata Hochst. ex Steud. =Olyra caudata
- Olyra floribunda Raddi var. microphylla Doell =Raddia guianensis
- Olyra kegelii Mez =Olyra longifolia
- Olyra lateralis (J. Presl) Chase =Parodiolyra lateralis
- Olyra lateralis non (J. Presl) Chase, sensu Amshoff & Henrard
=Parodiolyra luetzelburgii
- Olyra latifolia L. var. pubescens (Raddi) Doell =Olyra latifolia
- Olyra latifolia L. var. vestita Henr. =Olyra latifolia
- Olyra leutzelburgii Pilg. =Parodiolyra luetzelburgii
- Olyra nana Doell =Raddiella esenbeckii
- Olyra ovata Desv. =Ichnanthus panicoides
- Olyra pubescens Raddi =Olyra latifolia
- Olyra scabra Nees =Olyra latifolia
- Olyra speciosa Mez =Olyra caudata
- Olyra surinamensis Hochst. ex Steud. =Olyra latifolia
- Olyra surinamensis Auctt. non Hochst. ex Steud. =Olyra longifolia

- Olyra sympodica* Doell =*Piresia macrophylla*
Oplismenus pseudo-undulatifolius (Roem. & Schult.) Kunth
 =*Panicum stoloniferum*
Oplismenus velutinus (G. Mey.) Schult. =*Oplismenus hirtellus*
Orthoclada rariflora (Lam.) P. Beauv. =*Orthoclada laxa*
Oryza glumaepatula Hochst. ex Steud. =*Oryza rufipigon*
Panicum albociliatum Swallen =*Panicum pycnoclados*
Panicum altissimum G. Mey. =*Panicum mertensii*
Panicum amplexicaule Rudge =*Hymenachne amplexicaulis*
Panicum amplifolium Steud. =*Setaria vulpiseta*
Panicum angulosum Swallen =*Panicum rivale*
Panicum angustissimum Hochst. ex Steud. =*Sacciolepis angustissima*
Panicum appressifolium Swallen =*Panicum aequivaginatum*
Panicum appressum (Lam.) Doell =*Paspalidium geminatum*
Panicum asperifolium (Desv.) Hitchc. =*Streptostachys asperifolia*
Panicum axipilum Steud. =*Panicum hirtum*
Panicum blackii Swallen =*Panicum micranthum*
Panicum breviscrobs (Doell) Pilg. =*Ichnanthus breviscrobs*
Panicum calvescens Nees =*Ichnanthus calvescens*
Panicum caricooides non Nees, sensu Lemée =*Panicum stenodes*
Panicum caricooides Nees var. *pilosum* Doell =*Panicum caricooides*
Panicum caudatum Lam. =*Setaria setosa*
Panicum cayennense Lam. var. *curtatum* Doell =*Panicum cayennense*
Panicum cayennense Lam. var. *divaricatum* Doell =*Panicum rudgei*
Panicum cayennense Lam. var. *patulum* Doell =*Panicum cayennense*
Panicum chloroticum Nees =*Panicum dichotomiflorum*
Panicum chrysites Steud. =*Axonopus aureus*
Panicum coenosum Doell =*Panicum pilosum*
Panicum colonum L. =*Echinochloa colona*
Panicum commelinaefolium Rudge =*Panicum nervosum*
Panicum compositum Auct., non L. =*Oplismenus hirtellus*
Panicum cordovense non E. Fourn., sensu Amshoff & Henrard
 =*Panicum pycnoclados*
Panicum crus-galli L. var. *aristatum* G. Mey. =*Echinochloa crus-pavonis*
Panicum cyanescens Nees var. *lamarckianum* Doell =*Panicum cyanescens*
Panicum distichum Lam. var. *luxurians* G. Mey. =*Panicum pilosum*
Panicum echinolaena Nees =*Echinolaena inflexa*
Panicum elatior Kunth =*Panicum mertensii*
Panicum errabundum Hitchc. =*Panicum schwackeanum*
Panicum esenbeckii Nees ex Steud. =*Raddiella esenbeckii*
Panicum fasciculatum Swartz =*Brachiaria fasciculata*
Panicum fistulosum Hochst. ex Steud. =*Panicum elephantipes*
Panicum frondescens G. Mey. =*Panicum stoloniferum*
Panicum fusciflorum Steud. =*Leptocoryphium lanatum*
Panicum glutinosum Sw. =*Homolepis glutinosa*
Panicum graniticum Swallen =*Panicum pandum*
Panicum guianense Hitchc. =*Panicum hylaeicum*
Panicum hoffmannseggii Roem. & Schult. =*Ichnanthus hoffmannseggii*
Panicum horizontale (Willd.) G. Mey. =*Digitaria horizontalis*
Panicum imberbe Poir. =*Setaria parviflora*
Panicum insulare (L.) G. Mey. =*Digitaria insularis*
Panicum isocalycium G. Mey. =*Homolepis isocalycia*
Panicum kaietukense Tutin =*Panicum parvifolium*
Panicum kappleri Steud. =*Panicum micranthum*
Panicum leprieurii Steud. =*Panicum stoloniferum*
Panicum leptachyrum Doell =*Paratheria prostrata*
Panicum loliaceum Auctt., non Lam. =*Oplismenus hirtellus*
Panicum loliiforme Hochst. ex Steud. =*Mesosetum loliforme*
Panicum longepaniculatum Benoist =*Setaria poiretiana*
Panicum luticola Hitchc. =*Panicum laxum*
Panicum macrostachyum (Kunth) Doell =*Setaria vulpiseta*
Panicum magnum Hitchc. =*Ichnanthus breviscrobs*
Panicum megiston Schult. =*Panicum mertensii*
Panicum milleflorum Hitchc. & Chase =*Panicum pilosum*
Panicum molle Swartz =*Brachiaria mollis*
Panicum multiflorum non Poir., sensu Pulle =*Panicum grande*
Panicum musei Steud. =*Echinochloa colona*
Panicum myosurus Rich. =*Sacciolepis myuros*
Panicum myrianthum Mez =*Panicum grande*
Panicum myuros Lam. =*Sacciolepis myuros*
Panicum numidianum non Lam., sensu Pulle =*Brachiaria mutica*
Panicum pedunculare Willd. ex Steud. =*Panicum cayennense*
Panicum perpusillum Benoist =*Panicum polycomum*
Panicum pilcomayense Hack. =*Panicum bergii*
Panicum pilisparsum G. Mey. =*Panicum pilosum*
Panicum pilosissimum Roth =*Panicum rudgei*
Panicum polygonoides Lam. =*Isachne polygonoides*
Panicum prieuri Mez =*Panicum scabridum*
Panicum proximum Steud. =*Panicum mertensii*
Panicum pseudo-undulatifolium Roem. & Schult. =*Panicum stoloniferum*
Panicum purpurascens Raddi =*Brachiaria mutica*
Panicum racemiferum Steud. =*Setaria poiretiana?*
Panicum ramuliflorum Hochst. ex Steud. =*Panicum laxum*
Panicum recalvum non (Nees) Kunth, sensu Pulle =*Digitaria laxa*
Panicum reptans L. =*Urochloa reptans*
Panicum retroflexum Steud. =*Setaria sp.?*
Panicum rugulosum Trin. var. *subvelutinum* Doell =*Panicum millegrena*
Panicum sanguinale non L., sensu Pulle =*Digitaria ciliaris*
Panicum savannarum Soderstrom =*Panicum cyanescens*
Panicum sciurotis Auctt., non Trin. =*Panicum sciurotoides*
Panicum scoparium Rudge =*Panicum rudgei*
Panicum sellowii Nees var. *subvelutinum* (Doell) Henr.
 =*Panicum millegrena*
Panicum setarioides Steud. =*Echinochloa pyramidalis*
Panicum spectabile Nees =*Echinochloa polystachya*
Panicum spissifolium Swallen =*Panicum granuliferum*
Panicum stenodoides Hubb. =*Panicum caricooides*
Panicum sulcatum Aubl. =*Setaria palmifolia*
Panicum surinamense Hochst. ex Steud. =*Axonopus surinamensis*
Panicum tatei Swallen =*Panicum chnoodes*
Panicum tenax Rich. =*Setaria tenax*
Panicum tenuiculmum G. Mey. =*Panicum laxum*
Panicum tropidoblephare Tutin =*Panicum chnoodes*
Panicum velutinum G. Mey. =*Oplismenus hirtellus*
Panicum zizanioides Kunth =*Acroceras zizanioides*
Pariana debilis Tutin =*Pariana radiciflora*
Pariana gleasonii Hitchc. =*Pariana radiciflora*
Pariana inaequalis Miq. =*Pariana campestris*
Pariana longiflora Tutin =*Pariana radiciflora*
Pariana lunata Nees =*Pariana campestris*
Pariana maynensis Huber =*Pariana radiciflora*
Pariana mollis Nees =*Pariana campestris*
Pariana pulcherrima Tutin =*Pariana radiciflora*
Pariana vulgaris Tutin =*Pariana radiciflora*

Pariana zingiberina Doell =*Pariana radiciflora*
Paspalum abrahamii Chase =*Paspalum maritimum*
Paspalum arenicolum K. Muell. =*Paspalum pulchellum*
Paspalum argyrocondylon Steud. =*Paspalum serpentinum*
Paspalum axillare Swallen =*Thrasya axillaris*
Paspalum bistipulatum Hochst. ex Steud. =*Paspalum repens*
Paspalum caespitosum non Flüggé, sensu Pulle =*Paspalum maritimum*
Paspalum caespitosum Steud. =*Paspalum melanospermum*
Paspalum canum Sohns =*Paspalum ammodes*
Paspalum capillare Lam. =*Axonopus capillaris*
Paspalum carinatum Humb. & Bonpl. ex Flüggé var. *kappleri* (Steud.) Doell =*Paspalum carinatum*
Paspalum caulescens Mez =*Axonopus caulescens*
Paspalum ciliatum Lam. =*Paspalum conjugatum*
Paspalum conjugatum Berg. var. *pubescens* Doell =*Paspalum conjugatum*
Paspalum contractum Pilger =*Paspalum lanciflorum*
Paspalum densiflorum non Doell, sensu Pulle =*Paspalum maritimum*
Paspalum densum Poir. var. *ciliatum* Doell =*Paspalum densum*
Paspalum echinotrichum Mez =*Paspalum lanciflorum*
Paspalum elatum Rich. ex Doell =*Paspalum arundinaceum*
Paspalum fockei Mez =*Axonopus surinamensis*
Paspalum foveolatum Steud. =*Paspalum melanospermum*
Paspalum froesianum Swallen =*Paspalum loefgrenii*
Paspalum furcatum non Flüggé, sensu Pulle =*Axonopus surinamensis*
Paspalum geniculatum Steud. =*Paspalum orbiculatum*
Paspalum gnaphaloideum K. Müll. =*Axonopus chrysostachys*
Paspalum gracile Rudge =*Paspalum repens*
Paspalum hirtigluma Steud. =*Paspalum maritimum*
Paspalum humile Steud. =*Paspalum melanospermum*
Paspalum kappleri Hochst. ex Steud. =*Paspalum carinatum*
Paspalum kegelii K. Muell. =*Spheneria kegelii*
Paspalum lacustre sensu Judziewicz, non Swallen =*Paspalum morichalense*
Paspalum longibrachiatum Steud. =*Paspalum arundinaceum*
Paspalum longissimum Hochst. ex Steud. =*Paspalum conjugatum*
Paspalum lucidulum Swallen =*Paspalum altsonii*
Paspalum maculosum Trin. var. *rotundiflorum* Doell =*Paspalum serpentinum*
Paspalum montanum Henr. =*Paspalum oligostachyum*
Paspalum orbiculatum Poir. var. *lanuginosum* Henr. =*Paspalum orbiculatum*
Paspalum orbiculatum Poir. var. *potaroense* Chase =*Paspalum orbiculatum*
Paspalum pectinatum non Nees, sensu Hitchcock =*Paspalum lanciflorum*
Paspalum pedunculatum Poir. =*Paspalum decumbens*
Paspalum platycaulon Poir. var. *parviflorum* Doell =*Axonopus compressus*
Paspalum plicatulum Michx. var. *microspermum* Doell =*Paspalum melanospermum*
Paspalum polychaetum Mez =*Paspalum hyalinum*
Paspalum pulchrum Nees =*Axonopus canescens*
Paspalum pusillum Venten. ex Flüggé =*Paspalum orbiculatum*
Paspalum scandens Tutin =*Thrasya scandens*
Paspalum senescens Doell =*Axonopus senescens*
Paspalum setifolium Doell =*Spheneria kegelii*
Paspalum vaginiflorum Steud. =*Paspalum decumbens*
Paspalum wulschlaegelii Mez =*Paspalum maritimum*

Pennisetum dasistachyum Desv. =*Pennisetum polystachion*
Pennisetum richardii Kunth =*Pennisetum polystachion*
Pennisetum setosum (Swartz) L. Rich. =*Pennisetum polystachion*
Pharus glaber Kunth =*Pharus lappulaceus*
Pharus glaber non Kunth, sensu Lemée =*Pharus latifolius*
Pharus scaber Kunth var. *pictus* Doell =*Pharus latifolius*
Phragmites communis Trin. =*Phragmites australis*
Raddia capillata (Trin) Hitchc. =*Cryptochloa capillata*
Raddia malmeana non (Ekman) Hitchc., sensu Hitchcock =*Raddiella kaieteurana*
Raddia nana (Doell) Chase =*Raddiella esenbeckii*
Raddia sympodica (Doell) Hitchc. =*Piresia sympodica*
Raddiella maipuriensis Soderstrom =*Raddiella potaroensis*
Raddiella malmeana non (Ekman) Swallen, sensu Hitchcock =*Raddiella kaieteurana*
Raddiella nana (Doell) Swallen =*Raddiella esenbeckii*
Raddiella truncata Swallen =*Parodiolyra lateralis*
Reimarachloa brasiliensis (Spreng.) Hitchc. =*Reimarachloa acuta*
Reimaria aberrans Doell =*Reimarachloa aberrans*
Reimaria laxa Rchb. ex A. Spreng. =*Digitaria laxa*
Rottboellia compressa L.f. =*Hemiarthria altissima*
Rottboellia exaltata L.f. =*Rottboellia cochinchinensis*
Saccharum caudatum G. Mey. =*Imperata contracta*
Saccharum cayennense (P. Beauv.) Benth. =*Eriochrysis cayennensis*
Saccharum sagittatum Aubl. =*Gynerium sagittatum*
Schizachyrium riedelii (Trin.) A. Camus =*Schizachyrium sanguineum*
Schizachyrium riedelii (Trin.) A. Camus var. *multirameum* (Hack.) Henr. =*Schizachyrium sanguineum*
Schizachyrium semiberbe Nees =*Schizachyrium sanguineum*
Setaria geniculata Beauv. =*Setaria parviflora*
Setaria sulcata (Aubl.) A. Camus =*Setaria palmifolia*
Sorghum vulgare Pers. =*Sorghum bicolor*
Spartina brasiliensis Raddi =*Spartina alterniflora*
Spheneria setifolia (Doell) Kuhlm. =*Spheneria kegelii*
Sporobolus aeneus non (Trin.) Kunth, sensu Hitchcock =*Sporobolus cubensis*
Sporobolus indicus Auctt., non (L.) R. Brown =*Sporobolus jacquemontii*
Sporobolus littoralis (Lam.) Kunth =*Sporobolus virginicus*
Sporobolus poiretii Auct., non (Roem. & Schult.) Hitchc. =*Sporobolus jacquemontii*
Sporobolus villosus (A. Spreng.) Kunth =*Sporobolus ciliatus*
Steirachne diandra non Ekman, sensu Swallen =*Steirachne barbata*
Stenotaphrum glabrum Trin. var. *americanum* (Schrank) Doell =*Stenotaphrum secundatum*
Strepium guianense Brongn. =*Raddia guianensis*
Streptogyna crinita Auctt., non Beauv. =*Streptogyna americana*
Streptostachys hirsuta P. Beauv. =*Streptostachys asperifolia*

Streptostachys vaginaeflorum Steud. =*Streptostachys asperifolia*
Syntherisma chinensis (Nees) Hitchc. =*Digitaria violascens*
Syntherisma cuyabensis (Trin.) Hitchc. =*Digitaria lanuginosa*
Syntherisma digitata non (Sw.) Hitchc., sensu Hitchcock
 =*Digitaria horizontalis*
Syntherisma longiflora (Retz.) Skeels =*Digitaria longiflora*
Syntherisma malacophylla Hitchc. =*Digitaria lanuginosa*
Syntherisma sanguinalis non (L.) Dulac, sensu Hitchcock
 =*Digitaria ciliaris*
Thrasya campylostachya non (Hack.) Chase, sensu Amshoff & Henrard =*Thrasya granitica*
Thrasya cinerascens (Doell) Judziewicz =*Paspalum cinerascens*
Thrasya guianensis Swallen =*Thrasya scandens*
Thrasya reticulata Swallen =*Paspalum multinervium*
Trachypogon dactyloides (Steud.) E. Fourn. =*Trachypogon spicatus*
Trachypogon plumosus (Willd.) Nees =*Trachypogon spicatus*
Trachypogon polymorphus Hack. var. *plumosus* (Willd.) Hack. =*Trachypogon spicatus*
Trachypogon ramosus Swallen =*Trachypogon spicatus*
Trichachne insularis (L.) Nees =*Digitaria insularis*
Triodia flaccida (Doell) Hitchc. =*Tridens flaccidus*
Tripsacum latifolium non Hitchc. (1906), sensu Hitchcock (1922) =*Tripsacum australe*
Tripsacum laxum non Nash, sensu Ostendorf =*Tripsacum andersonii*
Valota insularis (L.) Chase =*Digitaria insularis*
Valota laxa (A. Spreng.) Hitchc. & Chase =*Digitaria laxa*
Vilfa villifera Steud. =*Sporobolus ciliatus*

PODOCARPACEAE

contributed by D. Stevenson (1992)

REFERENCES:

- Laubenfels, D.J. de. 1982. Podocarpaceae. In Flora de Venezuela 11(2): 7-41.
 Laubenfels, D.J. de. 1985. A taxonomic revision of the genus *Podocarpus*. Blumea 30: 251-278.
 Stevenson, D. 1991. Podocarpaceae. In A.R.A. Görts-van Rijn, Flora of the Guianas (series A) 9: 23-30.

Podocarpus brasiliensis de Laubenfels [to be expected in GU]
Podocarpus buchholzii de Laubenfels [to be expected in GU]
Podocarpus magnifolius Buchholz & N. Gray [to be expected in GU]
Podocarpus boraiense Pilger [GU?] [Mt. Roraima]
Podocarpus steyermarkii Buchholz & N. Gray [to be expected in GU]
Podocarpus tepuiensis Buchholz & N. Gray [to be expected in GU]

PODOSTEMACEAE

REFERENCES:

- Den Hollander, G. & C.C. Berg. 1983. Studies on the flora of the Guianas 4. A new species of *Apinagia* and a key to the *Apinagia* species in Suriname. Acta Bot. Neerl. 32(3): 223-226.
 Royen, P. van. 1951-1954. The Podostemaceae of the New World. Med. Bot. Mus. Herb. Rijks Univ. Utrecht 107: 1-151 (1951); 115: 1-21 (1953); 119: 215-263.
 Schnell, R. 1969. Contribution à l'étude des Podostémacées de Guyane. Adansonia ser. 2 9(2): 249-271.

- Apinagia arminensis* van Royen [SU FG]
Apinagia corymbosa (Tul.) Engl. var. *corymbosa* [GU SU]
Apinagia crispa van Royen [SU]
Apinagia digitata van Royen [FG]
Apinagia divertens Went [SU FG]
Apinagia exilis (Tul.) van Royen [GU SU]
Apinagia flexuosa (Tul.) van Royen [GU SU FG]
Apinagia goejei Went [SU]
Apinagia guyanensis (Pulle) van Royen [SU FG]
Apinagia hulkiana (Went) van Royen [GU SU]
Apinagia imthurnii (Goebel) van Royen [GU SU FG?]
Apinagia itanensis R. Schnell [FG]
Apinagia latifolia (Goebel) van Royen [GU]
Apinagia leptophylla (Goebel) van Royen [GU]
Apinagia longifolia (Tul.) van Royen [GU SU FG]
Apinagia marowynensis (Went) van Royen [SU FG?]
Apinagia nana Went [SU] [=*Apinagia pilgeri*?]
Apinagia penicillata (van Royen) van Royen [SU]
Apinagia petiolata den Hollander [SU]
Apinagia pilgeri Mildbraed [SU]
Apinagia pusilla Tul. [GU]
Apinagia richardiana (Tul.) van Royen [GU SU FG]
Apinagia secundiflora (Tul.) Pulle [GU SU FG]
Apinagia staheliana (Went) van Royen [GU SU]
Apinagia surumuensis (Engl.) van Royen [GU]
Apinagia treslingiana (Went) van Royen [SU]
Apinagia versteegiana (Went) van Royen [SU]
Jenmanniella ceratophylla Engl. var. *ceratophylla* [GU]
Jenmanniella ceratophylla Engl. var. *hexandra* Engl. [GU]
Jenmanniella guianensis Engl. [GU]
Jenmanniella isoetifolia van Royen [GU]
Jenmanniella jenmanii (Engl.) van Royen [GU]
Jenmanniella tridactylitifolia Engl. [GU]
Jenmanniella varians Engl. [GU]
Marathrum capillaceum (Pulle) van Royen [SU FG]
Marathrum pauciflorum Tul. var. *heterophyllum* van Royen [GU]
Marathrum pauciflorum Tul. var. *pauciflorum* [GU]
Marathrum squamosum Weddell [FG]
Mourera fluviatilis Aubl. [GU SU FG]
Oserya flabellifera Tul. & Wedd. [SU] [not in Guianas?]
Oserya minima van Royen [SU]
Oserya perpusilla (Went) van Royen [SU FG]
Oserya sphaerocarpa Tul. & Wedd. [GU]
Podostemum dichotomum Klotzsch [GU] [dubious species]
Rhynchoscolas apiculata van Royen [GU]
Rhynchoscolas applanata Goebel var. *applanata* [GU]
Rhynchoscolas applanata Goebel var. *laxipinnata* van Royen [GU]

- Rhynchoscolas brevistamina* van Royen [GU]
Rhynchoscolas coronata van Royen [GU]
Rhynchoscolas cristata van Royen [SU]
Rhynchoscolas dentata van Royen [SU]
Rhynchoscolas guyanensis van Royen [GU]
Rhynchoscolas hydrocichorium Tul. [GU]
Rhynchoscolas jenmanii Engl. [GU]
Rhynchoscolas macrocarpa Tul. [GU SU?] [dubious species]
Rhynchoscolas palmettifolia van Royen var. *palmettifolia* [GU]
Rhynchoscolas palmettifolia van Royen var. *rosea* van Royen
[GU]
Tristicha trifaria (Bory ex Willd.) Spreng. [GU FG]
Weddellina squamulosa Tul. [GU SU FG]

PODOSTEMACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Apinagia flabellifera* (Tul. & Wedd.) Went =*Oserya flabellifera*
Apinagia perpusilla Went =*Oserya perpusilla*
Ligea flexuosa Tul. =*Apinagia flexuosa*
Ligea longifolia (Tul.) Tul. =*Apinagia longifolia*
Ligea richardiana Tul. =*Apinagia richardiana*
Ligea secundiflora Tul. =*Apinagia secundiflora*
Lophogyne capillacea Pulle =*Marathrum capillaceum*
Neolacis secundiflora (Tul.) Wedd. =*Apinagia secundiflora*
Oenone flexuosa (Tul.) Wedd. =*Apinagia flexuosa*
Oenone guyanensis Pulle =*Apinagia guyanensis*
Oenone hulkiana Went =*Apinagia hulkiana*
Oenone imthurnii Goebel =*Apinagia imthurnii*
Oenone longifolia Tul. =*Apinagia longifolia*
Oenone marowynensis Went =*Apinagia marowynensis*
Oenone penicillata van Royen =*Apinagia penicillata*
Oenone richardiana (Tul.) Warm. =*Apinagia richardiana*
Oenone secundiflora (Tul.) Engl. =*Apinagia secundiflora*
Oenone treslingiana Went =*Apinagia treslingiana*
Oenone versteegiana Went =*Apinagia versteegiana*
Tristicha hypnoides (St. Hil.) Spreng. =*Tristicha trifaria*

POLYGALACEAE

REFERENCES:

- Chodat, R. 1893. Monographia Polygalacearum. Mém. Soc. phys. et d'hist. nat. Genève 31 part 2(2): 1-500.
Görts-van Rijn, A.R.A. 1974. Notes on Polygalaceae from Suriname. Acta Bot. Neerl. 23(2): 189-191.
Görts-van Rijn, A.R.A. 1976. Polygalaceae (additions and corrections). In J. Lanjouw & A.L. Stoffers, Flora of Suriname 2(2): 518-523.
Marques, M.d.C.M. 1979. Revisão das espécies do gênero *Polygala* L. (Polygalaceae) do estado do Rio de Janeiro. Rodriguésia 31(48): 69-339.
Marques, M.d.C.M. 1980. Revisão das espécies do gênero *Bredemeyera* Willd. (Polygalaceae) do Brasil. Rodriguésia 32(54): 269-321.
Oort, A.J.P. 1939. Polygalaceae. In A. Pulle, Flora of Suriname 2(1): 406-425.
- Barnhartia floribunda Gleason [GU SU FG]
Bredemeyera densiflora A.W. Benn. var. *densiflora* [GU SU?]
Bredemeyera densiflora A.W. Benn. var. *glabra* A.W. Benn.
[GU SU]
Bredemeyera floribunda Willd. [GU]
Bredemeyera lucida (Benth.) A.W. Benn. [GU]
Monnia cacamina N.E. Brown [GU]
Moutabea guianensis Aubl. [GU SU FG]
Moutabea longifolia Poepp. & Endl. [GU FG]
Polygala adenophora DC. [GU SU FG]
Polygala appressa Benth. var. *appressa* [GU SU FG]
Polygala appressa Benth. var. *gracillima* A.W. Benn. [GU]
Polygala blakeana Steyerl. [GU SU FG]
Polygala coelosiooides Mart. [GU?]
Polygala echinosperma Görts [SU FG]
Polygala galiooides Poir. [GU SU FG]
Polygala glochidiata Kunth [GU]
Polygala hebeclada DC. [GU?]
Polygala hygrophila Kunth [GU SU] [to be expected in FG]
Polygala leptocaulis Torrey & Gray [GU SU FG]
Polygala longicaulis Kunth [GU SU FG]
Polygala maguirei Wurdack [GU]
Polygala martiana A.W. Benn. [FG]
Polygala membranacea (Miq.) Görts [SU FG]
Polygala microspora S.F. Blake [GU]
Polygala monticola Kunth [SU FG]
Polygala paniculata L. [GU]
Polygala planellasi Molinet & Gómez de la Maza [FG?]
Polygala pseudocoelosiooides Chodat [GU]
Polygala savannarum Chodat [GU]
Polygala spectabilis DC. [GU SU FG]
Polygala spruceana A.W. Benn. [GU]
Polygala subtilis Kunth [GU SU]
Polygala timeoutou Aubl. [GU SU FG]
Polygala trichosperma L. [SU FG]
Polygala variabilis Kunth [GU SU FG]
Polygala violacea Aubl. emend. Marques [GU SU FG]
Securidaca cayennensis S.F. Blake [FG]
Securidaca coriacea Bonpl. [GU SU]
Securidaca diversifolia (L.) S.F. Blake [GU SU FG]
Securidaca lateralis A.W. Benn. [GU]
Securidaca longifolia Poepp. & Endl. [GU?]
Securidaca macrophylla (Benth.) Wurdack [FG]
Securidaca marginata Benth. [GU]
Securidaca orinocensis Rusby [GU?] [=Securidaca bialata?]
Securidaca paniculata L.C. Rich var. *lasiocarpa* Oort [GU SU FG]
Securidaca paniculata L.C. Rich var. *paniculata* [GU SU FG]
Securidaca pubescens DC. [GU SU FG]
Securidaca pubiflora Benth. [GU]
Securidaca pyramidalis Sprague [GU]
Securidaca retusa Benth. [GU FG]
Securidaca rivinaefolia St. Hil. & Moq. var. *parvifolia* A.W. Benn. [GU SU]
Securidaca rivinaefolia St. Hil. & Moq. var. *rivinaefolia* [GU SU]
Securidaca spinifex Sandw. [GU SU FG]
Securidaca tomentosa St. Hil. & Moq. [FG?]
Securidaca uniflora Oort [GU SU FG]

Securidaca volubilis L. [GU SU FG]

POLYGALACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Catocoma lucida Benth. =*Bredemeyera lucida*
Monnina duidae S.F. Blake =*Monnina cacumina*
Monnina membranacea Miq. =*Polygala membranacea*
Polygala angustifolia Kunth =*Polygala violacea*
Polygala angustifolia Kunth var. *latifolia* St. Hil. ex Chodat
 =*Polygala violacea*
Polygala brizoides St. Hil. =*Polygala violacea*
Polygala camporum Benth. =*Polygala violacea*
Polygala mollis Kunth =*Polygala monticola*
Polygala monticola Kunth var. *bryzoides* (St. Hil. & Moq.)
 Steyerm. =*Polygala violacea*
Polygala paludosa St. Hil. =*Polygala tenuis* DC. [not in
 Guianas]
Polygala paludosa sensu Chodat, non St. Hil. =*Polygala*
 leptocoilis
Polygala peduncularis A. Rich. =*Polygala planellasi*
Polygala sororia Miq. =*Polygala variabilis*
Polygala stipulata Chodat =*Polygala membranacea*
Polygala violacea Vahl, non Aubl. =*Polygala martiana*
Securidaca corytholobium A.W. Benn. =*Securidaca*
 macrophylla
Securidaca densiflora Oort =*Securidaca pubescens*
Securidaca hostmannii Miq. =*Securidaca paniculata*
Securidaca latifolia Benth. =*Securidaca pubiflora*
Securidaca major Sagot =*Securidaca pubescens*

POLYGONACEAE

reviewed by J. Brandbyge (1992)

REFERENCES:

- Brandbyge, J. 1986. A revision of the genus *Triplaris* (Polygonaceae). *Nord. J. Bot.* 6(5): 545-570.
 Cocucci, A.E. 1961. Revision del genero *Ruprechtia* (Polygonaceae). *Kurtziana* 1: 217-269.
 Eyma, P.J. 1934. Polygonaceae. In A. Pulle, *Flora of Suriname* 1(1): 49-71.
 Howard, R.A. 1960. Studies in the genus *Coccoloba*, IX. A conspectus of the South American species. *J. Arn. Arb.* 41: 213-258, 357-390.
 Howard, R.A. 1961. Studies in the genus *Coccoloba*, X. New species and a summary of distribution in South America. *J. Arn. Arb.* 42: 87-95.
 Lindeman, J.C. & A.R.A. Görtz-van Rijn. 1968. Polygonaceae (additions and corrections). In A. Pulle & J. Lanjouw, *Flora of Suriname* 1(2): 303-309.
 Wilson, K.L. 1990. Some widespread species of *Persicaria* and their allies. *Kew Bull.* 45: 621-636.

Antigonon leptopus Hook. & Arnott [GU SU FG] [cultivated,
 naturalized]

Coccoloba acuminata Kunth [GU]
Coccoloba ascendens Duss ex Lindau [GU SU FG]
Coccoloba charitostachya Standl. [GU]
Coccoloba conduplicata Maguire [SU]
Coccoloba cruegeri Lindau [GU SU]
Coccoloba declinata (Vell.) Mart. [SU FG]
Coccoloba densifrons Mart. ex Meisn. [GU]
Coccoloba excelsa Benth. [GU SU FG]
Coccoloba gymnorhachis Sandw. [GU SU FG]
Coccoloba latifolia Lam. [GU SU FG]
Coccoloba lucidula Benth. [GU SU FG]
Coccoloba marginata Benth. [GU SU FG]
Coccoloba mollis Casaretto [SU FG]
Coccoloba ovata Benth. [GU SU? FG?]
Coccoloba parimensis Benth. [GU SU FG]
Coccoloba savannarum Standl. [GU]
Coccoloba schomburgkii Meisn. [GU]
Coccoloba striata Benth. [GU]
Coccoloba uvifera (L.) L. [GU SU FG]
Polygonum acuminatum Kunth [GU SU FG]
Polygonum ferrugineum Weddell [FG?]
Polygonum glabrum Willd. [FG?]
Polygonum hydropiperoides Michx. [SU] [to be expected in
 GU]
Polygonum meisnerianum Cham. & Schlechtend. var.
 beyrichianum (Cham. & Schlechtend.) Meissn. [FG]
Polygonum punctatum Elliott [GU SU FG]
Ruprechtia brachysepala Meissn. [GU SU FG]
Ruprechtia brachystachya Meissn. [GU]
Ruprechtia tenuiflora Benth. [GU]
Symmeria paniculata Benth. [GU SU]
Triplaris americana L. [to be expected in GU]
Triplaris weigeltiana (Rchb.) Kuntze [GU SU FG]

POLYGONACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Coccoloba excoriata L. =*Coccoloba tenuifolia* L. [not in
 Guianas]
Coccoloba grandifolia Jacq. =*Coccoloba pubescens* L. [not in
 Guianas]
Coccoloba guianensis Meissn. =*Coccoloba marginata*
Coccoloba micropunctata Eyma =*Coccoloba excelsa*
Coccoloba sagotii Lindau =*Coccoloba lucidula*
Coccoloba sparsifolia Lindau =*Coccoloba ascendens*
Persicaria acuminata (Kunth) Gomez de la Maza =*Polygonum*
 acuminatum
Persicaria densiflora (Meissn.) Moldenke =*Polygonum*
 glabrum s.l.
Persicaria glabra (Willd.) Gomez de la Maza =*Polygonum*
 glabrum
Persicaria hydropiperoides (Michx.) Small =*Polygonum*
 hydropiperoides
Persicaria meisneriana (Cham. & Schlechtend.) Gomez de la
 Maza =*Polygonum meisnerianum*
Persicaria punctata (Elliott) Small =*Polygonum punctatum*
Ruprechtia marowynensis Eyma =*Ruprechtia brachysepala*
Triplaris americana Aubl., non L. =*Triplaris weigeltiana*
Triplaris schomburgkiana Benth. =*Triplaris americana*
Triplaris surinamensis Cham. =*Triplaris weigeltiana*
Triplaris surinamensis Cham. var. *benthamiana* Meisn.
 =*Triplaris weigeltiana*

- Triplaris surinamensis* Cham. var. *chamissoana* Meisn.
= *Triplaris weigeltiana*
Triplaris surinamensis Cham. var. *crassifolia* Benth.
= *Triplaris weigeltiana*
Triplaris vahliana Fisch. & Mey. ex C.A. Meyer = *Triplaris weigeltiana*

PONTEDERIACEAE

contributed by C.N. Horn (1992); additions and corrections by C.N. Horn (1996)

REFERENCES:

- Castellanos, A. 1958. Las Pontederiaceae de Brasil. Arq. Jard. Bot. Rio de Janeiro 16: 149-216.
Horn, C.N. 1994. Pontederiaceae. In A.R.A. Görtts-van Rijn, Flora of the Guianas (series A) 15: 91-102.
Jonker-Verhoef, A.M.E. 1953. Pontederiaceae. In A. Pulle & J. Lanjouw, Flora of Suriname 1(2): 81-90.
Lowden, R.M. 1973. A revision of the genus *Pontederia*. Rhodora 75: 426-487.

- Eichhornia azurea* (Swartz) Kunth [GU SU FG]
Eichhornia crassipes (Mart.) Solms-Laubach [GU SU FG]
Eichhornia diversifolia (Vahl) Urb. [GU SU FG]
Eichhornia heterosperma Alexander [GU SU FG]
Eichhornia paniculata (Spreng.) Solms-Laubach [GU] [probably naturalized]
Pontederia rotundifolia L. [GU SU FG]
Pontederia subovata (Seub.) Lowden [GU]
Pontederia triflora (Seub.) Agostini, D. Velázquez & J. Velásquez [GU]

PONTEDERIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Eichhornia polysperma* [dubious name of uncertain origin]
Heteranthera diversifolia Vahl = *Eichhornia diversifolia*
Heteranthera formosa Miq. = *Eichhornia crassipes*
Heteranthera grandiflora Klotzsch [nomen nudum]
= *Eichhornia diversifolia*
Heteranthera zosterifolia Mart. [not in Guianas, misident. for *Eichhornia diversifolia*]
Pontederia cordata L. [not in Guianas]
Pontederia eriantha Miq. = *Pontederia rotundifolia*
Pontederia schomburgkiana Klotzsch [nomen nudum]
= *Pontederia subovata*

PORTULACACEAE

revised by R.A. DeFilipps (1996)

REFERENCES:

- Legrand, C.D. 1962. Las especies americanas de Portulaca. An. Mus. Hist. Nat. Montevideo (ser. 2) 7: 1-147.
Ooststroom, S.J. van. 1943. Portulacaceae. In A. Pulle, Flora of Suriname 1(1): 486-491.

- Portulaca oleracea* L. [GU SU FG] [introduced]
Portulaca pilosa L. [GU SU? FG]
Portulaca quadrifida L. [GU] [introduced?] [FG?]
Portulaca rubricaulis Kunth [FG?]
Portulaca sedifolia N.E. Brown [GU SU FG]
Portulaca teretifolia Kunth [FG?]
Talinum fruticosum (L.) Juss. [SU?]
Talinum paniculatum (Jacq.) Gaertn. [GU FG]

PORTULACACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Portulaca cayennensis* Legrand = *Portulaca sedifolia*
Portulaca fruticosa L. = *Talinum fruticosum*
Portulaca lanata Rich. = *Portulaca pilosa*
Portulaca mucronata Link [not in Guianas]
Portulaca paniculata Jacq. = *Talinum paniculatum*
Portulaca triangulare Jacq. = *Talinum fruticosum*
Portulaca umbraticola Kunth = *Portulaca oleracea*
Talinum triangulare (Jacq.) Willd. = *Talinum fruticosum*

PROTEACEAE

reviewed by G.T. Prance (1992)

REFERENCES:

- Mennega, A.M.W. 1934. Proteaceae. In A. Pulle, Flora of Suriname 1(1): 154-157.
Mennega, A.M.W. 1968. Proteaceae (additions and corrections). In A. Pulle & J. Lanjouw, Flora of Suriname 1(2): 315-320.
Sleumer, H.O. 1954. Proteaceae americanae. Bot. Jahrb. 76: 139-211.

- Euplassa glaziovii* (Mez) Steyermark. [Mt. Roraima]
Euplassa pinnata (Lam.) Johnston [GU SU FG]
Panopsis rubescens (Pohl) Pittier var. *rubescens* [GU SU]
Panopsis rubescens (Pohl) Pittier var. *simulans* Macbr. [GU SU FG]
Panopsis sessilifolia (L.C. Rich) Sandw. [GU SU FG]
Roupala montana Aubl. var. *dentata* (R. Brown) Sleumer [GU FG?]
Roupala montana Aubl. var. *montana* [GU SU FG]
Roupala nitida Rudge [FG]

Roupala obtusata Klotzsch [GU FG]
 Roupala schomburgkii Klotzsch [GU SU]
 Roupala schulzii Mennega [SU]
 Roupala suaveolens Klotzsch [GU]

PROTEACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Adenostephanus guianensis Meisn. =Euplassa pinnata
 Andriapetalum cayennensis Klotzsch ex Meissn. =Panopsis sessilifolia
 Andriapetalum rubescens Pohl =Panopsis rubescens
 Andriapetalum sessilifolium (L.C. Rich.) Klotzsch =Panopsis sessilifolia
 Euplassa meridionalis Salisb. =Euplassa pinnata
 Panopsis hameliifolia (Rudge) Salisb. =Panopsis sessilifolia
 Panopsis schomburgkii (Klotzsch) Pittier =Roupala schomburgkii
 Roupala dentata R. Brown =Roupala montana var. dentata
 Roupala hameliifolia Rudge =Panopsis sessilifolia
 Roupala laurifolia Salisb. & Knight =Roupala nitida
 Roupala media R. Brown =Roupala montana var. montana
 Roupala pinnata Lam. =Euplassa pinnata
 Roupala pullei Mennega =Roupala schomburgkii
 Roupala pyrifolia Salisb. & Knight =Roupala montana var. montana
 Roupala sessilifolia L.C. Rich. =Panopsis sessilifolia

QUIINACEAE

REFERENCES:

Lanjouw, J. & P.F. van Heerdt. 1941.
Quiinaceae. In A. Pulle, Flora of Suriname
 3(1): 355-365.

Lacunaria crenata (Tul.) A.C. Smith [GU SU FG]
 Lacunaria jenmanii (Oliver) Ducke [GU SU FG]
 Lacunaria umbonata Pires [FG]
 Quiina albiflora A.C. Smith [GU]
 Quiina amazonica A.C. Smith [GU?]
 Quiina brevensis Pires [GU]
 Quiina congesta Cowan [SU]
 Quiina cruegeriana Griseb. [GU FG]
 Quiina guianensis Aubl. [GU SU FG]
 Quiina indigofera Sandw. [GU]
 Quiina integrifolia Pulle [SU FG]
 Quiina leptoclada Tul. [SU FG]
 Quiina macrophylla Tul. [FG]
 Quiina obovata Tul. [GU SU FG]
 Quiina oiapicensis Pires [GU? FG]
 Quiina parvifolia Lanj. & v. Heerdt [SU]
 Quiina pteridophylla (Radlk.) Pires [GU SU FG]
 Quiina rhytidopus Tul. [GU]
 Quiina sessilis Choisy [FG]
 Touroulia guianensis Aubl. [GU SU FG]

QUIINACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Lacunaria silvatica (Pulle) A.C. Smith =Lacunaria jenmanii

Quiina crenata Tul. =Lacunaria crenata
 Quiina decaisneana Planch. & Triana =Lacunaria sp.
 (jenmanii?)
 Quiina oblanceolata Sandw. =Quiina obovata
 Quiina silvatica Pulle =Lacunaria jenmanii
 Touroulia jenmanii Oliver =Lacunaria jenmanii
 Touroulia pteridophylla Radlk. =Quiina pteridophylla

RAFFLESIACEAE

REFERENCES:

Gentry, A.H. 1973. Rafflesiaceae. In R.E. Woodson et al., Flora of Panama. Ann. Missouri Bot. Gard. 60: 17-21.
 Vattimo, I. de. 1956. Notes on Apodanthes caseariae Poit. and Pilostyles calliandrae (Gardn.) R. Br. Not. Syst. 15(2): 225-229.
 Vattimo, I. de. 1971. Contribuição ao conhecimento de tribo Apodanthea [sic] R. Br. Parte I - Conspecto das espécies. Rodriguesia 26(38): 37-62.

Apodanthes caseariae Poit. [GU SU FG]
 Apodanthes surinamensis Pulle [SU]

RANUNCULACEAE

REFERENCES:

Lourteig, A. 1952. Ranunculáceas de Sudamérica templada. Darwiniana 9: 397-609.
 Lourteig, A. 1971. Ranunculaceae. In T. Lasser, Flora de Venezuela 3(1): 29-51.

Clematis dioica L. var. brasiliiana (DC.) Eichl. [FG?]

RANUNCULACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Clematis caracasana DC. =Clematis dioica var. brasiliiana

RAPATEACEAE

reviewed by P. Berry with additions by J.J. de Granville (1992); reviewed by P. Berry (1996)

REFERENCES:

Boom, B.M. 1994. A new species of Rapatea section Paludosa from French Guiana. Brittonia 46(4): 314-316.
 Lindeman, J.C. & A.R.A. Göts-van Rijn. 1968. Rapateaceae (additions and corrections). In

- A. Pulle & J. Lanjouw, Flora of Suriname 1(2): 326-328.
 Maguire, B. 1958. Rapateaceae. In B. Maguire, J.J. Wurdack, & collaborators, Botany of the Guayana Highland part 3. Mem. New York Bot. Gard. 10(1): 1-156.
 Maguire, B. 1965. Rapateaceae. In B. Maguire & collaborators, Botany of the Guayana Highland part 6. Mem. New York Bot. Gard. 12(3): 1-285.
 Maguire, B. 1982. Rapateaceae. In Z. Luces de Febres, Flora de Venezuela 6(2): 85-203.
 Uittien, H. 1938. Rapateaceae. In A. Pulle, Flora of Suriname 1(1): 191-196.

- Cephalostemon affinis* Körn. [SU]
Cephalostemon gracilis (Poepp. & Endl.) Rob. Schomb. [SU?]
Epidyros guayanensis Maguire [GU]
Monotrema aemulans Körn. [GU]
Potarophytum riparium Sandw. [GU]
Rapatea fanshawei Maguire var. *fanshawei* [GU]
Rapatea fanshawei Maguire var. *minor* Maguire [GU]
Rapatea linearis Gleason [GU]
Rapatea membranacea Maguire [GU]
Rapatea paludosa Aubl. var. *paludosa* [GU SU FG]
Rapatea paludosa Aubl. var. *sessiliflora* Maguire [SU]
Rapatea saülensis Mori [FG]
Rapatea steyermarkii Maguire [GU]
Rapatea ulei Pilger [GU FG]
Rapatea xiphoides Sandw. [GU]
Saxofridericia aculeata Körn. [SU FG]
Saxofridericia regalis Rob. Schomb. [GU SU]
Spathanthus unilateralis (Rudge) Desv. var. *abruptus* Maguire [GU? FG]
Spathanthus unilateralis (Rudge) Desv. var. *jenmanii* (N.E. Brown) Maguire [GU FG]
Spathanthus unilateralis (Rudge) Desv. var. *unilateralis* [GU SU FG]
Stegolepis angustata Gleason [GU]
Stegolepis ferruginea Baker [GU]
Stegolepis guianensis Klotzsch ex Körn. [GU]
Stegolepis ptaritepuensis Steyermark. [GU]
Stegolepis sp. nov. [GU] [Mt. Ayanganna]
Stegolepis steyermarkii Maguire [GU]
Windsorina guianensis Gleason [GU]

RAPATEACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Mnasium unilateralis* Rudge =*Spathanthus unilateralis* var. *unilateralis*
Rapatea unilateralis (Rudge) Schult. =*Spathanthus unilateralis* var. *unilateralis*
Rapatea viscosa Gleason =*Saxofridericia regalis*
Spathanthus jenmanii N.E. Brown =*Spathanthus unilateralis* var. *jenmani*

RHABDODENDRACEAE

REFERENCES:

- Prance, G.T. 1972. Rhabdodendraceae. Flora Neotropica Monogr. 11: 1-22.

Rhabdodendron amazonicum (Spruce ex Benth.) Huber [GU SU FG]

RHABDODENDRACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Lecostemon amazonicum* Spruce ex Benth. =*Rhabdodendron amazonicum*
Lecostemon sylvestre Gleason =*Rhabdodendron amazonicum*
Rhabdodendron crassipes (Spruce ex Benth.) Huber =*Rhabdodendron amazonicum*
Rhabdodendron crassipes (Spruce ex Benth.) Huber var. *cayenense* Benth. =*Rhabdodendron amazonicum*
Rhabdodendron sylvestre (Gleason) Maguire =*Rhabdodendron amazonicum*

RHAMNACEAE

REFERENCES:

- Johnston, M.C. 1971. Revision of Colubrina. Brittonia 23: 2-53.
 Johnston, M.C. & L.V.A. Johnston. 1978. *Rhamnus*. Flora Neotropica Monogr. 20: 1-96.
 Lanjouw, J. 1932. Rhamnaceae. In A. Pulle, Flora of Suriname 2(1): 102-106.
 Suessenguth, K. 1953. Rhamnaceae. In A. Engler & K. Prantl, Die Natürlichen Pflanzenfamilien 20d: 7-173.

- Ampelozizyphus amazonicus* Ducke [GU SU FG]
Colubrina glandulosa Perkins var. *glandulosa* [GU]
Gouania blanchetiana Miq. [GU SU FG]
Gouania canescens L.C. Rich. [FG]
Gouania columnifolia Reissek [GU]
Gouania frangulifolia (Schult.) Radlk. [FG]
Gouania lupuloides (L.) Urb. s.l. [FG]
Gouania polygama (Jacq.) Urb. [GU SU]
Gouania pubescens Poir. [FG?]
Gouania striata L.C. Rich. [FG]
Gouania velutina Reissek [GU SU]
Gouania virgata Reissek ["Guiana"]
Rhamnus ulei Pilger [GU?] [Mt. Roraima]
Ziziphus cinnamomum Triana & Planch. [GU FG]
Ziziphus jujuba Mill. [GU SU FG] [cultivated; records may be referable to *Ziziphus mauritiana*]
Ziziphus mauritiana Lam. [GU SU FG] [cultivated, naturalized]

RHAMNACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Ziziphus jujuba* (L.) Lam., non Mill. =*Ziziphus mauritiana*

RHIZOPHORACEAE

REFERENCES:

- Alston, A.H.G. 1925. Revision of *Cassipourea*. *Kew Bull.* 1925: 241-276.
 Breteler, F.J. 1969. The Atlantic species of *Rhizophora*. *Acta Bot. Neerl.* 18: 434-444.
 Ding Hou. 1960. A review of the genus *Rhizophora*. *Blumea* 10: 625-634.
 Jonker, F.P. 1942. Rhizophoraceae. In A. Pulle, *Flora of Suriname* 3(2): 35-43.
 Juncosa, A.M. & P.B. Tomlinson. 1988. A historical and taxonomic synopsis of *Rhizophoraceae* and *Anisophylleaceae*. *Ann. Missouri Bot. Gard.* 75: 1278-1295.
 Prance, G.T. et al. 1975. Revisão taxonómica das espécies amazonicas de *Rhizophoraceae*. *Acta Amazonica* 5: 5-22.
 Steyermark, J.A. & R. Liesner. 1983. Revision of the genus *Sterigmapetalum*. *Ann. Missouri Bot. Gard.* 70: 179-193.

- Cassipourea elliptica* (Swartz) Poir. [SU FG] [=Cassipourea guianensis?]
Cassipourea guianensis Aubl. [GU SU FG]
Cassipourea lasiocalyx Alston [GU]
Cassipourea serrata Benth. [GU]
Rhizophora harrisonii Leechm. [GU SU] [putative hybrid species]
Rhizophora mangle L. [GU SU FG]
Rhizophora racemosa G. Mey. [GU SU FG]
Sterigmapetalum exappendiculatum Steyermark & Liesner [perhaps to be expected in GU]
Sterigmapetalum guianense Steyermark subsp. *guianense* [SU] [to be expected in GU]
Sterigmapetalum resinosum Steyermark & Liesner [perhaps to be expected in GU]

ROSACEAE

REFERENCES:

- Kleinhoonte, A. 1939. Rosaceae. In A. Pulle, *Flora of Suriname* 2(1): 426-456.

- Prunus myrtifolia* (L.) Urb. var. *accumulans* Koehne [GU SU FG]
Rubus guyanensis Focke [GU]

RUBIACEAE

reviewed by C.M. Taylor (1992); reviewed by C.M. Taylor & J.H. Kirkbride (1996)

REFERENCES:

- Andersson, L. 1992. A Provisional Checklist of Neotropical Rubiaceae. National Botanic Garden of Belgium, Meise.
 Andersson, L. 1995. Tribes and genera of the Cinchoneae complex (Rubiaceae). *Ann. Missouri Bot. Gard.* 82(3): 409-427.
 Boom, B.M. 1984. A revision of *Isertia* (*Isertieae*: Rubiaceae). *Brittonia* 36(4): 425-454.
 Bremekamp, C.E.B. 1934. Rubiaceae. In A. Pulle, *Flora of Suriname* 4(1): 113-298.
 Bremekamp, C.E.B. 1937. Rubiaceae (additions and corrections). In A. Pulle, *Flora of Suriname* 4(1): 475-491.
 Burger, W. & C.M. Taylor. 1993. Rubiaceae. In W. Burger, *Flora Costaricensis*. *Fieldiana Bot.* (n.s.) 33: 1-333.
 Howard, R.A. 1989. Rubiaceae. In R.A. Howard, *Flora of the Lesser Antilles* 6: 389-471.
 Kirkbride, J.H. Jr. 1977. Index to the Rubiaceae by Julian A. Steyermark in the Botany of the Guayana Highland by B. Maguire and collaborators. *Phytologia* 36(4): 324-366.
 Steyermark, J.A. 1964. Rubiaceae. In B. Maguire & collaborators, *Botany of the Guayana Highland part 5*. *Mem. New York Bot. Gard.* 10(5): 1-278.
 Steyermark, J.A. 1965. Rubiaceae. In B. Maguire & collaborators, *Botany of the Guayana Highland part 6*. *Mem. New York Bot. Gard.* 12(3): 1-285.
 Steyermark, J.A. 1967. Rubiaceae. In B. Maguire & collaborators, *Botany of the Guayana Highland part 7*. *Mem. New York Bot. Gard.* 17(1): 1-439.
 Steyermark, J.A. 1972. Rubiaceae. In B. Maguire & collaborators, *Botany of the Guayana Highland part 9*. *Mem. New York Bot. Gard.* 23: 1-832.
 Steyermark, J.A. 1974. Rubiaceae. In T. Lasser, *Flora de Venezuela* 9: 1-2070.
 Steyermark, J.A. 1981. New species of Rubiaceae from French Guiana, Brazil, and Colombia. *Brittonia* 33(3): 385-400.
 Steyermark, J.A. 1984. New Rubiaceae from French Guiana. *Brittonia* 36(2): 154-160.
 Taylor, C.M. 1992. Revision of *Cosmibuena* (Rubiaceae). *Ann. Missouri Bot. Gard.* 79: 886-900.
 Taylor, C.M. 1994. Revision of *Hillia* (Rubiaceae). *Ann. Missouri Bot. Gard.* 81(4): 571-609.

- Alibertia acuminata* (Benth.) Sandw. var. *acuminata* [GU FG]
Alibertia edulis (L.C. Rich.) A. Rich ex DC. [GU SU FG]
Alibertia latifolia (Benth.) K. Schum. var. *latifolia* [GU SU FG]
Alibertia myrciifolia K. Schum. var. *myrciifolia* [GU SU FG]
Alibertia surinamensis (Bremek.) Steyermark. [SU FG]
Alibertia triflora (A. Rich.) K. Schum. [GU SU FG]

- Alibertia triloba Steyerl. [GU]
 Alseis floribunda Schott [FG]
 Alseis longifolia Ducke var. pentamera Bremek. [GU SU FG]
 Alseis smithii Standl. [GU]
 Amaioua brevidentata Steyerl. [FG?]
 Amaioua corymbosa Kunth [GU SU FG]
 Amaioua guianensis Aubl. var. guianensis [GU SU FG]
 Antirhea triflora J.H. Kirkbride, sp. nov. ined. [FG]
 Bertiera diversiramea Steyerl. [SU FG] [to be expected in GU]
 Bertiera guianensis Aubl. subsp. guianensis var. guianensis [GU SU FG]
 Bertiera palustris A. Rich. ex DC. [FG] [excluded from
 Bertiera by Steyermark]
 Borreria alata (Aubl.) DC. [GU FG]
 Borreria capitata (Ruiz & Pav.) DC. var. capitata [GU SU FG]
 Borreria capitata (Ruiz & Pav.) DC. var. suaveolens (G. Mey.)
 Steyerl. [GU SU]
 Borreria capitata (Ruiz & Pav.) DC. var. tenella (Kunth)
 Steyerl. [GU SU FG]
 Borreria cataractarum Steyerl. [GU]
 Borreria confertifolia Steyerl. [GU]
 Borreria densiflora DC. [GU FG]
 Borreria hispida Spruce ex K. Schum. var. hispida [GU SU
 FG]
 Borreria latifolia (Aubl.) K. Schum. var. latifolia [GU SU FG]
 Borreria oligodonta Steyerl. [GU SU]
 Borreria prostrata (Aubl.) Miq. [GU SU FG]
 Borreria verticillata (L.) G. Mey. [GU SU FG]
 Borreria xanthophylla Bremek. [SU]
 Bothriospora corymbosa Hook.f. [GU]
 Capirona decorticans Spruce [SU FG] [to be expected in GU]
 Chalepophyllum guyanense J.D. Hook. var. guyanense [GU]
 Chalepophyllum longilobum Steyerl. [GU]
 Chimarrhis cymosa Jacq. [GU]
 Chimarrhis microcarpa Standl. var. microcarpa [GU SU FG]
 Chimarrhis turbinata DC. [GU SU FG]
 Chiococca alba (L.) Hitchc. subsp. alba [GU FG]
 Chiococca multipedunculata Steyerl. [GU]
 Chiococca nitida Benth. var. amazonica Muell. Arg. [GU]
 Chiococca nitida Benth. var. nitida [GU FG]
 Chiococca pubescens Humb. & Bonpl. ex Roem. & Schult.
 [FG] [to be expected in GU]
 Chomelia angustifolia Benth. [GU]
 Chomelia glabriuscula Steyerl. [FG]
 Chomelia malaneoides Muell. Arg. [FG]
 Chomelia obtusa Cham. & Schlechtend. [GU]
 Chomelia schomburgkii Steyerl. [GU]
 Chomelia splitgerberi Bremek. [SU]
 Chomelia tenuiflora Benth. [GU SU FG]
 Chomelia volubilis (Standl.) Steyerl. [GU?]
 Coccocypselum aureum (Spreng.) Cham. & Schlechtend. var.
 capitatum (Benth.) Steyerl. [GU FG]
 Coccocypselum brevipetiolatum Steyerl. [GU?]
 Coccocypselum guianense (Aubl.) K. Schum. var. guianense
 [GU SU FG]
 Coccocypselum guianense (Aubl.) K. Schum. var. patens
 Steyerl. [GU FG]
 Coccocypselum hirsutum Bartling ex DC. [GU FG]
 Coccocypselum lanceolatum (Ruiz & Pav.) Pers. [GU?]
 Coccocypselum tontanea Kunth [GU FG]
 Coffea arabica L. [GU SU FG] [cultivated or escaped from
 cultivation]
 Cosmibuena grandiflora (Ruiz & Pav.) Rusby [GU SU? FG?]
 Coussarea amapaënsis Steyerl. [GU FG]
- Coussarea fanshawei Steyerl. [GU]
 Coussarea grandis Muell. Arg. [FG?]
 Coussarea hallei Steyerl. [FG]
 Coussarea hirticalyx Standl. var. glabrior Steyerl. [FG?]
 Coussarea leptophragma Muell. Arg. [SU]
 Coussarea mapouroides Bremek. [SU FG]
 Coussarea micrococca Bremek. [SU FG]
 Coussarea paniculata (Vahl) Standl. [GU SU FG]
 Coussarea racemosa A. Rich. [GU SU FG]
 Coussarea surinamensis Bremek. [SU]
 Coussarea violacea Aubl. [GU SU FG]
 Coutarea hexandra (Jacq.) K. Schum. var. hexandra [GU SU
 FG]
 Declieuxia fruticosa (Willd. ex Roem. & Schult.) Kuntze [GU
 SU FG]
 Declieuxia tenuiflora (Willd.) Steyerl. & Kirkbride [GU?]
 Didymochlamys connellii N.E. Brown [GU]
 Diodia apiculata (Willd. ex Roem. & Schult.) K. Schum. [GU]
 Diodia hyssopifolia (Willd. ex Roem. & Schult.) Cham. &
 Schlechtend. [GU SU FG]
 Diodia ocimifolia (Willd. ex Roem. & Schult.) Bremek. [GU
 SU FG]
 Diodia pulchritispula Bremek. [GU? SU]
 Diodia sarmentosa Swartz [GU SU FG]
 Diodia spicata Miq. [GU SU FG]
 Diodia teres Walter [GU]
 Duroia amapana Steyerl. [SU FG]
 Duroia aquatica (Aubl.) Bremek. [SU FG]
 Duroia eriopila L.f. var. eriopila [GU SU FG]
 Duroia eriopila L.f. var. tafelbergensis Steyerl. [SU]
 Duroia fusifera Hook.f. ex K. Schum. [GU]
 Duroia genipoides J.D. Hook. ex K. Schum. [GU SU FG]
 Duroia longiflora Ducke [GU SU FG]
 Duroia martiniana (Miers) Bremek. [FG]
 Duroia merumensis Steyerl. [GU]
 Duroia micrantha (Ladbr.) Zarucchi & Kirkbride [GU SU FG]
 Duroia plicata Benoit [FG]
 Elaeagia maguirei Standl. var. maguirei [GU SU]
 Emmeorrhiza umbellata (Spreng.) K. Schum. [GU SU FG]
 Faramea brevipes Steyerl. [GU]
 Faramea calyciflora A. Rich. ex DC. [FG]
 Faramea capillipes Muell. Arg. [GU SU FG] [specimens in
 Guianas may represent misidentifications]
 Faramea corymbosa Aubl. [GU SU FG]
 Faramea costata Steyerl. [SU FG]
 Faramea crassifolia Benth. [GU]
 Faramea cyanea Muell. Arg. [GU?]
 Faramea egregia Sandw. [GU]
 Faramea fanshawei Steyerl. [GU FG]
 Faramea guianensis (Aubl.) Bremek. [GU SU FG]
 Faramea irwini Steyerl. [GU SU FG]
 Faramea lourteigiana Steyerl. [SU? FG]
 Faramea maguirei Steyerl. [GU]
 Faramea multiflora A. Rich. var. epedunculata Steyerl. [GU
 SU FG]
 Faramea multiflora A. Rich. var. multiflora [GU FG]
 Faramea multiflora A. Rich. var. salicifolia (K. Presl) Steyerl.
 [FG?]
 Faramea occidentalis (L.) A. Rich. subsp. occidentalis [GU
 SU FG]
 Faramea paniculata (Aubl.) Benth. [FG] [=Coussarea sp.?]
 Faramea quadricostata Bremek., emend Steyerl. [GU SU FG]
 Faramea sessiliflora Aubl. var. pedunculata Bremek. [SU FG]
 Faramea sessiliflora Aubl. var. sessiliflora [FG]
 Faramea sessilifolia (Kunth) A. DC. [GU FG]

- Faramea spathacea* Muell. Arg. ex Standl. [GU]
Faramea tinguana Muell. Arg. [FG?]
Faramea torquata Muell. Arg. [GU?]
Faramea umbelliflora Bremek. [SU FG]
Ferdinandusa goudotiana K. Schum. var. *eciliata* Steyerl.
[GU]
Ferdinandusa goudotiana K. Schum. var. *goudotiana* [Mt.
Roraima]
Ferdinandusa goudotiana K. Schum. var. *psilocarpa* Steyerl.
[GU]
Ferdinandusa guainiae Spruce ex K. Schum. [GU]
Ferdinandusa paraensis Ducke [GU SU FG]
Ferdinandusa rudgeoides (Benth.) Wedd. [GU SU FG]
Galium hypocarpium (L.) Endl. ex Griseb. subsp.
hypocarpium [GU]
Galium surinamense Dempster [SU]
Genipa americana L. [GU SU FG]
Genipa spruceana Steyerl. [GU SU FG] [= *Genipa americana*
L.?]
Geophila cordifolia Miq. var. *cordifolia* [GU SU FG]
Geophila gracilis (Ruiz & Pav.) DC. [FG?]
Geophila granvillei Steyerl. [FG] [nomen nudum?]
Geophila repens (L.) I.M. Johnston [GU SU FG]
Geophila tenuis (Muell. Arg.) Standl. [GU FG]
Gonzalagunia bunchosioides Standl. [GU]
Gonzalagunia cornifolia (Kunth) Standl. [GU FG]
Gonzalagunia dicocca Cham. & Schlechtend. subsp. *dicocca*
var. *guianensis* Steyerl. [GU SU FG]
Gonzalagunia dicocca Cham. & Schlechtend. subsp.
venezuelensis Steyerl. [SU]
Gonzalagunia spicata (Lamb.) Gómez [GU SU FG]
Gonzalagunia surinamensis Bremek. [GU SU]
Guettarda acreana Krause [GU SU FG]
Guettarda argentea Lam. [FG]
Guettarda aromatica Poepp. & Endl. [GU SU FG]
Guettarda divaricata (Roem. & Schult.) Standl. [GU]
Guettarda fanshawei Steyerl. [GU FG]
Guettarda macrantha Benth. [GU SU FG]
Guettarda pohliana Muell. Arg. [SU]
Guettarda roupaleafolia Rusby [FG]
Guettarda spruceana Muell. Arg. [GU SU FG]
Guettarda viburnoides Cham. & Schlechtend. [GU]
Hamelia axillaris Swartz [FG]
Hamelia patens N.J. Jacq. [GU]
Henriquezia jenmanii K. Schum. [GU]
Hillia illustris (Vell.) K. Schum. [GU SU FG]
Hillia parasitica Jacq. [GU FG]
Hillia ulei K. Krause [SU]
Hoffmannia megistophylla Standl. [GU FG]
Isertia coccinea (Aubl.) J.F. Gmelin [GU SU FG]
Isertia hypoleuca Benth. [GU SU FG]
Isertia laevis (Triana) B. Boom [GU]
Isertia parviflora Vahl [GU SU FG]
Isertia rosea Spruce ex K. Schum. [FG]
Isertia spiciformis DC. [GU SU FG]
Isertia wilhelminensis Steyerl. [SU]
Ixora acuminatissima Muell. Arg. [GU SU FG]
Ixora aluminicola Steyerl. [GU SU FG]
Ixora coccinea L. [GU SU FG] [cultivated or escaped from
cultivation]
Ixora davisii Sandw. [GU FG]
Ixora ferrea (Jacq.) Benth. [GU?]
Ixora graciliflora Benth. [GU SU FG]
Ixora intensa K. Krause [FG]
Ixora intropilosa Steyerl. [GU]
Ixora panurensis Muell. Arg. [GU]
Ixora parviflora Vahl [GU]
Ixora piresii Steyerl. [SU FG]
Ixora potaroensis Steyerl. [GU FG]
Ixora pubescens Willd. ex Roem. & Schult. [FG]
Ixora schomburgkiana Benth. [GU FG]
Ixora ulei Krause [GU SU]
Ixora versteegii Bremek. [SU FG]
Kotchubaea insignis Fisch. ex DC. [GU FG]
Ladenbergia lambertiana (A. Braun ex Mart.) Klotzsch [GU]
Limnosipanea schomburgkii Hook.f. [GU]
Limnosipanea spruceana Hook.f. [GU?]
Machaonia brasiliensis (Humb.) Cham. & Schlechtend. [GU]
Maguireothamnus speciosus (N.E. Brown) Steyerl. [GU]
Malanea ciliolata Steyerl. [GU]
Malanea cruzii Steyerl. [GU]
Malanea hypoleuca Steyerl. [GU FG]
Malanea macrophylla Bartling ex Griseb. var. *macrophylla*
[GU SU FG]
Malanea obovata Hochr. [GU]
Malanea sarmentosa Aubl. [GU SU FG]
Malanea schomburgkii Steyerl. [GU]
Malanea tafelbergensis Steyerl. [GU SU]
Malanea ueiensis Steyerl. [GU]
Manettia alba (Aubl.) Wernham [GU SU FG]
Manettia coccinea (Aubl.) Willd. var. *coccinea* [GU SU FG]
Manettia coccinea (Aubl.) Willd. var. *spraguei* (Wernham)
Steyerl. [SU] [to be expected in GU]
Manettia reclinata L. [GU FG]
Merumea plicata Steyerl. [GU]
Mitracarpus frigidus (Willd. ex Roem. & Schult.) K. Schum.
var. *fruticosus* (Standl.) Steyerl. [GU]
Mitracarpus hirtus (L.) DC. [GU SU FG]
Mitracarpus humboldtianus Cham. & Schlechtend. [GU? SU?
FG?]
Mitracarpus microspermus K. Schum. [GU SU]
Mitracarpus scabrellus Benth. [GU]
Morinda aurantiaca (K. Krause) Steyerl. [GU]
Morinda brachycalyx (Bremek.) Steyerl. [GU SU FG]
Morinda calycina (Benth.) Steyerl. [GU]
Morinda citrifolia L. [GU] [cultivated, naturalized]
Morinda debilis (Sandw.) Steyerl. [GU]
Morinda longiloba (Steyerl.) Steyerl. [GU]
Morinda peduncularis Kunth [GU]
Morinda sparsiflora (Steyerl.) Steyerl. [GU]
Morinda surinamensis (Bremek.) Steyerl. [SU]
Morinda tenuiflora (Benth.) Steyerl. var. *leiophylla*
(Steyerl.) Steyerl. [GU FG]
Morinda tenuiflora (Benth.) Steyerl. var. *tenuiflora* [GU
FG]
Neobertia gracilis Wernham [GU SU FG]
Oldenlandia corymbosa L. [GU SU FG] [= *Hedyotis*
corymbosa (L.) Lam.]
Oldenlandia lancifolia (Schumacher) DC. [GU SU FG]
[naturalized] [= *Hedyotis lancifolia* Schumacher]
Oldenlandia tenuis K. Schum. [GU]
Oldenlandiopsis callitrichoides (Griseb.) Terrell & W.H.
Lewis [GU] [introduced]
Pagamea capitata Benth. subsp. *capitata* [GU SU]
Pagamea capitata Benth. subsp. *thibaudiifolia* (Wernh.)
Steyerl. [GU SU]
Pagamea coriacea Spruce ex Benth. var. *acuta* Steyerl. [GU]
Pagamea coriacea Spruce ex Benth. var. *coriacea* [GU]
Pagamea guianensis Aubl. var. *guianensis* [GU SU FG]
Pagamea thrysiflora Spruce ex Benth. [GU]

- Palicourea amapaënsis* Steyerl. [FG]
Palicourea calophylla DC. [GU SU FG]
Palicourea corymbifera (Muell. Arg.) Standl. [GU FG]
Palicourea crocea (Swartz) Roem. & Schult. [GU FG]
Palicourea croceoides W. Hamilton [GU SU FG] [=*Palicourea riparia*]
Palicourea expetens Standl. [GU FG]
Palicourea formosa (A. Rich.) Lemée [FG]
Palicourea grandiflora (Kunth) Standl. [FG]
Palicourea grandifolia (Willd.) Standl. [FG?]
Palicourea guianensis Aubl. subsp. *guianensis* [GU SU FG]
Palicourea guianensis Aubl. subsp. *occidentalis* Steyerl. [GU]
Palicourea irwinii Steyerl. [FG]
Palicourea longiflora (Aubl.) A. Rich. [GU SU FG]
Palicourea longistipulata (Muell. Arg.) Standl. subsp. *chrysorrhachis* (Bremek.) Steyerl. [GU SU FG]
Palicourea lutea (Aubl.) Bremek. ex Lemée [FG] [=*Palicourea longiflora*?]
Palicourea marcgravii St. Hil. [FG]
Palicourea obtusata Krause [GU]
Palicourea pedunculosa (A. Rich.) DC. ex Lemée [FG]
[dubious name]
Palicourea perquadrangularis Wernh. [GU]
Palicourea quadrifolia (Rudge) DC. [GU SU FG]
Palicourea rigida Kunth [GU SU FG]
Palicourea triphylla DC. [GU FG]
Patabea tenuiflora DC. [FG] [=Psychotria sp.]
Patima guianensis Aubl. [GU FG]
Perama dichotoma Poepp. & Endl. var. *dichotoma* [GU]
Perama dichotoma Poepp. & Endl. var. *scaposa* (Gleason & Standl.) Steyerl. [GU SU]
Perama galiooides (Kunth) Poir. var. *galiooides* [GU]
Perama galiooides (Kunth) Poir. var. *intermedia* Steyerl. [GU]
Perama hirsuta Aubl. var. *hirsuta* [GU SU FG]
Perama hirsuta Aubl. var. *stricta* (Benth.) Bremek. [GU SU?]
Platycarpum eglandulosum Steyerl. [GU]
Posoqueria coriacea Mart. & Gal. [GU]
Posoqueria latifolia (Rudge) Roem. & Schult. subsp. *gracilis* (Rudge) Steyerl. [SU FG]
Posoqueria latifolia (Rudge) Roem. & Schult. subsp. *latifolia* [GU SU FG]
Posoqueria longiflora Aubl. [GU SU FG]
Posoqueria panamensis (Walp. & Duchass.) Walp. [GU FG]
Posoqueria trinitatis DC. [GU SU FG]
Psychotria acuminata Benth. [GU FG]
Psychotria aetantha (Sandw.) Steyerl. [GU]
Psychotria alba Ruiz & Pav. [GU SU FG]
Psychotria aligera Steyerl. [GU]
Psychotria alloantha Steyerl. [FG]
Psychotria altsonii (Sandw.) Steyerl. [GU]
Psychotria amplectens Benth. [SU]
Psychotria anceps Kunth var. *anceps* [GU SU FG]
Psychotria antennaeformis Steyerl. [FG]
Psychotria apoda Steyerl. [GU SU FG]
Psychotria appuniana Steyerl. [GU]
Psychotria astrellantha Wernham [GU SU FG]
Psychotria aubletiana Steyerl. [GU FG]
Psychotria ayangannensis Steyerl. [GU]
Psychotria bahiensis DC. var. *bahiensis* [GU SU FG]
Psychotria bahiensis DC. var. *cornigera* (Benth.) Steyerl. [GU SU FG]
Psychotria barbiflora DC. [GU SU FG]
Psychotria berteriana DC. subsp. *venezuelica* Steyerl. [GU]
Psychotria blepharophylla (Standl.) Steyerl. [FG]
Psychotria borjensis Kunth [SU FG]
- Psychotria bostrychothyrus* Sandw. [GU SU? FG]
Psychotria brachybotrya Muell. Arg. [GU SU FG]
Psychotria bracteocardia (DC.) Muell. Arg. [GU SU FG]
Psychotria bremekampiana Steyerl. [SU FG]
Psychotria brevipes DC. [FG]
Psychotria callithrix (Miq.) Steyerl. var. *callithrix* [SU FG]
Psychotria callithrix (Miq.) Steyerl. var. *tontaneoides* (Britt. & Standl.) Steyerl. [GU FG]
Psychotria campylopoda Steyerl. [GU]
Psychotria capitata Ruiz & Pav. subsp. *amplifolia* (Raeusch.) Steyerl. [GU SU FG]
Psychotria capitata Ruiz & Pav. subsp. *capitata* [GU]
Psychotria capitata Ruiz & Pav. subsp. *inundata* (Benth.) Steyerl. [GU]
Psychotria carthagensis Jacq. [GU SU FG]
Psychotria cincta Standl. [GU]
Psychotria colorata (Willd. ex Roem. & Schult.) Muell. Arg. subsp. *colorata* [GU FG]
Psychotria concinna Oliver [GU?] [Mt. Roraima]
Psychotria cordifolia Kunth subsp. *perpusilla* Steyerl. [GU SU FG]
Psychotria coussareoides Standl. var. *ciliata* Steyerl. [FG]
Psychotria crassa Benth. [GU?] [Mt. Roraima]
Psychotria crocochlamys Sandw. [GU]
Psychotria ctenophora Steyerl. [SU FG]
Psychotria cupularis (Muell. Arg.) Standl. [GU SU FG]
Psychotria cypellantha Steyerl. [FG]
Psychotria deflexa DC. subsp. *campyloneura* (Muell. Arg.) Steyerl. [GU SU]
Psychotria deflexa DC. subsp. *deflexa* [GU SU FG]
Psychotria deflexa DC. subsp. *venulosa* (Muell. Arg.) Steyerl. [GU FG]
Psychotria deinocalyx Sandw. [GU SU FG]
Psychotria erecta (Aubl.) Standl. & Steyerl. [GU SU FG]
Psychotria ernestii Krause [FG?]
Psychotria everardii Wernh. subsp. *everardii* [Mt. Roraima]
Psychotria fanshawei (Standl.) Steyerl. [GU]
Psychotria farameoides Bremek. [SU]
Psychotria galbaensis Steyerl. [GU? FG]
Psychotria granvillei Steyerl. [FG]
Psychotria guadalupensis (DC.) Howard [GU FG] [subsp. *venezuelica* Steyerl.?]
Psychotria hemicephaelis Wernham [GU]
Psychotria hoffmannseggiana (Willd. ex Roem. & Schult.) Muell. Arg. var. *erythrophylla* (Muell. Arg.) Steyerl. [SU? FG]
Psychotria hoffmannseggiana (Willd. ex Roem. & Schult.) Muell. Arg. var. *hoffmannseggiana* [GU SU FG]
Psychotria horizontalis Swartz var. *glaucescens* (Kunth) Steyerl. [GU]
Psychotria horizontalis Swartz var. *horizontalis* [GU]
Psychotria hyptoides Benth. [GU]
Psychotria imthurniana Oliver [GU]
Psychotria iodotricha Muell. Arg. subsp. *atricapilla* (Bremek.) Steyerl. [SU FG]
Psychotria iodotricha Muell. Arg. subsp. *iodotricha* [GU SU FG]
Psychotria irwini Steyerl. [GU SU FG?]
Psychotria kaieteurensis Sandw. [GU]
Psychotria kappleri (Miq.) Muell. Arg. ex Benoist [SU FG]
Psychotria lateralis Steyerl. [FG]
Psychotria ligularis (Rudge) Steyerl. var. *carapichea* (Poir.) Steyerl. [SU FG]
Psychotria ligularis (Rudge) Steyerl. var. *ligularis* [GU SU FG]

- Psychotria lupulina* Benth. subsp. *lupulina* [GU SU FG]
Psychotria macrophylla Ruiz & Pav. [GU FG] [subsp. *macrophylla*?]
Psychotria macrophylla Ruiz & Pav. subsp. *anomothyrsa* (K. Schum. & J.D. Smith) Steyerl. [FG]
Psychotria maguireorum Steyerl. [GU]
Psychotria mapourioides DC. var. *chionantha* (DC.) Steyerl. [GU SU FG]
Psychotria mapourioides DC. var. *mapourioides* [GU SU FG]
Psychotria mapourioides DC. var. *opaca* (Bremek.) Steyerl. [GU SU FG]
Psychotria mazaruniensis Standl. [GU FG]
Psychotria medusula Muell. Arg. [GU FG]
Psychotria merumensis Steyerl. [GU]
Psychotria microbotrys Ruiz ex Standl. [FG]
Psychotria microbracteata Steyerl. [FG]
Psychotria microdon (DC.) Urb. [GU]
Psychotria morindoides (A. Rich.) Lemée [FG]
Psychotria moroidea Steyerl. [SU FG]
Psychotria multiramosa Steyerl. [GU]
Psychotria muscosa (Jacq.) Steyerl. subsp. *breviloba* Steyerl. [GU SU FG]
Psychotria nivea (Sandw.) Steyerl. [GU]
Psychotria obliqua Wernham [GU?] [Mt. Roraima]
Psychotria oblonga (DC.) Steyerl. [SU FG]
Psychotria officinalis (Aubl.) Sandw. subsp. *officinalis* [GU SU FG]
Psychotria officinalis (Aubl.) Sandw. subsp. *wilhelminensis* Steyerl. [SU]
Psychotria oiaquensis Steyerl. [FG]
Psychotria pacimonica Muell. Arg. [FG]
Psychotria pakaraimensis Steyerl. [GU]
Psychotria paniculata (Aubl.) Raeusch. [GU SU FG]
Psychotria perferruginea Steyerl. [FG]
Psychotria phaneroloma Standl. & Steyerl. var. *phaneroloma* [GU]
Psychotria platypoda DC. [GU SU FG]
Psychotria plocamipes Wernham [GU]
Psychotria podocephala (Muell. Arg.) Standl. [FG]
Psychotria poeppigiana Muell. Arg. subsp. *barcellana* (Muell. Arg.) Steyerl. [GU SU FG]
Psychotria poeppigiana Muell. Arg. subsp. *poeppigiana* [GU SU FG]
Psychotria polycephala Benth. [GU]
Psychotria potaroensis (Sandw.) Steyerl. [GU]
Psychotria prancei Steyerl. [FG]
Psychotria pseudinodata Wernham [SU FG]
Psychotria psittacina Steyerl. [GU]
Psychotria puberulenta Steyerl. [GU]
Psychotria pullei Bremek. [SU FG]
Psychotria pungens Steyerl. [FG]
Psychotria racemosa (Aubl.) Raeusch. [GU SU FG]
Psychotria ramiflora Rusby [GU]
Psychotria remota Benth. [GU FG]
Psychotria rosea (Benth.) Muell. Arg. var. *rosea* [GU FG]
Psychotria saulensis Steyerl. [FG]
Psychotria schlechtendaliana Muell. Arg. [FG?]
Psychotria schomburgkii Benth. [GU]
Psychotria sessilis (Vell.) Muell. Arg. var. *angustifolia* (Muell. Arg.) Steyerl. [GU]
Psychotria spectabilis Steyerl. [FG]
Psychotria speluncae Standl. & Steyerl. subsp. *speluncae* [Mt. Roraima]
Psychotria squamelligera Steyerl. [FG]
Psychotria subundulata Benth. [GU SU FG]
- Psychotria surinamensis* Bremek. [SU FG]
Psychotria tapajozensis Standl. [GU SU]
Psychotria tepuiensis (Steyerl.) Steyerl. [GU]
Psychotria tetrameria Steyerl. [GU]
Psychotria tillettii Steyerl. [GU]
Psychotria transiens Wernham [GU]
Psychotria tricholoba Muell. Arg. [GU?]
Psychotria trichophoroides Muell. Arg. [SU FG]
Psychotria uliginosa Swartz [GU SU FG]
Psychotria ulviformis Steyerl. [GU SU FG]
Psychotria urceolata Steyerl. [FG]
Psychotria urniformis Steyerl. [GU]
Psychotria variegata Steyerl. [GU SU FG]
Psychotria viridibractea Steyerl. [FG]
Psychotria vessels-boeri Steyerl. [SU]
Psychotria wilhelminensis Steyerl. [SU]
Psychotria wonotobensis (Bremek.) Steyerl. [SU]
Randia armata (Swartz) DC. [GU SU FG]
Randia asperifolia (Sandw.) Sandw. [GU]
Randia formosa (Jacq.) K. Schum. var. *densiflora* Bartling ex K. Schum. [GU SU FG]
Randia formosa (Jacq.) K. Schum. var. *formosa* [GU]
Randia hebecarpa Benth. [GU FG]
Randia ruiziana DC. [GU SU FG]
Remijia roraimae (Benth.) K. Schum. var. *guianensis* Steyerl. [GU]
Remijia roraimae (Benth.) K. Schum. var. *roraimae* [GU]
Retiniphyllum concolor (Spruce ex Benth.) Muell. Arg. [GU]
Retiniphyllum guianense Steyerl. [GU]
Retiniphyllum laxiflorum (Benth.) N.E. Brown var. *laxiflorum* [GU SU]
Retiniphyllum maguirei Standl. [SU]
Retiniphyllum scabrum Benth. var. *ayangannense* Steyerl. [GU]
Retiniphyllum scabrum Benth. var. *scabrum* [GU]
Retiniphyllum schomburgkii (Benth.) Muell. Arg. subsp. *schomburgkii* [GU SU]
Retiniphyllum truncatum Muell. Arg. [GU]
Richardia brasiliensis Gomes [GU]
Richardia scabra L. [FG]
Rudgea ayangannensis Steyerl. [GU]
Rudgea corniculata Benth. [FG]
Rudgea cornifolia (Humb. & Bonpl. ex Roem. & Schult.) Stanley [GU SU FG]
Rudgea cornigera Bremek. [GU SU FG]
Rudgea crassiloba (Benth.) B.L. Robinson [GU SU? FG]
Rudgea duidae (Standl.) Steyerl. [FG?]
Rudgea enervia Steyerl. [GU]
Rudgea graciliflora Standl. [GU?]
Rudgea guyanensis (A. Rich.) Sandw. [FG]
Rudgea hostmanniana Benth. subsp. *hostmanniana* [GU SU FG]
Rudgea lanceifolia Salisb. [GU FG]
Rudgea merumensis Steyerl. [GU]
Rudgea oldemanii Steyerl. [FG]
Rudgea sandemanii Sandw. [FG]
Rudgea standleyana Steyerl. [GU SU FG]
Rudgea stipulacea (DC.) Steyerl. [SU FG] [to be expected in GU]
Rudgea tanaosepala Sandw. [GU FG]
Sabicea aspera Aubl. [GU SU FG]
Sabicea cinerea Aubl. [SU FG] [to be expected in GU]
Sabicea colombiana Wernham [FG?]
Sabicea glabrescens Benth. [GU SU FG]
Sabicea oblongifolia (Miq.) Steyerl. [GU SU FG]

- Sabicea paraensis (Schum.) Wernh. [FG]
 Sabicea romboutsii Bremek. [SU]
 Sabicea surinamensis Bremek. [SU]
 Sabicea velutina Benth. subsp. velutina [GU SU FG]
 Sabicea villosa Willd. ex Roem. & Schult. var. adpressa
 (Wernham) Standl. [FG?]
 Sabicea villosa Willd. ex Roem. & Schult. var. villosa [GU
 SU FG]
 Schraderia polyccephala DC. [GU SU FG]
 Schraderia surinamensis Standl. [GU SU]
 Schraderia ternata Steyerl. [GU]
Semaphyllanthe intonsa (Steyerl.) L. Andersson [GU]
Semaphyllanthe merumensis (Steyerl.) L. Andersson [GU]
Semaphyllanthe spectabilis (Steyerl.) L. Andersson [GU]
Semaphyllanthe venezuelensis (Steyerl.) L. Andersson [GU]
Simira rubescens (Benth.) Bremek. ex Steyerl. [FG?]
Simira tinctoria Aubl. [SU FG]
Sipanea ayangannensis Steyerl. [GU]
Sipanea biflora (L.f.) Cham. & Schlechtend. [GU SU FG]
Sipanea cowanii Steyerl. [GU]
Sipanea galiooides Wernh. [GU]
Sipanea glaberrima (Bremek.) Steyerl. [SU]
Sipanea gleasonii Steyerl. [GU]
Sipanea hispida Benth. ex Wernham [GU FG?]
Sipanea micrantha Sandw. [GU]
Sipanea ovalifolia Bremek. var. ovalifolia [SU FG]
Sipanea ovalifolia Bremek. var. *villoissima* Steyerl. [FG]
Sipanea pratensis Aubl. var. *dichotoma* (Kunth) Steyerl. [GU
 SU FG]
Sipanea pratensis Aubl. var. *pratensis* [GU SU FG]
Sipanea stahelii Bremek. [SU FG?]
Sipanea wilson-brownii Cowan [GU FG]
Spermacoce assurgens Ruiz & Pav. [GU SU FG]
Spermacoce hexangularis Aubl. [FG] [name of uncertain
 application]
Spermacoce radicans Aubl. [FG] [=Diodia sp.?]
Spermacoce scandens Aubl. ex J.F. Gmel. [FG] [name of
 uncertain application]
Sphinctanthus maculatus Spruce ex K. Schum. [FG]
Sphinctanthus striiflorus (DC.) Hook.f. [FG?]
Thieleodoxa nitidula Bremek. [SU] [=Alibertia sp.]
Tocoyena formosa (Cham. & Schlechtend.) K. Schum. [GU?]
Tocoyena guianensis K. Schum. var. *communis* Steyerl. [GU
 SU FG]
Tocoyena guianensis K. Schum. var. *guianensis* [FG]
Tocoyena longiflora Aubl. [FG]
Tocoyena neglecta N.E. Brown [GU]
Tocoyena surinamensis Bremek. [SU]
Uncaria guianensis (Aubl.) J.F. Gmelin [GU SU FG]
Uncaria tomentosa (Willd. ex Roem. & Schult.) DC. [GU SU
 FG]
Warszewiczia coccinea (Vahl) Klotzsch [to be expected in the
 Guianas]

RUBIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Alibertia lanceolata* (Cham.) Mennega [nomen nudum]
Anisomeris obtusa (Cham. & Schlechtend.) K. Schum.
 =*Chomelia obtusa*
Anisomeris tenuiflora (Benth.) Pulle =*Chomelia tenuiflora*
Anisomeris volubilis Standl. =*Chomelia volubilis*
Appunia aurantiaca (K. Krause) Sandw. =*Morinda aurantiaca*
Appunia brachycalyx (Bremek.) Steyerl. =*Morinda
 brachycalyx*

- Appunia calycina* (Benth.) Sandw. =*Morinda calycina*
Appunia debilis Sandw. =*Morinda debilis*
Appunia longiloba Steyerl. =*Morinda longiloba*
Appunia sparsiflora Steyerl. =*Morinda sparsiflora*
Appunia surinamensis (Bremek.) Steyerl. =*Morinda
 surinamensis*
Appunia tenuiflora (Benth.) Jackson & Hook.f. =*Morinda
 tenuiflora*
Appunia tenuiflora (Benth.) Jackson & Hook.f. var. *leiophylla*
 Steyerl. =*Morinda tenuiflora* var. *leiophylla*
Basananantha asperifolia Sandw. =*Randia asperifolia*
Basananantha spinosa (Jacq.) K. Schum. =*Randia armata*
Bellynkxia brachycalyx Bremek. =*Morinda brachycalyx*
Bellynkxia surinamensis Bremek. =*Morinda surinamensis*
Borreria fockeana Miq. =*Borreria latifolia* var. *latifolia*
Borreria kappleriana Miq. =*Borreria capitata* var. *capitata*
Borreria laevis Auctt., non (Lamb.) Griseb. =*Spermacoce
 assurgens*
Borreria laevis (Lamb.) Griseb. =*Spermacoce tenuoir* L. [not in
 Guianas]
Borreria latifolia (Aubl.) K. Schum. var. *fockeana* (Miq.)
 Bremek. =*Borreria latifolia* var. *latifolia*
Borreria ocimoides Auctt., non (Burm.f.) DC. =*Borreria
 prostrata*
Borreria splitgerberi Bremek. =*Borreria latifolia* var. *latifolia*
Borreria suaveolens G. Mey. =*Borreria capitata* var.
suaveolens
Brignolia pubigera Benth. =*Isertia parviflora*
Bruinsmania isertoides Miq. =*Isertia parviflora*
Calycophyllum intonsum Steyerl. =*Semaphyllanthe intonsa*
Calycophyllum merumense Steyerl. =*Semaphyllanthe
 merumensis*
Calycophyllum spectabile Steyerl. =*Semaphyllanthe
 spectabilis*
Calycophyllum venezuelense Steyerl. =*Semaphyllanthe
 venezuelensis*
Capirona leiophloea Benoit =*Capirona decorticans*
Capirona surinamensis Bremek. =*Capirona decorticans*
Carapichea guianensis Aubl. =*Psychotria ligularis* var.
carapichea
Carapichea kappleri Miq. =*Psychotria kappleri*
Cephaelis aetantha Sandw. =*Psychotria aetantha*
Cephaelis alba (Aubl.) Wernham =*Psychotria ulviformis*
Cephaelis altsonii Sandw. =*Psychotria altsonii*
Cephaelis amoena Bremek. =*Psychotria colorata* subsp.
colorata
Cephaelis barcellana (Muell. Arg.) Standl. =*Psychotria
 poeppigiana* subsp. *barcellana*
Cephaelis blepharophylla Standl. =*Psychotria blepharophylla*
Cephaelis bracteocardia DC. =*Psychotria bracteocardia*
Cephaelis callithrix Miq. =*Psychotria callithrix*
Cephaelis colorata Willd. ex Roem. & Schult. =*Psychotria
 colorata*
Cephaelis dichotoma Rudge =*Psychotria platypoda*
Cephaelis duckei Standl. =*Psychotria spectabilis*

- Cephaelis ernestii* Krause =*Psychotria transiens*
Cephaelis fanshawei Standl. =*Psychotria cephaelis*
Cephaelis glabrescens (Muell. Arg.) Standl. =*Psychotria
 glabrescens* Muell. Arg. [not in Guianas]
Cephaelis guianensis (Aubl.) Standl. =*Psychotria ligularis* var.
carapichea
Cephaelis hemicephaelis (Wernh.) Steyerl. =*Psychotria
 hemicephaelis*

- Cephaelis hirta* Miq. =*Psychotria bremekampiana*
Cephaelis hoffmannseggiana Willd. ex Roem. & Schult.
 =*Psychotria hoffmannseggiana*
Cephaelis jenmanii Wernham =*Psychotria mazaruniensis*
Cephaelis kaieteurensis Wernham =*Psychotria appuniana*
Cephaelis kappleri (Miq.) Standl. =*Psychotria kappleri*
Cephaelis ligularis (Rudge) A. Rich. =*Psychotria ligularis*
Cephaelis microcephala Miq. =*Psychotria hoffmannseggiana*
Cephaelis muscosa (Jacq.) Swartz =*Psychotria muscosa*
Cephaelis nivea Sandw. =*Psychotria nivea*
Cephaelis patrisii Dietr. =*Psychotria* sp.
Cephaelis potaroensis Sandw. =*Psychotria potaroensis*
Cephaelis pubescens Hoffmanns. ex Roem. & Schult.
 =*Psychotria bracteocardia*
Cephaelis purpurea (Aubl.) Willd. =*Psychotria variegata*
Cephaelis rosea Benth. =*Psychotria rosea*
Cephaelis rubra Hoffmanns. ex Roem. & Schult. =*Psychotria hoffmannseggiana*
Cephaelis surinamensis Standl. =*Psychotria variegata*
Cephaelis sylvatica Bremek. =*Psychotria ctenophora*
Cephaelis tatei Standl. =*Psychotria crocochlamys*
Cephaelis tepuiensis Steyerl. =*Psychotria tepuiensis*
Cephaelis tomentosa (Aubl.) Vahl =*Psychotria poeppigiana*
 subsp. *poeppigiana*
Cephaelis tantaneoides (Britt. & Standl.) Williams & Cheesm.
 =*Psychotria callithrix* var. *tantaneoides*
Cephaelis trichophoroides (Muell. Arg.) Standl. =*Psychotria trichophoroides*
Cephaelis violacea (Aubl.) Swartz =*Psychotria apoda*
Chalepophyllum speciosum N.E. Brown =*Maguireothamnus speciosus*
Chimarrhis longistipulata Bremek. =*Chimarrhis microcarpa*
 var. *microcarpa*
Chiococca cordata Cowan =*Chiococca nitida* var. *amazonica*
Chiococca erubescens Wernh. =*Chiococca nitida* var. *nitida*
Chytropsia astrellantha (Wernham) Bremek. =*Psychotria astrellantha*
Chytropsia guianensis Bremek. =*Psychotria moroidea*
Coffea guianensis Aubl. =*Faramea* sp.? [=*Ixora guianensis* (Aubl.) Spreng.]
Coffea paniculata Aubl. =*Faramea paniculata*
Cosmibuena triflora (Benth.) Klotzsch =*Cosmibuena grandiflora* var. *grandiflora*
Coupoli aquatica Aubl. =*Duroia aquatica*
Coupoli martiniana (Miers) Wernh. =*Duroia martiniana*
Coupoli micrantha Ladbr. =*Duroia micrantha*
Coussarea multiflora (A. Rich.) Lemée =*Faramea multiflora*
Coussarea paniculata (Aubl.) Lemée, nom. illeg. =*Faramea paniculata*
Coussarea schomburgkiana (Benth.) Benth. & J.D. Hook.
 =*Coussarea violacea*
Coutarea speciosa Aubl. =*Coutarea hexandra*
Cupirana martiniana Miers =*Duroia martiniana*
Declieuxia roraimensis Wernh. =*Psychotria capitata* subsp. *inundata*
Diodia hyssopifolia (Willd. ex Roem. & Schult.) Cham. &
 Schlechtend. var. *articulata* (Pohl ex DC.) Steyerl.
 =*Diodia hyssopifolia*
Diodia hyssopifolia (Willd. ex Roem. & Schult.) Cham. &
 Schlechtend. var. *linearis* (Willd. ex Roem. & Schult.)
 Steyerl. =*Diodia hyssopifolia*
Diodia surinamensis Miq. =*Diodia hyssopifolia*
Duroia sprucei Rusby =*Duroia micrantha*
Evea guianensis Aubl. =*Faramea guianensis*
Evea tantaneoides Britt. & Standl. =*Psychotria callithrix* var. *tantaneoides*
Faramea longifolia Benth. =*Faramea sessilifolia*
Faramea salicifolia K. Presl =*Faramea multiflora* var. *salicifolia*
Faramea truncata DC. =*Faramea corymbosa*
Gamotopea alba (Aubl.) Bremek. =*Psychotria ulviformis*
Gamotopea callithrix (Miq.) Bremek. =*Psychotria callithrix*
Gamotopea oblonga (DC.) Lemée =*Psychotria oblonga*
Gamotopea purpurea (Aubl.) Bremek. =*Psychotria variegata*
Gamotopea surinamensis (Standl.) Bremek. =*Psychotria variegata*
Genipa americana L. var. *caruto* (Kunth) K. Schum. =*Genipa americana*
Geophila herbacea (Jacq.) K. Schum. =*Geophila repens*
Geophila violacea (Aubl.) DC. =*Coccocypselum* sp.?
Guettarda coccinea Aubl. =*Isertia coccinea*
Guettarda grandiflora Steud. =*Guettarda aromatic*a
Hamelia patens N.J. Jacq. var. *glabra* Oersted =*Hamelia patens*
Hemidiodia ocimifolia (Willd.) K. Schum. =*Diodia ocimifolia*
Hillia tubiflora Cham. =*Hillia illustris*
Ibetaeria surinamensis Bremek. =*Alibertia surinamensis*
Isertia commutata Miq. =*Isertia spiciformis*
Isertia parviflora Vahl var. *hirta* Steyerl. =*Isertia parviflora*
Isertia pterantha Bremek. =*Isertia spiciformis*
Ixora floribunda (Rich.) Griseb. [not in Guianas]
Ixora guianensis (Aubl.) Spreng. [see *Coffea guianensis*]
Ixora mazarunensis Standl. =*Ixora davisii*
Ixora orinocensis Spruce ex Standl. [nomen nudum]
Ixora surinamensis Bremek. =*Ixora graciliflora*
Ixora tenuiflora (DC.) Lemée =*Patabea tenuiflora*
Ixora xantholoba Standl. =*Ixora graciliflora*
Malanea angustifolia Bartling =*Malanea obovata*
Mapouria alba (Ruiz & Pav.) Wernh. =*Psychotria alba*
Mapouria brownii (Spreng.) Lemée =*Psychotria brownii*
 Spreng. [not in Guianas]
Mapouria chionantha (DC.) Muell. Arg. =*Psychotria mapourioides* var. *chionantha*
Mapouria cupularis Muell. Arg. =*Psychotria cupularis*
Mapouria ficigemma (DC.) Lemée =*Psychotria carthagenaensis*
Mapouria fockeana (Miq.) Bremek. =*Psychotria carthagenaensis*
Mapouria guianensis Aubl. =*Psychotria mapourioides*
Mapouria mahuriensis Bremek. =*Psychotria cupularis*
Mapouria microdon (DC.) Bremek. =*Psychotria microdon*
Mapouria opaca Bremek. =*Psychotria mapourioides* var. *opaca*
Mapouria ornithophila Bremek. =*Psychotria anceps*
Mapouria patrisii (DC.) Lemée =*Psychotria anceps*
Mapouria sororia (DC.) Lemée =*Psychotria* sp. [dubious name]
Mapouria umbrosa Muell. Arg. =*Psychotria borjensis*
Mapouria wonotobensis Bremek. =*Psychotria wonotobensis*
Mitracarpus discolor Miq. =*Mitracarpus humboldtianus*
Mitracarpus villosus (Swartz) Cham. & Schlechtend. ex DC.
 =*Mitracarpus hirtus*
Mitrocarpum puberulum Benth. =*Borreria prostrata*
Nacibea alba Aubl. =*Manettia alba*
Nacibea coccinea Aubl. =*Manettia coccinea*
Naletonia violacea (Aubl.) Bremek. =*Psychotria capitata*
 subsp. *amplifolia*
Nonatelia longiflora Aubl. =*Palicourea longiflora*
Nonatelia lutea Aubl. ex Steud. =*Palicourea longiflora*
Nonatelia lutea Aubl. =*Palicourea lutea* [=*Palicourea longiflora*?]
Nonatelia officinalis Aubl. =*Psychotria officinalis*

- Nonatelia paniculata* Aubl. =*Psychotria paniculata*
Nonatelia racemosa Aubl. =*Psychotria racemosa*
Nonatelia violacea Aubl. =*Psychotria capitata*
Notopleura tapajozensis (Standl.) Bremek. =*Psychotria tapajozensis*
Notopleura uliginosa (Swartz) Bremek. =*Psychotria uliginosa*
Oldenlandia herbacea (L.) DC. [not in Guianas]
Orouparia guianensis Aubl. =*Uncaria guianensis*
Palicourea "latifolia" (Rudge) Roem. & Schult. [invalid name, error for *Posoqueria latifolia*] =*Psychotria latifolia*
Palicourea cayennensis Desv. =*Palicourea pedunculosa*
Palicourea crocea (Swartz) Roem. & Schult. var. *riparia* (Benth.) Griseb. =*Palicourea croceoides*
Palicourea divaricata Schlechtend. =*Psychotria schlechtendaliana*
Palicourea guianensis Aubl. var. *tetramera* Bremek. =*Palicourea guianensis* subsp. *guianensis*
Palicourea guianensis Aubl. var. *trimera* Bremek. =*Palicourea guianensis* subsp. *guianensis*
Palicourea nicotianifolia Auctt., not Cham. & Schlechtd. =*Palicourea calophylla*
Palicourea riparia Benth. =*Palicourea croceoides*
Palicourea roraimae Standl. =*Psychotria oblita*
Patabea coccinea Aubl. =*Ixora davisi*
Petagomoa atricapilla Bremek. =*Psychotria iodotricha* subsp. *atricapilla*
Petagomoa glabra Bremek. =*Psychotria* sp.
Petagomoa hirta (Miq.) Bremek. =*Psychotria bremekampiana*
Petagomoa nigricans Bremek. =*Psychotria trichophoroides*
Petagomoa tricholoba (Muell. Arg.) Bremek. =*Psychotria tricholoba*
Posoqueria gracilis (Rudge) Roem. & Schult. =*Posoqueria latifolia* subsp. *gracilis*
Posoqueria intermedia Miq. =*Posoqueria trinitatis*
Pseudochimarrhis difformis Benoit =*Chimarrhis* sp.
Pseudochimarrhis turbinata Benoit =*Chimarrhis turbinata*
Psychotria amplifolia Raeusch. =*Psychotria capitata* subsp. *amplifolia*
Psychotria amplinoda Steyermark. =*Psychotria tapajozensis*
Psychotria amplinoda Steyermark. var. *ayangannae* Steyermark. =*Psychotria tapajozensis*
Psychotria arcuata Benth. =*Psychotria capitata* var. *inundata*
Psychotria barcellana Muell. Arg. =*Psychotria poeppigiana* subsp. *barcellana*
Psychotria bracteata A. DC. =*Psychotria pseuduinodata*
Psychotria campyloneura Muell. Arg. =*Psychotria deflexa* subsp. *campyloneura*
Psychotria capitata Ruiz & Pav. var. *roraimensis* (Wernh.) Steyermark. =*Psychotria capitata* subsp. *inundata*
Psychotria chionantha (DC.) Britton =*Psychotria mapouriooides* var. *chionantha*
Psychotria chlorantha Benth. =*Psychotria anceps*
Psychotria cornigera Benth. =*Psychotria bahiensis* var. *cornigera*
Psychotria cuspidata Bredem. ex Roem. & Schult. [not in Guianas]
Psychotria dichotoma (Rudge) Bremek. =*Psychotria platypoda*
Psychotria didymocarpus (A. Rich.) Lemée =*Psychotria bahiensis* var. *bahiensis*
Psychotria flexuosa Willd. =*Psychotria paniculata*
Psychotria fockeana Miq. =*Psychotria carthaginensis*
Psychotria glabrescens Muell. Arg. [not in Guianas]
Psychotria guianensis (Aubl.) Rusby =*Palicourea guianensis*
Psychotria guianensis Raeusch. [nomen nudum] =*Psychotria inundata* Benth. =*Psychotria capitata* subsp. *inundata*
Psychotria involucrata Swartz =*Psychotria officinalis*
Psychotria maguirei Standl. =*Rudgea stipulacea*
Psychotria mapouria Roem. & Schult. =*Psychotria mapourioides*
Psychotria mapuria Roem. & Schult. =*Psychotria mapourioides*
Psychotria microcephala (Miq.) Miq. =*Psychotria hoffmannsegiana*
Psychotria nervosa Benth. =*Psychotria lupulina* subsp. *lupulina*
Psychotria patens Swartz [not in Guianas]
Psychotria pedunculosa A. Rich. =*Palicourea pedunculosa*
Psychotria racemifera Standl. =*Psychotria polycephala*
Psychotria romboutsii Bremek. =*Psychotria amplexens*
Psychotria roraimensis Wernh. =*Psychotria capitata* subsp. *inundata*
Psychotria rubra (Willd.) Muell. Arg. =*Psychotria hoffmannsegiana*
Psychotria rudgei Bremek. =*Psychotria lupulina* subsp. *lupulina*
Psychotria setifera Benth. =*Psychotria capitata* subsp. *inundata*
Psychotria sororopanensis Standl. & Steyermark. =*Psychotria sessilis* var. *angustifolia*
Psychotria venulosa Muell. Arg. =*Psychotria deflexa* subsp. *venulosa*
Psychotria violacea Aubl. =*Coccocypselum* sp.? [name of uncertain application]
Relbunium guadalupense (Spreng.) Urban [not in Guianas]
Relbunium hypocarpium (L.) Hemsl. subsp. *hypocarpium* =*Galium hypocarpium* subsp. *hypocarpium*
Retiniphyllum maguirei Standl. var. *reticulatum* Steyermark. =*Retiniphyllum maguirei*
Ronabea erecta Aubl. =*Psychotria erecta*
Ronabea latifolia Aubl. =*Psychotria erecta*
Ronabea morindoides A. Rich. =*Psychotria morindoides*
Rondeletia glomerulata Spreng. [dubious name]
Rosenbergiodendron densiflorum Fagerl. =*Randia formosa* var. *densiflora*
Rosenbergiodendron formosum (Jacq.) Fagerl. =*Randia formosa* var. *formosa*
Rosenbergiodendron longiflorum Fagerl. =*Randia ruiziana*
Rudgea obscura Sandw. =*Psychotria astrellantha*
Rudgea ovalifolia Salisb. =*Rudgea lanceifolia*
Rudgea tillettii Steyermark. =*Psychotria coussareoides*
Sabicea glabrescens Benth. var. *oblongifolia* (Miq.) Sandw. =*Sabicea oblongifolia*
Sabicea guianensis (Aubl.) Baill. =*Patima guianensis*
Schradera ligularis Rudge =*Psychotria ligularis* var. *lupulina*
Sickingia tinctoria (Aubl.) Lemée =*Simira tinctoria*

Sipanea coppenamensis Bremek. =*Sipanea pratensis* var.
pratensis
Solena latifolia Rudge =*Posoqueria latifolia*
Spermacoce alata Aubl. =*Borreria alata*
Spermacoce aspera Aubl. =*Mitracarpus hirtus*
Spermacoce caerulescens Aubl. =*Borreria latifolia* var.
latifolia
Spermacoce densiflora (DC.) Liogier =*Borreria densiflora*
Spermacoce guianensis Bremek. =*Spermacoce assurgens*
Spermacoce hyssopifolia Willd. ex Roem. & Schult. =*Diodia*
hyssopifolia
Spermacoce latifolia Aubl. =*Borreria latifolia* var. *latifolia*
Spermacoce longifolia Aubl. ex Miq. =*Diodia ocimifolia*
Spermacoce longifolia Aubl. =*Mitracarpus hirtus*
Spermacoce prostrata Aubl. =*Borreria prostrata*
Spermacoce verticillata L. =*Borreria verticillata*
Strempelia fimbriata (Benth.) Bremek. =*Rudgea cornifolia*
Strempelia guyanensis A. Rich. =*Rudgea guyanensis*
Tapogomea alba Aubl. =*Psychotria ulviformis*
Tapogomea carapichea Poir. =*Psychotria ligularis* var.
carapichea
Tapogomea glabra Aubl. =*Psychotria blepharophylla*
Tapogomea purpurea Aubl. =*Psychotria variegata*
Tapogomea tomentosa Aubl. =*Psychotria poeppigiana*
Tapogomea violacea Aubl. =*Psychotria apoda*
Tontanea guianensis Aubl. =*Coccocypselum guianense*
Uragoga alba (Aubl.) Kuntze =*Psychotria ulviformis*
Uragoga glabra (Aubl.) Kuntze =*Psychotria blepharophylla*
Uragoga hirta (Miq.) Pulle =*Psychotria bremekampiana*
Uragoga kappleri (Miq.) Pulle =*Psychotria kappleri*
Uragoga purpurea (Aubl.) Kuntze =*Psychotria variegata*
Uragoga tomentosa (Aubl.) Kuntze =*Psychotria poeppigiana*
subsp. poeppigiana
Uragoga violacea (Aubl.) Pulle =*Psychotria apoda*

RUPPIACEAE

contributed by R. Haynes & L.B. Holm-Nielsen
(1992)

Ruppia maritima L. [GU SU FG]

RUTACEAE

reviewed by J. Kallunki (1996)

REFERENCES:

- Albuquerque, B.W.P. de. 1977 ("1976"). Revisão taxonômica das Rutaceae do Estado do Amazonas. *Acta Amazonica* suppl. 6(3): 1-67.
Albuquerque, B.W.P. de. 1981. Novas combinações em Angosture Roemer & Schultes (Rutaceae). *Acta Amazonica* 11(4): 849-852.
Cowan, R.S. 1960. Rutaceae. In B. Maguire & J.J. Wurdack, *Botany of the Guayana Highland part IV*. Mem. New York Bot. Gard. 10(2): 24-37.

Cowan, R.S. 1967. Rutaceae of the Guayana Highland. *Mem. New York Bot. Gard.* 14(3): 1-14.

Elias, T.S. 1970. The correct name for the genus *Cusparia* (Rutaceae). *Taxon* 19(4): 573-575.

Emmerich, M. 1978. Contribuição ao conhecimento da tribo Cusparineae [sic] (Rutaceae). *Rodriguesia* 45: 223-307.

Kastra, R.C. 1982. *Pilocarpinæ* (Rutaceae). *Flora Neotropica Monogr.* 33: 1-197.

Kallunki, J.A. 1990. An emended description of and new combinations in *Raputia* Aublet. *Brittonia* 42: 175-177.

Kallunki, J.A. 1992. A revision of *Erythrociton* s.l. *Brittonia* 44(2): 107-139.

Kallunki, J.A. 1994. Revision of *Raputia* Aubl. (Cuspariinae, Rutaceae). *Brittonia* 46(4): 279-295.

Porter, D.M. & T.S. Elias. 1979. Rutaceae. In R.E. Woodson Jr., R.W. Schery, & collaborators, *Flora of Panama*. Ann. Missouri Bot. Gard. 66: 123-164.

Waterman, P.G. 1975. New combinations in *Zanthoxylum* L. (1753). *Taxon* 24: 361-366.

Amyris guianensis Aubl. [FG]

Citrus spp. [species and cultivars cultivated and perhaps escaping]

Conchocarpus acuminatus (Pilger) Kallunki & Pirani, comb. nov. ined. [FG]

Conchocarpus fanshawei (Sandw.) Kallunki & Pirani, comb. nov. ined. [GU]

Conchocarpus guianensis (Pulle) Kallunki & Pirani, comb. nov. ined. [SU FG]

Conchocarpus pentagynus (St. Hil.) Kallunki & Pirani, comb. nov. ined. [SU FG]

Conchocarpus toxicarius (Engl.) Kallunki & Pirani, comb. nov. ined. [to be expected in GU]

Conchocarpus uacayalinus (Huber) Kallunki & Pirani, comb. nov. ined. [GU]

Ertela trifolia (L.) Kuntze [GU SU FG] [=Monnieria trifolia L.]

Erythrociton brasiliensis Nees & Mart. [GU SU FG]

Esenbeckia cowanii Kastra [FG]

Esenbeckia grandiflora Mart. subsp. *grandiflora* [GU? SU FG]

Esenbeckia pilocarpoides Kunth subsp. *pilocarpoides* [GU SU FG]

Galipea davisii Sandw. [GU FG]

Galipea trifoliata Aubl. [SU FG]

Hertia regia Sandw. [GU]

Metrodorea flava Krause [SU]

Murraya paniculata (L.) Jack [GU SU FG] [cultivated; naturalized?]

Neoraputia paraensis (Ducke) Emmerich [FG]

Pilocarpus demerarae Sandw. [GU]

Pilocarpus microphyllus Stapf ex Wardleworth [SU]

Pilocarpus racemosus Vahl subsp. *racemosus* [FG]

Raputia aromatica Aubl. [FG]

Raputia brevipedunculata Kallunki [FG]

Rauia resinosa Nees & Mart. [GU SU]

Rauia spicata Haye [SU]

Raveniopsis ruelliooides (Oliver) Cowan [GU]

- Spathelia ulei (Engl. ex Harms) Cowan & Brizicky [GU]
 Spirantha guianensis Sandw. [GU]
 Spirantha parviflora Sandw. [GU]
 Ticorea foetida Aubl. [SU FG]
 Ticorea longiflora DC. [SU FG]
 Ticorea pedicellata DC. [SU FG]
 Triphasia trifolia (Burm.) P. Wils. [GU FG] [cultivated and apparently escaped]
Zanthoxylum apiculatum (Sandw.) Waterm. [GU]
Zanthoxylum caribaeum Lam. [GU]
Zanthoxylum ekmanii (Urban) B. Alain [FG]
Zanthoxylum flavum Vahl [FG?]
Zanthoxylum hermaphroditum Willd. [type "Guiana"]
Zanthoxylum nigrum Mart. [SU?]
Zanthoxylum pentandrum (Aubl.) R. Howard [GU SU FG]
Zanthoxylum pterotum (Kunth) Waterm. [FG]
Zanthoxylum rhoifolium Lam. [GU SU FG]

RUTACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Almeidea guyanensis* Pulle =*Conchocarpus guianensis*
Angostura acuminata (Pilger) Albuquerque =*Conchocarpus acuminatus*
Angostura fanshawei (Sandw.) Albuquerque =*Conchocarpus fanshawei*
Angostura fontanesiana (St. Hil.) Albuquerque [not in Guianas]
Angostura pentagyna (St. Hil.) Albuquerque =*Conchocarpus pentagynus*
Angostura toxicaria (Spruce ex Engl.) Albuquerque =*Conchocarpus toxicarius*
Angostura ucayalina (Huber) Albuquerque =*Conchocarpus ucayalinus*
Cusparia fanshawei Sandw. =*Conchocarpus fanshawei*
Cusparia toxicaria Spruce ex Engl. =*Conchocarpus toxicarius*
Diomma ulei Engl. ex Harms =*Spathelia ulei*
Fagara apiculata Sandw. =*Zanthoxylum apiculatum*
Fagara caribaea (Lam.) Krug & Urban =*Zanthoxylum caribaeum*
Fagara flava Krug & Urban =*Zanthoxylum flavum*
Fagara guianensis Lam. =*Zanthoxylum hermaphroditum*
Fagara pentandra Aubl. =*Zanthoxylum pentandrum*
Fagara perrottetii DC. =*Zanthoxylum rhoifolium*
Fagara rhoifolia (Lam.) Engl. =*Zanthoxylum rhoifolium*
Galipea aromatica (Aubl.) Spreng. =*Raputia aromatica*
Galipea fissa Miq. =*Galipea trifoliata*
Monnieria trifolia L. =*Ertela trifolia*
Murraya exotica L. =*Murrraya paniculata*
Pilocarpus latifolius St. Hil. =*Pilocarpus racemosus* subsp. *racemosus*
Raputia paraensis Ducke =*Neoraputia paraensis*
Rauia prancei Rodrigues & Silva [not in Guianas]
Rauia racemosa Nees & Mart. [not in Guianas]
Rauia ulei Krause =*Conchocarpus ucayalinus*
Ravenia ruellioides Oliver =*Raveniopsis ruellioides*
Sciurus aromatica (Aubl.) Spreng. =*Raputia aromatica*
Zanthoxylum belizense Lund. [specimens re-determined as *Zanthoxylum ekmanii*]
Zanthoxylum lucidum St. Hil. [specimens re-determined as *Zanthoxylum pentandrum*]
Zanthoxylum microcarpum Griseb. [specimens re-determined as *Zanthoxylum rhoifolium*]
Zanthoxylum perrottetii DC. =*Zanthoxylum rhoifolium*

SPERMATOPHYTA: Rutaceae - Sapindaceae

SABIACEAE

REFERENCES:

- Barneby, R.C. 1972. Meliosmaceae - Ophiocaryon. In B. Maguire & collaborators, Botany of the Guayana Highland part 9. Mem. New York Bot. Gard. 23: 1-832.
 Steyermark, J.A. & A.H. Gentry. 1992. Sabiaceae. In G. Morillo, Flora de Venezuela 5(1): 203-220.

- Ophiocaryon chironectes Barneby [FG?] Ophiocaryon heterophyllum (Benth.) Urb. [GU?] [records from Guyana probably represent Ophiocaryon maguirei] Ophiocaryon maguirei Barneby [GU] Ophiocaryon paradoxum Rob. Schomb. [GU FG?]

SAPINDACEAE

contributed by P. Acevedo R. (1992)

REFERENCES:

- Kramer, K.U. 1973 ("1972"). Studies in the New World Sapindaceae. I. Notes on the genus *Talisia* Aublet. Acta Bot. Neerl. 21: 671-678.
 Kramer, K.U. 1976. Sapindaceae (additions and corrections). In J. Lanjouw & A.L. Stoffers, Flora of Suriname 2(2): 487-511.
 Radlkofer, L. 1931-1934. Sapindaceae. In A. Engler, Das Pflanzenreich IV, 165 Bd. I: 1-1018, Bd. II: 1019-1539.
 Uittien, H. 1937. Sapindaceae. In A. Pulle, Flora of Suriname 2(1): 345-396.

- Allophylus edulis* (St. Hil.) Radlk. [GU]
Allophylus punctatus (Poepp. & Endl.) Radlk. [SU]
Allophylus racemosus Swartz [GU]
Allophylus robustus Radlk. [GU FG]
Allophylus sp. cf. *acutatus* Radlk. [FG]
Cardiospermum corindum L. [GU?]
Cardiospermum grandiflorum Swartz [GU]
Cardiospermum halicacabum L. [GU SU FG]
Cupania americana L. [SU FG?]
Cupania diphylla Vahl [SU FG]
Cupania hirsuta Radlk. [GU SU FG]
Cupania hispida Radlk. [FG]
Cupania lachnocarpa Radlk. [FG]
Cupania lanuginosa Sagot ex Radlk. [FG]
Cupania scrobiculata L.C. Rich. [GU SU FG] [var. *scrobiculata?*]
Cupania scrobiculata L.C. Rich. var. *reticulata* (Camb.) Radlk. [GU]
Dodonaea viscosa Jacq. [GU SU FG]
Matayba adenantha Radlk. [FG]
Matayba arborescens (Aubl.) Radlk. [GU SU FG]
Matayba camptoneura Radlk. [GU SU]

Matyba elegans Radlk. [GU? FG]
Matyba guianensis Aubl. [GU? SU FG]
Matyba inelegans Spruce ex Radlk. [GU FG]
Matyba laevigata (Miq.) Radlk. [SU FG]
Matyba macrolepis Radlk. [GU]
Matyba macrostylis Radlk. [GU FG]
Matyba oligandra Sandw. [GU FG]
Matyba opaca Radlk. var. *fallax* (Radlk.) Uitt. [GU SU]
Matyba opaca Radlk. var. *opaca* [GU SU FG?]
Matyba ptariana Steyerl. [GU]
Matyba purgans Radlk. [GU SU? FG]
Matyba scrobiculata (Kunth) Radlk. [FG]
Melicoccus bijugatus Jacq. [GU SU FG?] [cultivated or escaped from cultivation]
Paullinia acuminata Uittien [SU FG?]
Paullinia alata (Ruiz & Pav.) G. Don [SU FG?]
Paullinia anisoptera Turcz. [GU]
Paullinia anodontia Radlk. [SU FG]
Paullinia arenicola Gleason [GU]
Paullinia bernhardii Uittien [SU]
Paullinia caloptera Radlk. [GU? SU FG]
Paullinia cambessedesii Triana & Planch. [FG]
Paullinia capreolata (Aubl.) Radlk. [GU SU FG]
Paullinia conduplicata Radlk. [GU FG]
Paullinia cururu L. [GU SU]
Paullinia curvicuspis Radlk. [FG]
Paullinia dasygona Radlk. [GU SU FG]
Paullinia fasciculata Radlk. [FG]
Paullinia fibulata Rich. ex Juss. [FG]
Paullinia fuscescens Kunth [GU SU]
Paullinia grandifolia Benth. ex Radlk. [SU]
Paullinia hitchcockii Gleason [GU]
Paullinia imberbis Radlk. [FG]
Paullinia ingaeifolia Rich. ex Juss. [GU FG]
Paullinia latifolia Benth. ex Radlk. [GU? SU FG?]
Paullinia leiocarpa Griseb. [GU FG]
Paullinia novemalata Uittien [SU]
Paullinia pinnata L. [GU SU FG]
Paullinia plagioptera Radlk. [SU FG?]
Paullinia rubiginosa Camb. [FG]
Paullinia rufescens Rich ex Juss. [GU SU FG]
Paullinia rugosa Benth. ex Radlk. [GU]
Paullinia sphærocarpa Rich. ex Juss. [GU? SU FG]
Paullinia spicata Benth. [SU FG]
Paullinia stellata Radlk. [FG]
Paullinia stenopetala Sagot [FG]
Paullinia subnuda Radlk. [GU]
Paullinia tetragona Aubl. [FG]
Paullinia tricornis Radlk. [SU FG]
Paullinia venosa Radlk. [SU FG]
Paullinia verrucosa Radlk. [GU FG]
Paullinia xestophylla Radlk. [GU]
Pentascaphus thrysiflorus Radlk. [FG]
Porocystis toullicoides Radlk. [GU FG]
Pseudima frutescens (Aubl.) Radlk. [GU SU FG]
Pseudima pallidum Radlk. [SU FG]
Sapindus saponaria L. var. *inaequalis* (DC.) Radlk. [GU? SU FG?]
Scyphonichium multiflorum (Mart.) Radlk. [FG]
Serjania adusta Radlk. [GU]
Serjania caracasana (Jacq.) Willd. [GU FG]
Serjania chartacea Radlk. [GU FG]
Serjania exarata Radlk. [GU]
Serjania grandifolia Sagot [SU FG]
Serjania membranacea Spling. [GU SU FG]

Serjania oblongifolia Radlk. [GU SU FG]
Serjania paucidentata DC. [GU SU FG]
Serjania pedicellaris Radlk. [SU FG]
Serjania prancei Acevedo R., sp. nov. ined. [GU]
Serjania pyramidata Radlk. [FG]
Talisia acuminata Radlk. [FG]
Talisia acutifolia Radlk. [SU]
Talisia carinata Radlk. [SU FG]
Talisia clathrata Radlk. [FG]
Talisia elephantipes Sandw. [GU SU FG]
Talisia esculenta (St. Hil.) Radlk. [GU]
Talisia eximia K.U. Kramer [SU FG]
Talisia furfuracea Sandw. [GU SU FG]
Talisia guianensis Aubl. [GU SU FG]
Talisia hemidasya Radlk. [GU SU FG]
Talisia hexaphylla Vahl [GU FG]
Talisia longifolia (Benth.) Radlk. [SU FG]
Talisia megaphylla Sagot ex Radlk. [GU SU FG]
Talisia micrantha Radlk. [SU FG]
Talisia microphylla Uittien [SU FG]
Talisia mollis Kunth ex Camb. [SU FG]
Talisia olivaeformis (Kunth) Radlk. [GU FG]
Talisia pachycarpa Radlk. [FG]
Talisia pedicellaris Sagot ex Radlk. [SU FG]
Talisia pilosula Sagot ex Radlk. [FG]
Talisia praealta (Sagot) Radlk. [SU FG]
Talisia pulverulenta Radlk. [FG]
Talisia reticulata Radlk. [SU FG?]
Talisia retusa Cowan [GU SU FG?]
Talisia simaboides K.U. Kramer [SU FG]
Talisia sp. cf. *cupularis* Radlk. [FG]
Talisia sp. cf. *nervosa* Radlk. [FG]
Talisia squarrosa Radlk. [GU SU FG]
Talisia sylvatica (Aubl.) Radlk. [GU SU FG]
Thinouia myriantha Triana & Planch. [GU SU? FG]
Toulicia elliptica Radlk. [GU? SU FG?]
Toulicia guianensis Aubl. [GU SU FG]
Toulicia patentinermis Radlk. [GU SU]
Toulicia pulvinata Radlk. [GU SU FG?]
Urvillea ulmacea Kunth [GU SU? FG]
Vourarana guianensis Aubl. [GU? SU FG]

SAPINDACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Allophylus occidentalis (Swartz) Radlk. =*Allophylus racemosus*
Enourea capreolata Aubl. =*Paullinia capreolata*
Matyba fallax Radlk. =*Matyba opaca* var. *fallax*
Matyba miquelii Uittien =*Matyba laevigata*
Melicocca bijugata L. =*Melicoccus bijugatus*
Racaria sylvatica Aubl. =*Talisia sylvatica*
Sapindus arborescens Aubl. =*Matyba arborescens*
Sapindus frutescens Aubl. =*Pseudima frutescens*
Talisia glandulifera Steyerl. =*Talisia hemidasya*
Talisia macrophylla (Mart.) Radlk. [dubious name]

SAPOTACEAE

REFERENCES:

- [for a more extensive bibliography, see
Pennington 1990]
- Aubréville, A. 1972. Sapotaceae. In B. Maguire & collaborators, Botany of the Guayana Highland part IX. Mem. New York Bot. Gard. 23: 1-832.
- Eyma, P.J. 1936. Sapotaceae. In A. Pulle, Flora of Suriname 4(1): 354-399.
- Pennington, T.D. 1990. Sapotaceae. Flora Neotropica Monograph 52: 1-770.

Chromolucuma baehniana Monachino [GU]
Chrysophyllum amazonicum Pennington [GU]
Chrysophyllum argenteum Jacq. subsp. *auratum* (Miq.) Pennington [GU SU FG]
Chrysophyllum argenteum Jacq. subsp. *nitidum* (G. Mey.) Pennington [GU SU FG]
Chrysophyllum cainito L. [GU SU FG] [cultivated, naturalized]
Chrysophyllum cuneifolium (Rudge) A. DC. [SU FG]
Chrysophyllum eximium Ducke [SU] [to be expected in FG]
Chrysophyllum lucentifolium Cronq. subsp. *pachycarpum* Pires & Pennington [FG]
Chrysophyllum manaosense (Aubr.) Pennington [GU SU]
Chrysophyllum pomiferum (Eyma) Pennington [GU SU FG]
Chrysophyllum prieuri A. DC. [SU FG]
Chrysophyllum sanguinolentum (Pierre) Baehni subsp. *balata* (Ducke) Pennington [GU]
Chrysophyllum sanguinolentum (Pierre) Baehni subsp. *sanguinolentum* [GU SU FG]
Chrysophyllum sparsiflorum Klotzsch ex Miq. [GU SU? FG]
Chrysophyllum venezuelanense (Pierre) Pennington [FG]
Diploöön cuspidatum (Hoehne) Cronquist [GU FG]
Ecclinusa dumetorum (Baehni) Pennington [SU FG?]
Ecclinusa guianensis Eyma [GU SU FG]
Ecclinusa lanceolata (Mart. & Eichl.) Pierre [GU FG]
Ecclinusa psilophylla Sandw. [GU SU]
Ecclinusa ramiflora Mart. [SU FG] [to be expected in GU]
Ecclinusa ulei (Krause) Gilly ex Cronquist [Mt. Roraima]
Elaeoluma glabrescens (Mart. & Eichl.) Aubr. [GU]
Elaeoluma nuda (Baehni) Aubr. [SU] [to be expected in GU]
Elaeoluma schomburgkiana (Miq.) Baill. [GU]
Manilkara bidentata (A. DC.) Chevalier subsp. *bidentata* [GU SU FG]
Manilkara bidentata (A. DC.) Chevalier subsp. *surinamensis* (Miq.) Pennington [GU SU FG]
Manilkara excelsa (Ducke) Standl. [GU?]
Manilkara huberi (Ducke) Chevalier [GU SU FG]
Manilkara paraensis (Huber) Standl. [FG]
Manilkara pubicarpa Monachino [GU]
Manilkara zapota (L.) van Royen [widely cultivated and escaping]
Micropholis acutangula (Ducke) Eyma [FG]
Micropholis cayennensis Pennington [FG]
Micropholis egenensis (A. DC.) Pierre [GU? SU FG]
Micropholis gardneriana (A. DC.) Pierre [GU?]
Micropholis guyanensis (A. DC.) Pierre subsp. *duckeana* (Baehni) Pennington [FG]
Micropholis guyanensis (A. DC.) Pierre subsp. *guyanensis* [GU SU FG]
Micropholis longipedicellata Aubr. [GU SU FG]
Micropholis melinoniana Pierre [SU FG]

Micropholis mensalis (Baehni) Aubr. [GU SU FG]
Micropholis obscura Pennington [GU FG]
Micropholis porphyrocarpa (Baehni) Monachino [GU FG]
Micropholis sanctae-rosae (Baehni) Pennington [FG]
Micropholis splendens Gilly ex Aubr. [FG?]
Micropholis venulosa (Mart. & Eichl.) Pierre [GU SU FG]
Mimusops spp. [cultivated or escaped from cultivation]
Pouteria ambelanifolia (Sandw.) Pennington [GU FG]
Pouteria aubrevillei Bernardi [FG]
Pouteria bangii (Rusby) Pennington [SU FG] [to be expected in GU]
Pouteria benai (Aubr. & Pellegr.) Pennington [FG]
Pouteria bilocularis (Winkler) Baehni [GU FG]
Pouteria brachyandra (Aubr. & Pellegr.) Pennington [GU SU FG]
Pouteria caimito (Ruiz & Pav.) Radlk. [GU SU FG]
Pouteria campanulata Baehni [possibly to be expected in GU]
Pouteria cayennensis (A. DC.) Eyma [GU FG]
Pouteria cicatricata Pennington [FG]
Pouteria cladantha Sandw. [GU SU FG]
Pouteria congestifolia Pilz [FG]
Pouteria coriacea (Pierre) Pierre [GU SU FG]
Pouteria crassiflora Pires & Pennington [possibly to be expected in FG]
Pouteria cuspidata (A. DC.) Baehni subsp. *cuspidata* [GU SU] [to be expected in FG]
Pouteria cuspidata (A. DC.) Baehni subsp. *dura* (Eyma) Pennington [GU SU FG?]
Pouteria cuspidata (A. DC.) Baehni subsp. *robusta* (Mart. & Eichl.) Pennington [GU? SU FG]
Pouteria decorticans Pennington [FG]
Pouteria deliciosa Pennington [FG]
Pouteria durlandii (Standl.) Baehni subsp. *durlandii* [GU]
Pouteria egregia Sandw. [GU SU FG]
Pouteria elegans (A. DC.) Baehni [GU]
Pouteria engleri Eyma [GU SU FG]
Pouteria eugeniifolia (Pierre) Baehni [GU SU FG]
Pouteria filipes Eyma [GU SU FG]
Pouteria fimbriata Baehni [GU FG]
Pouteria franciscana Baehni [FG]
Pouteria glomerata (Miq.) Radlk. subsp. *glomerata* [GU? SU? FG]
Pouteria glomerata (Miq.) Radlk. subsp. *stylosa* (Pierre) Pennington [SU]
Pouteria gonggrijpii Eyma [SU FG]
Pouteria gongylocarpa Pennington, sp. nov. ined. [FG]
Pouteria grandis Eyma [GU SU FG]
Pouteria guianensis Aubl. [GU SU FG]
Pouteria hispida Eyma [GU SU FG]
Pouteria jariensis Pires & Pennington [SU? FG]
Pouteria kaieteurensis Pennington [GU]
Pouteria laevigata (Mart.) Radlk. [FG]
Pouteria latianthera Pennington [to be expected in FG]
Pouteria macrocarpa (Mart.) Dietr. [FG?]
Pouteria macrophylla (Lam.) Eyma [GU? SU FG]
Pouteria manaosensis (Aubr. & Pellegr.) Pennington [SU]
Pouteria melanopoda Eyma [GU SU FG]
Pouteria ob lanceolata Pires [FG]
Pouteria penicillata (Baehni) Aubr. [GU]
Pouteria pullei Eyma [SU] [imperfectly known species]
Pouteria reticulata (Engl.) Eyma subsp. *reticulata* [SU FG] [to be expected in GU]
Pouteria reticulata (Engl.) Eyma subsp. *surinamensis* Pennington [GU SU]
Pouteria retinervis Pennington [FG]

SPERMATOPHYTA: Sapotaceae

Pouteria rigida (Mart. & Eichl.) Radlk. subsp. *rigida* [GU]
Pouteria rigida (Mart. & Eichl.) Radlk. subsp. *tomentosa*
 (Aubr.) Pennington [GU]
Pouteria rodiguesiana Pires & Pennington [SU FG]
Pouteria sagotiana (Baill.) Eyma [GU SU FG]
Pouteria singularis Pennington [FG]
Pouteria speciosa (Ducke) Baehni [GU SU FG]
Pouteria surumuensis Baehni [GU]
Pouteria tenuispala Pires & Pennington [FG]
Pouteria torta (Mart.) Radlk. subsp. *glabra* Pennington [GU FG]
Pouteria torta (Mart.) Radlk. subsp. *tuberculata* (Sleumer)
 Pennington [FG]
Pouteria trigonosperma Eyma [GU SU]
Pouteria venosa (Mart.) Baehni subsp. *amazonica* Pennington
 [GU SU FG]
Pouteria virescens Baehni [GU FG]
Pouteria williamii (Aubr. & Pellegr.) Pennington [FG]
Pradosia beardii (Monachino) Pennington [GU]
Pradosia cochlearia (Lecomte) Pennington subsp. *cochlearia*
 [FG]
Pradosia huberi (Ducke) Ducke [FG]
Pradosia ptychandra (Eyma) Pennington [SU FG]
Pradosia schomburgkiana (A. DC.) Cronq. subsp.
 schomburgkiana [GU SU]
Pradosia surinamensis (Eyma) Pennington [GU SU FG]
Pradosia verticillata Ducke [FG]
Sarcaulus brasiliensis (A. DC.) Eyma subsp. *brasiliensis* [GU
 SU FG]

SAPOTACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Achras balata Aubl. =*Mimusops* sp. [described from cultivated material]
Achras zapota L. =*Manilkara zapota*
Achrouteria pomifera Eyma =*Chrysophyllum pomiferum*
Amorphospermum schomburgkianum (Miq.) Baehni
 =*Elaeoluma schomburgkiana*
Bumelia amazonica Krause =*Pouteria cuspidata* subsp.
cuspidata
Bumelia cuneifolia Rudge =*Chrysophyllum cuneifolium*
Bumelia nervosa Vahl =*Pouteria macrophylla*
Calocarpum cooperi (Cronquist) Lundell =*Pouteria torta*
 subsp. *tuberculata*
Calocarpum mammosum (L.) Pierre =*Pouteria sapota*
Chrysophyllum alnifolium Engl., non Baker =*Pouteria engleri*
Chrysophyllum ambelanifolium Sandw. =*Pouteria*
 ambelanifolia
Chrysophyllum auratum Miq. =*Chrysophyllum argenteum*
 subsp. *auratum*
Chrysophyllum auratum Miq. var. *majus* Miq.
 =*Chrysophyllum argenteum* subsp. *auratum*
Chrysophyllum beardii Monachino =*Pradosia beardii*
Chrysophyllum brasiliense A. DC. =*Sarcaulus brasiliensis*
Chrysophyllum brasiliense A. DC. var. *minus* Miq.
 =*Sarcaulus brasiliensis* subsp. *brasiliensis*
Chrysophyllum cayennense A. DC. =*Pouteria cayennensis*
Chrysophyllum cochlearium Lecomte =*Pradosia cochlearia*
Chrysophyllum dumetorum Baehni =*Ecclinusa dumetorum*
Chrysophyllum emarginatum Klotzsch ex Rich. Schomb.
 [name of uncertain application]
Chrysophyllum guianense (Eyma) Baehni =*Ecclinusa*
guianensis

Chrysophyllum guyanense Klotzsch ex Miq. =*Chrysophyllum*
argenteum subsp. *auratum*
Chrysophyllum macoucou Aubl. =*Aubletella macoucou*
 (Aubl.) Pierre [Incertae sedis; excluded from Sapotaceae
 by Pennington]
Chrysophyllum macrophyllum Mart., non Lam. =*Sarcaulus*
brasiliensis subsp. *brasiliensis*
Chrysophyllum macrophyllum Lam. =*Pouteria macrophylla*
Chrysophyllum melinonii Engl. =*Micropholis guyanensis*
 subsp. *guyanensis*
Chrysophyllum monachinoanum Steyermark. =*Pradosia beardii*
Chrysophyllum nitidum G. Mey. =*Chrysophyllum argenteum*
 subsp. *nitidum*
Chrysophyllum psilophyllum A. DC. =*Chrysophyllum*
argenteum subsp. *nitidum*
Chrysophyllum psilophyllum (Sandw.) Baehni =*Ecclinusa*
psilophylla
Chrysophyllum pyriforme Willd. =*Aubletella macoucou*
 (Aubl.) Pierre [Incertae sedis; excluded from Sapotaceae
 by Pennington]
Chrysophyllum rufocupreum Ducke =*Chrysophyllum*
eximium
Chrysophyllum schomburgkianum A. DC. =*Pradosia*
schomburgkiana
Chrysophyllum sericeum A. DC. =*Chrysophyllum argenteum*
 subsp. *auratum*
Chrysophyllum sericeum A. DC. var. *acutifolium* Miq.
 =*Chrysophyllum argenteum* subsp. *auratum*
Chrysophyllum sericeum A. DC. var. *obtusifolium* Miq.
 =*Chrysophyllum argenteum* subsp. *auratum*
Chrysophyllum sessiliflorum Poir. =*Pouteria cayennensis*
Chrysophyllum ulei Krause =*Ecclinusa ulei*
Cynodendron nitidum (G. Mey.) Aubr. =*Chrysophyllum*
argenteum subsp. *nitidum*
Ecclinusa balata Ducke =*Chrysophyllum sanguinolentum*
 subsp. *balata*
Ecclinusa cochlearia (Lecomte) Aubr. =*Pradosia cochlearia*
Ecclinusa cuneifolia (Rudge) Aubr. =*Chrysophyllum*
cuneifolium
Ecclinusa prieurii (A. DC.) Aubr. =*Chrysophyllum prieurii*
Ecclinusa sanguinolenta (Pierre) Engl. =*Chrysophyllum*
sanguinolentum
Englerella macrocarpa Pierre =*Pouteria speciosa*
Englerella speciosa Ducke =*Pouteria speciosa*
Eremoluma sagotiana Baill. =*Pouteria sagotiana*
Eremoluma williamii Aubr. & Pellegr. =*Pouteria williamii*
Franchetella gonggrijpii (Eyma) Aubr. =*Pouteria gonggrijpii*
Ichthyophora elegans (Miq.) Baehni =*Pouteria elegans*
Ichthyophora leptocarpa (Miq.) Baehni =*Pouteria elegans*
Labatia laevigata Mart. =*Pouteria laevigata*
Labatia pedunculata Willd. =*Pouteria guianensis*
Lucuma duckei Huber =*Pouteria venosa* subsp. *amazonica*
Lucuma glabrescens Mart. & Eichl. =*Elaeoluma glabrescens*
Lucuma jenmanii Pittier =*Pouteria torta* subsp. *glabra*
Lucuma pulverulenta Mart. & Eichl. =*Pouteria cayennensis*
Lucuma rigida Mart. & Eichl. =*Pouteria rigida*
Lucuma sagotiana (Baill.) Engl. =*Pouteria sagotiana*
Lucuma sericea Krause =*Pouteria surumuensis*
Lucuma speciosa Ducke =*Pouteria speciosa*
Manilkara amazonica (Hub.) Chev. =*Manilkara bidentata*
 subsp. *surinamensis*
Manilkara balata (Pierre) Dubard =*Manilkara bidentata* subsp.
bidentata
Manilkara surinamensis (Miq.) Dubard =*Manilkara bidentata*
 subsp. *surinamensis*

- Meioluma guianensis* Baill. =*Micropholis venulosa*
Micropholis burchelliana Pierre =*Micropholis gardneriana*
Micropholis calophylloides Pierre =*Micropholis venulosa*
Micropholis casiquiarensis Aubr. [not in Guianas]
Micropholis cowanii Aubr. =*Micropholis guyanensis* subsp.
 guyanensis
Micropholis eugeniifolia Pierre =*Pouteria eugeniifolia*
Micropholis melinonii (Engl.) Mennega et al. =*Micropholis*
 guyanensis subsp. *guyanensis*
Micropholis mucronata Pierre =*Micropholis venulosa*
Micropholis paraensis Huber ex Eyma =*Micropholis*
 acutangula
Micropholis robusta (Mart. & Eichl.) Mennega et al. =*Pouteria*
 cuspidata subsp. *robusta*
Mimusops balata (Aubl.) C.F. Gaertn. [see *Achras balata*]
Mimusops balata Pierre var. *gutta* Pierre =*Manilkara bidentata*
 subsp. *bidentata*
Mimusops balata Pierre var. *melinonis* Pierre =*Manilkara*
 bidentata subsp. *bidentata*
Mimusops bidentata A. DC. =*Manilkara bidentata*
Mimusops huberi Ducke =*Manilkara huberi*
Mimusops paraensis Huber =*Manilkara paraensis*
Mimusops surinamensis Miq. =*Manilkara bidentata* subsp.
 surinamensis
Myrtiluma eugeniifolia (Pierre) Aubr. =*Pouteria eugeniifolia*
Nemaluma engleri (Eyma) Aubr. & Pellegr. =*Pouteria engleri*
Neopometia ptychandra (Eyma) Aubr. =*Pradosia ptychandra*
Neoxythecce cladantha (Sandw.) Aubr. =*Pouteria cladantha*
Neoxythecce dura (Eyma) Aubr. & Pellegr. =*Pouteria cuspidata*
 subsp. *dura*
Neoxythecce robusta (Mart. & Eichl.) Aubr. & Pellegr.
 =Pouteria cuspidata subsp. *robusta*
Neoxythecce roraimensis Aubr. =*Pouteria rigida* subsp. *rigida*
Neoxythecce schulzii Aubr. =*Pouteria cuspidata* subsp. *dura*
Neoxythecce tomentosa Aubr. =*Pouteria rigida* subsp.
 tomentosa
Oxythecce ambelaniifolia (Sandw.) Cronq. =*Pouteria*
 ambelaniifolia
Oxythecce dura (Eyma) Gilly =*Pouteria cuspidata* subsp. *dura*
Oxythecce elegans (A. DC.) Urb. =*Pouteria elegans*
Oxythecce guianensis Lec. =*Pouteria guianensis?*
Oxythecce leptocarpa Miq. =*Pouteria elegans*
Oxythecce rigida (Mart. & Eichl.) Monach. =*Pouteria rigida*
Oxythecce schomburgkiana (Miq.) Cronq. =*Elaeoluma*
 schomburgkiana
Paralabatia acutangula (Ducke) Baehni =*Micropholis*
 acutangula
Paramicropholis acutangula (Ducke) Aubr. & Pellegr.
 = *Micropholis acutangula*
Planchonella elegans (A. DC.) Baehni =*Pouteria elegans*
Planchonella guianensis van Royen =*Chrysophyllum*
 pomiferum
Planchonella melinonii (Engl.) Baehni =*Micropholis*
 guyanensis subsp. *guyanensis*
Platyluma calophylloides (Pierre) Baill. =*Micropholis*
 venulosa
Podoluma benai Aubr. & Pellegr. =*Pouteria benai*
Pouteria acutangula (Ducke) Baehni =*Micropholis acutangula*
Pouteria benoitii Aubr. =*Pouteria hispida*
Pouteria burchelliana (Pierre) Baehni =*Micropholis*
 gardneriana
Pouteria demerarae Sandw. =*Pouteria guianensis*
Pouteria duckeana Baehni =*Micropholis guyanensis* subsp.
 duckeana
Pouteria dura Eyma =*Pouteria cuspidata* subsp. *dura*
- Pouteria echinocarpa* W. Rodrigues =*Pouteria torta* subsp.
 tuberculata
Pouteria elegans var. *micrantha* (Miq.) Baehni =*Pouteria*
 cuspidata subsp. *cuspidata*
Pouteria jenmanii (Pittier) Sandw. =*Pouteria torta* subsp.
 glabra
Pouteria lucentifolia (Standl.) Baehni =*Chrysophyllum*
 venezuelanense
Pouteria melinoniana (Pierre) Baehni =*Micropholis*
 melinoniana
Pouteria melinonii (Engl.) Baehni =*Micropholis guyanensis*
 subsp. *guyanensis*
Pouteria mensalis Baehni =*Micropholis mensalis*
Pouteria minutiflora (Britton) Sandw. =*Pouteria coriacea*
Pouteria multiflora (A. DC.) Eyma [not in Guianas]
Pouteria nuda Baehni =*Elaeoluma nuda*
Pouteria obidensis Huber =*Pouteria guianensis*
Pouteria pedunculata (Willd.) Poir. =*Pouteria guianensis*
Pouteria pomifera (Eyma) Baehni =*Chrysophyllum pomiferum*
Pouteria porphyrocarpa Baehni =*Micropholis porphyrocarpa*
Pouteria ptychandra Eyma =*Pradosia ptychandra*
Pouteria robusta (Mart. & Eichl.) Eyma =*Pouteria cuspidata*
 subsp. *robusta*
Pouteria robusta var. *longifolia* Eyma =*Pouteria cuspidata*
 subsp. *robusta*
Pouteria rufa (Mart. & Eichl. ex Mart.) Lemée =*Micropholis*
 guyanensis
Pouteria scytalophora Eyma =*Pouteria bangii*
Pouteria sericea (Aiton) Baehni [Australian species, recorded
 from GU in error]
Pouteria suffulta Baehni =*Pouteria durlandii* subsp. *durlandii*
Pouteria surinamensis Eyma =*Pradosia surinamensis*
Pouteria venulosa (Mart. & Eichl.) Baehni =*Micropholis*
 venulosa
Prieurella cuneifolia (Rudge) Pierre ex Aubr. =*Chrysophyllum*
 cuneifolium
Prieurella prieurii (A. DC.) Aubr. =*Chrysophyllum prieurii*
Pseudocladiaminutiflora (Britton) Aubr. =*Pouteria coriacea*
Pseudocladiascytalophora (Eyma) Aubr. =*Pouteria bangii*
Pseudolabatia filipes (Eyma) Aubr. =*Pouteria filipes*
Pseudolabatia penicillata (Baehni) Aubr. =*Pouteria penicillata*
Pseudoxythecce ambelaniifolia (Sandw.) Aubr. =*Pouteria*
 ambelaniifolia
Radlkofarella brachyandra Aubr. & Pellegr. =*Pouteria*
 brachyandra
Radlkofarella grandis (Eyma) Aubr. =*Pouteria grandis*
Radlkofarella trigonosperma (Eyma) Aubr. =*Pouteria*
 trigonosperma
Radlkofarella venosa (Mart.) Aubr. =*Pouteria venosa*
Ragala sanguinolenta (Pierre) Aubr. =*Chrysophyllum*
 sanguinolentum
Ragala ulei (Krause) Aubr. =*Ecclinusa ulei*
Richardella cayennensis (A. DC.) Aubr. =*Pouteria*
 cayennensis
Richardella cladantha (Sandw.) Baehni =*Pouteria cladantha*
Richardella macrophylla (Lam.) Aubr. =*Pouteria macrophylla*
Richardella surumuensis (Baehni) Aubr. =*Pouteria*
 surumuensis
Richardella trigonosperma (Eyma) Baehni =*Pouteria*
 trigonosperma

SPERMATOPHYTA: Sapotaceae

Sandwithiodoxa egregia (Sandw.) Aubr. =*Pouteria egregia*
Sideroxylon acutangulum Ducke =*Micrompholis acutangula*
Sideroxylon calophyloides (Pierre) Engl. =*Micrompholis venulosa*
Sideroxylon cuspidatum A. DC. =*Pouteria cuspidata* subsp. *cuspidata*
Sideroxylon cuspidatum var. *crassifolium* Miq. =*Pouteria cuspidata* subsp. *dura*
Sideroxylon cuspidatum A. DC. var. *ellipticum* Miq. =*Pouteria cuspidata* subsp. *cuspidata*
Sideroxylon egense A. DC. =*Micrompholis egensis*
Sideroxylon elegans A. DC. =*Pouteria elegans*
Sideroxylon elegans var. *micranthum* Miq. =*Pouteria cuspidata* subsp. *cuspidata*
Sideroxylon eugeniifolium (Pierre) Engl. =*Pouteria eugeniifolia*
Sideroxylon guianense (Baill.) Engl. =*Micrompholis venulosa*
Sideroxylon guyanense A. DC. =*Micrompholis guyanensis*
Sideroxylon robustum Mart. & Eichl. =*Pouteria cuspidata* subsp. *robusta*
Sideroxylon rufum Mart. & Eichl. ex Mart. =*Micrompholis guyanensis* subsp. *guyanensis*
Sideroxylon rugosum Roem. & Schult. var. *parviflorum* Miq. =*Micrompholis melinoniana*
Sideroxylon venulosum Mart. & Eichl. =*Micrompholis venulosa*
Vitellaria pulverulenta (Mart. & Eichl.) Radlk. =*Pouteria cayennensis*

SARRACENIACEAE

contributed by K.M. Cameron (1992)

REFERENCES:

Maguire, B. 1978. Sarraceniaceae. In B. Maguire & collaborators, Botany of the Guiana Highland part 10. Mem. New York Bot. Gard. 29: 36-62.

Heliamphora nutans Benth. [GU]

SCROPHULARIACEAE

REFERENCES:

D'Arcy, W.G. 1979. Scrophulariaceae. In R.E. Woodson, Jr., R.W. Schery, & collaborators, Flora of Panama. Ann. Missouri Bot. Gard. 66: 173-272.
 Diaz-Miranda, D. 1991. Scrophulariaceae en la flora de Venezuela I. Introducción. Ernstia 1(3): 95-108.
 Pennell, F.W. 1940. Some new species of Scrophulariaceae from Guyana. Not. Nat. Acad. Nat. Sci. Phila. 46: 1-6.
 Philcox, D. 1965. Revision of the New World species of *Buchnera* L. Kew Bull. 18: 275-315.

Turner, B.L. & C.C. Cowan. 1993. Taxonomic overview of *Stemodia* for South America. *Phytologia* 75(4): 281-324.

Achetaria guianensis Pennell [GU SU FG]
Achetaria ocimoides (Cham. & Schlechtend.) Wettst. [GU SU FG]
Achetaria scutellaroides (Benth.) Kuntze [GU FG]
Agalinis hispida (Mart.) D'Arcy [GU SU FG]
Alectra aspera (Cham. & Schlechtend.) L.O. Williams [GU FG]
Angelonia angustifolia Benth. [SU FG] [probably cultivated only]
Angelonia biflora Benth. [GU]
Angelonia salicariifolia Humb. & Bonpl. [GU SU] [probably cultivated only]
Bacopa aquatica Aubl. [GU SU FG]
Bacopa bacopoides (Benth.) Pulle [SU]
Bacopa chamaedroides Wettst. [FG]
Bacopa connata (Pennell) Pennell [GU]
Bacopa gratioloides (Benth.) Chodat [GU]
Bacopa laxiflora (Benth.) Edwall [GU SU]
Bacopa monnieri (L.) Wettst. [FG]
Bacopa repens (Sw.) Wettst. [GU]
Bacopa salzmannii (Benth.) Edwall [GU]
Bacopa sessiliflora (Benth.) Edwall [GU SU FG]
Bacopa stricta (Schrad.) Edwall [GU]
Benjaminia reflexa (Benth.) D'Arcy [GU SU FG]
Buchnera longifolia Kunth [GU FG]
Buchnera palustris (Aubl.) Spreng. [GU SU FG]
Buchnera pusilla Kunth [GU]
Buchnera rosea Kunth [GU SU]
Buchnera weberbaueri Diels [GU]
Capraria biflora L. [GU SU FG]
Conobea aquatica Aubl. [GU SU FG]
Lindernia brachyphylla Pennell [GU]
Lindernia crustacea (L.) F. Mueller [GU SU FG]
Lindernia diffusa (L.) Wettst. [GU SU FG]
Lindernia dubia (L.) Pennell [GU SU FG]
Lindernia microcalyx Pennell & Stehlé [FG]
Lindernia rotundifolia (L.) Standl. & L.O. Williams [FG]
[naturalized]
Mecardonia procumbens (P. Mill.) Small [FG]
Micranthemum umbrosum (Walt. ex Gmel.) Blake [GU SU]
Russelia sarmentosa Jacq. [FG]
Scoparia dulcis L. [GU SU FG]
Stemodia pratensis (Aubl.) C. Cowan [GU FG] [=*Stemodia foliosa* Benth.]
Stemodia verticillata (Mill.) Hassl. [GU SU]
Torenia fournieri Linden ex Fourn. [GU] [probably cultivated or escaped from cultivation]
Torenia thouarsii (Cham. & Schlechtend.) Kuntze [GU SU]
[naturalized]
Vellosiella spathacea (Oliver) Melchior [GU?] [Mt. Roraima]

SCROPHULARIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Alectra brasiliensis Benth. =*Alectra aspera*
Anisantherina hispida (Mart.) Pennell ex N.L. Britton
= *Agalinis hispida*
Bacopa ciliata (Pennell) Pennell =*Bacopa salzmannii*
Bacopa reflexa (Benth.) Edwall =*Benjaminia reflexa*

Beyrichia ocimoides Cham. & Schlechtend. =Achetaria
ocimoides
Bramia monnierii (L.) Drake =Bacopa monnieri
Buchnera capillaris Desv. =Lindernia crustacea
Buchnera elongata Swartz =Buchnera longifolia [records may represent Buchnera pusilla]
Buchnera virgata Kunth [name dubiously applied to Guianan specimens]
Capraria integrifolia Miq. =Sesamum orientale L.
(Pedaliaceae)
Curanga bivalvis (L.f.) Druce =Mendoncia bivalvis (L.f.)
Merr. (Mendonciaceae)
Drupina cristata L. =Mendoncia bivalvis (L.f.) Merr.
(Mendonciaceae)
Gerardia hispidula Mart. =Agalinis hispidula
Herpestis ciliata Pennell =Bacopa salzmannii
Herpestis connata Pennell =Bacopa connata
Herpestis reflexa Benth. =Benjaminia reflexa
Ilysanthes riparia Raf. =Lindernia dubia
Ilysanthes rotundifolia Benth. =Lindernia rotundifolia
Matourea pratensis Aubl. =Stemodia pratensis
Melasma brasiliensis Chodat & Hassl. =Alectra aspera
Melasma spathaceum Oliver =Vellosiella spathacea
Mella laxiflora (Benth.) Pennell =Bacopa laxiflora
Micranthemum orbiculatum Michx. =Micranthemum umbrosum
Picria surinamensis Spreng. =Mendoncia bivalvis (L.f.) Merr.
(Mendonciaceae)
Piripea palustris Aubl. =Buchnera palustris
Stemodia foliosa Benth. =Stemodia pratensis
Stemodia parviflora Ait. =Stemodia verticillata
Stemodia pusilla Benth. [name apparently misapplied to S. pratensis]
Stemodia surinamensis Miq. [name of uncertain application]
Vandellia crustacea (L.) Benth. =Lindernia crustacea
Vandellia diffusa L. =Lindernia diffusa

SIMAROUBACEAE

REFERENCES:

- Cavalcante, P.B. 1983. Revisão taxonômica do gênero Simaba Aublet na América do Sul. *Publ. Avulsas Mus. Goeldi* 37: 1-85.
- Cronquist, A. 1944. Studies in the Simaroubaceae. II. The genus Simarouba. *Bull. Torrey Bot. Club* 71: 226-234.
- Cronquist, A. 1944. Studies in Simaroubaceae. III. The genus Simaba. *Lloydia* 7: 81-92.
- Cronquist, A. 1944. Studies in Simaroubaceae. IV. Résumé of the American genera. *Brittonia* 5: 128-147.
- Cronquist, A. 1945. Additional notes on the Simaroubaceae. *Brittonia* 5: 469-470.
- Feuillet, C. 1983. Etudes sur les Simaroubaceae. II. Un Simaba nouveau de Guyane française dans la section Floribunda Engl.: S. morettii. *Candollea* 38(2): 745-750.
- Jansen-Jacobs, M.J. 1979. Simaroubaceae. In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 5(1): 319-330.
- Nooteboom, H.P. 1962. Generic delimitation in Simaroubaceae tribus Simaroubeae and a

conspectus of the genus Quassia L. *Blumea* 11: 509-528.

Thomas, W.W. 1984. A new species of Simaba (Simaroubaceae) from Pará, Brazil, with a key to the species north of the Amazon River. *Brittonia* 36(3): 244-247.

Thomas, W.W. 1985. The Simaba guianensis complex in northern South America. *Acta Amazonica* 15(1-2) suppl.: 71-79.

Picramnia guianensis (Aubl.) Jansen-Jacobs [GU SU FG]
Picramnia longissima Tul. [GU] [=Picramnia latifolia Tul.?]
Picramnia macrostachys Klotzsch ex Engl. [GU SU FG]
[=Picramnia latifolia Tul.?]
Picramnia sellowii Planch. [GU FG]
Picramnia spruceana Engl. [GU SU FG]
Picrasma excelsa (Swartz) Planch. [FG?]
Picrolemma pseudocoffea Ducke [FG]
Quassia amara L. [GU SU FG] [cultivated, naturalized]
Simaba cedron Planch. [GU SU FG] [cultivated, naturalized]
Simaba guianensis Aubl. subsp. ecaudata (Cronquist)
Cavalcante [GU SU FG]
Simaba guianensis Aubl. subsp. guianensis [GU SU FG]
Simaba monophylla (Oliv.) Cronquist [GU]
Simaba morettii Feuillet [FG]
Simaba multiflora Adr. Juss. [GU SU FG]
Simaba orinocensis Kunth [SU FG] [to be expected in GU]
Simaba polyphylla (Cavalcante) W. Thomas [FG]
Simarouba amara Aubl. [GU SU FG]

SIMAROUBACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Aeschriion excelsa (Swartz) Kuntze =Picrasma excelsa
Aruba guianensis Aubl. =Simaba guianensis
Picramnia latifolia Tul. [see Picramnia macrostachys,
Picramnia longissima]
Picramnia tariri DC. =Picramnia guianensis
Quassia cedron (Planch.) Baill. =Simaba cedron
Quassia cuspidata (Spruce ex Engl.) Nooteboom =Simaba
guianensis
Quassia guianensis (Aubl.) Dietr. =Simaba guianensis
Quassia monophylla (Oliv.) Nooteboom =Simaba monophylla
Quassia multiflora (Adr. Juss.) Nooteboom =Simaba
multiflora
Quassia simarouba L.f. =Simarouba amara
Simaba alata Maguire =Simaba multiflora
Simaba cuspidata Spruce ex Engl. =Simaba guianensis
Simaba guianensis Aubl. subsp. polyphylla Cavalcante
=Simaba polyphylla
Simaba trichilioides A. St. Hil. [not in Guianas]
Tariri guianensis Aubl. =Picramnia guianensis

SMILACACEAE

reviewed by P. Berry (1996)

REFERENCES:

- Mitchell, J.D. 1994. *Smilax saülensis*, a new species from French Guiana. *Brittonia* 46(3): 225-227.
- Sipman, H. 1979. Liliaceae. In A.L. Stoffers & J.C. Lindeman, *Flora of Suriname* 5(1): 442-456.

- Smilax cinnamomea* Desf. ex DC. [FG]
Smilax cordata-ovata L.C. Rich. [FG]
Smilax cumanensis Willd. [GU SU FG]
Smilax cuspidata Poir. [FG]
Smilax immersa A.C. Smith [GU]
Smilax krukovi A.C. Smith [FG?]
Smilax kunthii Killip & C. Morton [GU SU FG]
Smilax lasseriana Steyermark. [GU SU FG] [=Smilax kunthii?]
Smilax latipes Gleason [GU SU FG]
Smilax longifolia L.C. Rich. [SU? FG]
Smilax megalophylla Duhamel [GU SU FG?]
Smilax pseudosyphilitica Kunth [FG]
Smilax quinquenervia Vell. [FG]
Smilax riedeliana A. DC. [FG]
Smilax santaremensis DC. [GU SU FG]
Smilax saülensis J.D. Mitchell [FG]
Smilax schomburgkiana Kunth [GU SU FG]
Smilax syphilitica Willd. [GU SU FG]
Smilax talbotiana A. DC. [GU]

SMILACACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Smilax flavesens* Hamilton =*Smilax longifolia*
Smilax floribunda Hamilton =*Smilax cuspidata*?
Smilax globifera G. Mey. =*Smilax cumanensis*
Smilax hostmanniana Kunth =*Smilax cumanensis*
Smilax papyracea Duhamel =*Smilax longifolia*
Smilax piraensis Kunth & Rich. Schomb. =*Smilax cumanensis*
Smilax procera Griseb. =*Smilax quinquenervia*
Smilax surinamensis Miq. =*Smilax cumanensis*

SOLANACEAE

reviewed by M. Nee (1992); reviewed by M. Nee (1996)

REFERENCES:

- Bernardello, L.M. & A.T. Hunziker. 1987. A synoptical revision of Solandra (Solanaceae). *Nord. J. Bot.* 7: 639-652.
- Bitter, G. 1919. Die Gattung *Lycianthes*. *Ahb. Naturwiss. Vereine Bremen* 24(2): 292-520.
- Bohs, L. 1994. *Cyphomandra* (Solanaceae). *Flora Neotropica Monograph* 63: 1-175.

- Carvalho, L. d'A Freire de. 1978. O gênero *Schwenckia* D. van Rooyen ex Linnaeus no Brasil - Solanaceae. *Rodriguésia* 44: 307-524.
- Cuatrecasas, J. 1958. Notes on American Solanaceae. *Feddes Repert.* 61(1): 74-86.
- D'Arcy, W.G. 1973. Solanaceae. In R.E. Woodson, Jr., R.W. Schery, & collaborators, *Flora of Panama*. *Ann. Missouri Bot. Gard.* 60: 573-780.
- Edmonds, J.M. 1972. A synopsis of the taxonomy of *Solanum* sect. *Solanum* (Maurella) in South America. *Kew Bull.* 27: 95-114.
- Francey, P. 1935-1936. Monographie du genre *Cestrum* L. *Candollea* 6: 46-398, 7: 1-132.
- Hawkes, J.G., R.N. Lester, M. Nee, & N. Estrada-R. 1991. Solanaceae III. Taxonomy, Chemistry, Evolution. Royal Botanic Gardens, Kew.
- Plowman, T. 1979. The genus *Brunfelsia*: a conspectus of the taxonomy and biogeography. Pp. 475-491 in J.G. Hawkes, R.N. Lester, & A.D. Skelding, *The Biology and Taxonomy of the Solanaceae*. Linnaean Society of London, Academic Press.
- Whalen, M.D. 1984. Conspectus of species groups in *Solanum* subgenus *Leptostemonum*. *Gentes Herb.* 12(4): 179-282.
- Whalen, M.D., D.E. Costich, & C.B. Heiser. 1981. Taxonomy of *Solanum* section *Lasiocarpa*. *Gentes Herb.* 12(2): 41-129.

- Brunfelsia guianensis* Benth. [GU SU FG]
Brunfelsia martiana Plowman [GU FG]
Brunfelsia uniflora D. Don [GU]
Capsicum annuum L. var. *annuum* [GU FG] [cultivated, frequently escaping]
Capsicum annuum L. var. *glabriusculum* (Dunal) Heiser & Pick. [GU SU]
Capsicum frutescens L. [GU SU FG]
Cestrum acuminatissimum Dunal [FG] [=Cestrum *megalophyllum*?]
Cestrum latifolium Lam. [GU SU FG]
Cestrum megalophyllum Dunal [GU]
Cestrum multiflorum Roem. & Schult. [FG]
Cestrum racemosum Ruiz & Pav. [FG?]
Cyphomandra endopogon Bitter subsp. *guianensis* Bohs [FG]
Cyphomandra hartwegii (Miers) Walp. subsp. *hartwegii* [GU SU FG]
Cyphomandra oblongifolia Bohs [SU]
Cyphomandra tegore (Aubl.) Walp. [SU FG]
Cyphomandra tobagensis Sandw. [GU]
Datura metel L. [SU FG] [cultivated or escaped from cultivation]
Datura stramonium L. [FG?] [naturalized?]
Lycianthes geminata Bitter [FG] [to be expected in GU, SU]
Lycianthes pauciflora (Vahl) Bitter [GU SU FG]
Markea camponoti Ducke [GU FG]
Markea coccinea L.C. Rich. [GU SU FG]
Markea formicarum Dammer [SU FG] [to be expected in GU]

Markea longiflora Miers [GU FG] [doubtful species, of uncertain status]
Markea sessiliflora Ducke [GU SU FG]
Nicotiana tabacum L. [GU SU FG] [cultivated, perhaps escaping]
Physalis angulata L. [GU SU FG]
Physalis pubescens L. [GU SU FG]
Schwenckia americana L. var. *americana* [GU SU FG]
Schwenckia americana L. var. *hirta* (Klotzsch) Carvalho [GU SU FG]
Schwenckia elegans Carvalho [GU]
Schwenckia grandiflora Benth. [GU SU FG?]
Schwenckia guianensis Benth. [SU? FG] ["Guianas"]
Schwenckia mollissima Nees & Mart. [SU]
Solandra longiflora Tussac [SU FG?] [to be expected in GU]
Solandra paraensis Ducke [FG]
Solanum acrescens Standl. & C. Morton [FG?]
Solanum adhaerens Roem. & Schult. [GU FG]
Solanum agrarium Sendtn. [GU] [to be expected in SU, FG]
Solanum americanum Mill. [GU SU FG]
Solanum anceps Ruiz & Pav. [GU SU FG]
Solanum asperum L.C. Rich. [GU SU FG]
Solanum aturense Dunal [FG?]
Solanum bicolor Roem. & Schult. [GU]
Solanum campaniforme Roem. & Schult. [GU FG]
Solanum capsicoides Allioni [GU SU] [introduced]
Solanum cordovense Sessé & Moc. [GU]
Solanum coriaceum Dunal [GU SU FG]
Solanum costatum M. Nee, sp. nov. ined. [GU FG]
Solanum crinitum Lam. [GU SU FG]
Solanum fulvidum Bitter [GU FG]
Solanum jamaicense Mill. [GU SU FG]
Solanum lepidotum Dunal [GU FG?]
Solanum leucocarpum Dunal [GU SU FG]
Solanum mammosum L. [GU SU FG]
Solanum maroniense Poit. [FG]
Solanum monachophyllum Dunal [GU FG]
Solanum morii S. Knapp [GU FG]
Solanum oocarpum Sendtn. [GU SU?]
Solanum oppositifolium Ruiz & Pav. [GU FG]
Solanum paludosum Moricand [GU SU FG]
Solanum pensile Sendtn. [GU SU FG]
Solanum rubiginosum Vahl [GU SU FG]
Solanum rugosum Dunal [GU SU FG]
Solanum schlechtendalianum M. Walpers [GU SU FG]
Solanum schomburgkii Sendtn. [GU SU FG]
Solanum semotum M. Nee [GU FG]
Solanum sendtnerianum Heurck & Muell. Arg. [FG]
Solanum sessiliflorum Dunal [SU FG] [probably cultivated or escaped from cultivation]
Solanum stramonifolium Jacq. [GU SU FG]
Solanum subinerme Jacq. [GU SU FG]
Solanum torvum Swartz [GU FG]
Solanum tricuspidatum L.C. Rich. ex Dunal [FG]
Solanum vanheurckii Muell. Arg. [FG]
Solanum velutinum Dunal [GU SU FG]
Witheringia solanacea L'Hér. [FG?]

SOLANACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Bassovia sylvatica Aubl. =*Solanum anceps*
Brunfelsia maritima Benth. =*Brunfelsia latifolia* (Pohl)
 Benth. [not in Guianas]

Brunfelsia spruceana Benth. =*Brunfelsia martiana*
Capsicum conoids Mill. =*Capsicum annuum?*
Capsicum curvipes Dun. =*Capsicum annuum?*
Cestrum baenitzii Lingelsh. =*Cestrum megalophyllum*
Cestrum oliganthum Dunal =*Cestrum latifolium*
Cestrum prieurei Dunal =*Cestrum latifolium*
Cestrum silvaticum Francey =*Cestrum microcalyx* Francey
 [not in Guianas]
Cyphomandra boliviensis Steyermark. =*Cyphomandra tobagensis*
Datura fastuosa L. =*Datura metel*
Lycianthes guianensis (Dunal) Bitter =*Lycianthes pauciflora*
Markea porphyrobaphes Sandw. =*Markea sessiliflora*
Physalis capsicifolia Dunal =*Physalis* sp. [name of uncertain application]
Physalis hirsuta Dunal =*Physalis* sp. [name of uncertain application]
Physalis surinamensis Miq. =*Physalis pubescens*
Schwenckia hirta Klotzsch =*Schwenckia americana* var. *hirta*
Solanum americanum Mill. var. *nodiflorum* (Jacq.) Edmonds
 =*Solanum americanum*
Solanum antillarum O.E. Schulz =*Solanum nudum*
Solanum arboreum Dunal [not in Guianas]
Solanum aubletii Pulle =*Solanum anceps*
Solanum boissieri Dunal =*Solanum schomburghii*
Solanum brachybotryon Dunal =*Solanum velutinum*
Solanum cuneifolium Dunal =*Solanum jamaicense*
Solanum demerarens Dunal =*Solanum stramoniifolium*
Solanum diphylum L. [not in Guianas]
Solanum enoplocalyx Dunal =*Solanum adhaerens*
Solanum foetidum Ruiz & Pav. [not in Guianas]
Solanum guianense Dunal =*Lycianthes guianensis*
Solanum guianense Klotzsch [nomen nudum]
Solanum hostmannii Dunal =*Solanum schomburghii*
Solanum intermedium Sendtner [not in Guianas]
Solanum japurens Dunal =*Lycianthes* sp.
Solanum lanceifolium Jacq. [records based on misidentifications]
Solanum longiflorum Vahl =*Solanum subinerme*
Solanum macranthum Dunal =*Solanum crinitum*
Solanum manaense Sagot ex Lemée [nomen nudum]
Solanum miquelianum C. Morton =*Solanum pensile*
Solanum nigrum L. [not in Guianas, misident. for *Solanum americanum*]
Solanum nodiflorum Jacq. =*Solanum americanum*
Solanum nudum Dunal [not in Guianas]
Solanum ochraceo-ferrugineum (Dunal) Fernald [not in Guianas]
Solanum oleraceum Dunal =*Solanum americanum*
Solanum richardii (Dunal) Lemée =*Solanum anceps?*
Solanum sacapanense Rusby =*Solanum monachophyllum*
Solanum salviifolium Lam. =*Solanum asperum*
Solanum salzmannii Dunal =*Solanum paludosum*
Solanum scandens L. =*Solanum pensile*
Solanum sempervirens Dunal =*Solanum pensile*
Solanum siparunooides Ewan =*Solanum aturense*
Solanum surinamense Steud. =*Solanum leucocarpum*
Solanum sylvaticum (Aubl.) Bitter =*Solanum anceps*
Solanum tegore Aubl. =*Cyphomandra tegore*
Solanum topiro Dunal =*Solanum sessiliflorum*
Solanum toxicarium L. Rich. =*Solanum stramoniifolium*
Solanum trichocarpum Miq. =*Solanum stramoniifolium*
Solanum verbascifolium L. [not in Guianas]

SPHENOCLEACEAE

Sphenoclea zeylanica Gaertn. [GU SU FG] [naturalized?]

STERCULIACEAE

contributed by L.J. Dorr (1992)

REFERENCES:

- Barnett, L.C. & L.J. Dorr. 1990. A new, arborescent species of *Bytneria* from French Guiana. *Brittonia* 42(4): 271-275.
- Cristóbal, C.L. 1976. Estudio taxonómico del género *Bytneria* Loefl. *Bonplandia* 4: 1-428.
- Cuatrecasas, J. 1964. Cacao and its allies. A taxonomic revision of the genus *Theobroma*. *Contr. U.S. Nat. Herb.* 35: 379-614.
- Goldberg, A. 1967. The genus *Melochia* L. *Contrib. United States National Herbarium* 34(5): 191-363.
- Uittien, H. 1932. Sterculiaceae. In A. Pulle, *Flora of Suriname* 3(1): 34-48.
- Uittien, H. 1941. Sterculiaceae (additions and corrections). In A. Pulle, *Flora of Suriname* 3(1): 437.

- Ayenia praeclera* Sandw. [GU SU]
Ayenia tomentosa L. [GU SU]
Bytneria aurantiaca Mildbr. [FG]
Bytneria cordifolia Sagot [SU FG]
Bytneria divaricata Benth. var. *divaricata* [GU SU]
Bytneria genistella Triana & Planch. [GU]
Bytneria morii L. Barnett & Dorr [FG]
Bytneria scabra L. [GU SU FG]
Bytneria uaupensis Spruce ex K. Schum. [GU]
Guazuma ulmifolia Lam. [GU SU FG]
Helicteres baruensis Jacq. [GU SU]
Helicteres guazumaefolia Kunth [GU]
Helicteres pentandra L. [GU? SU FG]
Herrania kanukuensis R.E. Schultes [GU SU FG]
Herrania lemniscata (Rich. Schomb.) R.E. Schultes [GU]
Melochia arenosa Benth. [GU SU]
Melochia graminifolia St. Hil. [GU]
Melochia lanceolata Benth. [GU SU FG?]
Melochia melissifolia Benth. [GU SU FG]
Melochia parvifolia Kunth var. *fasciculata* (Benth.) Hassler [GU SU?]
Melochia parvifolia Kunth var. *parvifolia* [GU]
Melochia pyramidata L. var. *pyramidata* [FG?]
Melochia simplex St. Hil. [GU SU]
Melochia spicata (L.) Fryxell [GU SU FG]
Melochia tomentosa L. [SU FG?]
Melochia ulmifolia Benth. [GU SU FG]
Sterculia frondosa A. Rich. [FG]
Sterculia guianensis Sandw. [GU]
Sterculia lisae E. Taylor, sp. nov. ined. [FG]
Sterculia multiovula E. Taylor, sp. nov. ined. [GU FG]
Sterculia parviflora (Ducke) E. Taylor, comb. nov. ined. [SU FG]

- Sterculia pruriens* (Aubl.) K. Schum. var. *glabrescens* E. Taylor, var. nov. ined. [GU]
Sterculia pruriens (Aubl.) K. Schum. var. *pruriens* [GU SU FG]
Sterculia rugosa R. Brown [GU]
Sterculia speciosa K. Schum. [GU FG]
Sterculia villifera Steud. [GU? SU FG]
Theobroma cacao L. subsp. *spherocarpum* (Chev.) Cuatrec. [GU SU FG]
Theobroma grandiflorum (Willd. ex Spreng.) K. Schum. [GU]
Theobroma obovatum Klotzsch ex Bernoulli [GU]
Theobroma subincanum Mart. [GU SU FG]
Theobroma velutinum Benoist [SU FG]
Waltheria indica L. [GU SU FG]
Waltheria involucrata Benth. [GU]
Waltheria viscosissima St. Hil. [GU]

STERCULIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Buttneria scabra* Aubl. =*Bytneria scabra*
Bytneria sparganiocarpa Uittien =*Bytneria divaricata*
Cacao guianensis Aubl. =*Theobroma cacao*
Cacao sylvestris Aubl. =*Theobroma subincanum*
Herrania mariae (Mart.) Decne. ex Goudot [not in Guianas]
Ivira pruriens Aubl. =*Sterculia pruriens*
Melochia cinerea St. Hil. & Naud. =*Melochia arenosa*
Melochia fasciculata Benth. =*Melochia parvifolia* var. *fasciculata*
Melochia hirsuta Cav. =*Melochia spicata*
Melochia ramuliflora Fries =*Melochia ulmifolia*
Melochia villosa (Mill.) Fawc. & Rendle =*Melochia spicata*
Sterculia excelsa Mart. [not in Guianas]
Theobroma alba Bernoulli =*Licania alba* (Chrysobalanaceae)
Theobroma guianense (Aubl.) Gmelin =*Theobroma cacao*
Theobroma mariae Schum. =*Herrania mariae* (Mart.) Decne. ex Goud. [not in Guianas]
Theobroma speciosum Mart. [not in Guianas]
Theobroma sylvestre Mart., non *Cacao sylvestris* Aubl. [not in Guianas]
Waltheria americana L. =*Waltheria indica*
Xylosterculia rugosa (R. Brown) Kosterm. =*Sterculia rugosa*

STRELITZIACEAE

reviewed by P.J.M. Maas (1992)

REFERENCES:

- Maas, P.J.M. 1985. Musaceae. In A.R.A. Görts-van Rijn, *Flora of the Guianas* (series A) 1: 1-28.
- Maas, P.J.M. & M.J.M. de Rooij. 1979. Musaceae. In A.L. Stoffers & J.C. Lindeman, *Flora of Suriname* 5(1): 393-411.

Phenakospermum guyannense (L.C. Rich.) Endl. ex Miq. [GU SU FG]

SPERMATOPHYTA: Sphenocleaceae -

Strelitziaceae

STRELITZIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Ravenala guyannensis (L.C. Rich.) O.G. Peters.
=Phenakospermum guyannense
Urania guyannensis L.C. Rich. =Phenakospermum guyannense

Symplocos guianensis (Aubl.) Guerke [GU SU FG]
Symplocos martinicensis Jacq. [GU FG]
Symplocos pilosiuscula Brand [GU FG]
Symplocos pycnophylla Sleumer [Mt. Roraima]
Symplocos schomburgkii (Klotzsch ex Schomb.) Brand [GU?]
[Mt. Roraima]
Symplocos ulei Brand [GU]

STYRACACEAE

reviewed by D. Sabatier (1992)

REFERENCES:

- Maguire, B. & Yung-Chau Huang. 1978.
Styracaceae. In B. Maguire & collaborators,
Botany of the Guayana Highland part 10.
Mem. New York Bot. Gard. 29: 204-223.
Perkins, J. 1907. Styracaceae. In A. Engler, Das Pflanzenreich IV(241): 1-111.

Styrax fanshawei Sandw. [GU]
Styrax glaber Swartz [GU]
Styrax glabratum Schott ex Spreng. [SU FG]
Styrax guianensis A. DC. [GU SU FG]
Styrax hypochryseus Perkins [GU]
Styrax longifolius Standl. [GU FG]
Styrax oblongus (Ruiz & Pav.) A. DC. [GU]
Styrax pallidus A. DC. [FG]
Styrax roraimae Perkins [GU?] [Mt. Roraima]
Styrax tafelbergensis Maguire [GU? SU]
Styrax tessmannii Perkins [GU]

SURIANACEAE

REFERENCES:

- Howard, R.A. 1988. Surianaceae. In R.A. Howard, Flora of the Lesser Antilles 4(1): 574-575.

Suriana maritima L. [FG?]

SYMPLOCACEAE

reviewed by D. Sabatier (1992)

REFERENCES:

- Brand, A. 1901. Symplocaceae. In A. Engler, Das Pflanzenreich IV(242): 1-100.
Maguire, B. & Yung-Chau Huang. 1978.
Symplocaceae. In B. Maguire & collaborators, Botany of the Guayana Highland. Mem. New York Bot. Gard. 29: 223-230.

SYMPLOCACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Ciponima guianensis Aubl. =Symplocos guianensis
Symplocos roraimensis Steyermark. =Symplocos pycnophylla

TACCACEAE

REFERENCES:

- Drenth, E. 1972. A revision of the family Taccaceae. Blumea 20: 367-406.

Tacca parkeri Seem. [GU SU?]

THEACEAE

reviewed by A. Weitzman (1992)

REFERENCES:

- Jansen-Jacobs, M.J. & J.C. Lindeman. 1979.
Theaceae. In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 5(1): 356-366.
Kobuski, C.E. 1942. Studies on the Theaceae, XII. Notes on the South American species of Ternstroemia. J. Arn. Arb. 23: 298-343.

Freziera carinata A. Weitzman [to be expected in GU]
Freziera roraimensis Tul. [GU?] [Mt. Roraima]
Gordonia fruticosa (Schrad.) H. Keng [GU SU FG]
Ternstroemia browniana Kobuski [GU SU FG?]
Ternstroemia candolleana Wawra [SU]
Ternstroemia crassifolia Benth. [GU]
Ternstroemia dehiscens Huber [FG?]
Ternstroemia delicatula Choisy [GU SU FG]
Ternstroemia dentata (Aubl.) Swartz [GU SU FG]
Ternstroemia gleasoniana Kobuski [GU]
Ternstroemia grandiosa Kobuski [GU]
Ternstroemia laevigata Wawra [GU]
Ternstroemia longipes Klotzsch ex Wawra [GU]
Ternstroemia punctata (Aubl.) Swartz [GU SU FG]
Ternstroemia schomburgkiana Benth. [GU SU]
Ternstroemia verticillata Klotzsch ex Wawra [GU SU]

THEACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Laplacea fruticosa (Schrad.) Kobuski =*Gordonia fruticosa*
Laplacea semiserrata (Nees) Camb. =*Gordonia fruticosa*
Taonabo dentata Aubl. =*Ternstroemia dentata*
Taonabo punctata Aubl. =*Ternstroemia punctata*
Ternstroemia cayennensis Planch. [nomen nudum]
Ternstroemia circumscissilis Kobuski [not in Guianas]
Ternstroemia corymbosa Smith [name of uncertain application, not *Ternstroemia*]

THEOPHRASTACEAE

reviewed by J.C. Lindeman (1992)

REFERENCES:

- Lindeman, J.C. 1979. Theophrastaceae. In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 5(1): 367-369.
 Ståhl, B. 1991. A revision of Clavija. Opera Bot. 107: 1-77.

Clavija imatacae Ståhl [GU]
Clavija lancifolia Desf. subsp. *chermontiana* (Standl.) Ståhl [GU SU FG]
Clavija lancifolia Desf. subsp. *lancifolia* [SU FG]
Clavija macrophylla (Link ex Roem. & Schult.) Radlk. [GU]

THURNIACEAE

reviewed by M.T. Strong (1992)

REFERENCES:

- Schnee, L. 1943. El genero Thurnia (con descripción de una nueva especie). Bol. Soc. Venez. Cienc. Nat. 8(55): 241-243.
 Uittien, H. 1938. Thurniaceae. In A. Pulle, Flora of Suriname 1(1): 188-190.

Thurnia jenmanii J.D. Hook. [GU]
Thurnia sphaerocephala (Rudge) J.D. Hook. [GU SU FG]

THYMELAEACEAE

REFERENCES:

- Domke, W. 1934. Untersuchungen über die systematische und geographische Gliederung der Thymelaeaceen. Bibliotheca Botanica 111: 1-151.
 Nevling, L. 1959. A revision of the genus *Daphnopsis*. Ann. Missouri Bot. Gard. 46: 257-358.

Daphnopsis longipedunculata Gilg ex Domke [Mt. Roraima]
 [=Funifera sp.?]
Daphnopsis steyermarkii Nevling [GU]
Goodallia guianensis Benth. [GU]
Lasiadenia rupestris Benth. [GU]
Schoenobiblus daphnooides Mart. [FG?]

TILIACEAE

contributed by M.J. Jansen-Jacobs & W. Meijer (1992); additions and corrections by M.J. Jansen-Jacobs (1996)

REFERENCES:

- Jansen-Jacobs, M.J. 1986. Tiliaceae (additions and corrections). In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 3(1-2): 293-300.
 Jansen-Jacobs, M.J. & W. Meijer. 1995. Tiliaceae. In A.R.A. Görtz-van Rijn, Flora of the Guianas (series A) 17: 5-49.
 Jansen-Jacobs, M.J. & L.Y.Th. Westra. 1995. A new species of *Apeiba* (Tiliaceae) from the Venezuelan-Brazilian border. Brittonia 47(3): 335-339.
 Ko Ko Lay 1950. The American species of *Triumfetta* L. Ann. Missouri Bot. Gard. 37(3): 315-395.
 Kubitzki, K. 1995. *Asterophorum* and *Tahitia* congeneric with *Christiana* (Tiliaceae). Bot. Jahrb. Syst. 116: 537-542.
 Meijer, W. 1978. *Mollia* (Tiliaceae). A revision of the South American species. In B. Maguire & collaborators, Botany of the Guayana Highland - Part X. Mem. New York Bot. Gard. 29: 68-82.
 Uittien, H. 1932. Tiliaceae. In A. Pulle, Flora of Suriname 3(1): 49-57.
 Uittien, H. 1941. Tiliaceae (additions and corrections). In A. Pulle, Flora of Suriname 3(1): 438-441.

Apeiba glabra Aubl. [SU FG]
Apeiba intermedia Uittien [SU]
Apeiba macropetala Ducke [GU]
Apeiba membranacea Spruce ex Benth. [GU]
Apeiba petoumo Aubl. [GU SU FG]
Apeiba schomburgkii Szyszyl. [GU SU]
Apeiba tibourbou Aubl. [GU SU FG]
Christiana africana DC. [GU]
Christiana menngae (Jansen-Jacobs & Westra) Kubitzki [SU]
Corchorus aestuans L. [GU SU FG]
Corchorus hirtus L. [GU SU]
Corchorus orinocensis Kunth [GU]
Corchorus siliquosus L. [GU]
Luehea paniculata Mart. & Zucc. [SU]
Luehea speciosa Willd. [GU SU FG]

Lueheopsis rosea (Ducke) Burret [GU SU FG]
Lueheopsis rugosa (Pulle) Burret [GU SU FG]
Mollia glabrescens Benth. [GU]
Mollia globularis Meijer [GU]
Mollia lepidota Spruce ex Benth. subsp. *sphaerocarpa*
 (Gleason ex Record) Meijer [GU]
Mollia ulei Burret [GU]
Triumfetta althaeoides Lam. [GU SU FG]
Triumfetta lappula L. [SU FG]
Triumfetta rhomboidea Jacq. [GU FG]
Triumfetta semitriloba Jacq. [GU SU?]
Vasivaea alchorneoides Baill. [GU]

TILIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Apeiba albiflora Ducke =*Apeiba tibourbou*
Apeiba aspera Aubl. =*Apeiba petoumo*
Apeiba burchellii Sprague =*Apeiba glabra*
Apeiba echinata Gaertn. =*Apeiba petoumo*
Apeiba hypoleuca Steud. =*Apeiba petoumo*
Apeiba surinamensis Uittien =*Apeiba schomburgkii*
Asterophorum mennegae Jansen-Jacobs & Westra =*Christiana mennegae*
Corchorus acutangulus Lam. =*Corchorus aestuans*
Corchorus argutus Kunth =*Corchorus orinocensis*
Corchorus argutus Kunth var. *benthamicum* K. Schum.
 = *Corchorus orinocensis*
Guenetia macroperma Sagot =*Catostemma fragrans*
 (Bombacaceae)
Luehea maroniensis Benoist =*Lueheopsis rugosa*
Lueheopsis flavescens (Uittien) Burret =*Lueheopsis rosea*
Mollia scabra Meijer =*Mollia ulei*
Mollia speciosa Mart. & Zucc. [not in Guianas]
Mollia sphaerocarpa Gleason ex Record =*Mollia lepidota*
 subsp. *sphaerocarpa*
Mollia tomentosa Spruce ex Benth. [not in Guianas]
Triumfetta bartramia sensu Lay, non L. =*Triumfetta rhomboidea*
Triumfetta hostmannii Miq. =*Triumfetta lappula*
Triumfetta macrophylla Vahl =*Triumfetta althaeoides*
Triumfetta sinuosa Miq. =*Triumfetta lappula*
Triumfetta surinamensis Steud. =*Triumfetta althaeoides*

TRIGONIACEAE

reviewed by E. Lleras-Pérez (1992)

REFERENCES:

- Lleras, E. 1978. Trigoniaceae. Flora Neotropica Monogr. 19: 1-73.
 Stafleu, F.A. 1951. Trigoniaceae. In A. Pulle, Flora of Suriname 3(2): 173-177.

Trigonia candelabra Lleras [SU]
Trigonia coppenamensis Stafl. [SU]
Trigonia hypoleuca Griseb. [GU SU FG]
Trigonia laevis Aubl. var. *laevis* [GU FG]
Trigonia laevis Aubl. var. *microcarpa* (Sagot ex Warm.) Sagot
 [GU SU FG]

Trigonia nivea Cambess. var. *nivea* [GU]
Trigonia reticulata Lleras [GU]
Trigonia subcymosa Benth. [GU]
Trigonia villosa Aubl. var. *macrocarpa* (Benth.) Lleras [GU FG?]
Trigonia villosa Aubl. var. *villosa* [GU SU? FG]

TRIGONIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Trigonia hypoleuca Griseb. var. *pubescens* Warm. =*Trigonia hypoleuca*
Trigonia kaieteurensis Maguire =*Trigonia laevis* var. *laevis*
Trigonia macrocarpa Benth. =*Trigonia villosa* var. *macrocarpa*
Trigonia microcarpa Sagot ex Warm. =*Trigonia laevis* var. *microcarpa*
Trigonia villosa Aubl. var. *cuneata* DC. =*Trigonia villosa* var. *villosa*
Trigonia villosa Aubl. var. *oblonga* DC. =*Trigonia villosa* var. *villosa*
Trigonia villosa Aubl. var. *obtusata* DC. =*Trigonia villosa* var. *villosa*
Trigonia xanthopila Garke =*Trigonia hypoleuca*

TRIURIDACEAE

reviewed by P.J.M. Maas (1992); additions and corrections by P.J.M. Maas (1996)

REFERENCES:

- Jonker, F.P. 1943. Triuridaceae. In A. Pulle, Flora of Suriname 1(1): 461-466.
 Maas, P.J.M. & T. Rübsamen. 1986. Triuridaceae. Flora Neotropica Monogr. 40: 1-55.
 Maas, P.J.M. & H. Maas-van de Kamer. 1989. Triuridaceae. In A.R.A. Gorts-van Rijn, Flora of the Guianas (series A) 5: 1-16.

Peltiphyllum luteum Gardner [GU]
Sciaphila albescens Benth. [GU SU FG]
Sciaphila picta Miers [GU?]
Sciaphila polygyna Maas [FG]
Sciaphila purpurea Benth. [GU]
Soridium spruceanum Miers [SU FG]
Triuris hexophthalma Maas [GU]
Triuris hyalina Miers [GU SU]

TRIURIDACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Sciaphila guianensis Sandw. =*Sciaphila albescens*
Sciaphila spruceana (Miers) Benth. & J.D. Hook. =*Soridium spruceanum*
Soridium guianense (Sandw.) Giesen =*Sciaphila albescens*

TURNERACEAE

contributed by M. Hoff (1992); revised by M. Hoff & M.-M. Arbo (1996)

REFERENCES:

- Arbo, M.M. 1990. Turneraceae: novedades para la Guayana Venezolana. *Ann. Missouri Bot. Gard.* 77: 340-352.
 Arbo, M.M. 1995. Tuneraceae - Parte I. Piriqueta. *Flora Neotropica Monogr.* 67: 1-156.
 Bremekamp, E. 1941. Turneraceae. In A. Pulle, *Flora of Suriname* 3(1): 342-354.
 Lemée, A. 1953. Flore de la Guyane française 3: 82. Paul Lechevalier, Paris.
 Pulle, A. 1906. An enumeration of the Vascular Plants known from Surinam, together with their distribution and Synonymy. Leiden.
 Urban, I. 1883a. Monographie des Familie der Turneraceen. *Jahrbuch des Königlichen Botanischen Gartens und des botanischen Museums zu Berlin*, 2: 1-152.
 Urban, I. 1883b. Turneraceae. In C.F.P. Martius, *Flora Brasiliensis* 13(3): 88-170, tab. 31-48.

- Piriqueta cistoides (L.) Griseb. subsp. cistoides [GU SU FG]
 Piriqueta guianensis N.E. Brown subsp. guianensis [GU]
 Piriqueta viscosa Griseb. subsp. viscosa [GU FG]
 Turnera aurantiaca Benth. [GU SU FG]
 Turnera brasiliensis Willd. ex Roem. & Schultes [GU SU FG]
 Turnera caerulea Moçino & Sessé ex DC. var. surinamensis (Urban) Arbo, comb. nov. ined. [GU SU]
 Turnera cicatricosa Arbo [GU]
 Turnera glaziovii Urb. [GU? SU FG]
 Turnera guianensis Aubl. [GU SU FG]
 Turnera lineata Urb. [GU]
 Turnera odorata L.C. Rich. [GU SU FG]
 Turnera pumilea L. [FG]
 Turnera rupestris Aubl. var. frutescens (Aubl.) Urb. [GU SU FG]
 Turnera rupestris Aubl. var. rupestris [GU SU FG]
 Turnera scabra Millsp. [GU FG?] *Typha domingensis* Pers. [GU SU FG]
 Turnera schomburgkiana Urb. [GU]
 Turnera subulata J.E. Smith [GU SU FG]
 Turnera velutina Benth. [GU]
 Turnera waltherioides Urb. [GU]

TURNERACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Piriqueta cistoides (L.) Griseb. var. bracteolata Urb. =Piriqueta cistoides subsp. cistoides
 Piriqueta cistoides (L.) Griseb. var. foliosa (Garccke) Urb. =Piriqueta cistoides subsp. cistoides
 Piriqueta cistoides (L.) Griseb. var. genuina Urban =Piriqueta cistoides subsp. cistoides
 Piriqueta cistoides (L.) Griseb. var. latifolia Urb. =Piriqueta cistoides subsp. cistoides
 Piriqueta foliosa Garccke =Piriqueta cistoides subsp. cistoides

- Piriqueta lanceolata Benth. =Piriqueta cistoides subsp. cistoides
 Piriqueta stenophylla Klotzsch =Piriqueta cistoides subsp. cistoides
 Piriqueta villosa Aubl. =Piriqueta cistoides subsp. cistoides
 Turnera aspera Poir. =Piriqueta cistoides subsp. cistoides
 Turnera benthamiana Schomb. =Turnera velutina
 Turnera chamaedrys Klotzsch [excluded taxon]
 Turnera cistoides L. =Piriqueta cistoides
 Turnera corchorifolia Willd. =Turnera odorata
 Turnera corchoroides Klotzsch [excluded taxon]
 Turnera desvauxii DC. =Piriqueta cistoides subsp. cistoides
 Turnera frutescens Aubl. =Turnera rupestris var. frutescens
 Turnera grandifolia Bremek. =Turnera glaziovii
 Turnera hirta Desv., non Willd. =Piriqueta cistoides subsp. cistoides
 Turnera intermedia (Urb.) Auct. =Turnera scabra
 Turnera opifera Mart. =Turnera caerulea var. surinamensis
 Turnera parviflora Benth. =Turnera odorata
 Turnera refracta Klotzsch =Turnera caerulea var. surinamensis
 Turnera subglabra Klotzsch =Turnera aurantiaca
 Turnera ulmifolia L. var. elegans (Otto) Urb. =Turnera subulata
 Turnera ulmifolia L. var. intermedia Urb. =Turnera scabra
 Turnera ulmifolia L. var. surinamensis Urb. =Turnera caerulea var. surinamensis

TYPHACEAE

reviewed by M.T. Strong (1992)

REFERENCES:

- Lanjouw, J. 1938. Typhaceae. In A. Pulle, *Flora of Suriname* 1(1): 252-254.

- Typha domingensis* Pers. [GU SU FG]

TYPHACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Typha angustifolia* L. [not in Guianas]

ULMACEAE

contributed by C.C. Berg (1992); additions and corrections by C.C. Berg (1996)

REFERENCES:

- Berg, C.C. 1992. Ulmaceae. In A.R.A. Görts-van Rijn, *Flora of the Guianas* (series A) 11: 3-9.
 Ooststroom, S.J. van. 1932. Ulmaceae. In A. Pulle, *Flora of Suriname* 1(1): 47-48.

Ampelocera edentula Kuhlm. [GU SU FG]
Celtis iguanaea (Jacq.) Sarg. [GU SU FG]
Trema micrantha (L.) Blume [GU SU FG]

URTICACEAE

contributed by C.C. Berg (1992); additions and corrections by C.C. Berg (1996)

REFERENCES:

- Berg, C.C. 1992. Urticaceae. In A.R.A. Göts-van Rijn, Flora of the Guianas (series A) 11: 125-139.
 Rooij, M.J.M. de. 1975. Urticaceae. In J. Lanjouw & A.L. Stoffers, Flora of Suriname 5(1): 300-318.

Boehmeria cylindrica (L.) Swartz [SU FG]
Boehmeria ramiflora Jacq. [SU FG]
Laportea aestuans (L.) Chew [GU SU FG]
Phenax sonneratii (Poir.) Wedd. [FG] [naturalized?]
Pilea imparifolia Wedd. [GU SU FG]
Pilea microphylla (L.) Liebm. [GU SU FG]
Pilea pubescens Liebm. [GU SU FG]
Pilea tabularis C.C. Berg [FG]
Urera baccifera (L.) Gaudichaud ex Wedd. [GU SU FG]
Urera caracasana (Jacq.) Griseb. [GU SU FG]
Urera laciniata Wedd. [SU FG]

URTICACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Fleurya aestuans (L.) Gaudichaud ex Miq. =*Laportea aestuans*
Pilea dendrophila Miq. [not in Guianas]
Pilea guyanensis Wedd. =*Pilea pubescens*
Pilea pubescens Liebm. var. *guyanensis* (Wedd.) Wedd.
 =*Pilea pubescens*
Urtica aestuans L. =*Laportea aestuans*
Urtica alceaefolia Poir. =*Urera caracasana*

VALERIANACEAE

REFERENCES:

- Xena de Enrech, N. 1992. Valerianaceae. In G. Morillo, Flora de Venezuela 5(1): 221-267.

Valeriana scandens L. var. *candolleana* (Gardn.) Muell. [Mt. Roraima]

VELLOZIACEAE

REFERENCES:

Maguire, B. 1969. Velloziaceae. In B. Maguire & collaborators, Botany of the Guayana Highland part VIII. Mem. New York Bot. Gard. 18(2): 1-290.

Smith, L.B. & E.S. Ayensu. 1976. A revision of American Velloziaceae. Smiths. Contrib. Bot. 30: 1-172.

Vellozia tubiflora (A. Rich.) Kunth [GU]

VELLOZIACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Barbacenia alexandrinae Schomb. ex Hook. =*Vellozia tubiflora*
Vellozia alexandrinae (Schomb. ex Hook.) Goeth. & Henr. =*Vellozia tubiflora*

VERBENACEAE

contributed by M.J. Jansen-Jacobs (1992); additions and corrections by M.J. Jansen-Jacobs (1996)

REFERENCES:

- Jansen-Jacobs, M.J. 1988. Verbenaceae. In A.R.A. Göts-van Rijn, Flora of the Guianas (series A) 4: 1-114.
 Lopez-Palacios, S. 1977. Verbenaceae. In Flora de Venezuela.
 Moldenke, H.N. 1940a. Avicenniaceae. In A. Pulle, Flora of Suriname 4(2): 322-325.
 Moldenke, H.N. 1940b. Verbenaceae. In A. Pulle, Flora of Suriname 4(2): 357-321.
 Moldenke, H.N. 1971. A Fifth Summary of the Verbenaceae, Avicenniaceae, Stilbaceae, Dicrostylidaceae, Sympcoremaceae, Nyctanthaceae, and Eriocaulaceae of the World. H.N. Moldenke, Wayne, N.J.
 Rueda, R.M. 1994. Systematics and evolution of the genus *Petrea*. Ann. Missouri Bot. Gard. 81(4): 610-652.

Aegiphila bracteolosa Moldenke [GU]
Aegiphila deppeana Steud. [FG]
Aegiphila gleasonii Moldenke [GU] [insufficiently known taxon]
Aegiphila integrifolia (Jacq.) B.D. Jacks. [GU SU FG]
Aegiphila laevis (Aubl.) J.F. Gmelin [GU SU FG]
Aegiphila laxiflora Benth. [GU]
Aegiphila lhotzkiana Cham. [SU FG]
Aegiphila longifolia Turcz. [GU]
Aegiphila macrantha Ducke [GU SU FG]
Aegiphila membranacea Turcz. [GU SU FG]
Aegiphila racemosa Vell. [GU SU FG]
Aegiphila roraimensis Moldenke [GU]
Aegiphila villosa (Aubl.) J.F. Gmelin [GU FG]

- Aegiphila vitelliniflora* Klotzsch ex Walp. var. *egleri*
Moldenke [FG?] [insufficiently known taxon]
- Amazonia campestris* (Aubl.) Moldenke [GU SU FG]
- Avicennia germinans* (L.) Stearn [GU SU FG]
- Avicennia schaueriana* Stapf & Leechman ex Moldenke [GU SU]
Citharexylum macrophyllum Poir. [GU SU FG]
- Citharexylum spinosum L. [GU SU FG]
- Clerodendrum aculeatum* (L.) Schlechtend. [GU SU FG]
- Clerodendrum fragrans* (Venten.) Willd. var. *pleniflorum*
Schauer [GU SU FG] [cultivated, naturalized]
- Clerodendrum indicum* (L.) Kuntze [GU SU FG] [cultivated,
naturalized]
- Clerodendrum japonicum* (Thunb.) Sweet [GU SU]
[cultivated, naturalized]
- Clerodendrum thomsonae* Balf. [GU SU FG] [cultivated,
naturalized]
- Cornutia pubescens* C.F. Gaertn. [FG]
- Cornutia pyramidata* L. [SU]
- Lantana camara* L. [GU SU FG]
- Lantana canescens* Kunth [GU]
- Lantana radula* Swartz [GU]
- Lantana trifolia* L. [GU SU FG]
- Lippia alba* (Mill.) N.E. Brown [GU SU FG]
- Lippia aristata* Schauer [GU]
- Lippia betulifolia* Kunth [GU SU]
- Lippia micromera* Schauer [GU]
- Lippia origanoides* Kunth [GU]
- Petrea bracteata* Steud. [GU SU FG]
- Petrea macrostachya* Benth. [GU SU FG]
- Petrea sulphurea* M.J. Jansen-Jacobs [FG]
- Petrea volubilis* L. [GU SU FG]
- Priva lappulacea* (L.) Pers. [GU SU FG]
- Stachytarpheta angustifolia* (Mill.) Vahl [GU SU FG]
- Stachytarpheta cayennensis* (L.C. Rich.) Vahl [GU SU FG]
- Stachytarpheta jamaicensis* (L.) Vahl [GU SU FG]
- Stachytarpheta mutabilis* (Jacq.) Vahl [GU SU? FG]
- Stachytarpheta sprucei* Moldenke [GU]
- Tamonea spicata* Aubl. [GU SU FG]
- Vitex agnus-castus* L. [GU SU FG] [cultivated, naturalized]
- Vitex capitata* Vahl [GU SU]
- Vitex compressa* Turcz. [GU SU FG]
- Vitex guianensis* Moldenke [GU FG]
- Vitex orinocensis* Kunth var. *multiflora* (Miq.) Huber [GU SU
FG]
- Vitex pashaniana* Moldenke [SU FG?]
- Vitex schomburgkiana* Schauer [GU]
- Vitex stahelii* Moldenke [GU SU FG]
- Vitex triflora* Vahl [GU SU FG]
- Amazonia erecta* L.f. var. *punicea* (Vahl) Pulle =*Amazonia
campestris*
- Amazonia punicea* Vahl =*Amazonia campestris*
- Avicennia marina* (Forskal) Vierhapper =*Avicennia germinans*
- Avicennia nitida* Jacq. =*Avicennia germinans*
- Citharexylum fruticosum* L. =*Citharexylum spinosum*
- Clerodendrum aculeatum* (L.) Schlechtend. var. *guianense*
Moldenke =*Clerodendrum aculeatum*
- Cornutia cayennensis* Schauer =*Cornutia pubescens*
- Cryptocalyx nepetifolia* Benth. =*Lippia betulifolia*
- Ghinia spicata* (Aubl.) Moldenke =*Tamonea spicata*
- Lantana armata* Schauer var. *guianensis* Moldenke =*Lantana
camara*
- Lippia schomburgkiana* Schauer =*Lippia origanoides*
- Lippia stoechadifolia* (L.) Kunth =*Phyla stoechadifolia* (L.)
Small [not in Guianas]
- Manabea arborescens* Aubl. =*Aegiphila integrifolia*
- Manabea laevis* Aubl. =*Aegiphila laevis*
- Manabea villosa* Aubl. =*Aegiphila villosa*
- Petrea blanchetiana* Schauer [not in Guianas]
- Petrea kohautiana* K. Presl =*Petrea volubilis*
- Petrea martiana* Schauer =*Petrea bracteata*
- Petrea rivularis* Moldenke =*Petrea volubilis*
- Petrea rugosa* Kunth [not in Guianas]
- Petrea schomburgkiana* Schauer =*Petrea bracteata*
- Petrea subserrata* Cham. =*Petrea racemosa* Nees [not in
Guianas]
- Phyla betulaeifolia* (Kunth) Greene =*Lippia betulifolia*
- Phyla nodiflora* (L.) Greene [not in Guianas]
- Stachytarpheta dichotoma* (Ruiz & Pav.) Vahl =*Stachytarpheta
cayennensis*
- Stachytarpheta elatior* Schrad. ex Schult. & Roem.
=*Stachytarpheta angustifolia*
- Stachytarpheta elatior* Schrad. ex Schult. & Roem. var.
jenmanii Moldenke =*Stachytarpheta angustifolia*
- Stachytarpheta orubica* (L.) Vahl [not in Guianas]
- Stachytarpheta roraimensis* Moldenke =*Stachytarpheta sprucei*
- Stachytarpheta surinamensis* Miq. [nomen nudum]
=*Stachytarpheta angustifolia*
- Taligalea campestris* Aubl. =*Amazonia campestris*
- Verbenia cayennensis* L.C. Rich. =*Stachytarpheta cayennensis*
- Verbenia suffruticosa* Aubl. =*Phyla stoechadifolia* (L.) Small
[not in Guianas]
- Vitex appuni* Moldenke =*Vitex schomburgkiana*
- Vitex brittoniana* Moldenke =*Vitex compressa*
- Vitex multiflora* Miq. =*Vitex orinocensis* var. *multiflora*
- Vitex wittrockiana* Moldenke =*Vitex capitata*

VIOLACEAE

reviewed by W.H.A. Hekking (1992); reviewed
by W.H.A. Hekking (1996)

REFERENCES:

- Hekking, W.H.A. 1988. Violaceae part I -
Rinorea and *Rinoreocarpus*. Flora Neotropica
Monogr. 46: 1-208.

VERBENACEAE - SYNONYMS AND MISIDENTIFICATIONS:

- Aegiphila cowanii* Moldenke =*Aegiphila integrifolia*
- Aegiphila elata* Swartz [not in Guianas]
- Aegiphila guianensis* Moldenke =*Aegiphila integrifolia*
- Aegiphila integrifolia* (Jacq.) Jacks. var. *guianensis*
(Moldenke) López-Palacios =*Aegiphila integrifolia*
- Aegiphila lutea* Lam. =*Aegiphila laevis*
- Aegiphila martinicensis* Jacq. [not in Guianas]
- Amazonia arborea* Kunth =*Amazonia campestris*
- Amazonia campestris* (Aubl.) Moldenke var. *surinamensis*
Moldenke =*Amazonia campestris*
- Amazonia erecta* L.f. =*Amazonia campestris*

Amphirrhox latifolia Mart. ex Eichl. [GU SU FG]
[=Amphirrhox longifolia s.l.]
Amphirrhox longiflora (Oudemans) S.F. Blake [GU SU FG]
[=Amphirrhox longifolia s.l.]
Amphirrhox longifolia (St. Hil.) Spreng. [GU SU FG]
Amphirrhox surinamensis Eichl. [GU SU FG] [=Amphirrhox
longifolia s.l.]
Corynostylis arborea (L.) S.F. Blake [GU SU FG]
Gloeospermum sphaerocephalum Triana & Planch. [SU FG]
Hybanthus calceolaria (L.) G.K. Schulze [GU SU FG]
Hybanthus oppositifolius (L.) Taub. [GU SU FG]
Leonia glycycarpa Ruiz & Pav. [GU SU FG]
Noisettia orchidiflora (Rudge) Gingins [SU FG]
Paypayrola confertiflora Tul. [GU SU FG]
Paypayrola grandiflora Tul. [GU FG]
Paypayrola guianensis Aubl. [GU SU FG]
Paypayrola hulkiana Pulle [SU FG]
Paypayrola longifolia Tul. [GU SU FG]
Rinorea amapensis Hekking [SU FG]
Rinorea bahiensis (Moric.) Kuntze [FG]
Rinorea brevipes (Benth.) S.F. Blake [GU SU FG]
Rinorea endotricha Sandw. [GU]
Rinorea falcata (Mart. ex Eichl.) Kuntze [SU FG]
Rinorea flavescentia (Aubl.) Kuntze [GU SU FG]
Rinorea guianensis Aubl. [FG]
Rinorea lindeniana (Tul.) Kuntze var. lindeniana [GU SU]
Rinorea macrocarpa (Mart. ex Eichl.) Kuntze [GU SU FG]
Rinorea melanodonta S.F. Blake [GU]
Rinorea neglecta Sandw. [GU SU FG]
Rinorea paniculata (Mart.) Kuntze [FG]
Rinorea pectino-squamata Hekking [FG]
Rinorea pubiflora (Benth.) Sprague & Sandw. var. *grandifolia*
(Eichl.) Hekking [GU SU FG]
Rinorea pubiflora (Benth.) Sprague & Sandw. var. *pubiflora*
[GU SU FG]
Rinorea riana Kuntze [GU SU FG]
Rinoreocarpus ulei (Melchior) Ducke [SU FG]

VIOLACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Alsodeia brevipes Benth. =*Rinorea brevipes*
Alsodeia flavescentia (Aubl.) Spreng. =*Rinorea flavescentia*
Alsodeia guianensis (Aubl.) Eichl. var. *brevipes* (Benth.)
Eichl. =*Rinorea brevipes*
Alsodeia guianensis (Aubl.) Eichl. var. *laxiflora* (Benth.)
Eichl. =*Rinorea brevipes*
Alsodeia guianensis (Aubl.) Eichl. var. *lindeniana* (Tul.) Eichl.
= *Rinorea lindeniana*
Alsodeia guianensis (Aubl.) Eichl. var. *parviflora* Eichl.
= *Rinorea falcata*
Alsodeia laxiflora Benth. =*Rinorea brevipes*
Alsodeia longiflora Oudemans =*Amphirrhox longiflora*
Alsodeia martini Turcz. =*Rinorea pubiflora* var. *pubiflora*
Alsodeia pallida Klotzsch ex Schomb. [*nomen nudum*]
Alsodeia piparea Spreng. =*Casearia commersoniana*
(Flacourtiaceae)
Alsodeia prunifolia Spreng. =*Rinorea riana*
Alsodeia pubiflora Benth. =*Rinorea pubiflora*
Alsodeia riana (DC. ex Gingins) Turcz. =*Rinorea riana*
Amphirrhox surinamensis Eichl. =*Amphirrhox longiflora*
Conohoria aubletii D. Dietr. =*Casearia commersoniana*
(Flacourtiaceae)
Conohoria brevipes (Benth.) Miq. =*Rinorea brevipes*

Conohoria flavescentia Aubl. =*Rinorea flavescentia*
Conohoria laxiflora (Benth.) Miq. =*Rinorea brevipes*
Conohoria passoura DC. ex Gingins =*Rinorea pubiflora* var.
pubiflora
Conohoria riana DC. ex Gingins =*Rinorea riana*
Hybanthus ipecacuanha (L. non Vent.) Baill. ex Laness
= *Hybanthus calceolaria*
Hybanthus poaya (St. Hil.) Baill. [not in Guianas]
Ionidium ipecacuanha (L.) Vent. =*Hybanthus calceolaria*
Ionidium oppositifolium (L.) Roem. & Schult. =*Hybanthus*
oppositifolius
Leonia melinoniana (Baill.) Baill. ex Sagot =*Leonia*
glycycarpa
Noisettia longifolia Kunth =*Noisettia orchidiflora*
Passoura guianensis Aubl. =*Rinorea pubiflora* var. *pubiflora*
Riana guianensis Aubl. =*Rinorea riana*
Rinorea laxiflora (Benth.) Melchior =*Rinorea brevipes*
Rinorea martini (Turcz.) Blake =*Rinorea pubiflora* var.
pubiflora
Rinorea passoura (DC. ex Gingins) Kuntze, nom. illeg.
= *Rinorea pubiflora* var. *pubiflora*
Rinorea passoura Kuntze =*Rinorea pubiflora* var. *pubiflora*
Rinorea passoura (DC. ex Gingins) Kuntze var. *andersonii*
Sandw. ex Hekking =*Rinorea pubiflora* var. *grandifolia*
Rinorea pulleana Melchior =*Rinorea pubiflora* var. *grandifolia*
Rinorea riana (DC. ex Gingins) Kuntze, nom. illeg. =*Rinorea*
riana
Rinorea surinamensis Melchior =*Rinorea falcata*
Viola hybanthus Aubl. =*Corynostylis arborea*
Viola itoubou Aubl. =*Hybanthus calceolaria*

VISCACEAE

contributed by J. Kuijt (1992)

REFERENCES:

- Krause, K. 1932. Loranthaceae. In A. Pulle,
Flora of Suriname 1(1): 4-24.
Kuijt, J. 1961. A revision of Dendrophthora.
Wentia 6: 1-145.
Lindeman, J.C. & A.R.A. Göts-van Rijn. 1968.
Loranthaceae (additions and corrections). In
A. Pulle & J. Lanjouw, Flora of Suriname
1(2): 295-300.
Rizzini, C.T. 1978. Loranthaceae. In B.
Maguire & collaborators, Botany of the
Guayana Highland, part 10. Mem. New York
Bot. Gard. 29: 23-36.
Rizzini, C.T. 1982. Loranthaceae. In Z. Luces
de Febres, Flora de Venezuela 4(2): 7-316.

Dendrophthora decipiens Kuijt [to be expected in the Guianas]
Dendrophthora densifrons (Ule) Kuijt, comb. nov. ined. [to be
expected in the Guianas]
Dendrophthora elliptica (Gardn.) Krug & Urb. [GU]
Dendrophthora roraimae (Oliver) Ule [GU]
Dendrophthora tepuiana (Steyermark) Kuijt [GU?]
Phoradendron acinacifolium Mart. ex Eichl. [GU SU]

Phoradendron aphyllum Steyerl. [GU]
Phoradendron bathyoryctum Eichl. [GU SU]
Phoradendron chrysocladon A. Gray [GU]
Phoradendron crassifolium (Pohl ex DC.) Eichl. [GU SU FG]
Phoradendron dimidiatum (Miq.) Eichl. [GU SU FG]
Phoradendron dipterum (Eichl.) [GU SU]
Phoradendron fanshawei Maguire [GU SU?]
Phoradendron harmsianum Ule [GU SU]
Phoradendron inaequidens Rusby [GU SU FG]
Phoradendron morsicatum Rizzini [GU]
Phoradendron mucronatum (DC.) Krug & Urb. [GU]
Phoradendron nervosum Oliver [GU?]
Phoradendron obtusissimum (Miq.) Eichl. [GU SU]
Phoradendron perfurcatum Rizzini [GU]
Phoradendron perrottetii (DC.) Eichl. [GU SU? FG]
Phoradendron piperoides (Kunth) Trel. [GU SU FG]
Phoradendron pteroneuron Eichl. [GU SU]
Phoradendron pulleanum Krause [SU]
Phoradendron quadrangulare (Kunth) Krug & Urb. [GU]
Phoradendron racemosum (Aubl.) Krug & Urb. [GU SU FG]
Phoradendron stronglyloclados Eichl. [GU SU]
Phoradendron trinervium (Lam.) Griseb. [GU SU]

VISCACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Phoradendron essequibense Trel. =*Phoradendron stronglyloclados*
Phoradendron flavens (Swartz) Griseb. =*Phoradendron chrysocladon*
Phoradendron jenmanii Trel. =*Phoradendron inaequidens*
Phoradendron pennivenium (DC.) Eichl. =*Oryctanthus florulentus* (Loranthaceae)
Phoradendron platycaulon Eichl. [not in Guianas]
Phoradendron schottii A. Gray =*Phoradendron piperoides*
Phoradendron surinamense Pulle =*Phoradendron stronglyloclados*
Phoradendron tepuanum Steyerl. =*Dendrophthora tepuiana*
Phoradendron zuloagae Trel. =*Phoradendron trinervium*

VITACEAE

REFERENCES:

- Descoings, B. 1991. Contribution à l'étude des Vitacées d'Amérique tropicale: deux *Cissus* nouveaux des Guyanes. Bull. Soc. Bot. France, Lett. Bot. 138(3): 249-256.
 Görts-van Rijn, A.R.A. 1979. Vitaceae. In A.L. Stoffers & J.C. Lindeman, Flora of Suriname 5(1): 335-343.
 Lombardi, J.A. 1995. Typification of names of South American *Cissus* (Vitaceae). Taxon 44(2): 193-206.
 Suessenguth, K. 1953. Vitaceae. In A. Engler & K. Prantl, Die Natürlichen Pflanzenfamilien 20d: 174-333.

Cissus erosa L.C. Rich. [GU SU FG]
Cissus guyanensis Descoings [FG]
Cissus haematantha Miq. [SU FG]

Cissus spinosa Cambess. [GU SU FG]
Cissus subrhomboidea (Baker) Planch. [GU SU]
Cissus surinamensis Descoings [SU FG]
Cissus ulmifolia (Baker) Planch. [SU]
Cissus venezuelensis Steyerl. [GU]
Cissus verticillata (L.) Nicolson & Jarvis [GU SU FG]
Vitis tiliifolia Willd. ex Roem. & Schult. [FG?]

VITACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Cissus cordifolia L. =*Cissus verticillata*
Cissus elongata Miq. =*Cissus erosa*
Cissus microcarpa Vahl =*Cissus erosa*
Cissus parkeri (Baker) Planch. =*Cissus spinosa*
Cissus salutaris Kunth =*Cissus erosa*
Cissus sicyoides L. =*Cissus verticillata*
Cissus trifoliata (L.) L. =*Cissus erosa?*
Vitis erosa Baker =*Cissus erosa*
Vitis miqueliana Baker =*Cissus erosa*
Vitis parkeri Baker =*Cissus spinosa*
Vitis sicyoides (L.) Baker =*Cissus verticillata*
Vitis spinosa (Cambess.) Baker =*Cissus spinosa*

VOCHYSIACEAE

contributed by L. Marcano-Berti (1992)

REFERENCES:

- Lleras, E. 1976. Revision and taxonomic position of the genus *Euphronia* Martius ex Martius & Zuccarini (Vochysiaceae). Acta Amaz. 6: 43-47.
 Marcano-Berti, L. 1969. Un nuevo genero de las Vochysiaceae. Pittieria 2: 3-27.
 Marcano-Berti, L. 1989. Vochysiaceae: novedades y correcciones. Pittieria 18: 5-14.
 Marcano-Berti, L. 1989. Euphroniaceae: una nueva familia. Pittieria 18: 15-17.
 Stafleu, F.A. 1948-1954. A monograph of the Vochysiaceae. I. *Salvertia* & *Vochysia*. Rec. Trav. Bot. Neerl. 41: 397-540 (1948). III. *Qualea*. Acta Bot. Neerl. 2: 144-217 (1953). IV. *Erisma*. Acta Bot. Neerl. 3: 459-480 (1954).
 Stafleu, F.A. 1951. Vochysiaceae. In A. Pulle, Flora of Suriname 3(2): 178-199.
 Steyermark, J.A. 1987. Vochysiaceae: a reevaluation of the genus *Euphronia*. In J.A. Steyermark, Flora of the Venezuelan Guayana - II. Ann. Missouri Bot. Gard. 74(1): 85-116.

Erisma calcaratum (Link) Warm. [GU]
Erisma floribundum Rudge var. *floribundum* [FG]
Erisma nitidum DC. [GU FG]
Erisma uncinatum Warm. [GU SU FG]
Euphronia guianensis (Rob. Schomb.) H. Hallier [GU]
 [=*Euphronia hirtelloides* s.l.]
Qualea acuminata Spruce ex Warm. [FG]

- Qualea amapaensis* Balslev & Mori [FG?]
Qualea caerulea Aubl. [SU FG]
Qualea dinizii Ducke [GU SU FG]
Qualea grandiflora Mart. [SU]
Qualea mori-boomii Marcano-Berti [FG]
Qualea paraensis Ducke [GU]
Qualea polychroma Stafl. [GU]
Qualea psidiifolia Spruce ex Warm. [FG]
Qualea rosea Aubl. [SU FG]
Qualea schomburgkiana Warm. [GU]
Qualea tricolor Benoist [FG]
Ruizterania albiflora (Warm.) Marcano-Berti [GU SU FG]
Ruizterania ferruginea (Steyer.) Marcano-Berti [GU]
Ruizterania rigida (Stafl.) Marcano-Berti [GU]
Salvertia convallariodora A. St. Hil. [SU]
Vochysia cayennensis Warm. [FG]
Vochysia costata Warm. [GU]
Vochysia crassifolia Warm. [GU]
Vochysia densiflora Spruce ex Warm. [GU SU FG]
Vochysia ferruginea Mart. [GU]
Vochysia glaberrima Warm. [GU SU]
Vochysia guianensis Aubl. [GU SU FG]
Vochysia maguirei Marcano-Berti [GU]
Vochysia neyratii Normand [FG]
Vochysia sabatieri Marcano-Berti [FG]
Vochysia schomburgkii Warm. [GU]
Vochysia speciosa Warm. [FG]
Vochysia surinamensis Stafl. var. *surinamensis* [GU SU FG]
Vochysia tetraphylla (G. Mey.) DC. [GU SU FG]
Vochysia tomentosa (G. Mey.) DC. [GU SU FG]
Vochysia tucanorum Mart. var. *tucanorum* [SU]

VOCHysiaceae - SYNONYMS AND MISIDENTIFICATIONS:

- Euphronia hirtelloides* Mart. ex Mart. & Zucc. [not in Guianas]
Lightia guianensis Rob. Schomb. =*Euphronia guianensis*
Qualea albiflora Warm. =*Ruizterania albiflora*
Qualea ferruginea Steyer. =*Ruizterania ferruginea*
Qualea rigida Stafleu =*Ruizterania rigida*
Qualea rubiginosa Stafleu =*Ruizterania ferruginea*
Ruizterania rubiginosa (Stafl.) Marcano-Berti =*Ruizterania ferruginea*
Vochysia pinkusii A.C. Smith [not in Guianas]
Vochysia racemosa Poir. [name of uncertain application, not Vochysia]

WINTERACEAE

REFERENCES:

- Smith, A.C. 1943. The American species of Drimys. J. Arn. Arb. 24: 1-33.

- Drimys brasiliensis Miers var. *roraimensis* A.C. Smith [GU?] [Mt. Roraima]

XYRIDACEAE

reviewed by R. Kral (1992); reviewed by R. Kral (1996)

REFERENCES:

- Kral, R. 1988. The genus *Xyris* in Venezuela and contiguous northern South America. Ann. Missouri Bot. Gard. 75: 522-722.
Kral, R. 1992. A treatment of American Xyridaceae exclusive of *Xyris*. Ann. Missouri Bot. Gard. 79: 819-885.
Kral, R. 1994. Xyridaceae. In A.R.A. Görtz-van Rijn, Flora of the Guianas (series A) 15: 3-90.
Lanjouw, J. 1938. Xyridaceae. In A. Pulle, Flora of Suriname 1(1): 225-248.
Maguire, B. 1958. Xyridaceae. In B. Maguire, J.J. Wurdack, & collaborators, Botany of the Guayana Highland part III. Mem. New York Bot. Gard. 10(1): 1-156.
Maguire, B. & L.B. Smith. 1964. Xyridaceae. In B. Maguire, J.J. Wurdack, & collaborators, Botany of the Guayana Highland part V. Mem. New York Bot. Gard. 10(5): 1-278.
Mennega, A.M.W., J.C. Lindeman, & A.R.A. Görtz-van Rijn. 1968. Xyridaceae (additions and corrections). In A. Pulle & J. Lanjouw, Flora of Suriname 1(2): 340-342.

- Abolboda acaulis* Maguire var. *acaulis* [GU]
Abolboda acaulis Maguire var. *scaposa* Kral [GU]
Abolboda americana (Aubl.) Lanj. [GU SU FG]
Abolboda grandis Griseb. var. *grandis* [GU SU]
Abolboda grandis Griseb. var. *rigida* Malme [GU SU]
Abolboda killipii Lasser [GU SU]
Abolboda macrostachya Spruce ex Malme var. *macrostachya* [GU]
Abolboda macrostachya Spruce ex Malme var. *robustior* Steyer. [GU]
Abolboda pauciflora Seub. [SU?]
Abolboda pulchella Humb. & Bonpl. [GU SU FG]
Orectanthe ptaritepuiana (Steyer.) Maguire [GU]
Orectanthe sceptrum (F. Oliver) Maguire subsp. *sceptrum* [GU]
Xyris albescens Steyer. [GU] [Mt. Roraima]
Xyris anceps Lam. [GU? SU? FG]
Xyris bicephala Gleason [GU]
Xyris concinna N.E. Brown [GU] [Mt. Roraima]
Xyris connosepala Lanj. & Lindeman [SU]
Xyris cyperoides Gleason [GU SU]
Xyris decussata Gleason [GU] [Mt. Roraima]
Xyris fallax Malme [GU SU FG]
Xyris guianensis Steud. [GU SU]
Xyris hymenachne Mart. [GU] [Mt. Roraima]
Xyris involucrata Nees [GU SU?]
Xyris jupicai L.C. Rich. [GU SU FG]
Xyris kukananiana Kral [to be expected in GU]
Xyris lacerata Pohl ex Seub. [to be expected in GU]
Xyris lanulobractea Steyer. [GU]
Xyris laxifolia Mart. var. *laxifolia* [GU SU FG]

Xyris malmeana L.B. Smith [GU SU FG]
Xyris paraensis Poepp. ex Kunth var. *longiceps* (Malme) L.B.
 Smith & Downs [GU SU FG]
Xyris paraensis Poepp. ex Kunth var. *paraensis* [GU SU FG]
Xyris roraimae Malme [GU] [Mt. Roraima]
Xyris savanensis Miq. [GU SU FG]
Xyris setigera F. Oliver [GU]
Xyris seubertii Nilsson [GU] [Mt. Roraima]
Xyris spathacea Lanj. [GU? SU FG]
Xyris subuniflora Malme [GU SU]
Xyris surinamensis Spreng. [GU SU FG?]
Xyris tenella Kunth var. *leptolepis* Malme [FG]
Xyris tenella Kunth var. *tenella* [GU?]
Xyris thysanolepis Maguire & L.B. Smith var. *sipapoa*
 (Maguire & L.B. Smith) Kral & L.B. Smith [to be
 expected in GU]
Xyris thysanolepis Maguire & L.B. Smith var. *thysanolepis* [to
 be expected in GU]
Xyris uleana Malme var. *angustifolia* Lanj. [GU SU]
Xyris uleana Malme var. *uleana* [GU SU]
Xyris witsenoides F. Oliver [GU] [Mt. Roraima]

XYRIDACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Abolboda grandis Griseb. var. *guayanensis* Maguire
 =*Abolboda grandis* var. *rigida*
Abolboda grandis Griseb. var. *minor* Spruce ex Malme
 =*Abolboda grandis* var. *grandis*
Abolboda imberbis Kunth =*Abolboda americana*
Abolboda psammophila Maguire =*Abolboda killipii*
Abolboda ptaritepuiana Steyermark. =*Orectanthe ptaritepuiana*
Abolboda rigida Gleason =*Abolboda macrostachya* var.
 robustior
Abolboda sceptrum F. Oliver =*Orectanthe sceptrum*
Xyris acuminata Miq. ex Steud. =*Xyris jupicai*
Xyris americana Aubl. =*Abolboda americana*
Xyris asterocephala Seub. =*Xyris involucrata*
Xyris caroliniana Walter var. *major* (Mart.) Idrobo & L.B.
 Smith =*Xyris laxifolia*
Xyris communis Kunth =*Xyris jupicai*
Xyris connectens Malme =*Xyris uleana* var. *angustifolia*
Xyris dolichosperma Lanj. =*Xyris fallax*
Xyris eriophylla Rchb. ex Kunth =*Xyris surinamensis*
Xyris erythema Maguire & L.B. Smith =*Xyris fallax*
Xyris glabrata (Seub.) Griseb. sensu Griseb. =*Xyris malmeana*
Xyris guianensis Klotsch [nomen nudum] =*Xyris jupicai*
Xyris jupicai L.C. Rich. var. *major* (Mart.) L.B. Smith &
 Downs =*Xyris laxifolia*
Xyris leptostachya Malme =*Xyris paraensis* var. *longiceps*
Xyris longiceps Malme =*Xyris paraensis* var. *longiceps*
Xyris macrocephala Auct. non Vahl =*Xyris laxifolia*
Xyris macrocephala Vahl var. *major* (Mart.) A. Nilsson
 =*Xyris laxifolia*
Xyris submontana Gleason =*Xyris hymenachne*
Xyris surinamensis Miq. =*Xyris jupicai*

ZAMIACEAE

contributed by D. Stevenson (1992)

REFERENCES:

- Jones, D.L. 1993. Cycads of the World.
 Washington, DC: Smithsonian Institution
 Press.
 Sabato, S. 1990. West Indian and South
 American Cycads. Mem. New York Bot.
 Gard. 57: 173-185.
 Stevenson, D. 1991. Zamiaceae. In A.R.A.
 Gorts-van Rijn, Flora of the Guianas (series
 A) 9: 7-11.

Zamia lecointei Ducke [to be expected in the Guianas]
Zamia muricata Willd. [to be expected in the Guianas]
Zamia ulei U. Dammer [to be expected in the Guianas]

ZINGIBERACEAE

reviewed by P.J.M. Maas (1992); reviewed by
 P.J.M. Maas (1996)

REFERENCES:

- Maas, P.J.M. 1977. Renealmia. Flora
 Neotropica Monogr. 18: 1-161.
 Maas, P.J.M. 1979. Zingiberaceae. In A.L.
 Stoffers & J.C. Lindeman, Flora of Suriname
 5(1): 416-441.
 Maas, P.J.M. 1985. Zingiberaceae. In A.R.A.
 Gorts-van Rijn, Flora of the Guianas (series
 A).

Hedychium coronarium J. Koenig [GU SU FG] [cultivated,
 naturalized]
Renealmia alpinia (Rottb.) Maas [GU SU FG]
Renealmia aromatica (Aubl.) Griseb. [GU]
Renealmia cernua (Swartz ex Roem. & Schult.) Macbr. [SU]
Renealmia floribunda K. Schum. [GU SU FG]
Renealmia guianensis Maas [GU SU FG]
Renealmia monosperma Miq. [GU SU FG]
Renealmia orinocensis Rusby [GU SU FG]
Renealmia thyrsoides (Ruiz & Pav.) Poepp. & Endl. subsp.
 chrysanthia Maas [GU SU]
Zingiber spp. [several species cultivated, possibly escaping]

ZINGIBERACEAE - SYNONYMS AND MISIDENTIFICATIONS:

Alpinia aromatica Aubl. =*Renealmia aromatica*
Alpinia tubulata Ker-Gawl. =*Renealmia alpinia*
Renealmia exaltata L.f. =*Renealmia alpinia*
Renealmia gracilis O.G. Petersen =*Renealmia guianensis*
Renealmia humilis O.G. Petersen =*Renealmia monosperma*
Renealmia occidentalis (Swartz) Sweet =*Renealmia aromatica*
Renealmia occidentalis (Swartz) Sweet var. *cylindrica* O.G.
 Petersen =*Renealmia aromatica*
Renealmia occidentalis (Swartz) Sweet var. *macrocarpa* Loes.
 =*Renealmia aromatica*

Renealmia pedicularis Gleason =*Renealmia floribunda*

ZOSTERACEAE

REFERENCES:

Phillips, R.C. & E.G. Meñez. 1988. Seagrasses.
Smiths. Contrib. Marine Sci. 34: 1-104.

Zostera marina L. [FG?] [the record by Lemée must be
considered extremely dubious]

ZYGOPHYLLACEAE

reviewed by B.E. Leuenberger (1992); reviewed
by B.E. Leuenberger (1996)

REFERENCES:

Howard, R.A. 1988. Zygophyllaceae. In R.A.
Howard, Flora of the Lesser Antilles 4(1):
551-555.
Lasser, T. 1971. Zygophyllaceae. In T. Lasser,
Flora de Venezuela 3(1): 75-89.
Stafleu, F.A. 1951. Zygophyllaceae. In A.
Pulle, Flora of Suriname 3(2): 200-203.

Guaiacum officinale L. [GU SU]
Kallstroemia maxima (L.) Hook. & Arnott [FG]
Tribulus cistoides L. [GU SU]

SPECIES INCERTAE SEDIS

Aubletella macoucou (Aubl.) Pierre [FG] [*Chrysophyllum*
macoucou Aubl.]
Macahanea guianensis Aubl. [FG] [*Salacia guianensis* (Aubl.)
Lemée]
Managa guianensis Aubl. [FG]
Montira guianensis Aubl. [FG] [*Spigelia guianensis* (Aubl.)
Lemée]
Sarcaulus melinonianum Pierre [FG]
Senapea guianensis Aubl. [FG]
Tampaia guianensis Aubl. [FG]
Tapirocarpus talisia Sagot [FG]
Vouapa simira Aubl. [FG] [*Macrolobium simira* (Aubl.) J.F.
Gmelin]

INDEX

A

Abarema 140, 142
 Abelmoschus 129
 Aberemoa 47
 Abildgaardia 91
 Ablania 98
 Abolboda 208, 209
 Abrus 105
 Abuta 139, 140
 Abutilon 129
 Acacallis 154
 Acacia 141, 142
 Acalypha 101, 102
 ACANTHACEAE 41-43
 Acanthocoleus 11
 Acanthospermum 59, 60
 Acanthosphaera 145
 Acetosella 163
 Achetaria 195
 Achras 193
 Achrouteria 193
 Achyranthes 44
 Achyrocline 59
 Acineta 154
 Acioa 81
 Aciotis 131, 134
 Acisanthera 132, 134
 Acmella 59, 60
 Acnida 44
 Acosmium 105
 Acouroa 107
 ACROBOLBACEAE 9
 Acroceras 168
 Acrocomia 54, 56
 Acrodiclidium 119
 Acrolejeunea 11, 13
 Acroporium 21
 Acrostichum 37
 Actinostachys 38
 Actinostemon 101, 102
 Acuan 142
 Ada 154
 ADELANTHACEAE 9
 Adelanthus 9
 Adelobotrys 132, 134
 Adenanthe 152
 Adenanthera 141
 Adenocalymna 63, 64
 Adenophaedra 101
 Adenostemma 60
 Adenostephanus 179
 ADIANTACEAE 24-25
 Adiantopsis 25
 Adiantum 25
 Aechmea 67, 68
 Aegiphila 204, 205

Aegopodon 168
 Aeschrion 196
 Aeschynomene 105, 107
 Agalinis 195
 Aganisia 154, 160
 Agarista 98
 Agati 107
 AGAVACEAE 43
 Ageratina 59
 Ageratum 59
 Agonandra 154
 Agrostis 171
 Aiouea 118, 120
 AIZOACEAE 43
 Akentra 123
 Albizia 141, 142
 Alchornea 101, 102
 Alchorneopsis 101, 102
 Aldina 72
 Alectra 195
 Alexa 105, 107
 Alexandra 107
 Albertia 181, 186
 Alicastrum 145
 Alisma 44
 ALISMATACEAE 43-44
 Aliteria 145
 Allamanda 47
 Allania 75
 Allophylus 190, 191
 Alloplectus 111
 Allosidastrum 129
 Almeidea 190
 Alobiella 10
 Alocasia 51
 Alophia 117
 Alpinia 209
 Alseis 182
 Alsodeia 206
 Alosphila 26
 Alstroemeria 124
 Alteranthera 44
 Alysicarpus 105
 Amaioua 182
 Amanoa 101, 102
 AMARANTHACEAE 44
 Amaranthus 44
 Amaryllis 124
 Amazonia 205
 Ambelania 48, 49
 Ambrosia 59, 60
 Amerimnum 107
 Ammannia 126
 Amorphospermum 193
 Ampelocera 204
 Ampelozizyphus 180
 Amphidesmium 35
 Amphilophium 63
 Amphiodon 107
 Amphirrhox 206
 Amphizoma 114
 Amyris 189
 Anacampta 49
 ANACARDIACEAE 45
 Anacardium 45
 Anadenanthera 141
 Ananas 67, 69
 Ananthacorus 40
 Anaphyllopsis 51
 Anartia 49
 Anastrophylum 11
 Anatherum 171
 Anaxagorea 46, 47
 Ancistrothyrus 164
 Andira 105, 107
 Andreaea 16
 ANDREAEACEAE 16
 Andriapetalum 179
 Andropogon 168, 171
 Anechites 49
 Aneilema 86
 Anemia 38
 Anemopaegma 63, 64
 Anetium 40
 Aneura 10
 ANEURACEAE 10
 Angelonia 195
 Angostura 190
 Angostyles 102
 Angraecum 160
 Anguria 89
 Aniba 118, 120
 Anisacanthus 41
 Anisantherina 195
 Aniseia 87
 Anisolobus 49
 Anisomeris 186
 Anisophyllea 45
 ANISOPHYLLEACEAE 45
 Anneslia 142
 Annona 46, 47
 ANNONACEAE 45-47
 Anomoclada 10
 Anomoctenium 64
 Anomospermum 139, 140
 Anonocarpus 145
 Anopolejeunea
 Anredera 62
 Anthephora 168
 ANTHOCEROPHYTA 15
 Anthodiscus 78
 Anthodon 113, 114
 Anthurium 51, 53
 Antidaphne 98

- Antidesma 101
 Antigonon 177
 Antirhea 182
 Antonia 125
 Antrophyum 40
 Apalanthe 116
 Apalatoa 75
 Aparisthium 101
 Apatitia 134
 Apeiba 201, 202
 Aphanolejeunea 11
 Aphelandra 41
 APIACEAE 47
 Apinagia 175, 176
 Apluda 171
 APOCYNACEAE 47-50
 Apocynum 49
 Apodandra 102
 Apodanthera 89
 Apodanthes 179
 Appendicularia 132
 Appunia 186
 Aptandra 153
 Apteris 70
 AQUIFOLIACEAE 50-51
 ARACEAE 51-53
 Arachniodes 29
 Arachniopsis 13
 Araeococcus 67
 ARALIACEAE 53-54
 Arberella 168
 ARCHIDIACEAE 16
 Archidium 16
 Archilejeunea 11, 13
 Archytaea 66
 Ardisia 147
 ARECACEAE 54-57
 Argemone 163
 Aristida 168, 171
 Aristolochia 57
 ARISTOLOCHIACEAE 57
 Arouna 75
 Arrabidaea 63, 64
 Arrhostoxylum 42
 Artanthe 166
 Arthrosamanea 142
 Arthrostemma 134
 Arthrostylidium 168, 171
 Aruba 196
 Arunda 171
 Arundinaria 171
 Arundinella 168
 Arundo 168, 171
 ASCLEPIADACEAE 57-58
 Asclepias 57
 Ascolepis 91
 Aspasia 155
 Aspidium 29, 35, 38, 39
 Aspidogyne 155
 Aspidosperma 48, 49
 ASPLENIACEAE 25-26
 Asplenium 25-26
 Asplundia 90
 Aster 60
 ASTERACEAE 58-61
 Asterella 10
 Asterogyne 54, 56
 Asterophorum 202
 Astrocarium 54, 56
 Astronium 45
 Asystasia 41
 Athyrocarpus 86
 Atractylocarpus 17
 Attalea 56
 Aubletella 210
 Aulizia 160
 Aulomyrcia 150
 Aulonemia 168
 Aureolejeunea 13
 Austroeupatorium 59
 Avicennia 205
 Axonopus 168, 171
 Ayapana 59
 Ayenia 199
 AYTONIACEAE 10
 Azadirachta 138
 Azolla 38
- B**
- Baccharis 59
 Bacopa 195
 Bactris 55, 56
 Bagassa 144, 145
 Bailliera 60
 BALANOPHORACEAE 62
 BALANTIOPSACEAE 10
 Balizia 141
 BALSAMINACEAE 62
 Baltimora 59
 Bambusa 172
 Banara 109
 Banisteria 128
 Banisteriopsis 127, 128
 Barbacenia 204
 Barbula 20
 Barjonia 57
 Barleria 41
 Barnhartia 176
 BARTRAMIACEAE 16
 Basanacantha 186
 Basella 62
 BASELLACEAE 62
 Baskervillea 155
 Bassovia 198
 Bastardia 129
 BATACEAE 62
 Batemannia 155
 Batesia 72
 Bathmum 39
 Batis 62
 Batocarpus 144
 Bauhinia 72, 75
 Bazzania 13
 Becquerelia 91, 94
 Befaria 98
 Begonia 62
 BEGONIACEAE 62
 Beilschmiedia 119
 Bejaria 98
 Bellucia 132, 135
 Bellynkxia 186
 Beloglottis 155
 Beloperone 42
 Benjaminia 195
 Bernardia 101
 Bernardinia 87
 Bertholletia 121
 Bertiera 182
 Besleria 111
 Beyrichia 196
 Bidens 59
 Bifrenaria 155, 160
 Bignonia 64
 BIGNONIACEAE 63-65
 Bihai 113
 Billbergia 67
 Biocularia 123
 Bisboekelera 91, 94
 Bixa 65
 BIXACEAE 65
 Blakea 135
 BLECHNACEAE 26
 Blechnum 26
 Blechum 41
 Blepharandra 127
 Blepharocalyx 148
 Blepharodon 57
 Bletia 155, 160
 Blutaparon 44
 Bocagea 47
 Bocageopsis 46
 Bocoa 73
 Boehmeria 204
 Boerhavia 151
 Bolbitis 34
 Bolboschoenus 94
 Bollea 155, 160
 Bomarea 124
 BOMBACACEAE 65
 Bombacopsis 65
 Bombax 65
 Bonafousia 49
 Bonamia 87
 Bonatea 160
 Bonnetia 66
 BONNETIACEAE 65-66
 Bontia 146
 Bonyunia 125
 BORAGINACEAE 66

- Borismene 139
 Borreria 182, 186
 Bothriochloa 168, 172
 Bothriospora 182
 Bouganvillea 151
 Boussingaultia 62
 Bouteloua 168
 Bowdichia 105, 107
 Boyania 132
 Brachiaria 168, 172
 Brachiolejeunea 13
 Brachiolejeunia 11
 Brachionidium 155
 Brachymenium 16
 Brachypremna 135
 Brachypteryx 128
 Brachystele 155
BRACHYTHECIACEAE 16
 Braemia 155
 Bramia 196
 Brasenia 71
 Brassavola 155, 160
 Brassia 155, 160
 Brassica 66
BRASSICACEAE 66-67
 Bredemeyera 176
 Breutelia 16
 Brignolia 186
 Briquetia 129
 Brocchinia 67, 69
 Bromelia 67, 69
BROMELIACEAE 67-69
 Brosimopsis 145
 Brosimum 144, 145
 Brossea 99
 Brownea 73
 Bruinsmania 186
 Brunellia 70
BRUNELLIACEAE 70
 Brunfelsia 197, 198
BRYACEAE 16
 Brymela 18
 Bryohumbertia 17
 Bryophyllum 88
BRYOPHYTA 15-22
 Bryopteris 11, 13
 Bryum 16
 Buceras 86
 Buchenavia 85, 86
 Buchnera 195, 196
 Bucida 86
 Buforrestia 86
 Bulbophyllum 155
 Bulbostylis 91, 94
 Bulbulus 172
 Bumelia 193
 Bunchosia 127, 128
 Burdachia 127
 Burlingtonia 160
 Burmannia 70
- BURMANNIACEAE** 70
 Bursera 70, 71
BURSERACEAE 70-71
 Buttneria 199
 Byrsonima 127, 128
 Bytneria 199
- C**
- Cabomba 71
CABOMBACEAE 71
 Cabralea 138
 Cacao 199
 Cacoucia 86
CACTACEAE 71-72
 Caesalpinia 73
CAESALPINIACEAE 72-77
 Cajanus 105, 107
 Caladium 51, 53
 Calathea 130
 Calea 59, 60
 Calinea 96
 Calliandra 141, 142
 Callichlamys 63
 Callicosta 18
 Callicostella 18
 Callisia 86
 Calocarpum 193
 Calolisianthus 110
 Calophyllum 83
 Calopogonium 105
 Calotropis 58
 Caluera 155
 Calycolobus 87
 Calycolpus 148, 150
 Calycophyllum 186
 Calycorectes 148
CALYMPERACEAE 16-17
 Calymperes 16
 Calymperopsis 17
 Calypogea 10
CALYPOGEIACEAE 10
 Calyptranthes 148, 150
 Calyptrocarya 91, 94
 Camarea 127
 Cameraria 50
CAMPANULACEAE 77
 Campomanesia 148, 150
 Campsiandra 73, 75
 Campylocentrum 155, 160
 Campyloneurum 36
 Campylopodus 17
 Campylosiphon 70
 Cananga 47
 Canavalia 105, 107
 Candolleodendron 73
CANELLACEAE 77
 Canna 77
CANNACEAE 77
 Caopia 85
- Caperonia 101, 102
 Capirona 182, 186
 Capitellaria 135
CAPPARACEAE 77-78
 Capparidastrum 78
 Capparis 77, 78
 Capraria 195, 196
CAPRIFOLIACEAE 78
 Capriola 172
 Capsicum 197, 198
 Caraipa 83, 85
 Carapa 138
 Carapichea 186
 Cardiopetalum 46
 Cardiospermum 190
 Carex 91
 Carica 78
CARICACEAE 78
 Carludovica 90
 Carpotroche 109
 Carpotepala 99
 Caryocar 78
CARYOCARACEAE 78-79
 Caryomene 139
 Caryophyllaceae
 Casearia 109
 Casimirella 116
 Cassia 73, 75
 Cassipourea 181
 Cassytha 119, 120
 Castalia 151
 Casuarina 79
CASUARINACEAE 79
 Catasetum 155, 160
 Catharanthus 48
 Cathedra 153
 Catinga 150
 Catocoma 177
 Catopsis 67, 69
 Catostemma 65
 Cattleya 155, 160
 Caudalejeunea 11
 Caularthon 155
 Cavendishia 98, 99
 Cayaponia 89
 Cecropia 79
CECROPIACEAE 79-80
 Cedrela 138
 Cedrelinga 141
 Ceiba 65
CELASTRACEAE 80
 Celiantha 110
 Celosia 44
 Celtis 204
 Cenchrus 168, 172
 Centratherum 59
 Centrolobium 105
 Centronia 135
 Centropogon 77
 Centrosema 105, 107

Centrosolenia	111	Chorisepalum	110	Coffea	182, 187
Cephaelis	186	Christiana	201	Coix	168
Cephalocarpus	91	Chromolaena	59	Coleostachys	127
Cephalocereus	72	Chromolucuma	192	Colocasia	52
Cephalostemon	180	CHRYSOBALANACEAE	80-83	Cololejeunea	11
Cephalozia	10	Chrysobalanus	81, 82	Colubrina	180
CEPHALOZIACEAE	10	Chrysochlamys	85	Columnea	111, 112
CEPHALOZIELLACEAE	10	Chrysohypnum	19	Colura	11
Ceradenia	30	Chrysophyllum	192, 193	COMBRETACEAE	85-86
Ceratolejeunea	11	Chrysothemis	111	Combretum	85, 86
CERATOPHYLLACEAE	80	Chusquea	168	Commelinaceae	86
Ceratophyllum	80	Chytroma	121	Commelinopsis	86
Ceratophytum	63, 64	Chytropsia	187	Comolia	132, 135
Ceratopteris	36	Cienfuegoscia	129	Comparertia	155
Ceratosanthes	89	Cinnamodendron	77	Compsoneura	147
Ceratostema	98	Cinnamomum	119	Conami	102
Cereus	72	Ciponima	200	Conceveiba	101
Cespedesia	152, 153	Cipura	117	Conceveibum	102
Cestrum	197, 198	Cissampelos	139	Conchocarpus	189
Chaenopleura	135	Cissus	207	Condylidium	59
Chaetocalyx	105	Citharexylum	205	Condylarcarpon	48, 50
Chaetocarpus	101, 102	Citriosma	144	CONNARACEAE	86-87
Chaetochlamys	42	Citrullus	89	Connarus	86, 87
Chaetochloa	172	Citrus	189	Connelia	67
Chaetogastra	135	Cladium	91	Connellia	67
Chaetolepis	132	Cladobium	160	Conobea	195
Chailletia	95	Cladocolea	125, 126	Conocarpus	85
Chalepophyllum	182, 187	Clarisia	145	Conohoria	206
Chamaecrista	73	Clathrotropis	105, 107	Conomorpha	147-148
Chamaedorea	56	Clavapetalum	116	Conostegia	135
Chamaesyce	101, 102	Clavija	201	Conuleum	144
Chamelophyton	155	Cleidion	102	CONVOLVULACEAE	87-88
Chamissoa	44	Cleistes	155	Convolvulus	88
Chaptalia	59	Clematis	179	Conyzia	59, 61
Chara	9	Cleome	77, 78	Copaifera	73
CHARACEAE	9	Clerodendrum	205	Copedesma	135
Charianthus	135	Clethra	83	Copernicia	56
Chaubardia	155, 160	CLETHRACEAE	83	Corchorus	201, 202
Chaubardiella	155	Clibadium	59, 60	Cordia	66
Chaunochiton	153	Clidemia	132, 135	Cornutia	205
Cheiloclinium	113, 114	Clinostemon	120	Coronilla	107
Cheilolejeunea	11	Clitoria	105, 107	Coronopus	66
Cheiradenia	155, 160	Clowesia	155	Cortaderia	168
Cheiroglossa	35	Clusia	83, 85	Coryanthes	155
Chelonanthus	110	CLUSIACEAE	83-85	Corymborkis	155
CHENOPODIACEAE	80	Clusiella	84	Corynostylis	206
Chenopodium	80	Clytostoma	63	Coryphadenis	135
Chevaliera	69	Cnemidaria	26	Corythophora	121
Chimarrhis	182, 187	Cnestidium	86	Corytoplectus	111
Chiococca	182, 187	Cnidosecolus	101	Cosmibuena	182, 187
Chionanthus	153	Coccinia	89	Cosmos	59
Chitonia	135	Coccocypselum	182	COSTACEAE	88
CHLORANTHACEAE	80	Coccoloba	177	Costus	88
Chloris	168, 172	Cochleanthes	155, 160	Cottendorfia	69
Chlorocardium	119	Cochlidium	30	Coublandia	107
Chloroleucon	141	Cochlospermum	65	Couepia	81, 82
Chlorophora	145	Cocos	55	Couma	48
CHLOROPHYTA	9	Codonanthe	111, 112	Coumarouna	107
Chomelia	182	Codonanthopsis	111, 112	Coupoui	187
Chondrodendron	140	Coeloachis	168		

- Couratari 121
 Courimari 98
 Couroupita 121
 Coursetia 105
 Coussapoa 79
 Coussarea 182, 187
 Coutarea 187
 Coutoubea 110
 Cranichis 155
 Craniolaria 164
 Crantzia 112
 CRASSULACEAE 88-89
 Crateva 78
 Cremastosperma 46, 47
 Crenea 126
 Crepidospermum 70
 Crepinella 54
 Crescentia 63
 Crinum 124
 Crossomitrium 18
 Crossotolejeunea 12
 Crotalaria 105, 108
 Croton 101, 102
 Crudia 73, 76
 Cryptarrhena 155, 160
 Cryptocalyx 205
 Cryptocarya 119, 120
 Cryptocentrum 155
 Cryptochloa 168, 172
 Ctenitis 38
 Ctenium 168
 Ctenopteris 31
 Cucumis 89
 Cucurbita 89
 CUCURBITACEAE 89
 Cuervea 114
 Culcita 28
 CUNONIACEAE 89-90
 Cunuria 103
 Cupania 190
 Cuphea 126
 Cupirana 187
 Curanga 196
 Curarea 140
 Curatella 96
 Cureuligo 124
 Curtia 110
 Cuscuta 90
 CUSCUTACEAE 90
 Cusparia 190
 Cuspidaria 63
 Cyanthillium 59
 Cyathea 26-27
 CYATHEACEAE 26-27
 Cyathula 44
 Cybianthus 147, 148
 Cybistax 63
 CYCADACEAE 90
 Cycas 90
 CYCLANTHACEAE 90
 Cyclanthus 90
 Cyclodictyon 18
 Cyclodium 29
 Cyclolejeunea 12, 13
 Cyclobium 108
 Cyclopeltis 38
 Cyclopogon 155, 160
 Cyclosorus 39
 Cycnoches 155
 Cydista 63
 Cylindrocolea 10
 Cymbocarpa 70
 Cymbopetalum 46
 Cymbopogon 168, 172
 Cymbosema 105, 108
 Cynanchum 58
 Cynodendron 193
 Cynodon 168
 Cynometra 73
 Cynomorium 62
 CYPERACEAE 91-95
 Cyperus 91, 94
 Cyphomandra 197, 198
 Cypripedium 160
 Cyrilla 95
 CYRILLACEAE 95
 Cyrtolopsis 117
 Cyrtocarpa 45
 Cyrtocymura 59
 Cyrtohypnum 22
 Cyrtolejeunea 12
 Cyrtopera 160
 Cyrtopodium 155, 160
 Cyrtosperma 52, 53
 Cystolejeunea 12
 Cytisus 108
- D**
- Dacryodes 70
 Dactyloctenium 168
 Dactylostegium 42
 Dactylostemon 103
 Dalbergia 105, 108
 Dalechampia 101, 103
 Daltonia 18
 Danaea 35
 Daphnopsis 201
 Datura 197, 198
 Davallia 27
 DAVALLIACEAE 27
 Davalliosis 32
 Davilla 96
 Davya 135
 Decaraphe 135
 Declieuxia 182, 187
 Degranvillea 155
 Deguelia 108
 Delilia 59
 Delonix 73
- Dendrobangia 116
 Dendroceros 15
 DENDROCEROTACEAE 15
 Dendropanax 53
 Dendrophthora 206
 Dennstaedtia 27
 DENNSTAEDITIACEAE 27
 Derris 108
 Desmanthus 141
 Desmodium 105, 108
 Desmoncus 55, 56
 Desmoscelis 132
 Diacrium 160
 Dialium 73
 Dianthera 42
 Dibrachion 108
 Dichaea 155, 160
 Dichanthium 168
 DICAPETALACEAE 95
 Dichapetalum 95
 Dichorisandra 86
 Dichromena 94
 Dichrostachys 141
 DICKSONIACEAE 28
 Dicliptera 41
 Dicorynia 73
 DICRANACEAE 17
 Dicranella 17
 Dicranodontium 17
 Dicranoglossum 36
 Dicranolejeunea 12
 Dicranoloma 17
 Dicranopteris 30
 Dicranopygium 90
 Dicranostyles 87
 Dicrypta 161
 Dictyocaryum 55, 56
 Dictyostega 70
 Dicymbe 73
 Dicypellium 119
 Didymandrum 92
 Didymochlaena 29
 Didymochlamys 182
 Didymopanax 54
 Dieffenbachia 52, 53
 Digitaria 168, 172
 Digomphia 63
 Dilkea 164
 DILLENIACEAE 95-96
 Dimerandra 156, 161
 Dimerocostus 88
 Dimorphandra 73, 76
 Dinizia 73
 Dioclea 105, 108
 Diodia 182, 187
 Diolena 135
 Diomma 190
 Dioscorea 96
 DIOSCOREACEAE 96
 Diospyros 97

- Diothonea 161
DIPHYSIACEAE 17
 Diphyscium 17
 Diplacrum 92, 94
 Dipladenia 50
 Diplasia 92
 Diplasiolejeunea 12
 Diplazium 40
 Diplochita 135
 Diplopterys 127, 128
 Diplotropis 106, 108
 Diploön 192
 Dipteracanthus 42
DIPTEROCARPACEAE 96-97
 Dipteryx 106, 108
 Disciphania 140
 Discocarpus 101, 103
 Discophora 116
 Disteganthus 67, 69
 Disterigma 98
 Distictella 63, 64
 Distictis 63
 Ditassa 58
 Dodecastigma 101, 103
 Dodonaea 190
 Dolichopterys 128
 Dolichos 108
 Doliocarpus 96
 Donnellia 21
 Dorstenia 145
 Doryopteris 25
 Dracontium 52, 53
 Drejera 42
 Drepanocarpus 108
 Drepanolejeunea 12
 Drimys 208
 Drosera 97
DROSERACEAE 97
 Drupina 196
 Drymaria 79
 Drymonia 111, 112
DRYOPTERIDACEAE 28-30
 Dryopteris 29
 Drypetes 101, 103
 Duckeela 156
 Dugandiodendron 126
 Duguetia 46, 47
 Dulacia 153
 Dumortiera 13
 Duroia 182
 Dussia 106, 108
 Duvernoia 42
 Dyspemptemorion 42
 Dystovomita 84
- E**
EBENACEAE 97
- Ebermaiera 42
 Ecastophyllum 108
 Ecclinusa 192, 193
 Echeandia 124
 Echinochloa
 Echinoclea 12
 Echinodorus 43
 Echinolaena 168
 Echites 50
 Eclipta 59, 61
 Ectropothecium 19
 Egletes 59
 Eichhornia 178
 Elachyptera 114
 Elaeagia 182
 Elaeis 55
ELAEOCARPACEAE 97-98
 Elaeodendron 80
 Elaeoluma 192
 Elaphoglossum 34
 Elaterium 89
 Eleocharis 92, 94
 Elephantomene 140
 Elephantopus 59, 61
 Eleusine 168
 Eleutheranthera 59
 Eleutherine 117
 Elisabetha 76
 Elizabetha 73
 Elleanthus 156, 161
 Elodea 116
 Eloyella 156
 Eltroplectris 156
 Elvasia 152, 153
 Elyonurus 168, 172
 Emilia 59, 61
 Emmeorrhiza 182
 Emmotum 116
 Encyclia 156, 161
 Endlicheria 119, 120
 Endopleura 115
 Englerella 193
 Enourea 191
 Entada 141, 143
 Enterolobium 141, 143
 Enterosora 30
 Entodontopsis 22
 Entosthodon 18
 Eperua 74, 76
 Ephedranthus 46
EPHEMERACEAE 17
 Epidendropsis 161
 Epidendrum 156, 161
 Epidryos 180
 Epigaea 99
 Epiphyllum 72
 Episcia 111, 112
 Epistephium 156
 Eragrostis 169, 172
 Eranthemum 41
- Erechites 59, 61
EREMOLEPIDACEAE 98
 Eremoluma 193
 Erianthus 172
ERICACEAE 98-99
 Erigeron 59, 61
ERIOCAULACEAE 99-100
 Eriocalon 99
 Eriochloa 169, 172
 Eriochrysis 169
 Eriope 118
 Eriopsis 156, 161
 Eriosema 106, 108
 Eriosorus 25
 Eriotheca 65
 Erisma 207
 Ernestia 132
 Ertela 189
 Ervatamia 50
 Eryngium 47
 Erythrina 106, 108
 Erythrochiton 189
 Erythrodites 156, 161
ERYTHROXYLACEAE 100
 Erythroxylum 100
 Eschatogramme 36
 Eschweilera 121
 Esenbeckia 189
 Etaballia 106, 108
 Eucamptodontopsis 17
 Euceraea 109
 Euchlaena 172
 Eugenia 148, 150
 Eulacophyllum 22
 Eulophia 156
 Eupatorium 61
 Euphorbia 101, 103
EUPHORBIACEAE 100-104
 Euphronia 207, 208
 Euphroniaceae
 Euplassa 178, 179
 Euterpe 55, 56
 Evea 187
 Everardia 92
 Evodianthus 90
 Evolvulus 87
 Exacum 110
 Exelodendron 81
 Exochogyne 92
 Exostyles 74
- F**
- FABACEAE 104-109
 Fagara 190
 Faramea 182, 187
 Feea 32
 Ferdinandusa 183
 Ferolia 82, 145
 Fevillea 89

Ficus 145	Gerardia 196	Gymnosiphon 70
Fimbristylis 92, 94	Gesneria 111, 112	Gynandropsis 78
Fischeria 58	GESNERIACEAE 111-112	Gynerium 169
Fissicalyx 106	Ghinia 205	Gynocraterium 42
Fissidens 17-18	Gibasis 86	
FISSIDENTACEAE 17-18	Gleichenia 30	H
Fittonia 41	GLEICHENIACEAE 30	Habenaria 157, 161
FLACOURTIACEAE 109-110	Glinus 144	Hackelochloa 169
Fleischmannia 59	Glicridia 106	Haemadictyon 50
Flemingia 106	Glochidion 103	Haematostemon 101
Fleurya 204	Gloeospermum 206	Haematoxylum 74
Floribundaria 20	Glossadelphus 21	HAEMODORACEAE 112
Floscopia 86	Gloxinia 111, 112	Haesselia 10
Forsteronia 48 50	Glycine 108	HALORAGACEAE 112-113
Fossombronia 10	Glycydendron 101	Hamelia 183, 187
FOSSOMBRONIACEAE 10	Gnaphalium 59, 61	Handroanthus 64
Fothergilla 135	GNETACEAE 112	Haploclathra 84
Fractiunguis 161	Gnetum 112	Haplolejeunea 12
Franchetella 193	Godmania 63	Harpalejeunea 12
Freziera 200	Gomphphia 153	Hartigia 135
Froesiochloa 169	Gomphichis 156	Hasseltia 109
Froesiodendron 47	Gomphrena 44	Havetiopsis 84, 85
Frullania 10	Gongora 156, 161	Hebeclinium 59
FRULLANIACEAE 10	Gongylolepis 59, 61	Hebepeatum 115
Frullanoides 12, 13	Goniopteris 39	Hecatostemon 109
Fuirena 92	Gonolobus 58	Hecistopteris 40
Funaria 18	Gonzalagunia 183	HEDWIGIACEAE 18
FUNARIACEAE 18	Goodallia 201	Hedychium 209
Funastrum 58	Goodyera 161	Hedyosmum 80
Furarium 126	Gordonia 200	Hedysarum 108
Furcraea 43	Gossypium 129	Heisteria 153
Fusaea 46	Gouania 180	Heliamphora 195
	Gouphia 80	Heliconia 113
G	Govenia 157	HELICONIACEAE 113
Gaedawakka 103	Graffenrieda 132, 135	HELICOPHYLLACEAE 18
Gaiadendron 125	Grammadenia 148	Helicophyllum 18
Galactia 106	GRAMMITIDACEAE 30-31	Helicostylis 145, 146
Galactophora 48	Grammitis 30	Helicteres 199
Galeandra 156, 161	Granatum 138	Heliotropium 66
Galega 108	Gravisia 69	Helmontia 89
Galeottia 156	Greeneina 146	Helopeltis 172
Galipea 189, 190	Grias 122	Helosis 62
Galium 183	Groutiella 20	Hemarthria 169
Gamochaeta 59, 61	Guadua 169, 172	Hemicarpha 94
Gamotopea 187	Guaiacum 210	Hemicrepidiospermum 71
Garcinia 85	Guapira 151	Hemidictyum 40
Garuga 45	Guarea 138	Hemidiodia 187
Gaultheria 98, 99	Guatteria 46, 47	Hemigraphis 42
Gavarretia 101	Guatteriopsis 46	Hemionitis 25
Gaya 129	Guayania 59	Hemiragis 18
Geissopappus 61	Guazuma 199	Hemitelia 27
Geissospermum 48	Guenetia 202	Henicodium 19
Genipa 183, 187	Guettarda 183, 187	Henriettea 132, 135
Genlisea 123	Guilielma 56	Henriettella 132, 135
GENTIANACEAE 110-111	Gurania 89	Henriquezia 183
GEOCALYCACEAE 10-11	Gustavia 121, 122	HEPATOPHYTA 9-15
Geoffroea 108	Guzmania 67, 69	HERBERTACEAE 11
Geonoma 55, 56	Gymnanthes 103	Herbertus 11
Geophila 183, 187	Gymnopogon 169	Herissantia 129
	Gymnopteris 25	

- Hernandia 113
HERNANDIACEAE 113
 Herpestis 196
 Herpetacanthus 42
 Herrania 199
 Heteranthera 178
 Hetercondylus 59
 Heteropogon 169
 Heteropsis 52, 53
 Heteropterys 127, 128
 Heteroscyphus 11
 Heterostemon 74
 Heterothalamus 61
 Hevea 101, 103
 Hexadesmia 161
 Hexapterella 70
 Hexisea 157, 161
 Heymassoli 153
 Hibiscus 129
 Hildebrandtiella 21
 Hillia 183, 187
 Himatanthus 48
 Hippeastrum 124
 Hippobroma 77
 Hippocratea 114
HIPPOCRATEACEAE 113-115
 Hiraea 127, 128
 Hirtella 81, 82
 Histiopteris 27
 Hoffmannia 183
 Hohenbergia 68
 Holcus 172
 Holomitriopsis 19
 Holomitrium 17
 Homalium 109
 Homalocenchrus 172
 Homalomena 52
 Homolepis 169
HOOKERIACEAE 18-19
 Hookeriopsis 18
 Hornschuchia 47
 Hortia 189
 Hortsmania 50
 Houletia 157, 161
 Houmiri 115
 Huberodendron 65
HUGONIACEAE 115
 Humboldtia 161
 Humiria 115
HUMIRIACEAE 115
 Humiranthera 116
 Humiriastrum 115
 Humirium 115
 Huntleya 157, 161
 Huperzia 23
 Hura 101
 Hybanthus 206
HYDROCHARITACEAE 115-116
 Hydrochorea 141
 Hydrocleys 124
 Hydrocotyle 47
 Hydrolea 116
 Hydromystria 116
HYDROPHYLACEAE 116
 Hydropogon 19
HYDROPOGONACEAE 19
 Hydropogonella 19
 Hyeronima 101, 103
 Hygrophila 42
 Hylaeanthe 130
 Hylenaea 114
 Hylocereus 72
 Hymenachne 169, 172
 Hymenaea 74, 76
 Hymenocallis 124
 Hymenolobium 106
HYMENOPHYLLACEAE 32-33
HYMENOPHYLLOPSIDACEAE
 33-34
 Hymenophyllum 33-34
 Hymenophyllum 32
 Hymenostachys 33
 Hyophila 20
 Hyospathe 55
 Hyparrhenia 169
 Hypenia 118
 Hyperbaena 140
 Hypericum 84, 85
HYPNACEAE 19
 Hypnella 18
 Hypnum 19
 Hypocyrta 112
 Hypogynium 172
 Hypolepis 27
 Hypolytrum 92
 Hypoxis 124
 Hyptidendron 118
 Hyptis 118
- I**
- Ibetralia 187
ICACINACEAE 116
 Icacorea 148
 Ichnanthus 169, 172
 Ichthyophora 193
 Ichthyothere 59
 Icica 71
 Ilex 51
 Ilysanthes 196
 Impatiens 62
 Imperata 169, 172
 Indigofera 106, 108
 Inga 141, 143
 Ionidium 206
 Ionopsis 157, 161
 Ipomoea 87, 88
 Iresine 44
 Iriartea
 Iriartella 55, 56
- J**
- Jablonskia 101
 Jacaranda 63, 64
 Jacaratia 78
 Jacquemontia 87, 88
 Jacqueshuberia 74
 Jacquinella 157
 Jaegerina 21
 Jamesoniella 11
 Japarandiba 122
 Jasaram 52
 Jasminum 153
 Jatropha 101, 103
 Jenmaniella 175
 Jessenia 55, 56
 Jubelina 127
 Jucunda 135
 Jugastrum 122
JUGLANDACEAE 117
 Juglans 117
JUNGERMANNIACEAE 11
 Juruasia 43
 Jussiaea 154
 Justicia 42
- K**
- Kaieteurea 153
 Kalanchoe 88
 Kallstroemia 210
 Kedrostis 89
 Kefersteinia 157, 162
 Kegelia 162
 Kegeliella 157

- Klugiodendron 143
 Koanophyllum 59
 Koellensteinia 157
 Koernickanthe 130
 Kohleria 111
 Kopsia 48
 Kotchubaea 183
 Krameria 117
KRAMERIACEAE 117
 Krugia 150
 Kubitzkia 119
 Kurzia 13
 Kyllinga 92, 94
- L**
- Labatia 193
 Lablab 106
 Lacistema 117
LACISTEMATACEAE 117
 Lacmellea 48
 Lacostea 33
 Lacunaria 179
 Ladenbergia 183
 Laelia 162
 Laetia 109
 Lafoensis 126
 Lagascea 59
 Lagenaria 89
 Lagenocarpus 92, 94
 Lagerstroemia 126
 Laguncularia 85
LAMIACEAE 118
 Lamprococcus 69
 Landolphia 50
 Lanessania 146
 Langsdorffia 62
 Lanium 162
 Lantana 205
 Laplacea 201
 Laporteia 204
 Lasiacis 169, 172
 Lasiadenia 201
 Lasiandra 135
 Lastrea 39
 Lastreopsis 38
LAURACEAE 118-120
 Laurea 146
 Laurembergia 112
 Lawsonia 126
 Laxoplumeria 48
 Leandra 132, 135
 Lecointea 74
 Lecostemon 180
LECYTHIDACEAE 120-122
 Lecythis 121, 122
 Ledothamnus 98
 Leersia 169
 Leiromela 16
 Leiomitrium 20
- Leiostegia 136
 Leiothamnus 111
 Leiothrix 99
 Leiphamos 111
 Leitgebia 153
 Lejeunea 12
LEJEUNEACEAE 11-13
 Lellingeria 31
 Lembocarpus 111
 Lemma 122
LEMNACEAE 122
LENTIBULARIACEAE 123
 Leonia 206
 Leonotis 118
 Leonurus 118
 Lepanthes 157
 Lepanthopsis 157
 Lepianthes 166
 Lepidagathis 42
 Lepidaploa 59
 Lepidium 66, 67
 Lepidobotryaceae
 Lepidocaryum 55, 56
 Lepidocordia 66
 Lepidolejeunea 12
 Lepidopilidium 18
 Lepidopilum 18
 Lepidozia 13
LEPIDOZIACEAE 13
 Leptochilus 34
 Leptochloa 169, 172
 Leptocoryphium 169
 Leptolejeunea 12
 Leptolobium 108
 Leptoscyphus 11
 Leptostachys 172
 Lepyrodontopsis 16
 Leretia 116
 Leskeodon 18
 Leucaena 141, 143
LEUCOBRYACEAE 19
 Leucobryum 19
LEUCODONTACEAE 19
 Leucodontopsis 19
 Leucohyle 157
 Leucolejeunea 12
 Leucoloma 17
LEUCOMIACEAE 19-20
 Leucomium 19-20
 Leucophanes 19
 Licania 81, 82
 Licaria 119, 120
 Ligea 176
 Ligephila 157
 Lightia 208
LILIACEAE 123-124
 Limnobium 116
 Limnocharis 124
LIMNOCHARITACEAE 124
 Limnosipanea 183
- Limodorum 162
 Lindackeria 109
 Lindernia 195
 Lindleyella 162
 Lindmania 69
 Lindsaea 27-28
 Linociera 153
 Liparis 157, 162
 Lipocarpha 92, 94
 Lippia 205
 Liriosma 153
 Lisianthus 111
 Lissocarpa 124
LISSOCARPACEAE 124
 Lithachne 169
LOASACEAE 124
 Lobelia 77
 Lochnera 50
 Lockhartia 157, 162
LOGANIACEAE 124-125
 Lomagramma 34
LOMARIOPSISIDACEAE 34
 Lomariopsis 34
 Lonchitis 28
 Lonchocarpus 106, 108
 Lophocolea 11
 Lophogyne 176
 Lopholejeunea 12, 13
 Lophopterys 127, 128
 Lophotocarpus 44
LORANTHACEAE 125-126
 Loranthus 126
 Loreya 133, 136
 Lorostemon 84
 Loxopterygium 45
 Lucuma 193
 Ludovia 90
 Ludwigia 154
 Luehea 201, 202
 Lueheopsis 202
 Luetzelburgia 106
 Luffa 89
 Lundia 63
 Luziola 169, 172
 Lycaste 157
 Lycianthes 197, 198
 Lycomormium 162
LYCOPHYTA 22-24
LYCOPODIACEAE 23
 Lycopodiella 23
 Lycopodium 23
LYCOPODIACEAE 23
LYGODIACEAE 34
 Lygodium 34
 Lyroglossa 157
 Lysiloma 141
 Lysiostyles 87
LYTHRACEAE 126

M

Mabea	101, 103	MARCGRAVIACEAE	131	Melochia	199
Maburea	153	Marchantia	13	Melothria	89
Macahanea	210	Marchantiaceae	13	Melpomene	31
Macairea	133, 136	Marchesinia	12	Memora	63, 64
Macfadyena	63	Margaritaria	102	Menadenium	162
Machaerium	106, 108	Marila	84	Mendoncella	162
Machaonia	183	Maripa	87, 88	Mendoncia	139
Maclura	145	Mariscus	94	MENDONCIACEAE	139
Macoubea	48, 50	Markea	197, 198	Meniscium	39
Macoucoua	51	Markleya	56	MENISPERMACEAE	139-140
Macradenia	157, 162	Marlierea	149, 150	Mentzelia	124
Macrocarpaea	110, 111	Marmaroxylon	143	MENYANTHACEAE	140
Macrocentrum	133, 136	Marsdenia	58	Meriania	133
Macroclinium	157	Marsilea	35	Merostachys	169
Macroditassa	58	MARSILEACEAE	35	Merremia	87, 88
Macrolobium	74, 76	Marsupidium	9	Merumea	183
Macromitrium	20	Marsypianthes	118	Mesadenella	158, 162
Macropharynx	48	Martinella	63, 64	Mesechites	48, 50
Macroptilium	106	Martiodendron	74	Mesosetum	169, 172
Macrosamanea	141, 143	Martiusia	76	Metalepis	58
Macroscepis	58	Mascagnia	127	Metastelma	58
Magnolia	127	Masdevallia	157, 162	Metaxyta	35
MAGNOLIACEAE	126-127	Mastigolejeunea	12	METAXYACEAE	35
Maguirea	53	Matayba	190, 191	METEORIACEAE	20
Maguireanthus	133	Matelea	58	Meteoriidium	20
Maguireella	21	Matisia	65	Meteoriopsis	20
Maguireothamnus	183	Matourea	196	Metrodorea	189
Mahurea	84	Mauria	45	Metzgeria	13
Maieta	133, 136	Mauritia	55, 56	METZGERIACEAE	13-14
Malachra	129	Mauritiella	55, 56	Mezia	128
Malanea	183, 187	Maxillaria	157, 162	Mezilaurus	119, 120
Malaxis	157	Maximbignya	55	Mezobromelia	69
Malmea	46, 47	Maximiliiana	55, 56	Miconia	133, 136
Malouetia	48, 50	Mayaca	131	Micrandra	102, 103
Malpighia	128	MAYACACEAE	131	Micranthemum	195, 196
MALPIGHIACEAE	127-128	Mayepea	153	Microchloa	169
MALVACEAE	128-130	Mayna	109, 110	Microodus	17
Malvastrum	129	Maytenus	80	Microgonium	33
Manabea	205	Meborea	103	Microgramma	36
Managa	210	Mecardonia	195	Microlejeunea	12
Mandevilla	48, 50	Megaskepasma	42	Microlepia	28
Manettia	183	Meioluma	194	Microlicia	134, 137
Manicaria	55	Meiothecium	21	Micromitrium	17
Manihot	102, 103	Meisneria	136	Micropholis	192, 194
Manilkara	192, 193	Melaleuca	149	Micropolypodium	31
Manisuris	172	Melampodium	61	Micropterygium	13
Mansoa	63	Melanoxylon	76	Microstachys	103
Mapania	92	Melanthera	59, 61	Microtea	165
Mapaniopsis	92	Melasma	196	Miersiella	70
Mapouria	187	Melastoma	136	Mikania	60, 61
Mappia	116	MELASTOMATACEAE	131-138	Mimosa	141, 143
Maprounea	102	Melia	138	MIMOSACEAE	140-144
Maquira	145	MELIACEAE	138-139	Mimusops	192, 194
Maranta	130	Meliandra	136	Minquartia	153
MARANTACEAE	130-131	Melicocca		Mirabilis	151
Marathrum	175	Melicoccus	191	Misanthea	120
MARATTIACEAE	35	Melinis	169	Mitostemma	164
Marctetia	133	Mella	196	Mitracarpus	183, 188
Marcgravia	131	Melloa	63	Mitreola	125
		Melocactus	72	Mitrocarpum	188

Mittenothamnium	19	Myroxylon	106	Nietneria	124
Mnasion	180	MYRSINACEAE	147-148	Niphidium	36
MNIACEAE	20	Myrsine	147, 148	Nissolia	108
Mniomalia	20	MYRTACEAE	148-150	Nitella	9
Mollia	202	Mytilumia	194	Noisettia	206
Mollinedia	144	Myrtus	150	Nonatelia	188
MOLLUGINACEAE	144	Mytilopsis	13	Nopalea	72
Mollugo	144			Norantea	131
Momordica	89			Noterophila	137
Monachanthus	162			Notholaena	25
MONIMIACEAE	144	Nacibea	188	Notopleura	188
Monnieria	190	NAJADACEAE	150	Notopora	98
Monnina	176, 177	Najas	150	NOTOTHYLADACEAE	15
Monochaeum	134	Naletonia	188	Notothylas	15
Monoclea	14	Nanodes	162	Notylia	158, 162
MONOCLEACEAE	14	Napeanthus	111	Nowellia	10
Monogramma	31	Napimoga	110	Noyeria	146
Monophyllanthe	130	Nasturtium	67	NYCTAGINACEAE	150-151
Monopteryx	106	Naucleopsis	145, 146	Nymphaea	151
Monotagma	130, 131	Nautilocalyx	111, 112	NYMPHAEACEAE	151
Monotrema	180	Navia	68, 69	Nymphoides	140
Monstera	52, 53	Neblinaria	66		
Montira	210	NECKERACEAE	20	O	
Montrichardia	52	Neckeropsis	20	OCHNACEAE	151-153
Moquilea	83	Nectandra	119, 120	Ochroma	65
Mora	74	Neea	151	Ochthephilus	134
MORACEAE	144-146	Neesioscyphus	10	Ochthocosmus	117
Morinda	183	Nelsonia	42	Ocimum	118
Moringa	146	Nelumbo	150	Ocotea	119, 120
MORINGACEAE	146	NELUMBONACEAE	150	Octoblepharum	19
Morisonia	78	Nemaluma	194	Octomeria	158, 162
Mormodes	158	Nematanthus	112	Odontadenia	48, 50
Moronoeba	84	Neobartlettia	162	Odontocarya	140
Moschoxylum	139	Neobertia	183	Odontoglossum	158
Mostuea	125	Neogleasonia	66	Odontolejeunea	12
Mourera	175	Neolacis	176	Odontoloma	28
Mouriri	134, 137	Neolehmannia	162	Odontomanes	33
Mouroucoa	88	Neomarica	117	Odontonema	42
Moutabea	176	Neopometia	194	Odontoschisma	10
Moutouchi	108	Neoptychocarpus	109	Odontosoria	28
Mucuna	106, 108	Neoraputia	189	Oeceoclades	158
Muellera	106, 108	Neosprucea	109	Oedematopus	84, 85
Murdannia	86	Neoxythecia	194	Oenocarpus	55, 56
Murraya	189, 190	Nephradenia	58	Oenone	176
Musa	146	Nephrodium	39	Ogcodeia	146
MUSACEAE	146	Nephrolepis	35	OLACACEAE	153
Mussatia	63	Nepsera	134	Olax	153
Myanthus	162	Neptunia	142, 143	Oldenlandia	183, 188
MYOPORACEAE	146	Nerium	48	Oldenlandiopsis	183
Myoxanthus	158	Neurocarpum	108	OLEACEAE	153
Myrcia	149, 150	Neurodium	36	Oleandra	35
Myrcianthes	149	Neurolaena	60	OLEANDRACEAE	35
Myrciaria	149, 150	Neurolejeunea	12	Olfersia	29
Myriaspore	134, 137	Neurolepis	169	Oliganthes	61
Myriocladus	169	Neuromanes	33	Oliveriana	158
Myriophyllum	112, 113	Neurophyllum	33	Olmedia	146
Myristica	147	Neurotheca	110	Olmedioperebea	146
MYRITICACEAE	146-147	Newtonia	143	Olyra	169, 172
Myrmidone	134	Nicotiana	198	Omphalanthus	12
Myrosma	130, 131	Nidema	158, 162		

- Omphalea 102
 Omphalobium 87
 ONAGRACEAE 153-154
 Oncidium 158, 162
 Oncoctonia 137
 Oocarpum 154
 Operculina 88
 Ophiocaryon 190
 OPHIOGLOSSACEAE 35-36
 Ophioglossum 35
 Ophrys 162
 OPILIACEAE 154
 Oplismenus 169, 173
 Opuntia 72
 Orbignya 55, 56
 ORCHIDACEAE 154-163
 Orectanthe 208
 Orelia 50
 Oreopanax 53, 54
 Orleansia 158
 Ormoloma 28
 Ormosia 106, 108
 Ormosiopsis 108
 Ornithocephalus 158, 162
 Orthaea 98, 99
 Orthoclada 169, 173
 Orthomene 140
 Orthopappus 60
 Orthostichidium 21
 Orthostichopsis 21
 ORTHOTRICHACEAE 20
 Oryctanthus 125, 126
 Oryctina 125
 Oryza 169, 173
 Osbeckia 137
 Oserya 175
 Ossaea 134, 137
 Osteophloeum 147
 Otachyrium 169
 Otostylis 158, 162
 Ouratea 152, 153
 Orouparia 188
 Outea 76
 OXALIDACEAE 163
 Oxalis 163
 Oxandra 46, 47
 Oxycaryum 92
 Oxymeris 137
 Oxypetalum 58
 Oxythecce 194
 Oyedaea 60, 61
- P**
- Pachira 65
 Pachyloma 134
 Pachyptera 64
 Pachystachys 42
 Pacouria 49
 Pacourina 60
- Paepalanthus 99
 Pagamea 183
 Pakaraimaea 97
 Palicourea 184, 188
 Pallavicinia 14
 PALLAVICINIACEAE 14
 Palmorchis 158
 Paloue 74
 Paloveopsis 74
 Paltonium 37
 Pamea 86
 Panax 54
 Pancratium 124
 Panicum 169, 173
 Panopsis 178, 179
 PAPAVERACEAE 163
 Papaya 78
 Paphinia 158
 Paphiopedilum 162
 Papillaria 20
 Pappophorum 170
 Parabignonia 63
 Paracromastigum 13
 Paradrymonia 111
 Paragonia 63
 Parahancornia 49, 50
 Paralabatia 194
 Paralea 97
 Paraleucobryum 19
 Paramachaerium 106
 Paramicropholis 194
 Paratheria 170
 Pariana 170, 174
 Parinari 82, 83
 Parinarium 83
 Parivoa 76
 PARKERIACEAE 36
 Parkia 142, 143
 Parkinsonia 74
 Parodiolyra 170
 Parthenium 60
 Paspalidium 170
 Paspalum 170, 174
 Passiflora 164
 PASSIFLORACEAE 164
 Passoura 206
 Patabea 184, 188
 Patima 184
 Patrisia 110
 Paullinia 191
 Pausandra 102, 103
 Pavonia 129
 Paypayrola 206
 Pecluma 36
 Pectis 60, 61
 PEDALIACEAE 164-165
 Pedilanthus 102
 Pekea 78
 Pelexia 158, 162
 Peltaea 129
- Peltogyne 74, 76
 Peltophorum 74
 Peltophyllum 202
 Pennisetum 170, 174
 Pentacalia 60
 Pentaclethra 142, 143
 Pentascyphus 191
 Peperomia 165, 166
 Pepinia 69
 Pera 102, 103
 Perama 184
 Perebea 145, 146
 Pereskia 72
 PERIDISCACEAE 165
 Peridium 103
 Peristeria 158, 162
 Peritassa 114
 Pernettya 98
 Persea 119, 120
 Persicaria 177
 Peschiera 50
 Petagomoa 188
 Petaloma 137
 Petastoma 64
 Petiveria 165
 Petrea 205
 Petrocarya 83
 Pfaffia 44
 Phainantha 134
 Pharmacosycea 146
 Pharus 170, 174
 Phaseolus 107, 108
 Phegopteris 39
 Phenakospermum 199
 Phenax 204
 Philodendron 52, 53
 Philodice 99
 Philonotis 16
 Philotria 116
 Philoxerus 44
 Phlebodium 36
 Phoebe 120
 Phoenix 55
 Phoradendron 206-207
 Phragmipedium 158
 Phragmites 170, 174
 Phryganocydia 64
 Phryniuum 131
 Phthirusa 125, 126
 Phyla 205
 Phyllanthus 102, 103
 Phyllocactus 72
 Phyllodon 21
 PHYLLODREPANIACEAE 20
 Phyllodrepanium 20
 PHYLLOGONIACEAE 20
 Phyllogonium 20
 Physalis 198
 Physostemon 78
 Phytolacca 165

PHYTOLACCACEAE 165	Pleurozia 14	Pothuava 69
Picramnia 196	PLEUROZIACEAE 14	POTTIACEAE 20-21
Picrasma 196	Plinia 149, 150	Poulsenia 145
Picria 196	Pluchea 60, 61	Pourouma 79, 80
Picrolemma 196	Plukenetia 102, 103	Pouteria 192-193, 194
Pictolejeunea 12	PLUMBAGINACEAE 167	Pradosia 193
Pilea 204	Plumbago 167	Praxelis 60
Pilocarpus 189, 190	Plumeria 49, 50	Prescottia 159
Pilosium 22	POACEAE 167-175	Prestoea 55
Pilosocereus 72	Pochota 65	Prestonia 49, 50
Pilotrichella 20	PODOCARPACEAE 175	Prieurella 194
Pilotrichum 19	Podocarpus 175	Prionolejeunea 12
Pilumna 162	Podoluma 194	Prionostemma 114
PINACEAE 165	PODISTEMACEAE 175-176	Pristimera 114
Pinus 165	Podostemum 175	Priva 205
Pinzona 96	Poecilandra 152	Prockia 109
Piparea 110	Poecilanthe 107	PROTEACEAE 178-179
Piper 166, 167	Pogonia 162	Protium 70, 71
PIPERACEAE 165-167	Pogonophora 102	Prunus 181
Piptadenia 142, 143	Pogopetalum 116	Psadacocalymma 43
Piptocarpha 60	Poinciana 76	Psammisia 98, 99
Piptocoma 60	Pollalesta 61	Pseudabutilon 130
Piranhea 102	Polybotrya 29	Pseudanamomis 149
Piratinera 146	Polycarpa 79	Pseudechinolaena 170
Pirella 21	Polycycnis 159	Pseudelephantopus 60, 61
Piresia 170	Polygala 176, 177	Pseuderiopsis 163
Pirigara 122	POLYGALACEAE 176-177	Pseudima 191
Piripea 196	POLYGONACEAE 177-178	Pseudocalymma 64
Pirieta 203	Polygonum 177	Pseudochimarrhis 188
Pisonia 151	Polylychnis 42	Pseudocladia 194
Pistia 52	POLYPODIACEAE 36-37	Pseudoconnarus 86
Pitcairnia 68, 69	Polypodium 36	Pseudocryphaea 19
Pithecellobium 142, 143	Polypompholyx 123	Pseudogynoxys 60
Pithecoctenium 64	Polyprennum 125	Pseudolabatia 194
Pitumba 110	Polystachya 159, 162	Pseudolmedia 145, 146
Pityrogramma 25	Polystichopsis 29	Pseudopaegma
Plagiochila 14	Polystichum 29	Pseudopiptadenia 142
PLAGIOCHILACEAE 14	Polytaenium 40	Pseudoxandra 46, 47
Plagiommium 20	POLYTRICHACEAE 20	Pseudoxythecae 194
Plagiothecium 22	Polytrichum 20	Psidium 149, 150
Planchonella 194	Ponera 163	Psiguria 89
PLANTAGINACEAE 167	Pontederia 178	Psilochilus 159
Plantago 167	PONTEDERIACEAE 178	PSILOTOPHYTA 22
Plathymenia 142	Ponthieva 159	PSILOTACEAE 22
Platonia 84	Poraqueiba 116	Psilotum 22
Platyaechmea 69	Porocystis 191	Psittacanthus 125
Platycarpum 184	Porophyllum 60, 61	Psychopsis 159
Platycentrum 137	Porotrichum 20	Psychotria 184, 188
Platyluma 194	Portesia 139	Psygmorphis 159
Platymiscium 107	Portulaca 178	Pterandra 128
Platystele 158	PORTULACACEAE 178	PTERIDACEAE 37
Platythelys 158	Posadaea 89	Pteridium 28
Plectrophora 158	Posoqueria 184, 188	Pteris 37
Pleonotoma 64	Possira 76	PTEROBRYACEAE 21
Pleopeltis 36	Potalia 125	Pterocarpus 107, 109
Pleroma 137	Potamium 21	Pterocaulon 60, 61
Pleurisanthes 116	Potamoganos 64	Pterogastra 134
Pleurostachys 93	Potarophytum 180	Pterogonidium 21
Pleurothallis 158, 162	Poteranthera 137	Pterolepis 134, 137
Pleurothyrium 119, 120	Pothomorphe 166	PTEROPHYTA 24-40

- Pteropsiella 13
 Pterozonium 25
 Ptilophyllum 33
 Ptychoscarpus 110
 Ptychopetalum 153
 Pueraria 107
 Pulchranthus 42
 Pycnolejeunea 13
 Pycreus 94
 Pyrostegia 64
 Pyrrhobryum 21
- Q**
- Quadrella 78
 Qualea 207
 Quapoya 84, 85
 Quararibea 65
 Quassia 196
 Quebitea 167
 Quekettia 159
 Quelchia 60
 Quesnelia 69
 Quiina 179
 QUIINACEAE 179
- R**
- Racaria 191
 Racinaea 69
 RACOPILACEAE 21
 Racopilum 21
 Racoubea 110
 Raddia 114, 170, 174
 Raddiella 170, 174
 Radlkoflerella 194
 Radula 14
 RADULACEAE 14-15
 RAFFLESIACEAE 179
 Ragala 194
 Ragatelus 33
 Raimondia 47
 Randia 185
 RANUNCULACEAE 179
 Rapanea 148
 Rapaea 180
 RAPATEACEAE 179-180
 Raphia 57
 Raputia 189, 190
 Rauia 189, 190
 Rauvolfia 49, 50
 Ravenala 200
 Ravenia 190
 Raveniopsis 189
 Rechsteineria 112
 Recordoxylon 74, 76
 Rectolejeunea 13
 Rehia 170
 Reichenbachanthus 159
 Reimarcloa 174
- Reimarcloa 170
 Relbunium 188
 Remijia 185
 Remirea 93
 Renaudia 21
 Renealmia 209
 Renggeria 84, 85
 Rengifa 85
 Restrepia 163
 Retiniphyllum 185, 188
 Rhabdadenia 49
RHABDODENDRACEAE 180
 Rhabdodendron 180
 Rhacocarpus 18
 Rhacodiscus 43
 Rhacopilopsis 19
 Rhadinocarpus 109
RHAMNACEAE 180
 Rhamnus 180
 Raphidolejeunea 13
 Raphidorrhynchium 19, 21
 Raphidostichum 21
 Rheedia 84, 85
 Rhexia 137
 Rhipidocladum 171
 Rhipsalis 72
RHIZOGONIACEAE 21
 Rhizogonium 21
 Rhizophora 181
RHIZOPHORACEAE 181
 Rhodobryum 16
 Rhodognaphalopsis 65
 Rhodospatha 52, 53
 Rhodostemonodaphne 119
 Rhoeo 86
 Rhogeton 111
 Rhynchanthera 134, 137
 Rhynchelytrum 171
 Rhynchocladium 93
 Rhyncholacis 175
 Rhynchosia 107
 Rhynchospora 93, 94
 Rhytachne 171
 Riana 206
 Riccardia 10
 Riccia 15
RICCIACEAE 15
 Richardella 194
 Richardia 185
 Richeria 102, 103
 Ricinus 102
 Riencourtia 60, 61
 Rinorea 206
 Rinoreocarpus 206
 Rittera 76
 Rivina 165
 Robergia 87
 Robinia 76, 109
 Rodriguezia 159, 163
- Roentgenia 64
 Rogersanthus 111
 Rohria 95
 Rolandra 60, 61
 Rollinia 46, 47
 Ronabea 188
 Rondeletia 188
 Rondonanthus 99
 Ropourea 97
 Roraimanthus 153
 Rorippa 66, 67
ROSACEAE 181
 Rosenbergiodendron 188
 Rotala 126
 Rottboellia 171, 174
 Roucheria 115
 Rouhamon 125
 Roulinia 58
 Rouliniella 58
 Roupala 178, 179
 Rourea 86, 87
 Roystonea 55, 57
RUBIACEAE 181-189
 Rubus 181
 Rudgea 185, 188
 Rudolfiella 159
 Ruellia 42
 Ruizterania 208
 Rumohra 27
 Ruppia 189
RUPPIACEAE 189
 Ruprechtia 177
 Rupiliocarpon 163
 Russelia 195
RUTACEAE 189-190
 Rymania 109, 110
 Rytidostylis 89
- S**
- SABIACEAE 190
 Sabicea 186, 188
 Saccharum 171, 174
 Sacciolepis 171
 Saccoloma 28
 Sacoglottis 115
 Sacoila 159
 Sagittaria 43
 Sagonea 116
 Sagotia 102, 103
 Sagraea 137
 Salacia 114
 Salmea 60
 Salpichlaena 26
 Salpinga 134, 137
 Salvertia 208
 Salvinia 38
SALVINIACEAE 38
 Samanea 142, 143
 Sandwithia 102

Sandwithiodoxa	195	Secondatia	49	Soridium	202
Santalodes	87	Secretania	153	Sorocea	145, 146
Sauvare	79	Securidaca	176, 177	Souroubea	131
SAPINDACEAE	190-191	Securinega	104	Spachea	128
Sapindus	191	Seguieria	165	Sparattanthelium	113
Sapium	102, 103	Selaginella	24	Sparganophorus	61
SAPOTACEAE	191-195	SELAGINELLACEAE	23-24	Spartina	171, 174
Saranthe	131	Selenicereus	72	Spathanthus	180
Sarcaulus	193, 210	Selenipedium	159, 163	Spathelia	190
Sarcoglossis	159, 163	Selysia	89	Spathiphyllum	52, 53
Sarcostemma	58	Semaphyllanthe	186	SPECIES INCERTAE SEDIS	210
Sarmentaria	137	SEMATOPHYLLACEAE	21	Specklinia	163
SARRACENIACEAE	195	Sematophyllum	21	Spennnera	137
Satyria	98, 99	Senapea	210	Spermacoce	186, 189
Sauvagesia	152, 153	Senefelderia	102, 104	SPERMATOPHYTA	40-210
Saxofridericia	180	Senefelderopsis	102	Sphaerocionium	33
Scapania	15	Senna	74, 76	Sphaeropteris	27
SCAPANIACEAE	15	Serapias	163	SPHAGNACEAE	22
Scaphosepalum	159, 163	Serjania	191	Sphagneticola	60
Scaphyglottis	159, 163	Sesamum	164, 165	Sphagnum	22
Scelochilus	159	Sesbania	107, 109	Spheneria	171, 174
Scheelea	55	Sesuvium	43	Sphenoclea	199
Schefflera	53, 54	Setaria	171, 174	SPHENOCLEACEAE	199
Schiekia	112	Sickingia	188	Sphinctanthes	186
Schiffneriolejeunea	13	Sida	129, 130	Sphinctolobium	109
Schismatoglottis	52, 53	Sidastrum	129	Sphyrospermum	98, 99
Schistostemon	115	Sideroxylon	195	Spigelia	125
Schizachyrium	171, 174	Sievekingia	159	Spilanthes	60, 61
Schizaea	38	Sigesbeckia	60	Spiracantha	61
SCHIZAEACEAE	38	Sigmatostalix	159	Spiranthera	190
Schizoloma	28	Simaba	196	Spiranthes	159, 163
Schizomitrion	19	Simarouba	196	Spiridentopsis	21
Schlechterella	163	SIMAROUBACEAE	196	Spirodela	122
Schlegelia	64	Simira	186	Spirotropis	107, 109
Schlivia	159	Sinapis	67	SPLACHNACEAE	22
Schloteimia	20	Singana	109	Splachnobryum	22
Schoenobiblus	201	Sinningia	111	Spondias	45
Schoenoplectus	93	Siolmatra	89	Sporobolus	171, 174
Schoepfia	153	Sipanea	186, 189	Squamidium	20
Schomburgkia	159	Siparuna	144	Stachytarpheta	205
Schradera	186, 188	Siphanthera	134, 137	Stahelia	111
Schrankia	144	Siphontheropsis	137	Stanhopea	159, 163
Schultesia	110, 111	Siphoneugena	149, 150	Staphidiastrum	138
Schusterolejeunea	13	Sisyrinchium	117	Staphidium	138
Schwenckia	198	Sloanea	97	Staurogyne	42
Sciadocephala	60	SMILACACEAE	197	Stegolepis	180
Sciadophyllum	54	Smilax	197	Steirachne	171, 174
Sciadotenia	140	Sobralia	159	Steiropteris	39
Sciaphila	202	Socratea	56	Stelestylis	90
Scirpus	95	Soemmeringia	107	Stelis	159, 163
Sciurus	190	SOLANACEAE	197-198	Stemmadenia	49, 50
Scleria	93, 95	Solandra	198	Stemodia	195, 196
Sclerolobium	74	Solanum	198	Stenia	160
Scleronema	65	Solena	189	Stenochlaena	26
Scoparia	195	Solenidium	159	Stenolobium	109
SCROPHULARIACEAE	195-196	Somphoxylon	140	Stenomeria	58
Scutellaria	118	Sonchus	60, 61	Stenopadus	60, 61
Scuticaria	159	Soramia	96	Stenoptera	163
Scyphonichium	191	Sorghastrum	171	Stenorhhipis	11
Sebastiania	102, 104	Sorghum	171, 174	Stenorhynchos	163

Stenosolen 50	Tabebuia 64	Thevetia 49, 50
Stenospermation 52	Taberna 50	Thibaudia 98, 99
Stenotaphrum 171, 174	Tabernaemontana 49, 50	Thieleodoxa 186
Sterculia 199	Tacca 200	Thiloa 86
STERCULIACEAE 199	TACCACEAE 200	Thinouia 191
STEREOPHYLLACEAE 22	Tachia 110	Thismia 70
Stereophyllum 22	Tachibota 83	Thoa 112
Sterigmapetalum 181	Tachigali 75, 76, 109	Thoracocarpus 90
Sticherus 30	Tagetes 60	Thrasya 171, 175
Stictolejeunea 13	Taligalea 205	THUIDIACEAE 22
Stiftia 60, 61	Talinum 178	Thuidium 22
Stigmaphyllon 128	Talisia 191	Thunbergia 42
Stigmatopteris 29	Tamonea 138, 205	Thurnia 201
Stilaginella 104	Tampaia 210	THURNIACEAE 201
Stilpnopappus 61	Tanaecium 64	THYMELAEACEAE 201
Stizophyllum 64	Tanibouca 86	Thrysodium 45
Stomatochaeta 60, 61	Taonabo 201	Thysananthus 13
STRELITZIACEAE 199-200	Tapeinostemon 110, 111	Thysanostemon 84
Strempelia 189	Tapirira 45	Tibouchina 134, 138
Strepium 174	Tapirocarpus 210	Ticorea 190
Streptocalyx 68	Tapogomea 189	Tigarea 96
Streptocheata 171	Tapura 95	TILIACEAE 201-202
Streptogyna 171, 174	Taralea 107	Tillandsia 68, 69
Streptostachys 171, 174	Tariri 196	Tinantia 86
Stromanthus 130	Tassadia 58	Tococa 134, 138
Struchium 60	Taxilejeunea 13	Tocoyena 186
Struthanthus 126	Taxithelium 21	Tofieldia 124
Strychnos 125	Tecoma 64	Tonina 99
Stryphnodendron 142, 144	Tectaria 38	Tonsella 115
Sturmia 163	TECTARIACEAE 38-39	Tontanea 189
Stylogyne 147, 148	Telanthera 44	Tontelea 114, 115
Stylosanthes 107	Telaranea 13	Topobea 134, 138
STYRACACEAE 200	Teliostachya 42	Torenia 195
Styrax 200	Telitoxicum 140	Torrubia 151
Suriana 200	Telminostelma 58	Torulinium 95
SURIANACEAE 200	Tephrosia 107, 109	Touantea 76
Swartzia 74-75, 76	Teramnus 107	Touchiroa 76
Sweetia 109	Terminalia 85, 86	Toulicia 191
Swietenia 138	Ternstroemia 200, 201	Tounatea 76
Syagrus 56, 57	Terpsichore 31	Tournefortia 66
Symbiezidium 13	Tetracera 96	Touroulia 179
Symbolanthus 110 111	Tetragastris 71	Tovomita 84
Symmeria 177	Tetralocularia 88	Tovomitidium 84
Symphonia 84	Tetrameris 138	Tovomitopsis 84
Sympyllanthus 95	Tetrapodenia 128	Trabacellula 10
Sympyogyna 14	Tetrapollinia 111	Trachylejeunea 13
Sympyotrichum 60	Tetrapteryx 128	Trachypogon 171, 175
SYMPLOCACEAE 200	Tetrastictella 65	Trachy>xiphium 18
Symplocos 200	Tetrazygia 138	Tradescantia 86
Synedrella 60	Teuscheria 160	Traganthus 104
Syngonanthus 99, 100	Thalia 130, 131	Tragia 102, 104
Syngonium 52, 53	Thamniopsis 18	Trattinnickia 71
Syntherisma 175	THEACEAE 200-201	Trema 204
Syrrhopodon 16	Thecophyllum 69	Trianosperm 89
Systemonodaphne 120	THELYPTERIDACEAE 39	Trianosperma 89
Syzygiella 11	Thelypteris 39	Trianthema 144
Syzygium 149	Theobroma 199	Tribulus 210
	THEOPHRASTACEAE 201	Trichachne 175
	Thermophila 114	Trichanthera 42
	Thespisia 129	Trichilia 138, 139

T

- Trichocentrum 160, 163
 Trichocolea 15
TRICHOCOLEACEAE 15
 Trichogonia 60
 Trichomanes 32
 Trichopilia 160, 163
 Trichosalpinx 160, 163
 Trichospira 60, 61
 Trichosteleum 21
 Trichostigma 165
 Trichostomum 20-21
 Tridax 60
 Tridens 171
 Trifolium 109
 Trigonia 202
TRIGONIACEAE 202
 Trigonidium 160, 163
 Trigynaea 46, 47
 Trilepis 94
 Trimezia 117
 Triodia 175
 Triphasia 190
 Triphora 160
 Triplaris 177
 Triplophyllum 38
 Tripodanthus 126
 Tripogandra 86
 Tripogon 171
 Tripsacum 171, 175
 Trisetella 160, 163
 Tristicha 176
 Triumfetta 202
TRIURIDACEAE 202
 Triurus 202
 Trixis 61
 Trizeuxis 160
 Troschelia 112
 Trymatococcus 145, 146
 Tryssophyton 134
 Tschudya 138
 Turnera 203
TURNERACEAE 203
 Tussacia 112
 Tylimanthus 9
 Tylopsacas 111
 Tylosperma 112
 Tynanthus 64
 Typha 203
TYPHACEAE 203
 Typhonium 52, 53
- U**
- Ugni 149
 Uleiorchis 160
ULMACEAE 203-204
 Uncaria 186
 Unona 47
 Unonopsis 46
 Unxia 60
- Uragoga 189
 Urania 200
 Uraptera 138
 Urena 129, 130
 Urera 204
 Urochloa 171
 Urospatha 52
 Urostigma 146
 Urtica 204
URTIACEAE 204
 Urvillea 191
 Utricularia 123
- V**
- Vaccinium 98, 99
 Valeriana 204
VALERIANACEAE 204
 Valota 175
 Vanaea 11
 Vandellia 196
 Vanilla 160, 163
 Vantanea 115
 Vasivaea 202
 Vataarea 107, 109
 Vatareopsis 107
 Vellosiella 195
 Vellozia 204
VELLOZIACEAE 204
 Verbena 205
VERBENACEAE 204-205
 Verbesina 60, 61
 Verdoornianthus 13
 Vernonanthura 60
 Vernonia 61
 Vesicularia 19
 Vettiveria 171
 Viburnum 78
 Victoria 151
 Vigna 107, 109
 Vilfa 175
 Viola 206
VIOLACEAE 205-206
 Virola 147
VISCACEAE 206-207
 Vismia 84, 85
VITACEAE 207
 Vitellaria 195
 Vitex 205
 Vitis 207
 Vittaria 40
VITTARIACEAE 39-40
 Vochysia 208
VOCHysiACEAE 207-208
 Votomita 134
 Vouacapoua 75
 Vouapa 76, 210
 Vouarana 191
 Voyara 78
 Voyria 110
- Voyriella 110
 Vriesea 68, 69
- W**
- Waltheria 199
 Waria 47
 Warszewiczia 186
 Webera 138
 Websteria 94
 Weddellina 176
 Wedelia 60, 61
 Weigeltia 148
 Weinmannia 90
 Werauhia 69
 Whittonia 165
 Wijkia 21
 Wilbrandia 89
 Willughbeja 50
 Windsorina 180
WINTERACEAE 208
 Wissadula 129, 130
 Witheringia 198
 Wittmackia 69
 Wolffia 122
 Wolffiella 122
 Wolffiopsis 122
WOODSIACEAE 40
 Wulffia 60
 Wullschlaegelia 160, 163
- X**
- Xanthosoma 52, 53
 Xerorchis 160
 Ximenia 153
 Xiphidium 112
 Xiphochaeta 60
 Xiphopteris 31
 Xylobium 160
 Xylophragma 64
 Xylopia 47
 Xylosma 109, 110
 Xylosterculia 199
XYRIDACEAE 208-209
 Xyris 208, 209
- Y**
- Youngia 60
 Yuyba 57
- Z**
- Zamia 209
ZAMIACEAE 209
 Zanthoxylum 190
 Zapoteca 142
 Zea 171

- Zelometeorium 20
Zephyranthes 124
Zexmenia 61
Zeyheria 65
Zingiber 209
ZINGIBERACEAE 209-210
Ziziphus 180
Zollernia 75, 76
Zoopsisidella 13
Zoopsis 13
Zornia 107, 109
Zostera 210
ZOSTERACEAE 210
Zschokkea 50
Zygia 142, 144
Zygopetalum 163
ZYGOPHYLLACEAE 210
Zygosepalum 160, 163
Zygostates 160

APPENDIX A.

Contributors and reviewers.

Pedro Acevedo R.
 Department of Botany, NHB 166
 Smithsonian Institution
 Washington, DC 20560
 USA

Michael J. Balick
 New York Botanical Garden
 Bronx, NY 10458-5126
 USA

Lucile Allorge
 Museum National d'Histoire Naturelle
 Laboratoire de Phanerogamie
 16, rue Buffon
 F-75005 Paris
 FRANCE

Rupert C. Barneby
 New York Botanical Garden
 Bronx, NY 10458-5126
 USA

Christiane Anderson
 University of Michigan Herbarium
 North University Building
 University of Michigan
 Ann Arbor, MI 48109-1057
 USA

Cornelis C. Berg
 The Norwegian Arboretum and Botanical Garden
 University of Bergen
 N-5067 Store Milde
 NORWAY

William R. Anderson
 University of Michigan Herbarium
 North University Building
 University of Michigan
 Ann Arbor, MI 48109-1057
 USA

Paul E. Berry
 Missouri Botanical Garden
 P.O. Box 299
 St. Louis, MO 63166-0299
 USA

Daniel F. Austin
 Department of Biological Sciences
 Florida Atlantic University
 Boca Raton, FL 33431-0991
 USA

John K. Boggan
 Department of Botany, NHB 166
 Smithsonian Institution
 Washington, DC 20560
 USA

Gerardo A. Aymard C.
 UNELLEZ-Guanare, Programa R.N.R.
 Herbario Universitario
 Mesa de Cavacas
 Edo. Portuguesa 3323
 VENEZUELA

John Brandbyge
 Skejbygardsvej 80
 DK-8240 Risskov
 DENMARK

Kenneth M. Cameron
Department of Biology
University of North Carolina
Chapel Hill, NC 27599-3280
USA

Eric A. Christenson
1646 Oak Street
Sarasota, FL 34236
USA

Georges Cremers
Herbier, Centre ORSTOM-Cayenne
B.P. 165
F-97323 Cayenne cedex (French Guiana)
FRANCE

Thomas B. Croat
Missouri Botanical Garden
P.O. Box 299
St. Louis, MO 63166-0299
USA

Douglas Daly
New York Botanical Garden
Bronx, NY 10458-5126
USA

Alfonso Delgado-Salinas
Herbario Nacional, Departamento de Botanica
Instituto de Biologia, UNAM
Apartado Postal 70-233
04510 Mexico, D.F.
MEXICO

Pierre Detienne
Centre Technique Forestier Tropical
45 Bis Avenue de la Belle Gabrielle
94736 Nogent sur Marne-Cedex
FRANCE

Laurence J. Dorr
Department of Botany, NHB 166
Smithsonian Institution
Washington, DC 20560
USA

Robert B. Faden
Department of Botany, NHB 166
Smithsonian Institution
Washington, DC 20560
USA

Paul R. Fantz
Department of Horticultural Science
North Carolina State University
Box 7609, Raleigh, NC 27695-7609
USA

Christian Feuillet
c/o Department of Botany, NHB 166
Smithsonian Institution
Washington, DC 20560
USA

Jeanne Florschütz-de Waard
Institute of Systematic Botany
P.O. Box 80.102
Heidelberglaan 2
3508 TC Utrecht
THE NETHERLANDS

James P. Folsom
Huntington Botanical Gardens
1151 Oxford Road
San Marino, CA 91108
USA

Enrique Forero
New York Botanical Garden
Bronx, NY 10458-5126
USA

Vicki A. Funk
 Department of Botany, NHB 166
 Smithsonian Institution
 Washington, DC 20560
 USA

Eric J. Gouda
 Institute of Systematic Botany
 P.O. Box 80.102
 Heidelberglaan 2
 3508 TC Utrecht
 THE NETHERLANDS

Alwyn H. Gentry
 Missouri Botanical Garden
 P.O. Box 299
 St. Louis, MO 63166-0299
 USA

S.R. Gradstein
 Institute of Systematic Botany
 P.O. Box 80.102
 Heidelberglaan 2
 3508 TC Utrecht
 THE NETHERLANDS

Lynn J. Gillespie
 Research Division
 Canadian Museum of Nature
 P.O. Box 3443, Station D
 Ottawa, Ontario K1P 6P4
 CANADA

Jason R. Grant
 Department of Plant Biology
 University of Maryland
 College Park, MD 20742
 USA

Sidney F. Glassman
 Herbarium, Botany Department
 Field Museum of Natural History
 Roosevelt Road at Lake Shore Drive
 Chicago, IL 60605
 USA

Jean-Jacques de Granville
 Herbier, Centre ORSTOM-Cayenne
 B.P. 165
 F-97323 Cayenne cedex (French Guiana)
 FRANCE

A.R.A. Görts-van Rijn
 Institute of Systematic Botany
 P.O. Box 80.102
 Heidelberglaan 2
 3508 TC Utrecht
 THE NETHERLANDS

James Grimes
 New York Botanical Garden
 Bronx, NY 10458-5126
 USA

Paul Goetghebeur
 Laboratory of Plant Morphology, Systematics,
 and Ecology
 University Gent
 Ledeganckstraat 35
 9000 Gent
 BELGIUM

Micheline Guerlesquin
 Laboratoire de Biologie végétale et de
 Phytogeographie
 Institut de Recherche
 3, Place Andre Leroy, B.P. 808
 49005 Angers Cedex 01
 FRANCE

Peter Goldblatt
 Missouri Botanical Garden
 P.O. Box 299
 St. Louis, MO 63166-0299
 USA

Eric Hagsater
 Asociacion Mexicana de Orquideologia, A.C.
 Apartado Postal 53-123
 11320 Mexico, D.F.
 MEXICO

Madjit Hakki
 Botanischer Garten und Botanisches Museum
 Berlin-Dahlem
 Konigin-Luise-Strasse 6-8
 D-1000 Berlin 33
 GERMANY

Bertel Hansen
 Botanical Museum and Herbarium
 Gothersgade 130
 DK-1123 Copenhagen
 DENMARK

Ray M. Harley
 Herbarium, Royal Botanic Gardens
 Kew, Richmond, Surrey
 England TW9 3AB
 UNITED KINGDOM

Robert R. Haynes
 Department of Biological Sciences
 Box 870344
 University of Alabama
 Tuscaloosa, AL 35487-0344
 USA

Willem H.A. Hekking
 Institute of Systematic Botany
 P.O. Box 80.102
 Heidelberglaan 2
 3508 TC Utrecht
 THE NETHERLANDS

Paul Hiepko
 Botanischer Garten und Botanisches Museum
 Berlin-Dahlem
 Konigin-Luise-Strasse 6-8
 D-1000 Berlin 33
 GERMANY

Michel Hoff
 ORSTOM
 Institut de Botanique
 28, rue Goethe
 F-67083 Strasbourg cedex
 FRANCE

Lauritz B. Holm-Nielsen
 Herbarium Jutlandicum, Botanical Institute
 University of Aarhus
 68 Nordlandsvej
 DK-8240 Risskov
 DENMARK

Bruce K. Holst
 Marie Selby Botanical Gardens
 811 South Palm Avenue
 Sarasota, FL 34236
 USA

Charles N. Horn
 Biology Department
 Newberry College
 Newberry, SC 29108
 USA

Marion J. Jansen-Jacobs
 Institute of Systematic Botany
 P.O. Box 80.102
 Heidelberglaan 2
 3508 TC Utrecht
 THE NETHERLANDS

C. Jeffrey
 Herbarium, Royal Botanic Gardens
 Kew, Richmond, Surrey
 TW9 3AB England
 UNITED KINGDOM

Rudolf Jenny
 Moosweg 9
 3112 Allmendingen
 SWITZERLAND

Emmet J. Judziewicz
 Department of Botany, Birge Hall
 University of Wisconsin
 430 Lincoln Drive
 Madison, WI 53706
 USA

Carol L. Kelloff
 Department of Botany, NHB 166
 Smithsonian Institution
 Washington, DC 20560
 USA

Helen Kennedy
 Herbarium, Botany Department
 University of British Columbia
 3529-6270 University Boulevard
 Vancouver, BC V6T 2B1
 CANADA

Robert W. Kiger
 Hunt Institute for Botanical Documentation
 Carnegie Mellon University
 Pittsburgh, PA 15213-3890
 USA

Robert Kral
 Vanderbilt University
 Box 1705, Sta. B
 Nashville, TN 37235
 USA

Job Kuijt
 Department of Biology
 University of Victoria
 P.O. Box 1700
 Victoria, BC V8W 2Y2
 CANADA

David B. Lellinger
 Department of Botany, NHB 166
 Smithsonian Institution
 Washington, DC 20560
 USA

Beat Ernst Leuenberger
 Botanischer Garten und Botanisches Museum
 Berlin-Dahlem
 Konigin-Luise-Strasse 6-8
 D-1000 Berlin 33
 GERMANY

Jan C. Lindeman
 Institute of Systematic Botany
 P.O. Box 80.102
 Heidelberglaan 2
 3508 TC Utrecht
 THE NETHERLANDS

Eduardo Lleras-Perez
 Centro Nacional de Recursos Genéticos
 Empresa Brasileira de Pesquisa Agropec
 Caixa Postal 10-2372
 70770 Brasilia, D.F.
 BRAZIL

Pierre-André Loizeau
 Conservatoire et Jardin botaniques
 Case postale 60
 Ch-1292 Chambesy/GE
 SWITZERLAND

Alicia Lourteig
 Museum National d'Histoire Naturelle
 57 rue Cuvier
 F-75005 Paris
 FRANCE

James L. Luteyn
 New York Botanical Garden
 Bronx, NY 10458-5126
 USA

Paul J.M. Maas
 Institute of Systematic Botany
 P.O. Box 80.102
 Heidelberglaan 2
 3508 TC Utrecht
 THE NETHERLANDS

H. Maas-van de Kamer
 Institute of Systematic Botany
 P.O. Box 80.102
 Heidelberglaan 2
 3508 TC Utrecht
 THE NETHERLANDS

Luis Marcano-Berti
Kometenlaan 413
3721 JM Bilthoven
THE NETHERLANDS

Michael Nee
New York Botanical Garden
Bronx, NY 10458-5126
USA

Richard H. Maxwell
Herbarium, Indiana University Southeast
4201 Grant Line Rd.
New Albany, IN 47150
USA

Dan H. Nicolson
Department of Botany, NHB 166
Smithsonian Institution
Washington, DC 20560
USA

Willem Meijer
Herbarium, T.H. Morgan School of Biological Sciences
University of Kentucky
Lexington, KY 40506-0225
USA

John J. Pipoly
Botanical Research Institute of Texas
509 Pecan Street
Ft. Worth, TX 76102
USA

John D. Mitchell
New York Botanical Garden
Bronx, NY 10458-5126
USA

Odile Poncy
Museum National d'Histoire Naturelle
Laboratoire de Phanerogamie
16, rue Buffon
F-75005 Paris
FRANCE

Scott Mori
New York Botanical Garden
Bronx, NY 10458-5126
USA

Ghillean T. Prance
Herbarium, Royal Botanic Gardens
Kew, Richmond, Surrey
England TW9 3AB
UNITED KINGDOM

Gilberto Morillo
Herbario L. Ruiz Terán, MERF
Facultad de Farmacia, U.L.A.
5101 Mérida, Edo. Mérida
VENEZUELA

John Pruski
Department of Botany, NHB 166
Smithsonian Institution
Washington, DC 20560
USA

Thomas Morley
c/o Plant Biology Department
University of Minnesota
220 Biological Sciences Center
1445 Gortner Ave.
St. Paul, MN 55108-1095 USA

Peter H. Raven
Missouri Botanical Garden
P.O. Box 299
St. Louis, MO 63166-0299
USA

Harold Robinson
 Department of Botany, NHB 166
 Smithsonian Institution
 Washington, DC 20560
 USA

Beryl B. Simpson
 Department of Botany, BIO 308
 University of Texas
 Austin, TX 78713-7640
 USA

Norman K.B. Robson
 Botany Department
 British Museum (Natural History)
 Cromwell Road
 London SW7 5BD, England
 UNITED KINGDOM

Laurence E. Skog
 Department of Botany, NHB 166
 Smithsonian Institution
 Washington, DC 20560
 USA

William A. Rodrigues
 Departamento de Botânica-Herbário
 Universidade Federal do Paraná
 Centro Politécnico-Jardim das Américas
 C.P. 19031, 81531-970 Curitiba, Paraná
 BRASIL

Flemming Skov
 National Environmental Research Institute
 Division of Wildlife Ecology, Kalo
 Grenavej 12, DK-8410 Ronde
 DENMARK

Adriaan C. de Roon
 Institute of Systematic Botany
 P.O. Box 80.102
 Heidelberglaan 2
 3508 TC Utrecht
 THE NETHERLANDS

Mario Sousa Sanchez
 Herbario Nacional, Departamento de Botanica
 Instituto de Biología, UNAM
 Apartado Postal 70-367
 04510 Mexico, D.F.
 MEXICO

Velva E. Rudd
 P.O. Box 19
 Reseda, CA 91337
 USA

Clive A. Stace
 Herbarium, Department of Botany
 University of Leicester
 Leicester LE1 7RH, England
 UNITED KINGDOM

Daniel Sabatier
 Herbier, Centre ORSTOM-Cayenne
 B.P. 165
 F-97323 Cayenne cedex (French Guiana)
 FRANCE

Bruce Stein
 The Nature Conservancy
 1815 N. Lynn St.
 Arlington, VA 22209
 USA

Claude Sastre
 Museum National d'Histoire Naturelle
 Laboratoire de Phanerogamie
 16, rue Buffon
 F-75005 Paris
 FRANCE

Dennis W. Stevenson
 New York Botanical Garden
 Bronx, NY 10458-5126
 USA

Mark T. Strong
Department of Botany, NHB 166
Smithsonian Institution
Washington, DC 20560
USA

Henk van der Werff
Missouri Botanical Garden
P.O. Box 299
St. Louis, MO 63166-0299
USA

Charlotte M. Taylor
Missouri Botanical Garden
P.O. Box 299
St. Louis, MO 63166-0299
USA

Donald R. Windler
Herbarium, Biology Department
Towson State University
8000 York Road
Baltimore, MD 21204
USA

Peter Taylor
4 Laneland Cottages
Plaistow Rd
Kirdford, Billingshurst
West Sussex RH14 0JY
UNITED KINGDOM

John J. Wurdack
Department of Botany, NHB 166
Smithsonian Institution
Washington, DC 20560
USA

Carol A. Todzia
Lundell Herbarium, Department of Botany
University of Texas
Austin, TX 78712
USA

Elsa M. Zardini
Missouri Botanical Garden
P.O. Box 299
St. Louis, MO 63166-0299
USA

Warren H. Wagner, Jr.
Department of Biology
University of Michigan
Ann Arbor, MI 48109
USA

Dieter Wasshausen
Department of Botany, NHB 166
Smithsonian Institution
Washington, DC 20560
USA

Anna Weitzman
Department of Botany, NHB 166
Smithsonian Institution
Washington, DC 20560
USA

APPENDIX B.

Contributors and reviewers for the revised edition.

Maria Mercedes Arbo
Facultad de Ciencias Agrarias
Instituto de Botanica del Nordeste IBONE
C.C. 209
3400 Corrientes
ARGENTINA

William R. Buck
New York Botanical Garden
Bronx, NY 10458-5126
USA

Robert A. DeFilipps
Department of Botany, NHB 166
Smithsonian Institution
Washington, DC 20560
USA

Stefan Dressler
Rijksherbarium/Hortus Botanicus
P.O. Box 9514
NL-2300 RA Leiden
THE NETHERLANDS

Bruce F. Hansen
Department of Biology
University of South Florida
4202 East Fowler Avenue, LIF 169
Tampa, FL 33620
USA

Andrew Henderson
New York Botanical Garden
Bronx, NY 10458-5126
USA

Jacquelyn A. Kallunki
New York Botanical Garden
Bronx, NY 10458-5126
USA

Denis M. Kearns
Missouri Botanical Garden
P.O. Box 299
St. Louis, MO 63166-0299
USA

Joseph H. Kirkbride, Jr.
Systematic Botany and Mycology Laboratory
USDA/ARS
Building 011A, Room 304, BARC-West
Beltsville, MD 20705-2350

W. John Kress
Department of Botany, NHB 166
Smithsonian Institution
Washington, DC 20560
USA

Antony J.M. Leeuwenberg
Department of Plant Taxonomy
Wageningen Agricultural University
P.O.B. 8010, 6700 ED Wageningen
THE NETHERLANDS

Harry E. Luther
Marie Selby Botanical Gardens
811 South Palm Avenue
Sarasota, FL 34236
USA

Max E. Medley
Department of Biology
College of Arts and Sciences
University of Louisville
Louisville, KY 40292
USA

Heimo Rainer
Institute of Botany
University of Vienna
Rennweg 14
A-1030 Vienna
AUSTRIA

Susanne S. Renner
Institut für Spezielle Botanik und Botanischer
Garten
Johannes Gutenberg-Universität Mainz
Anselm-F.-v.-Bentzel-Weg 2
D-6500 Mainz
GERMANY

Marga C.M. Werkhoven
National Herbarium of Suriname
Anton de Kom Universiteit van Suriname
Universiteitscomplex Leysweg P.O.B. 9212
Paramaribo
SURINAME

John H. Wiersema
Systematic Botany and Mycology Laboratory
USDA/ARS
Building 011A, Room 304, BARC-West
Beltsville, MD 20705-2350
USA